

ASTRONOMICAL OBSERVATIONS

MADE AT

THE HONORABLE

THE EAST INDIA COMPANY'S OBSERVATORY

AT MADRAS.

BY

CAPTAIN WILLIAM KINNAIRD WORSTER, ARTILLERY, F. R. A. S.

ACTING ASTRONOMER.

AND

WILLIAM STEPHEN JACOB, ESQ., F. R. A. S.

ASTRONOMER TO THE HONORABLE COMPANY.

FOR THE YEARS 1848—1852.



PRINTED BY ORDER OF

THE MADRAS GOVERNMENT.

MADRAS:

PRINTED BY J. TULLOCH, AT THE AMERICAN MISSION PRESS.

MDCCCLIV.

P R E F A C E.

THE present volume embraces all the Observations made at the Madras Observatory since the departure of the late Astronomer T. G. TAYLOR, Esq., or for the years 1848—52 inclusive. The system pursued by my predecessor has been generally followed; viz., that the great mass of observations with the Meridional Instruments has been taken by the Native Assistants, it being found impossible in this climate, together with the general superintendence of two Observatories (celestial and magnetic) to undertake any continued series of observations. My observations with these instruments have therefore been limited to what was needful for occasional checks. I consider the work of the Assistants with the Mural Circle to be nearly if not quite equal to my own; with the Transit Instrument the inferiority is more perceptible, though still not very great. I have also followed my predecessor's plan in printing *results* only, on account of the voluminousness of the original observations; but exact copies in MS. of all the Observation-books will be deposited at the India House, and will doubtless be there accessible to all parties wishing to examine them.

The figure of Saturn in Plate 2 is a sad failure, but the best that the Madras Lithographers could produce after several attempts.

The hope held out in the last volume that this Observatory would soon possess an Equatorial, has been realized, not by the completion of the Instrument ordered the Court of Directors in 1842, which was not executed; but by the purchase of an Instrument originally ordered for private use. The observations with this instrument have been made exclusively by myself.

The Latitude given in the last volume has been reduced 0.1 in accordance with the indications of the Solar Observations as given in that volume. The Longitude has been retained unaltered.

	°	'	"		h.	m.	s.
Latitude.....	13	4	8.1		Longitude.....	5	20 57.3

MADRAS OBSERVATORY, }
 1st December, 1853. }

W. S. JACOB,
H. C. Astronomer.

ERRATA.

<i>Page.</i>	<i>line or No.</i>	<i>for</i>	<i>read</i>
26	(7163)	Magnitude	7·7
37	line 3	L. C.	n. p.
73	287	η 6 Orionis	η σ Orionis
75	322	(N. P. D.) 113°	133°
76	351	ω Lupi	π Lupi
(3)}	heading	105	107
(4)}			
(5) to (13)	heading	106	107

ERRATA, LIST No. 2.

<i>Page.</i>		<i>line or No.</i>		<i>Column.</i>		<i>for</i>		<i>read.</i>
7	2939	9th (P.M.)	+·05	—·05
8	3189	Do.	—·28	+·28
21	6328	Do.	—·03	+·03
37	5045	B.	L.C.
38	5370	+0·30 ^{s.}	—0·30 ^{s.}
39	5505	—1·4 ["]	+ 1·4 ["]
40	6481	+1·5	— 1·5
75	339	A.R.	—	12 ^{h.}
(20)	Equation 7	—1·75	—1·175

Sc 11

TRANSIT INSTRUMENT.

THIS Instrument having been frequently described, it will be sufficient to state that it has a focal length of 60·4^{in.} and an aperture of 3·7^{in.}—but on my arrival at Madras in July 1849, I found the aperture of 2^{in.} almost exclusively employed. With a larger aperture, the brighter stars were disfigured by wings, shewing that the object glass was not exactly centered. The inconvenience of this being apparent, the centering was corrected between 16th and 19th November, by filing down two of the three brass pieces (mentioned in Vol. IV. by the late Mr. Taylor as) placed under the cell of the object glass, until stars of 1st magnitude gave a round image; since then the 2^{in.} aperture has been for the most part confined to Solar Observations.

The apparent difference of the pivots was found to be

on 16th December, 1849, 6·01

19th March, 1850, 5·51

13th December, 1852, 5·61

the illuminating end being least; the correction used has been between the two first dates 3·00, and subsequently to 19th March 1850, 2·78: previously to the first date the old correction left by Mr. Taylor was used, viz. 1·80. The level error, as will be evident from inspection of the Table is subject to great changes, the annual range sometimes exceeding 10, while a difference of 3 or 4 will frequently be found in the lapse of a few days, particularly after heavy rain. This is probably owing to the foundation for the Instruments resting not upon rock but sand, which in long continued rain becomes softened and allows the brick work to settle in a small degree. In consequence of injuries sustained by the setting circle on the other side, the Instrument can be used only with the illuminating end W., but the practice has been to invert the axis about the middle of every month and examine the collimation; and, as long as the micrometer was in order, to measure the distance of the central wire from the meridian mark in both positions, and thus determine the collimation error; latterly the micrometer having become unserviceable, I have adjusted for collimation whenever the error has appeared to exceed 1·0, but this has been a rare occurrence.

The Azimuth has been determined throughout by the Transits of circumpolar stars; both Transits of Polaris have been taken when practicable, but by reason of its low altitude this can be done during only a small portion of the year.

The equatorial intervals of the four outer wires from the central one I found to be on 4th November 1849, by 93 Transits of stars

55·14	agreeing very nearly with the values determined by my predecessor* on 16th
27·67	March and implying a correction to reduce the mean of the five to the centre,
27·17	amounting to + 0·18 × sec. dec.
54·76	

In adjusting the centering of the object glass and re-adjusting collimation, a small change was produced, and the intervals were re-determined by 34 Transits as follows:—

55·21
27·67
27·23
54·82

* Intervals on 1st January, 1849, {
54·91
27·18
27·23
54·75

And after putting in a new set of {
55·15
27·69
27·15
54·76

so that the mean requires a correction of $+ 0.17 \times \text{sec. dec.}$ —applicable from 19th November 1849 to 4th March 1850. By the latter date the micrometer plate having, in spite of frequent cleanings, become stiff in its motion and nearly useless, and the intervals between the wires, being found inconveniently large, two wires were affixed to the micrometer plate, and set nearly midway between 2d and 3d, and 3d and 4th wires, and the use of the old 1st and 5th was discontinued.

The intervals were then determined as below:—

$\begin{array}{r} 27.66 \\ 13.47 \\ 13.86 \\ 27.30 \end{array}$

The mean of 5 therefore requires a correction of only $- 0.01 \times \text{sec. dec.}$ —which was neglected. On 12th October 1850, the 1st wire was gone; after inserting a fresh one, the intervals were found

$\begin{array}{r} 27.24 \\ 13.68 \\ 13.56 \\ 27.46 \end{array}$

implying a correction of $- 0.02 \times \text{sec. dec.}$ —which was neglected.

About 12th November the values were again ascertained and found as follow

$\begin{array}{r} 27.22 \\ 13.68 \\ 13.52 \\ 27.42 \end{array}$

requiring no correction.

About 5th February 1851, an inequality was noticed and the values were found to be

$\begin{array}{r} 27.13 \\ 14.05 \\ 13.16 \\ 27.45 \end{array}$

And after adjustment on the 10th February the values were

$\begin{array}{r} 27.13 \\ 13.76 \\ 13.45 \\ 27.45 \end{array}$

In the latter part of March the wires had again shifted and the intervals were found

$\begin{array}{r} 27.24 \\ 14.30 \\ 13.00 \\ 27.48 \end{array}$

and after adjustment on the 26th March,

$\begin{array}{r} 27.24 \\ 13.72 \\ 13.48 \\ 27.48 \end{array}$

on 19th April they were again found to be

$\begin{array}{r} 27.25 \\ 13.73 \\ 13.50 \\ 27.42 \end{array}$

on 12th September the first wire was found broken and a new one inserted, when the values were found to be

$\begin{array}{r} 27.34 \\ 13.66 \\ 13.60 \\ 27.34 \end{array}$

and after adjustment on 18th September

^s
27·35
13·59
13·63
27·32

On 11th January 1852 the 4th wire was found slack, and a new pair were fixed on the micrometer plate, after which the values were

^s
27·39
14·03
13·76
27·58

implying a correction of $+ \cdot 016 \times \text{sec. dec.}$ —which was neglected; these values were used until 1st October when a change being suspected the values were ascertained to be between that date and 10th December

^s
27·40
14·42
13·35
27·57

requiring a correction of $+ \cdot 18 \times \text{sec. dec.}$

after adjustment on 10th December the values were

^s
27·32
14·05
13·70
27·60

The power used throughout the observations, as measured by a dynameter, has been 109, hitherto erroneously called 150.

The Instrument having been in use upwards of twenty years, is nearly worn out, and it will be desirable ere long to have its place supplied by one of greater power. Besides the defective state of the micrometer and of one of the setting circles alluded to above, the Ys are much worn away, and from the comparison of the right ascensions of standard stars with the Greenwich determinations, the pivots would also appear to have worn unequally.

In observing the sun, a light screen has been used since October 1849, to protect the axis from the sun's rays.

CLOCK ERRORS AND RATES.

The amount of these, as stated in the Table, has been corrected for personal equation, which was carefully ascertained for each observer, but as it was doubtful if the value of this continued quite permanent, it was but rarely employed in correcting the places of the stars, the plan adopted by Mr. Taylor being followed out, of deducing when practicable the clock error for each observer separately from his own Observations of Standard Stars, three of which were usually taken in each watch of three hours; the Standard Stars adopted being all the Nautical Almanac Stars within 30° of the equator, excepting a few which were considered doubtful, because of their places in the N. Almanac differing widely from those determined at this Observatory.

MURAL CIRCLE.

The circle having been frequently described, it will be sufficient to state that its diameter is 48; the Telescope has a focal length of $48\frac{1}{2}$ and an aperture of $3\frac{1}{2}$; and a power of 97 (hitherto erroneously called 120), has been constantly used in observations of the heavenly bodies, the power employed with the Reflecting Collimator being about 60.

In determining the Index Error, those Nautical Almanac Stars were used which passed within 30° of the zenith, Sirius only being excluded, as being very near the limit and having also a large and somewhat uncertain proper motion. The mean Polar distances employed have been those given in Vol. VII. of this Observatory as the result of observations from 1843 to 1847 inclusive, with a correction of 0.1 , by which the latitude hitherto employed requires to be diminished, as appears both from the Solar Observations, and a comparison with the Greenwich Observations of the Standard Stars.

REVISION OF THE B. A. CATALOGUE.

This is a work which I had planned before arriving at Madras and was commenced in August 1849, it was considerably advanced before I was aware that my esteemed friend, the Astronomer at the Cape, was engaged in a similar revision.

The stars selected for Observation were, all those numbers in the B. A. Catalogue, between the N. P. D. of 40° and 155° , which depended on one modern observer, or which were otherwise doubtful; a few have been taken beyond these limits, especially to the northward; and a few of those previously well determined have been re-observed, generally from having been mistaken for some missing number in the neighbourhood. The numbers reported as "not seen," are in the course of being re-examined, they appear for the most part to be duplicate observations of another number with errors of 1 or 1 or something of the kind.

It was intended to take four observations of each star, and this has been accomplished excepting where the stars came too *thickly* to allow of its being done within a reasonable time, or where a wrong star has been observed and the mistake not detected till the time of reduction. The great majority of these observations were taken by the Native Assistants, and may be considered creditable to them, as shewn by the general close agreement with former observers, especially Groombridge; by way of check, I have occasionally taken a turn at the Transit Instrument and, more rarely, at the Circle.

I have continued to employ Atkinson's Refractions as used by my predecessor, for the following reasons; the Native Assistants being used to the Table, I thought it undesirable to introduce a change unless it could be *proved* to be for the better; now, though Atkinson's Refractions differ but slightly from Bessel's, they appear to be rather more correct, at least in this latitude, since a comparison of the Polar distances of Standard Stars, as observed here and at Greenwich, shews, in the case of stars passing N. of both zeniths, a mean difference of only 0.01 ; i. e. Atkinson's Refractions, at zenith distances from 38° to 76° , are equally good with Bessel's (used at Greenwich) from 0° to 38° ; a similar comparison of the stars passing S. of both zeniths as far as 76° of zenith distance at Greenwich, shews a difference of 1.16 ; (Greenwich Stars S.) those below 65° shew a difference of 1.32 and below 75° , 1.65 ; so that Bessel's fail at low altitudes; probably they may be correct for low observations N. of the zenith, and yet not for those to the S. Since a *grazing* ray N. and S. will in high latitudes pass through strata of different temperatures, and therefore be differently refracted.

In the column of magnitudes I have given the mean result, to the nearest tenth, of all the different estimations as entered in the Transit and Circle books, but do not attach much value to them; those assigned to the low southern stars, (say from 140° downwards) are certainly too low.

As much uncertainty still attaches to the amount of proper motions, I have not taken them into account in reducing the mean places to 1850; there was the less need for this, as the mean date of observation differs so very little from that epoch. The sole exception has been No. 4010, (1830 Groombridge) the proper motion of which being large and well established has been allowed for.

It will be seen from the notes, that many of the objects marked as nebulae in the B. A. C. are loose cluster of stars; it is probable that these were not resolved by Lacaille's Instrument, and that he therefore observed the centre or brightest portion of the cluster; Brisbane or other subsequent observer would take a particular star in the cluster, and a comparison of the observations might indicate a large proper motion without any real foundation. In the cases where a conspicuous star could be selected in such a cluster, it has been observed; but many have had to be passed over, from the impossibility of identifying the object observed at the Transit with that at the Circle; for such cases the great advantage of a *Transit Circle* is most evident.

EQUATORIAL INSTRUMENT.

The Equatorial is by Lerebours and Secretan of Paris, and was originally ordered for private use and afterwards purchased by the Government. It reached Madras on 22d March, 1850, and was erected and in use by 12th April. The Object glass at first furnished had an aperture of 6.2 and 86.3 focus: this was found not only ill-centered, but also to have several serious flaws and striæ round the edge, preventing the use of a larger aperture than 4 excepting on very faint objects; and all the observations are to be understood as taken with that aperture, unless otherwise noted. On these defects being represented to the makers, they very readily engaged to furnish another Object glass, the making of which was to occupy six months, but it was not actually received here until 23d July, 1852. All the observations now given, with the exception of a few specially noted, were therefore taken with the old lens. The new lens has the same aperture as the old, but a focal length of 88.64 , and is nearly perfect, clearly dividing ϵ Arietis and τ Ophiuchi, and perceptibly elongating B of γ Andromedæ: shewing also distinctly six stars in the trapezium in Orion as in the annexed diagram.

The Telescope is mounted somewhat like the Great Northumberland at Cambridge, in a cage of strong brass tubes forming the polar axis, with a flat brass bar by way of polar rod. The hour circle is of 13 and declination circle 14 diameter, the one reading to 5 by one vernier, and the other to 30 by two; but single seconds in the one case and 10 or even 5 in the other, can easily be read by estimation. The angle between the transverse axis of the Telescope and the polar axis differs from 90° by $1' 45''$; the inclination being such as to increase observed right ascensions, with face East and in North declination, and vice versa. There is a driving clock of the German construction, the regulating power of which consists in the friction, within a conical brass box, of two steel balls attached to slender springs and turning on a spindle, and the rate is varied by raising or depressing the spindle, so as to cause the balls to rub at a wider or narrower part of the cone; it performs its work pretty well when clean, but requires frequent cleaning.

The micrometer furnished by the maker is of rather inferior quality, the screws being coarse and sensibly unequal, while the planes, in which the wires move, are separated so far as to cause a perceptible parallax. The position circle is less than 2 in diameter, which renders it rather troublesome to read, though the division is sufficiently accurate; the powers furnished were very low, ranging according to the maker's statement from 75 to 240, but as measured by a Dynameter, from 53 to 200; the Object glass of an Achromatic Microscope has occasionally been used giving a power of 340, and a Ramsden's eye-piece has lately been adapted giving with the new Object glass 293, but these are almost too great for the micrometer by reason of the parallax above-noticed. Two other micrometers (kindly lent by General Fraser) have also been used occasionally. These are designated in the observations as *Dollond's* and *Troughton's* Micrometers: the one with powers ranging to 600 and the other to 280. The value of one revolution of the screw of the former being 23.87 and of the latter 23.28 ; with the new Object glass these values become 23.23 and 22.65 . In Lerebours's micrometer the value of screw A is 43.36 , and of B 43.50 ; with the new Object glass 42.22 and 42.35 ; screw A was the one generally used: in the case of repetitions the mean of the two values has to be employed. These values were ascertained by numerous transits of stars of small polar distance; an attempt was made to ascertain if change of temperature affected the values of the screws; but it failed, as the alteration, if any, was much less than the error of observation, the range of temperature available being very small. Two Huygenian eye-pieces were furnished by the maker, with powers of 300 and 400.

The Instrument is mounted, on stout wooden tressels firmly braced, on the roof of the Astronomer's quarters, a very thick and solid terrace: the reason of placing it there was that, on account of high trees and buildings in the neighbourhood, an extensive view could be obtained from no other spot; it was intended in the first instance as an experiment, which has fully succeeded, as even when workmen have been employed about the walls, no tremors could be perceived in observing with high powers.

Instead of a rotatory roof, a folding one was erected, similar to that constructed at Poona and briefly described in the monthly notices of the Royal Astronomical Society for November 1843, which was also brought to the notice of the British

Association in 1850 by Professor C. P. Smyth. The roof is a truncated octagonal pyramid formed of eight separate frames of teak of the form shewn in Fig. 1. covered with canvas and painted, attached by hinges to eight horizontal beams arranged in an octagon and resting on eight posts, the walls between the posts being formed of weather boarding. Each frame opens independently, and when closed they mutually support each other, the edges being bevelled so as to fit correctly; the top is closed by an octagonal wooden shutter hinged to one of the frames, and which can be opened alone when observing very near the zenith; a plan and sectional elevation of the building are shewn at Fig. 2 and 3. For want of room within the building, one leg of each tressel has to pass outside of the walls, but these are carefully bordered round so as nowhere to come in contact with the tressels. The reasons for constructing such a roof in preference to a rotatory one were two-fold; the first was that of economy, the instrument being at the time private property, and consequently having to be erected at the expense of the Astronomer in the first instance, and it being also doubtful if the erection would be permanent, and the expense being about $\frac{1}{2}$ of that of the cheapest kind of rotatory roof; the second was, that from the situation it was expedient that the building erected should be as light as possible consistent with the requisite strength. It should be observed that the tressels supporting the polar axis stand over party walls, which give additional security, but it was found that even in the middle of the terrace neither a spirit level, nor even the reflection from the surface of mercury, were in the least affected by persons walking near them.

The following observations have been made on Saturn with the new Object glass.

24th August 1852, power 365, at day break. The inner faint ring was seen of a greyish tint, occupying about half the space between the bright ring and the planet; it could not be traced quite up to the planet. One dark line was also seen in the outer ring at each ansa, but not very distinctly. The shadow of the ring on the planet had a brownish tint: that of the planet on the ring was black and sharply defined—no belts were seen on Saturn excepting a broad bright band round the equatorial portion, the whole of the southern hemisphere being shaded over with a kind of mottled dun, almost uniformly, only a little darker near the pole; the inner edge of the bright ring was shaded off, but not quite evenly. On 22d September the appearances were much the same with power 277, except that the division of the outer ring was perhaps a little less distinct. On 27th October both the faint ring and outer division were seen with power 177; and with 277 the former could be traced up to and across the planet. Between 1st and 7th January 1853, 4 sets of measures were obtained with power 365 and 277, which are given in the Appendix, page 2, the mean results of which, reduced to Saturn's mean distance (9'5480, by Bouvard's Tables), are as follow:—

Outer diameter of outer ring,	39.92
Diameter of fine division,	38.09
Inner diameter of outer ring,	35.46
Outer diameter of inner ring,	34.77
Inner diameter of inner ring,	26.55
Inner diameter of faint ring,	22.19
Equatorial diameter of Saturn,	17.86
Polar diameter of Saturn,	16.50

The broad division between the two old rings was not black but of an umber brown hue and the faint ring as seen across the planet had nearly the same hue, and a filmy appearance, and the planet's limb was seen through it as through a film of smoke. There was no suspicion of any other division in the outer ring besides the one above noticed and measured. Four Satellites have been frequently seen, but Japetus only on one or two occasions. On 5th January at about 2^h 10^m Sidereal time Tethys became faint and disappeared, being most probably eclipsed: the time not very exact, it was then just opposite the E. ansa, at 5 it was seen again near Saturn's pole.

The planet has subsequently been examined from time to time with various powers, but no decided change has been perceptible in the appearance of either the faint ring or the outer division. The former never appears well defined at its inner edge, neither has its surface an uniform tint. Fig. 4 represents the planet as seen on 1st January, 1853.

(Illuminating Pivot, West.)

Date.	L.—P.*	Means.	Date.	L.—P.	Means.	Date.	L.—P.	Means.
1848.	"	"	1848.	"		1849.	"	
Jan. 3	2.17 W.	1.14 W.	June 4	6.62 E.		Jan. 2	5.43 E.	
6	1.60	P = 1.80	7	6.78		8	6.60	
10	0.34 E.	L = 2.94 W.	10	5.00		18	6.92	
			13	5.47		24	7.65	
			20	6.84		30	6.35.	
13	2.86 E.	2.90 E.	27	7.19		Feb. 5	7.25	
17	2.95	P = 1.80	30	5.96		9	6.80	
		L = 1.10 E.	July 4	6.70		13	7.18	
			9	6.72		17	7.40	
20	4.22 E.		16	Inverted the	Instrument.	21	6.18	
24	4.35		16	7.96 E.		25	5.90	
27	5.89		20	6.17				
28	I cleaned the	Level Instrument.	26	Adjusted the	Level to bring the bub-	Mar. 1	6.89	6.67 E.
31	4.59 E.		26	ble within	the scale.	7	6.62	P = 1.80
				6.46 E.		10	6.23	L = 4.87 E.
Feb. 3	4.45	"	26					
7	5.77	5.09 E.	Aug. 1	6.54	P = 1.80	15	Adjusted the	Level.
12	5.85	L = 3.29 E.	7	6.98	L = 4.77 E.	15	9.30 E.	
16	5.38					18	Inverted the	Axis.
19	5.18					18	9.40 E.	
			15	7.45 E.	"	22	8.20	
23	5.67 E.		22	6.04	6.57 E.	26	8.70	
27	6.39		30	6.12	P = 1.80	29	8.02	"
					L = 4.62 E.			8.66 E.
Mar. 2	5.94	"	Sept. 5	6.05		Apr. 2	8.29	P = 1.80
7	4.45					5	8.74	L = 6.86 E.
11	4.78	5.30 E.						
15	4.87	P = 1.80		Inverted the	Axis.	9	6.85 E.	
18	4.84	L = 3.50 E.	6	6.00 E.		13	7.51	
22	5.49		11	5.68		16	8.00	
			14	8.15		20	7.49	
26	5.11 E.		21	6.21		24	7.66	
30	5.04		26	7.02		26	8.65	
			29	6.19				
April 2	Inverted the	Axis.	Oct. 3	6.40		May 1	7.55	
2	4.15 E.		7	6.00		5	7.27	
7	5.39		11	7.20		8	7.15	
11	4.89		16	7.62	6.80 E.	12	6.85	
14	4.00		20	7.90	P = 1.80		Adjusted the	Level to bring the bub-
16	4.66		27	7.19	L = 5.00 E.		ble within	the scale.
19	3.99					16	7.64 E.	
24	3.97		30	8.75 E.		18	7.13	
	Heavy rain and	loud thunder on the				19	6.19	
28	5.10 E.	"	Nov. 3	8.19		20	7.07	
			7	7.40		26	7.75	
			11	8.31		30	8.26	
May 3	5.60	P = 1.80	12	Inverted the	Axis.			
		L = 2.92 E.	12	8.47 E.		June 4	8.46	7.48 E.
			21	8.80		8	7.32	P = 1.80
			25	6.88		12	7.28	L = 5.68 E.
3	Adjusted the	Level.	30	8.20				
22	6.55 E.	6.03 E.						
26	5.72	P = 1.80	Dec. 5	7.80		16	10.11 E.	10.24 E.
	5.81	L = 4.23 E.	12	7.32	7.86 E.	21	10.70	P = 1.80
June 1	7.17 E.		18	6.80	P = 1.80	26	9.90	L = 8.44 E.
			23	7.41	L = 6.06 E.			

* L.—P. is the Level error as observed; i. e. the true inclination — difference of Pivots

TRANSIT INSTRUMENT AND OBSERVATIONS,

ERROR OF LEVEL OF THE TRANSIT AXIS, (Continued.)

(Illuminating Pivot, West.)

Date.	L.—P.	Means.	Date.	L.—P.	Means.	Date.	L.—P.	Means.
1849.	"		1850.	"		1850.	"	
June 30	7.52 E.		Jan. 9	8.67 E.		June 29	5.25 E.	
July 2	6.70		16	7.98		July 3	4.07	
6	Adjusted the Level.		19	6.95		9	4.87	
10	6.38 E.		25	7.25		13	5.07	
14	7.52		30	8.17	"	17	5.30	
18	7.40		Feb. 2	7.98	P = 3.00	22	5.55	
24	6.90		6	7.98	L = 4.83 E.	27	5.63	"
30	Heavy rain.		9	9.94 E.		30	5.80	5.08 E.
Aug. 3	4.96 E.		13	8.95		Aug. 3	5.95	P = 3.00
8	6.99		16	9.90		7	5.00 E.	L = 2.08 E.
18	6.20	6.54 E.	20	9.26		10	6.25	"
20	5.50	P = 1.80	23	8.65		13	5.07	5.44 E.
24	5.25	L = 4.74 E.	26	8.25		17	Adjusted the Level.	P = 3.00
30	Inverted the Axis.		Mar. 2	7.60		19	4.94 E.	L = 2.44 E.
Sept 4	7.12 E.		5	8.87		23	6.18	"
8	6.00 E.		9	9.98		27	5.22	5.47 E.
12	6.05		12	8.55		31	4.76 E.	P = 3.00
17	5.80		16	8.20		3	4.80	L = 1.51 E.
22	5.12		19	Inverted the Axis.		7	3.97	"
26	6.07		22	8.10 E.		10	6.95 E.	6.23 E.
Oct. 2	5.50	5.91 E.	26	7.99		12	5.89	P = 3.00
8	6.25	L = 4.11 E.	28	8.32		16	5.85	L = 3.23 E.
13	9.32 E.		Apr. 2	7.79	"	20	5.25 E.	"
15	9.14		6	6.90	8.36 E.	24	4.58	5.12 E.
20	9.17		10	6.94	P = 3.00	28	5.62	P = 3.00
24	8.87		15	7.03	L = 5.86 E.	Oct. 1	5.27	L = 2.12 E.
30	8.00		19	Inverted the Axis.		5	4.90	"
Nov. 3	8.62		23	5.13 E.		8	4.55 E.	
10	9.12		26	5.54		11	4.35	
14	8.87		30	5.60		15	4.75	
17	8.30		May 4	5.06		19	5.40	"
21	8.87		7	6.37		22	4.75	4.69 E.
26	8.25		11	3.86		25	4.67	P = 3.00
30	8.31		14	5.12		28	4.38	L = 1.69 E.
Dec. 4	8.62		17	5.20		Nov. 1	5.16 E.	
8	8.12		21	Inverted the Axis.	5.42 E.	5	5.65	
12	7.96		26	5.31 E.	P = 3.00	9	4.92	"
16	Inverted the Axis twice.		30	6.25	L = 2.42 E.	14	5.35	5.42 E.
16	8.57 E.	8.61 E.	31	6.15		18	6.02	P = 3.00
20	8.86	P = 3.00	June 4	3.30 E.		21	5.42	L = 2.42 E.
24	8.00	L = 5.61 E.	5	3.52				
1850.			11	4.25				
Jan. 2	7.25 E.		15	5.22				
5	8.20		19	6.12				
			22	5.87				
			26	5.35				
				5.92				

ERROR OF LEVEL OF THE TRANSIT AXIS, (Continued.)

(Illuminating Pivot, West.)

Date.	L.—P.	Means.	Date.	L.—P.	Means.	Date.	L.—P.	Means.
1850.	"		1851.	"	5.79 E.	1851.	"	
Nov. 25	6.90 E.		May 9	5.64 E.	P = 2.78	Oct. 18	3.55 E.	"
29	6.95				L = 3.01 E.	22	3.82	3.62 E.
Dec. 2	7.37		14	4.25 E.		25	3.57	P = 2.78
5	6.52			Inverted the Axis.		30	2.90	L = 0.84 E.
9	6.07		16	4.44 E.		Nov. 7	6.30 E.	Heavy rain during the last 5 days.
13	7.00		20	3.54				"
17	6.50	"	23	3.50		11	4.41	6.16 E.
20	6.32	6.65 E.	26	4.15	"	17	7.58	P = 2.78
24	6.17	P = 3.00	30	3.42	3.75 E.	20	6.37	L = 3.38 E.
28	6.67	L = 3.65 E.	June 3	2.98	P = 2.78			
					L = 0.97 E.	24	4.72 E.	
1851.			11	3.64 E.		28	3.94	
Jan. 2	5.92 E.		16	2.62		Dec. 3	4.02	"
6	5.60			Inverted the Axis.		6	4.30	4.18 E.
8	6.12	"	17	2.74 E.		13	4.12	P = 2.78
12	5.75		21	3.75		17	4.00	L = 1.40 E.
15	5.60	5.84 E.	26	2.20				
19	5.72	P = 3.00	July 1	3.32	"	1852.		
23	6.20	L = 2.84 E.	4	2.92		Jan. 2	4.40 E.	
			8	4.05	3.24 E.		Inverted the Axis.	
27	7.02 E.		11	3.78	P = 2.78	6	5.33 E.	
30	6.52		15	3.38	L = 0.46 E.			
Feb. 7	6.90			Inverted the Axis.		11	3.72	
11	6.54	"	19	4.12 E.		15	4.30	
15	5.96	6.57 E.	22	3.55		19	3.60	
19	6.12	P = 3.00	26	4.12	"	23	3.69	
22	7.75	L = 3.57 E.	30	4.00		26	3.89	
26	5.72				3.98 E.	30	4.15	
Mar. 1	5.75 E.		Aug. 6	3.62	P = 2.78	Feb. 4	5.00	
5	5.85		11	4.47	L = 1.20 E.	7	5.12	
8	5.45					11	3.15	
12	5.27		16	5.77 E.		14	4.12	"
17	5.30		19	5.20	"	19	3.92	4.12 E.
19	Inverted the Axis.	5.50 E.	26	5.90	5.57 E.	25	4.00	P = 2.78
19	5.47 E.	P = 2.78			L = 2.79 E.	28	3.37	L = 1.34 E.
22	5.27	L = 2.72 E.	Sep. 3	5.85	P = 2.78			
27	5.68		6	5.13				
31	3.77 E.	"				Mar. 3	2.96 E.	
		3.92 E.	10	6.88 E.		6	2.55	
April 5	4.61	P = 2.78		Inverted the Axis.	"	11	2.95	
12	3.37	L = 1.14 E.			6.78 E.	16	2.93	
					P = 2.78	19	3.22	
17	3.00 E.	"	17	6.67 E.	L = 4.00 E.	23	3.75	
22	2.30	2.56 E.				26	3.61	
26	2.67	P = 2.78	20	2.45 E.		30	2.20	
		L = 0.22 W.	25	4.02		April 2	2.92	
May 1	2.05		27	3.50		6	2.82	
						9	2.60	"
0	5.94 E.	Heavy rain and gale during the last 3 days.	Oct. 4	4.20		13	1.75	2.76 E.
			9	4.50		16	1.80	P = 2.78
			11	4.02		20	2.62	L = 0.02 W.
			16	3.20				

TRANSIT INSTRUMENT AND OBSERVATIONS, ETC.

ERROR OF LEVEL OF THE TRANSIT AXIS, (Continued.)								
(Illuminating Pivot, West.)								
Date.	L.—P.	Means.	Date.	L.—P.	Means.	Date.	L.—P.	Means.
1852.	Inverted the Axis		1852.	"		1852.	"	
Apr. 24	* 0.87 E.		July 23	4.68 E.	Heavy rain and loud thunder on the 22d.	Oct. 16	3.37 E.	
28	2.10		27	3.62		20	4.00	
May 3	1.50		29	3.50		28	4.00	
6	1.67		Augt. 4	4.00		Nov. 2	3.00	
10	1.70		9	5.70		6	4.71	
14	1.67		14	3.00		10	4.65	
18	2.22			Inverted the Axis,	"	15	4.57	
22	2.42				4.15 E.	19	4.35	
27	2.05				P = 2.78	24	3.42	
31	2.30		21	4.54 E.	L = 1.37 E.	27	3.30	
June 5	2.25	1.98 E. P = 2.78			"			"
12	1.87	L = 0.80 W.	25	6.85 E.	6.43 E. P = 2.78	Dec. 4	3.45	3.89 E. P = 2.78
			28	6.00	L = 3.65 E.			L = 1.11 E.
17	Inverted the Axis.		Sept. 1	4.20 E.		11	1.50 W.	
21	3.12 E.	"	4	2.60		13	Found the screw of level plate loose; tightened it.	
26	3.25	3.34 E. P = 2.78	8	2.70		13	Inverted the Axis.	
July 1	2.98	L = 0.56 E.	11	3.07				"
			15	3.20				2.09 W. P = 2.78
4	1.75 E.			Inverted the Axis.				L = 4.87 W.
7	1.70		18	4.71 E.		13	2.69 W.	
11	2.60		22	3.97				The long continued rain has perhaps caused a settlement in the foundation.
15	2.60		26	3.62				
	Inverted the Axis.	"			"			
18	1.48 E.	2.03 E. P = 2.78	Oct. 1	3.60	3.37 E. P = 2.78			
		L = 0.75 W.	4	2.95	L = 0.59 E.	20	0.17 E.	
			11	2.50				

* Omitted in taking the Mean.

Date.	Azimuth.		Date.	Azimuth.		Date.	Azimuth.	
1848.	"		1848.	"		1848.		
Jan. 3	3.50 E.		Apr. 17-29	1.50 E.		Nov. 12	Inverted the Instrument, cen-	
4	2.50 "		Apr. 30	2.50 "			tric wire left in the same state.	
5	3.00 "		to			"	"	
6	2.50 "		May 3	Inverted the Axis—Collima-		10-18	1.50 W.	
7-9	3.00 "		"	tion good.		19-25	2.00 "	
10	4.50 "	Found the Azi-				Nov. 29	5.00 "	
		muth and Collimation adjust-	4-9	3.50 E.		to		
		ment both in error—corrected	10	2.00 "		Dec. 4		
		them.	11-13	2.50 "				
			14-16	3.00 "		"	The mark is not bisected, but	
11-12	1.00 E.			Inverted the Axis—Collima-			the wires appear bent by the	
13	1.50 "			tion good.		5-31	5.00 W.	
14-20	1.00 "		17-20	3.00 E.		1849.		
21-29	1.50 "		May 21	2.50 "		Jan. 1-8	2.50 W.	
Jan. 30	2.00 "		to			9-19	3.50 "	
to			June 4	Inverted the Instrument—Col-		20-24	3.00 "	
Feb. 2			"	limation good—Mark wavering.		25-26	2.50 "	
						27-29	2.00 "	
3	Inverted the Axis to correct		5-6	3.50 E.		30-31	1.00 "	
	for a small deviation of the cen-		7	4.00 "		Feb. 1	1.50 "	
	tre wire to the West in Azimuth.		8-19	3.00 "		2	2.50 "	
3-9	0.50 E.			Inverted—Collimation correct.		3-5	3.00 "	
10-16	1.00 "		June 20	4.50 E.		6-10	2.00 "	
17	Inverted the Axis for the exa-		to			11-13	1.50 "	
	mination of the Collimation error		July 3	4.00 "		14	1.00 "	
	C = 0.0.		4-16	Inverted the Instrument—		15-16	2.50 "	
17-19	1.00 E.		"	Collimation correct.		17-21	2.00 "	
20-21	2.00 "		July 26	3.50 E.		22-23	1.00 "	
22	1.50 "		to			24	1.50 "	
23-24	1.00 "		Aug. 4	Inverted the Instrument—		25-26	1.00 "	
Feb. 25	1.50 "		"	Collimation correct.		Feb. 27	0.50 "	
to						to		
Mar. 4			5-16	3.50 E.		Mar. 3	1.50 "	
"	Inverted the Axis—corrected		18	Found the deviation in Azi-		4-7	0.00	
	for a deviation of about 1 to			muth about 1/2 second <i>apparent-</i>		8	0.50 W.	
	the East of the Meridian and			ly to the West, corrected it, Col-		9-10	0.00	
	found the Collimation adjust-			limation good; mark is rather		11-12	2.00 W.	
	ment perfect.			unsteady.		13-15	0.50 E.	
4-16	0.50 E.		Sept. 6	Inverted the Axis—Collima-		16-18		
"	Inverted the Axis, when the			tion good.		18	Examined the adjustment and	
	Collimation appeared perfect.		Sept. 20	2.00 E.			corrected it for a SMALL devia-	
Mar. 17	0.50 E.		to				tion in Azimuth and Collima-	
to			Oct. 7	1.50 "		19-22	0.50 E.	
April 1						Mar. 23	1.00 "	
2	Inverted the Axis and found		10-17	2.00 "		to		
	the Collimation good.		18-20	2.50 "		Apr. 5	1.50 "	
3-15	1.00 E.		21-23	2.00 "		6-15	1.50 "	
16	Inverted the Axis—slight de-		Oct. 24	2.00 "		16-18	1.00 "	
	viation <i>apparently</i> to the West,		to			19-25	0.00	
	but bisected perfectly on re-in-		Nov. 7	Wires appear bent, owing to		26-27	0.50 E.	
	version. The Transit Axis has			the dampness of the air, centre		28-30	1.00 "	
	a slight lateral play between the			wire <i>appears</i> about 2 seconds to		May 1-3	2.00 "	
	Ys.			the East.		4-9	2.50 "	
						10-16	2.00 "	
						17-18	3.50 "	
						19-26	2.00 "	

ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1849. May 27 to June 6 7-26	" 2 50 E. 3 00 "		1849. Oct. 15	At 19 Inverted Transit: Before inversion wire is E of Δ . $R. d.$ 1 15.2 After do. 1 13.0 Again do. 1 14.8 After reversion. 1 15.2 ∴ Error of Collimation is E δ 0 0.65 = 0.015		1849. Dec. 11	" 0.5 E.	α Ursæ Min. S.P.
"	Inverted the Instrument when the Collimation adjustment appeared perfect.		"	"		12	0.9 "	α " "
July 6	2.0 E.	ζ Ursæ Min.	16	2.3 E.	δ Ursæ Min. S.P.	13	0.4 "	α " "
9	1.7 "	ζ " "	17	1.5 "	α " "	14	2.5 "	α " "
10	0.8 "	δ " "	18	1.6 "	α " "	16	Inverted Transit: Before inversion Δ reads... $R. d.$ 1 09.0 After do. 06.5 Again do. 07.9 After reversion 06.0 Consequently Collimation of middle wire is } 0 15 E.	
11	0.1 "	ζ " "	19	1.0 "	α " "	17	0.1 E.	α Ursæ Min. S.P.
12	0.9 W.	δ " "	20	0.9 "	α " "	19	1.5 "	α " "
13	0.6 "	δ " "	22	1.6 "	α " "	21	0.4 "	α " "
"	1.9 E.	δ " "	23	1.4 "	α " "	27	0.5 "	δ " "
13	2.0 "	ζ " "	24	0.0 "	α " "	1-31	0.93 E.	
"	0.1 W.	δ " "	25	0.1 E.	α " "	1850. Jan. 2	1.4 W.	α Ursæ Min.
14	2.1 E.	ζ " "	30	0.3 W.	α " "	3	0.1 "	α " "
"	0.3 W.	δ " "	31	0.8 E.	δ " " S.P.	15	Inverted the Transit.	
"	1.9 E.	δ " "	13-31	1.06 E.		16	1.4 E.	α Ursæ Min. S.P.
16	0.4 "	δ " "	Nov. 1	0.8 E.	α " "	18	1.3 "	δ " "
"	1.5 "	δ " "	2	1.0 "	α " "	"	0.5 "	α " "
20	2.0 "	δ " "	3	0.6 "	α " "	25	1.2 "	δ " "
21	1.0 "	δ " "	10	0.7 "	α " "	26	1.0 W.	α " "
June 27 to July 31 August 9	0.97 E.		13	0.3 "	α " "	27	0.3 E.	α " "
10	0.9 E.	δ " "	14	0.2 "	α " "	29	0.3 "	α " "
11	1.2 "	δ " "	18	Inverted Instrument: Before inversion Δ measures. $R. d.$ 1 07.6 r. d. 4 After do. 1 10.4 Again do. 1 10.2 After reversion. 1 07.6 ∴ The error of Collimation is 1.35 W		1-31	0.27 E.	
15	At 19 Inverted the Transit in its Ys; before inversion the Micrometer set on the Δ of the Meridian mark read— $R. d.$ 1 09.0 wire E of mark After inversion. 1 11.0 do. do Again. 1 10.0 After reversion. 1 09.6 0 00.6 error of Collimation W. or 0.013 in time.		19	Inverted Instrument when the wire appeared about its own breadth (= 0.10) E of mark; no measure could be taken as the movable wire fiddles; adjusted the Collimation by the screws.		Feb. 19	Inverted Instrument, found the middle wire out in Collimation about $\frac{1}{2}$ its breadth to the East; did not alter it; the Micrometer wire hangs, and cannot be used.	
August 16	1.0 E.	α Ursæ Min.	20	1.0 E.	α Ursæ Min.	21	1.0 E.	δ Ursæ Min. S.P.
17	2.0 "	α " "	"	0.4 "	δ " " S.P.	22	1.3 "	δ " " "
18	0.5 "	δ " "	21	1.1 "	α " "	23	0.7 "	δ " " "
20	0.9 W.	δ " "	22	0.9 "	α " "	28	2.1 "	α Ursæ Min. "
21	0.4 E.	δ " "	23	0.1 "	α " "	1-28	1.28 E.	
"	0.4 "	α " "	24	0.5 W.	α " "	March 1	0.5 E.	51 Cephei.
22	0.7 "	δ " "	28	1.1 E.	α " "	4	1.1 "	51 " "
"	0.7 "	α " "	29	1.0 "	α " "	5	0.5 "	51 " "
1-31	0.57 E.		"	2.4 "	α Ursæ Min. S.P.	1-6	0.73 E.	
Sept. 19	Inverted Transit: with L.E the Δ mark reads $R. d.$ 1 16.0 L W " " 1 14.0 error of Collimation W. 0 1.0 = 0.02		1-30	0.74 E.		7	0.5 W.	δ Ursæ Min. S.P.
Oct. 13	1.8 E.	α Ursæ Min.	Dec. 2	1.7 E.	α Ursæ Min.	8	0.7 "	δ " " "
			3	0.0	α " "	"	0.2 E.	51 Cephei.
			4	0.0	α " "	13	0.1 W.	51 " "
			10	1.5 E.	α " "	14	0.8 E.	51 " "
			"	1.1 "	δ " " S.P.	18	0.0 "	51 " "
			"	1.9 "	α " " "			

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1850. Mar. 18	Inverted Instrument on new mark—Collimation found perfect.		1850. May 21	3.2 E.	α Ursæ Min. S.P.	1850. Oct. 26	0.1 W.	α Ursæ Min.
	"		30	2.4 "	" " "	29	0.7 "	"
19	0.5 E.	51 Cephei.	31	1.3 "	ϵ Ursæ Min.	30	0.5 "	"
20	0.4 "	δ Ursæ Min. S.P.	1—31	2.84 E.		Nov. 2	0.00	"
"	0.4 W.	51 Cephei.				11	Inverted the Instrument and found the error of Collimation half the breadth of the wire = 0.05 West.	
22	1.2 E.	δ Ursæ Min. S.P.	June 3	3.5 E.	α Ursæ Min. S.P.			
"	0.6 W.	51 Cephei.	8	3.1 "	" " "			
23	1.4 E.	δ Ursæ Min. S.P.	16	Inverted Axis and found the Collimation correct.				
"	1.4 "	51 Cephei.						
25	0.2 W.	"	20	2.9 E.	δ Ursæ Min.	13	0.00 W.	α Ursæ Min.
26	0.3 "	"	21	2.9 "	δ "	14	0.9 "	"
27	0.0	"	29	3.8 "	δ "	18	0.8 "	"
7—31	0.19 E.					19	1.0 "	"
April 8	1.7 E.	α Ursæ Min. S.P.	1—30	3.24 E.		20	0.8 "	"
11	2.0 "	" " "				22	1.2 "	"
1—13	1.85 E.		July 6	0.00	ϵ Ursæ Min.	23	1.5 "	"
15	3.0 E.	" " "	8	1.5 E.	" "	25	1.1 "	"
			10	1.0 "	" "	27	1.4 "	"
16	Inverted the Instrument; found Collimation perfect.		17	Inverted Axis, found the Collimation erroneous by half the breadth of the middle wire = 0.05 to the east. Left it so.		28	2.0 "	"
17	3.3 E.	α Ursæ Min. S.P.	29	3.5 E.	δ Ursæ Min.	Dec. 4	0.6 "	"
18	3.5 "	" " "	30	3.0 "	δ "	5	1.1 "	"
20	2.6 "	" " "	1—31	1.80 E.		7	1.0 "	"
23	1.6 "	" " "				8	1.6 "	"
25	3.5 "	δ Ursæ Min.				10	0.8 "	"
29	4.0 "	δ "	Augt. 6	1.8 E.		11	1.4 "	"
30	3.5 "	δ "	18	Inverted Instrument; found the Collimation perfect.		12	1.3 "	"
14—30	3.12 E.		31	2.6 E.	δ Ursæ Min.	13	1.1 "	"
May 1	3.4 E.	α Ursæ Min. S.P.	Sept. 17	Inverted Instrument and found the error of Collimation half the breadth of the wire = 0.05 East.		14	2.3 "	"
3	3.6 "	" " "				15	1.1 "	"
4	4.0 "	" " "				16	1.6 "	"
6	2.8 "	δ Ursæ Min.	Oct. 9	1.6 E.	α Ursæ Min.	17	1.6 "	"
"	1.8 "	51 Cephei S.P.						
9	1.5 "	δ Ursæ Min.						
11	4.0 "	α Ursæ Min. S.P.	Oct. 11	The 1st wire was gone; took out diaphragm and inserted a fresh silk line and re-adjusted the Collimation, inverting the Instrument for the purpose; it is not known how the accident occurred.				
13	3.8 "	" " "						
14	2.7 "	" " "						
16	At 20 Mean Time inverted the Transit: the Collimation appeared perfect.							
17	2.9 E.	α Ursæ Min. S.P.						
18	2.3 E.	" " "						
19	At 22 30 observed that the wire had shifted on the North mark. Inverted Instrument and found Collimation correct. The pillar has perhaps received a blow. The change is very small about 1.5. The wire is now exactly on the central mark.							
			Augt. 1			1851. Jan. 2	1.1 W.	α Ursæ Min.
			to			"	0.6 E.	δ " S.P.
			Oct. 25	2.04 E.		"	0.5 W.	51 Cephei.
						3	1.5 "	α Ursæ Min.
						4	1.4 "	"
						"	1.7 "	δ " S.P.
						6	0.4 "	"
						8	0.8 "	"
						10	0.2 "	δ " S.P.
						"	0.2 E.	51 Cephei.
						11	0.3 W.	δ Ursæ Min. S.P.
						"	0.7 E.	51 Cephei.
						13	1.4 W.	α Ursæ Min.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1851.	"		1851.	"		1851.	"	
Jan. 14	0.6 W.	δ Ursæ Min. S.P.	Feb. 28	0.1 W.	δ Ursæ Min. S.P.	June 15	1.2 E.	α Ursæ Min.
" 15	0.4 E.	51 Cephei.				16	Inverted the Axis—no alteration in Collimation.	
" 16	0.6 W.	δ Ursæ Min. S.P.	23—28	0.01		17	3.0 E.	α Ursæ Min. S.P.
" 16	1.1 "	α "	Mar. 1	0.6 W.	δ " "	18	0.5 "	" "
"	Inverted Instrument, and found the error of Collimation half the breadth of the wire = 0.05 East.		3	0.7 "	" "	23	1.3 "	" "
17	0.6 W.	α Ursæ Min.	4	0.9 "	" "	24	1.8 "	" "
18	1.3 "	α "	5	0.0	" "	"	1.7 "	" S.P.
20	0.4 "	α "	6	0.1 W.	" "	25	3.2 "	" "
"	0.3 E.	δ " S.P.	10	0.0	" "	30	1.5 "	" "
"	0.0	51 Cephei.	12	1.8 E.	51 Cephei.	"	4.5 "	δ "
21	0.2 W.	α Ursæ Min.	14	0.9 "	" "	"	1.3 "	α "
22	0.9 "	δ " S.P.	15	1.0 "	" "	1—80	2.00 E.	
24	0.2 "	α "	16	Inverted the Axis and found the Collimation perfect.		July 1	0.8 E.	α Ursæ Min. S.P.
25	0.7 "	α "	17	0.2 E.	δ Ursæ Min. S.P.	2	1.3 "	" "
27	0.1 E.	α "	"	0.1 W.	λ " "	3	1.3 "	" "
28	0.6 "	51 Cephei.	18	0.3 E.	δ " "	16	Inverted the Axis; Collimation not altered.	
29	0.2 W.	δ Ursæ Min. S.P.	"	0.1 W.	λ " "	21	0.3 W.	δ Ursæ Min.
"	0.2 "	51 Cephei.	19	0.8 "	δ " "	Aug. 18	Inverted Axis and found the error of Collimation half the breadth of the wire = 0.05 West.	
30	0.2 "	51 do.	"	0.6 "	λ " "			
31	0.2 "	δ Ursæ Min. S.P.	20	0.7 "	δ " "	Sept. 3	1.3 E.	δ Ursæ Min.
"	0.6 "	51 Cephei.	"	1.2 "	λ " "	July 1 to Sept. 12	0.88 E.	
Jan. 1—31	0.44 W.		21	0.8 "	δ " "	13	2.9 E.	δ Ursæ Min.
			25	1.2 "	λ " "	14	Inverted Axis and found error of Collimation about 1 W. corrected it by the screw.	
			28	0.4 "	λ " "	16	2.3 E.	51 Cephei.
Feb. 6	1.8 E.	α Ursæ Min. S.P.	1—31	0.20 W.		27	4.5 "	δ Ursæ Min.
7	1.8 "	α " "	April 1	4.5 E.	δ Ursæ Min.	Sept. 13 to Oct. 14	3.23 E.	
9	2.3 "	α " "	2	3.8 "	" "	14	Inverted Instrument and found the error of Collimation one breadth of the wire, i. e. 0.10 East; corrected it by the screw.	
10	2.2 "	α " "	3	4.3 "	" "	15	1.2 E.	λ Ursæ Min.
11	1.8 "	δ " "	4	3.8 "	" "	21	0.5 W.	α "
"	3.2 "	α " "	8	2.8 "	" "	24	0.1 E.	" "
12	3.0 "	α " "	9	4.5 "	" "	24	1.8 "	" S.P.
13	3.1 "	δ " "	10	4.5 "	" "	25	0.4 "	" "
14	1.9 "	δ " "	16	1.7 "	" "	28	0.1 W.	" "
"	3.3 "	α " "	"	Inverted the Axis and found the Collimation correct.		30	0.6 "	" "
15	2.3 "	δ " "	22	3.8 E.	δ Ursæ Min.	15—31	0.33 E.	
16	Inverted Instrument and found error of Collimation one breadth of the wire (= 0.10) East. Corrected it by the screw.		25	4.0 "	δ " "			
19	1.1 E.	δ Ursæ Min. S.P.	10	2.9 "	α " S.P.			
"	1.1 "	α " "	12	5.5 "	δ " "			
20	0.7 "	δ " "	14	4.3 "	δ " "			
"	1.2 "	α " "	15	4.1 "	δ " "			
21	2.1 "	δ " "	"	Inverted the Axis; Collimation correct.				
22	1.3 "	δ " "	21	3.2 E.	δ Ursæ Min.			
1—22	2.01" E.		28	3.4 "	δ " "			
24	0.3 W.	δ " "	April 1 to May 31	3.82 E.				
25	0.2 E.	" "						
26	0.7 "	" "						
27	0.0	" "						

ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

xv

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1851.	"		1852.	"		1852.	"	
Nov. 7	3.2 W.	α Ursæ Min.	Jan. 8	3.8 W.	δ Ursæ Min. S.P.	Mar. 5	1.1 W.	δ Ursæ Min. S.P.
17	5.7 "	"	8	3.7 "	α "	8	2.4 "	" "
			9	3.6 "	δ " S.P.	9	2.6 "	" "
18	Inverted Axis and found error of Collimation $\frac{1}{2}$ the breadth of the wire W. or about 1.0.		10	2.3 "	δ " "	10	2.9 "	" "
			12	2.0 "	α "	11	2.6 "	" "
			"	3.0 "	δ " S.P.			
19	4.9 W.	α Ursæ Min.	15	2.3 "	α "	16	Inverted Axis; Collimation found correct.	
20	4.9 "	"	"	0.7 "	δ " S.P.			
21	5.0 "	"	16	2.2 "	α "	20	2.8 W.	δ Ursæ Min. S.P.
22	5.0 "	} " S.P.	"	0.8 "	δ " S.P.			
24	4.8 "		17	2.5 "	α "	1-31	2.21 W.	
25	3.9 "		"	0.0 "	δ " S.P.			
28	3.5 "		21	2.7 W.	α "			
				Inverted the Axis; Collimation unchanged.		April 22	Inverted Axis and found the Collimation correct.	
1-30	4.54 E.		22	3.0 W.	α Ursæ Min. S.P.	23	0.1 E.	α Ursæ Min. S.P.
Dec. 2	2.4 W.	α Ursæ Min.	24	2.0 "	α "	24	0.2 "	" "
3	2.7 "	"	26	2.6 "	δ " S.P.	28	0.4 W.	" "
4	3.2 "	" S.P.	30	2.8 "	α "	29	0.6 "	" "
5	2.7 "	} " S.P.	31	3.7 "	α "	1-30	0.25 W.	
6	2.9 "		1-31	2.36 E.				
8	2.8 "					May 8	0.8 E.	α Ursæ Min. S.P.
9	2.0 "		Feb. 2	2.3 W.	α Ursæ Min.	16	Inverted Axis and found error of Collimation 0.5 E.; left it so.	
10	3.2 "	"	"	4.1 "	δ " S.P.			
			3	1.6 "	δ " "	20	0.9 E.	α Ursæ Min. S.P.
16	Inverted Axis and found error of Collimation one breadth of the wire W. or 1.5; corrected it by the screw.		6	2.1 "	α " S.P.	25	0.6 W.	" "
			"	3.2 "	δ " S.P.	26	0.8 E.	" "
17	3.1 W.	α Ursæ Min. S.P.	7	2.9 "	α " S.P.	27	0.5 "	" "
18	2.7 "	"	"	3.0 "	δ " S.P.	31	1.4 W.	" "
19	2.5 "	"	9	1.5 "	δ " "			
21	2.6 "	"	10	1.5 "	δ " "	1-31	0.17 E.	
22	2.3 "	"	11	2.4 "	δ " "			
24	1.4 "	"	12	3.4 "	α " S.P.	June 1	0.2 E.	α Ursæ Min. S.P.
29	2.9 "	" S.P.	"	2.2 "	δ " S.P.	2	0.2 W.	" "
1-31	2.63 W.		13	2.3 "	δ " "	3	0.2 E.	" "
			14	2.3 "	α " S.P.	"	0.2 "	" S.P.
			"	2.6 "	δ " S.P.	4	0.6 W.	" "
			16	2.1 "	δ " "	5	0.4 E.	" "
			17	1.9 "	α " S.P.	7	0.0 "	" "
			"	2.0 "	δ " "	8	0.2 W.	" "
			21	2.3 "	δ " "			
			23	2.0 "	δ " "	16	Inverted the Axis and found the Collimation correct.	
				Inverted the Axis; Collimation unchanged.				
1852.			25	1.7 W.	δ Ursæ Min. S.P.	1-30	0.00	
Jan. 1	1.5 W.	α Ursæ Min.	26	2.4 "	" "			
2	1.9 "	"	27	1.9 "	" "	July 15	Inverted Axis; Collimation correct.	
3	2.4 "	"	28	1.3 "	" "			
5	Found the whole of the Transit wires broken as if by the insertion of a finger, put in a new set of silk lines; inverted Axis and adjusted for Collimation.		1-28	2.29 W.		19	1.3 E.	α Ursæ Min.
						9	0.7 E.	"
6	2.6 W.	α Ursæ Min.	Mar. 2	2.4 W.	δ Ursæ Min. S.P.	15	Inverted Transit and found Collimation correct.	
"	2.9 "	δ " S.P.	3	1.7 "	" "			
7	1.6 "	α " "	4	1.4 "	" "			

ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1852.	"		1852.			1852.	"	
Aug. 25	1.6 E.	α Ursæ Min.	Oct. 15	Inverted Axis ; Collimation found correct.		Nov. 24	7.7 W.	α Ursæ Min.
26	2.1 "	"		"		25	7.5 "	"
27	2.7 "	"	25	5.0 W.	α Ursæ Min.	1—30	7.46 W.	
28	2.7 "	"	26	5.6 "	"	Dec. 8	8.1 W.	α Ursæ Min.
July 1 } to Aug. 31 }	1.85 E.		27	5.5 "	"	"	8.1 "	" S.P.
Sept. 2	2.4 E.	α Ursæ Min.	28	4.8 "	"	10	7.7 "	" "
3	0.2 "	"	29	5.0 "	"	13	Inverted Axis and found Collimation correct.	
8	0.8 "	"	10—31	5.18 W.		15	6.0 W.	α Ursæ Min. S.P.
16	Inverted Axis and found error of Collimation about 0.5 E.		Nov. 2	5.0 W.	α Ursæ Min.	16	8.3 "	α Ursæ Min.
18	1.1 E.	α Ursæ Min.	8	7.6 "	"	21	8.2 "	"
22	0.6 "	"	9	9.1 "	"	22	8.5 "	"
23	1.7 "	"	11	7.8 "	"	30	6.8 "	"
24	0.6 "	"	15	7.2 "	" S.P.	1—31	7.71 W.	
25	0.0 "	"		Inverted Axis and found error of Collimation 0.5 E.				
Sept. 1 } to Oct. 9. }	0.9 3E.		20	7.7 W.	α Ursæ Min.			
			23	7.6 "	"			

DAILY RATE OF THE TRANSIT CLOCK.

1848.	s.		1848.	s.		1848.	s.		1848.	s.	
Jan. 4	+ 2.90		Feb. 26	+ 1.60		Apr. 24	+ 1.54		July 5 to 7	+ 0.68	
5	+ 2.74		27	+ 1.68		25	+ 1.32		8	+ 0.73	
6	+ 2.87		28	+ 1.68		28	+ 1.51				
7	+ 2.85		29	+ 1.59		29	+ 1.60		18	Wound up the clock.	
						30	+ 1.40				
"	Found the clock stopt; I applied oil to the es- capement.		Mar. 1	+ 1.65		May 1	+ 1.25		19 to 24	+ 1.50	
10	+ 1.18		2	+ 1.58		2	+ 1.10		25	+ 1.66	
11	+ 0.95		3	+ 1.59		"	Put back one minute.		26	+ 1.21	
12	+ 0.78		4	+ 1.73		4	+ 1.33		27	+ 1.59	
13	+ 0.55		5	+ 1.64		5	+ 1.55		28	+ 1.52	
14	+ 0.91		6	+ 1.64		6	+ 1.62		29	+ 1.51	
15	+ 0.62		7	+ 1.72		7	+ 1.48				
16	+ 0.80		8	+ 1.70		8	+ 1.48		30	Found the clock stopt; removed a few cobwebs that were in it and set it going. Applied some oil to the escapement.	
17	+ 0.83		9	+ 1.50		9	+ 1.40				
18	+ 0.88		10	+ 1.70		10	+ 1.36		Aug. 1	— 0.03	
19	+ 0.88		"	Wound up the clock and put back one minute.		11	+ 1.38		2	— 0.15	
20	Wound up the clock.		12	+ 0.72		12	+ 1.87		3	— 0.53	
21	+ 1.24		13	+ 0.72		13	+ 1.60		4	— 0.22	
22	+ 1.34		14	+ 0.93		14	+ 1.80		7		
23	+ 1.58		15	+ 0.99		15	+ 1.80		9		
24	+ 1.51		16	+ 1.02		16	+ 1.55		10		
25	+ 1.46		17	+ 1.01		17	+ 1.74		11		
26	+ 1.38		18	+ 0.88		18	+ 1.77				
27	+ 1.27		19	+ 0.92		19	+ 1.44		"	Wound up the clock.	
28	+ 1.20		20	+ 1.34		20	+ 1.63		12		
29	+ 1.13		21	+ 1.02		21	+ 1.50		15		
30	+ 1.14		22	+ 1.01		22	+ 1.50		20		
31	+ 1.15		23	+ 1.00		23	+ 1.64		22		
Feb. 1	+ 1.06		24	+ 1.28		24	+ 1.62		23	+ 0.16	
2	+ 1.10		25	+ 1.18		25	+ 1.62		24	+ 0.16	
3	+ 1.09		26	+ 1.09		26	+ 1.50		25	+ 0.29	
4	+ 1.15		27	+ 1.09		27	+ 1.59		26	+ 0.29	
5	+ 0.99		28	+ 1.11					27		
6	+ 1.15		29	+ 1.03		28	Stopt 1 minute 45 se- conds, in winding.		28		
7	+ 1.21		30	+ 1.22		31	+ 1.60		30		
8	+ 1.23		31	+ 1.22					31	+ 0.68	
9	+ 1.01		April 1	+ 1.29		June 1	+ 1.70				
10	+ 1.14		3	+ 1.29		2 to 7	+ 1.40		Sept. 1		
11	+ 1.24		4	+ 1.17		8	+ 1.58		4		
12	+ 1.14		6	Wound up the clock.		9	+ 1.47		5	+ 0.62	
13	+ 1.25		"	+ 1.21		10	+ 1.41		6	+ 0.70	
14	+ 1.35		7	+ 1.31		14	+ 1.61		7	+ 0.70	
"	Clock stopt a few se- conds in winding up.		8	+ 1.37		20	+ 1.21		8	Wound up the clock.	
16	+ 1.06		9	+ 1.93		21	+ 1.68		9	+ 0.85	
17	+ 1.02		10	+ 1.96		22	+ 1.68		10 to 13	+ 0.77	
18	+ 1.32		11	+ 1.77		23	Wound up the clock.		14	+ 0.39	
19	+ 1.23		12	+ 1.56		"	+ 1.11		15	+ 0.62	
20	+ 1.32		13	+ 1.59		27	+ 0.81		18	+ 0.63	
21	+ 1.32		14	+ 1.26		28	+ 0.67		19	+ 0.83	
22	+ 1.51		15	+ 1.42		30	+ 0.53		20	+ 0.88	
23	+ 1.64		17	+ 1.53		July 1	+ 0.65		22	+ 1.10	
24	+ 1.44		18	+ 1.59		2	+ 0.66		23	+ 1.38	
25	+ 1.52		19	+ 1.58		3	+ 0.66		25	+ 1.14	
			20	+ 1.55		4	+ 0.63		26	+ 1.17	
			21								
			22	+ 1.56							
			23								

TRANSIT INSTRUMENT AND OBSERVATIONS,

DAILY RATE OF THE TRANSIT CLOCK, (Continued.)

1848.	s.		1848.	s.		1849.	s.		1849.	s.	
Sep. 27	+ 1.11		Dec. 16	+ 0.91		Feb. 19	+ 2.00		Apr. 18	+ 1.31	
Sep. 28			17	+ 0.74		20	+ 2.22		19	+ 1.31	
to	+ 1.47		18	+ 0.81		21	+ 2.06		20	Wound up the clock	
Oct. 2			19	+ 0.59						and put back 1 minute.	
3	Wound up the clock.		20	+ 0.54			Clock oiled by Mr. Orr.		21 to 23	+ 0.97	
4	+ 1.26		21	+ 0.39		22	+ 1.64		24	+ 1.16	
5 to 10	+ 0.92		22	+ 0.47		23	+ 1.64		25	+ 1.32	
11	+ 0.90		23 to 27	+ 0.55		24	+ 1.64		26	+ 1.03	
12	+ 0.86		28	+ 0.50		25	+ 1.63		27	+ 0.84	
13	+ 0.78		29	+ 0.60		26	+ 1.68		28	+ 0.80	
14	+ 0.82		30			27	+ 1.36		29	+ 0.73	
15	+ 0.83					28	+ 1.42		30	+ 0.74	
16	+ 0.83		1849.								
17	+ 0.86		Jan. 2	+ 0.47			Wound up the clock		May 1	+ 0.77	
18	+ 1.03		3	+ 0.30			and put back 1 minute.		2	+ 0.77	
19	+ 0.83		4	+ 0.31		Mar. 1	+ 0.87		3	+ 0.74	
20	+ 0.95		8	+ 0.27		2	+ 0.87		4	+ 0.69	
21	+ 0.88					3	+ 0.82		5	+ 0.73	
22	+ 1.04			Wound up the clock		4	+ 0.67		7	+ 0.75	
23	+ 0.99			and put back 1 minute.		5	+ 0.63		8	+ 0.82	
24	+ 1.02		10	— 0.15		6	+ 0.64		9	+ 0.96	
			11	+ 0.25		7	+ 0.62		10	+ 0.90	
27	Wound up the clock		12	+ 0.34		8	+ 0.60		11	+ 0.98	
and put back 1 minute.			13	+ 0.39		9	+ 0.96		12	+ 0.64	
28	+ 0.80		15	+ 0.30		10	+ 1.47		13	+ 0.82	
30	+ 0.83		16	+ 0.24		11	+ 1.70		14	+ 0.84	
			17	+ 0.28		12	+ 1.96		15	+ 1.19	
Nov. 2	+ 1.20		18	+ 0.24		13	+ 1.64		16	+ 1.11	
6	+ 1.25		19	+ 0.25		14	+ 1.38				
7	+ 1.26		20 to 22	+ 0.45		15	+ 1.22			Clock stopt, 40 in	
10	+ 1.42		23	+ 0.45		16	+ 1.22			winding up.	
11	+ 1.47		24	+ 0.64		17	+ 1.47		17 & 18	+ 1.09	
13	+ 1.37		25	+ 0.91		18	+ 1.66		19	+ 0.85	
17	+ 1.26		26	+ 0.74		19	+ 1.56		21	+ 0.86	
18	+ 1.26		27	+ 0.74		20	+ 1.26		22	+ 0.74	
			28	+ 0.77		21	+ 1.32		23	+ 0.80	
19	Wound up the clock.		29	+ 0.81		22	+ 1.23		25	+ 0.79	
			30	+ 0.75		23	+ 1.30		26	+ 0.34	
20	+ 0.88		31	+ 1.00		24 & 25	+ 1.31		27	+ 0.50	
21	+ 0.62					26 & 27	+ 1.29		28	+ 0.52	
22	+ 0.52		Feb. 1	+ 0.85		28	+ 1.21		May 29		
23	+ 0.67		2	+ 0.79		29	+ 1.23		to	+ 0.67	
24	+ 0.45					30	+ 1.31		June 3		
25 to 28	+ 0.70			Wound up the clock.		31	+ 1.25		4	+ 0.65	
29	+ 0.78		3	+ 0.17		Apr. 1	+ 1.15		5	+ 0.89	
30	+ 1.00		4	+ 0.17		2	+ 1.05		6	+ 0.91	
Dec. 2	+ 2.12		5	+ 0.41		3	+ 1.18		7	+ 0.97	
4	+ 2.12		6	+ 1.27		4	+ 0.98		8	+ 1.13	
5	+ 1.85		7	+ 1.62		5	+ 1.01				
6	+ 2.08		8	+ 1.33		6 to 8	+ 1.11		10	Wound up the clock.	
7	+ 1.72		9	+ 1.45		9	+ 1.12				
8	+ 1.48		10	+ 1.37		10	+ 1.23		11 & 12	+ 0.79	
9	+ 1.55		11	+ 1.12		11	+ 1.24		13 to 19	+ 1.02	
12	+ 1.55		12	+ 1.13		12	+ 1.25		20	+ 1.02	
			13	+ 0.96		13	+ 1.22		21 to 23	+ 1.03	
14	Wound up the clock.		14	+ 1.12		14	+ 1.12		24	+ 1.00	
			15	+ 1.16		15	+ 1.52		25	+ 0.99	
15	+ 1.63		16	+ 1.24		16	+ 1.52		26	+ 0.91	
			17	+ 1.67		17	+ 1.32		27	+ 0.92	
									29	+ 0.92	

DAILY RATE OF THE TRANSIT CLOCK, (Continued.)

1849.	s.		1849.	s.		1849.	s.		1850.	s.	
June 30	+ 0.92		Sep. 14			Nov. 16	+ 1.68		Jan. 15	+ 3.12	
July 3	+ 1.06		15	+ 1.41		17	+ 1.51		16	+ 3.80	
5	+ 0.95		17			18	+ 1.70		17	+ 4.36	
6			18	+ 1.41		19	+ 1.67		18	+ 4.39	
"	Wound up the clock.		19	+ 1.49		20	+ 1.61		19	+ 4.77	
7	+ 1.21		20	+ 1.38		21	+ 1.72		20	+ 4.79	
July 9	+ 1.21		21	Wound up the clock		22	+ 1.92		21	Clock removed to be	
10	+ 1.37		22 to 24	and put back 1 minute.		23	+ 1.79		21	cleaned by Mr. Orr.	
11	+ 1.12		25	+ 1.25		24	+ 1.63		24	Clock set up again,	
12	+ 1.20		26	+ 1.18		25	+ 1.63		24	having been cleaned.	
13	+ 1.45		27	+ 1.12		26	+ 1.80		24 & 25	— 2.50	
14	+ 1.58		28	+ 1.02		28	+ 1.98		"	As the clock is losing	
15	+ 1.62		29	+ 1.03		29	+ 1.90		"	about 3 per day, altered	
16	+ 1.69		30	+ 1.05		30	+ 1.78		"	pendulum screw one di-	
17	+ 1.64		Oct. 1	+ 1.08		Dec. 1	+ 1.78		"	vision; in doing so stop-	
18	+ 1.38		2	+ 1.24		2	+ 1.83		"	ped the clock for 1.3—	
19	+ 1.39		3 to 7	+ 1.34		3	+ 1.89		"	time 15 40.	
20	+ 1.40		8	+ 1.02		4	+ 1.91		26	— 1.86	
21	+ 1.40		10	+ 1.43		5	+ 1.91		"	At 15 48 altered pen-	
27 to 31	+ 1.25		11	+ 1.56		6	Wound up the clock		"	dulum screw two divi-	
Aug. 1	Wound up the clock.		12	+ 1.50		6	and put back 1 minute.		"	sions; in doing so stop-	
4	+ 1.16		13	+ 1.50		8	+ 1.69		"	ped the clock 1.0.	
6	+ 1.25		14	+ 1.44		10	+ 1.66		27	— 0.80	
7	+ 1.30		15	+ 1.51		11	+ 1.62		28	— 0.90	
8	+ 1.25		16	+ 1.50		12	+ 1.64		29	— 0.98	
9	+ 1.10		17	Wound up the clock.		13	+ 1.62		30	— 0.83	
10	+ 1.14		"	+ 1.26		14	+ 1.56		31	— 0.65	
11	+ 1.20		18	+ 1.40		15	+ 1.86		Feb. 1	— 0.43	
12	+ 1.38		19	+ 1.61		17	+ 2.04		2	— 0.12	
13	+ 1.38		20	+ 1.61		18	+ 2.65		3	— 0.06	
14	+ 1.34		21	+ 1.50		19	+ 2.35		4	— 0.07	
15	+ 1.36		22	+ 1.54		20	+ 2.02		5	— 0.29	
16	+ 1.48		23	+ 1.50		21	+ 1.97		6	— 0.53	
17	+ 1.30		24	+ 1.58		22	+ 1.78		7	— 0.74	
18	+ 1.29		25	+ 1.59		26	+ 2.04		8	— 0.74	
19	+ 1.42		26	+ 1.59		27	+ 2.08		11	— 0.54	
20	+ 1.45		27	+ 1.60		28	+ 2.07		12	— 0.10	
21	+ 1.44		28	+ 1.60		29	+ 2.08		13	+ 0.13	
22	+ 1.73		29	+ 1.60		1850.			14	— 0.08	
23	+ 1.68		30	+ 1.60		Jan. 1	+ 2.29		15	— 0.39	
24	+ 1.80		31	+ 1.73		"	Wound up the clock.		16	— 0.56	
25 to 27	+ 1.80		Nov. 1	+ 1.67		2	+ 2.20		17	— 0.30	
28	Wound up the clock		2	+ 1.56		3	+ 2.25		18	— 0.29	
28	and put back 1 minute.		3	+ 1.59		4	+ 2.22		19	— 0.22	
29 & 30	+ 1.27		4	+ 1.56		5	+ 2.36		20	— 0.48	
31	+ 1.31		5	+ 1.72		6	+ 2.29		"	Wound up the clock.	
Sept.			6	+ 1.75		7	+ 2.22		21	+ 0.09	
1 to 4	+ 1.70		8	+ 1.62		8	+ 2.27		22	+ 0.40	
5	+ 1.60		9	+ 1.65		9	+ 2.33		23	+ 0.80	
6	+ 1.58		10	+ 1.80		10	+ 2.48		24	+ 0.80	
8			11	+ 1.80		11	+ 2.32				
11	+ 1.53		"	Wound up the clock,		12	+ 2.29				
12	+ 1.51		"	and put back 1 minute.		13	+ 2.29				
13	+ 1.51		12 & 13	+ 1.84		14	+ 2.60				
			14	+ 1.97		"	Oiled the clock.				
			15	+ 1.82							

TRANSIT INSTRUMENT AND OBSERVATIONS,

DAILY RATE OF THE TRANSIT CLOCK, (*Continued.*)

1851.	s.		1851.	s.		1851.	s.		1851.	s.	
May 25	+ 0.06		July 25	+ 0.99		Sep. 29	+ 0.71		Dec. 7	+ 0.56	
26	— 0.02		26	+ 0.99		30	+ 0.80		8	+ 0.31	
27	+ 0.21		28	+ 0.75					9	+ 0.45	
28	+ 0.52					Oct. 1	+ 0.89		10	+ 0.33	
29	+ 0.20		Aug. 1	+ 0.74		2	+ 0.81		11	+ 0.22	
30	+ 0.21		to 4			3	+ 0.78		12	+ 0.33	
31	— 0.05		5	+ 0.63		4 & 5	+ 0.78		15	+ 0.45	
June 1	— 0.30		6	+ 0.61					16	+ 0.29	
2	— 0.59		7	+ 0.29		6	Wound up the clock.		17	+ 0.43	
3	— 0.40		8	+ 0.54		6 & 7	+ 0.64		18	+ 0.31	
4	— 0.29		9	+ 0.54		11	+ 0.64		19	+ 0.26	
5	— 0.28		10	+ 0.42		12	+ 0.64		20	+ 0.13	
6	— 0.10					13	+ 0.78		21	+ 0.08	
7 & 8	— 0.30		"	Wound up the clock.		14	+ 0.64		22	+ 0.17	
9	— 0.39		11	+ 0.54		15	+ 0.76		23	+ 0.18	
10 & 11	— 0.48		12	+ 0.50		16	+ 0.82		24	+ 0.12	
12	— 0.47		13	+ 0.39		17	+ 0.68		25	+ 0.15	
"	The clock weight fell		14	+ 0.37		18	+ 0.86		26	+ 0.23	
	from the breaking of		15	+ 0.37		20	+ 0.77		27 & 28	+ 0.35	
	the line.		16	+ 0.61		21	+ 0.67		29 & 30	+ 0.48	
13	A line put in by Mr.		17	+ 0.48		23	+ 0.63		30	Wound up the clock	
	Orr who set the clock.		18	+ 0.71		24	+ 0.60			and put back 1 minute.	
			19	+ 0.86		25	+ 0.74		31	+ 0.48	
			20	+ 0.86		26	+ 0.63				
14 & 15	— 3.86		21	+ 0.90		27	+ 0.52		1852.		
16	— 3.13		22 & 23	+ 0.93		28	+ 0.66		Jan. 1	+ 0.15	
17	— 3.00		25 & 26	+ 0.80		29	+ 0.81		2	+ 0.15	
18	— 3.12		27	+ 0.92		30	+ 0.72		3	+ 0.42	
19	— 3.19		28	+ 0.90		31	+ 0.72		4	+ 0.37	
20	— 3.14		31	+ 0.90					5	+ 0.32	
23	— 3.13					Nov. 3	Wound up the clock.		6	+ 0.21	
24	— 2.99		Sep. 1	+ 0.88		7	+ 0.80		7	+ 0.13	
25	— 2.96		2	+ 0.84		8	+ 0.80		8	+ 0.28	
26	— 3.02		3	+ 0.69		9	+ 0.88		9	+ 0.26	
27	— 2.93		4	+ 0.69		10	+ 0.79		10	+ 0.38	
28	— 2.86		5	+ 0.68		11	+ 0.75		11	+ 0.48	
29	— 2.79		6	+ 0.68		12	+ 0.83		12	+ 0.50	
30	— 2.73		7	+ 0.52		13	+ 0.83		13	+ 0.51	
1	— 2.78		"	Wound up the clock.		17	+ 0.99		14	+ 0.51	
2	— 2.68		8	+ 0.70		18	+ 1.02		15	+ 0.52	
3	— 2.62		9	+ 0.70		19	+ 1.00		16	+ 0.42	
4 & 5	— 2.73		10	+ 0.61		20	+ 1.06		17	+ 0.51	
6	Clock losing 3 seconds, altered the nut 3 divisions, 20 to 23.		11	+ 0.58		21	+ 1.08		18	+ 0.52	
7 to 11	— 0.14		12	+ 0.48		22	+ 1.16		19	+ 0.43	
14	Clock stopped several seconds in winding up and put forward 1 minute.		13	+ 0.48		23	+ 1.08		20	+ 0.42	
19			14	+ 0.45		24	+ 1.00		21	+ 0.48	
21	+ 0.70		15	+ 0.49		25	+ 0.88		22	+ 0.51	
22	+ 0.88		16	+ 0.46		26	+ 0.91		23	+ 0.63	
23	+ 0.79		17	+ 0.49		27	+ 0.86		24	+ 0.50	
24	+ 0.91		18	+ 0.63		28	+ 0.61		25	+ 0.50	
			19	+ 0.62		29	+ 0.64		26	+ 0.43	
			20	+ 0.55					27	+ 0.51	
			21	+ 0.56		Dec. 1	Wound up the clock.		28	+ 0.99	
			22	+ 0.60		1	+ 0.64		"	Wound up the clock.	
			23	+ 0.65		2	+ 0.79		29	+ 1.49	
			24	+ 0.62		3	+ 0.69		30	+ 1.95	
			25	+ 0.64		4	+ 0.64		31	+ 2.14	
			27	+ 0.76		5	+ 0.59		Feb. 1	+ 2.33	
			28	+ 0.79		6	+ 0.56		2	+ 2.35	

1852.	s.	1852.	s.	1852.	s.	1852.	s.
Feb. 3	+ 2'45	Mar. 25	Wound up the clock.	May 21	+ 1'35	July 16	— 1'38
4	+ 2'76			22	+ 1'35	17	Turned up pendulum screw 2 divisions without stopping the clock.
5	+ 2'83	25 & 26	+ 0'78	23	Let the pendulum screw down 1 division without stopping the clock.	18	+ 0'24
6	+ 2'64	27	+ 0'66			19	+ 0'29
7	+ 2'77	28	+ 0'76	24 & 25	— 0'16	20	+ 0'38
8	+ 2'76	29	+ 0'78	26	— 0'12	23	+ 0'92
9	+ 2'45	30	+ 0'67	27	— 0'18	24	+ 0'99
10	+ 2'30	31	+ 0'65	28	— 0'21	25	+ 0'99
11	+ 2'30	Apr. 1	+ 0'63	29	— 0'28	26	+ 1'07
12	+ 2'50	2	+ 0'66	30	— 0'28	27	+ 0'95
13	+ 2'64	3	+ 0'62	31	— 0'28	28	+ 1'04
14	+ 2'67	4	+ 0'62	June 1	— 0'34	29	+ 1'14
15	+ 2'58	5	+ 0'63	2	— 0'34	Aug. 2	+ 1'24
16	+ 2'23	6	+ 0'54	3	— 0'45	4	+ 1'21
17	+ 2'31	7	+ 0'56	4	— 0'48	5	+ 1'19
18	+ 2'40	8	+ 0'62	5	— 0'54	6	+ 1'24
19	+ 2'55	9	+ 0'56	6	— 0'55	9	+ 1'20
20	+ 2'44	10 & 11	+ 0'43	7	— 0'53	10	+ 1'03
21	+ 2'39	12	+ 0'50	8	— 0'50	11	+ 0'97
22	+ 2'38	13	+ 0'50	9	— 0'64	12	+ 1'19
23	+ 2'34	14	+ 0'50	10	— 0'62	13 & 14	+ 1'35
24	+ 2'35	15	+ 0'45	11	— 0'48	15	Wound up the clock. Let down pendulum screw 1'5 division.
25	+ 2'35	16	+ 0'47	12	— 0'68	16 & 17	— 3'29
"	Wound up the clock and put back 1 minute.	17	+ 0'51	13	— 0'66	17	Turned up pendulum screw 2 divisions.
26 & 27	+ 1'99	18	+ 0'51	14 & 15	— 0'66	18 to 22	+ 2'35
28	+ 2'06	19	+ 0'52	16	Wound up the clock.	23	+ 1'18
29	+ 2'06	20	+ 0'55	18	— 1'07	"	Turned pendulum screw down 1 division.
Mar. 1	+ 2'06	21	+ 0'55	19	— 1'16	24	— 0'98
2	+ 2'14	"	Wound up the clock.	20	— 1'14	25	Turned up pendulum screw 0'5 division.
3	+ 2'18	22	+ 0'55	21	— 1'15	26	— 1'94
4	Let down pendulum screw 3 divisions without stopping the clock.	23	+ 0'55	25	— 1'20	27	— 1'88
5	— 1'05	24	+ 0'59	28	— 1'20	28	— 1'77
6	— 0'82	26	+ 0'61	29	— 1'21	29	— 1'80
7	— 0'82	27	+ 0'57	July 1	— 1'21	Sep. 1	— 1'88
8	Turned up pendulum screw 1 division without stopping the clock.	28	+ 0'66	2	— 1'21	"	Pendulum going unsteady with a twist; removed the case and found a number of cobwebs attached to the upper part; removed them.
8 & 9	+ 0'57	29	+ 0'82	3	— 1'32		
10	+ 0'80	30	+ 0'76	4	— 1'18		
11	+ 0'68	May 1	+ 0'76	5	— 1'12		
12	+ 0'78	3	+ 0'76	6	— 1'00		
13	+ 0'85	4 to 6	+ 0'77	7	— 1'09		
15	+ 0'86	7	+ 0'76	8	— 0'98		
16	+ 0'86	8	+ 0'70	9	— 0'97		
17	+ 0'94	9	+ 0'69	10	— 1'02		
18	+ 0'94	10	+ 0'62	11	— 1'05		
19	+ 1'02	11 & 12	+ 0'59	12	— 1'06		
20	+ 1'13	13	+ 0'55	13	— 1'16		
21	+ 1'13	14	+ 0'44	14	— 1'33		
22	+ 0'96	15	+ 0'48	15	— 1'33		
23	+ 0'77	16	+ 0'50				
24	+ 0'77	17	+ 0'51				
		18	+ 0'60				
		19	+ 0'66				
		20	+ 0'60				
		"	Wound up the clock.				

TRANSIT INSTRUMENT AND OBSERVATIONS, ETC.

DAILY RATE OF THE TRANSIT CLOCK, (Continued.)

DAILY RATE OF THE TRANSIT CLOCK, (<i>Continued.</i>)					
1852. Sep.	s.		1852. Oct.	s.	
2 & 3	+ 0·17		1	+ 0·62	
4	+ 0·13		2	+ 0·74	
6	+ 0·17		3	+ 0·53	
7	+ 0·19		4	+ 0·42	
8	+ 0·19		5	+ 0·56	
9	+ 0·38		6	+ 0·56	
10 & 11	+ 0·57		10 & 11	+ 1·12	
13	Clock stopt a few seconds in winding.		12	+ 1·12	
14 & 15	+ 0·78		13	+ 1·12	
"	Examined the clock but could find no de- fect.		"	Wound up the clock.	
16 & 17	+ 0·56		14 & 15	+ 0·55	
18	+ 0·13		16	+ 0·72	
19	+ 0·13		17	+ 0·72	
20	- 0·03		18	+ 0·72	
21	+ 0·18		19 to 22	+ 1·62	
22	+ 0·85		23	+ 2·01	
23	+ 0·43		25	+ 2·01	
24	+ 0·40		26	+ 2·47	
25	+ 0·35		27	+ 2·48	
26	+ 0·39		28 & 29	+ 2·35	
27	+ 0·37		29	Clock gaining 2 se- conds per day; turned screw down 2 divisions.	
28	+ 0·49		30 & 31	- 0·90	
29	+ 0·50		Nov. 1	- 0·90	
30	+ 0·62				
			1852. Nov.	s.	
			2	- 1·08	
			3	- 0·57	
			6	+ 0·15	
			7	+ 0·31	
			8	+ 0·14	
			9 to 11	+ 0·18	
			11	Wound up the clock.	
			12	- 1·34	
			15	1·20	
			16	1·07	
			19	1·07	
			20	1·01	
			21 & 22	0·88	
			23	Clock had stopt at ^{h. m.} 9 2, a cobweb was found attached to the extre- mity of the pendulum; removed it and set the clock by Chronometer ^{h. m.} No. 1344 at 9 15.	
			23 to 26	- 1·51	
			Dec. 1 } to 4 }	- 0·80	
			5	- 0·80	
			1852. Dec.	s.	
			6	- 0·69	
			7	- 0·78	
			8	- 1·01	
			9	- 1·09	
			10	- 1·09	
			"	Wound up the clock: it stopt in the winding. The clock has therefore ^{m. s.} lost 1 54; put it on 2. ^{m.}	
			11 & 12	- 1·59	
			13	- 1·59	
			15	- 1·51	
			16	- 1·44	
			17	- 1·40	
			20	- 1·45	
			21	- 1·45	
			"	Screwed up pendu- lum 1·2 division.	
			22 to 25	- 0·22	
			26	- 0·20	
			27	- 0·18	
			28	- 0·18	
			30	- 0·18	

MURAL CIRCLE OBSERVATIONS AT THE MADRAS OBSERVATORY, IN 1848—1852.

INDEX ERROR OF THE MURAL CIRCLE.

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Differen	
1848. Jan. 2		I took out the circle and cleaned the Axis; also cleaned and adjusted the Micrometers. T. G. T.					1848. Feb.					
						20 & 21	14	+ 1 18.44	5	+ 1 18.48	— 0	
3	13	+ 1 38.58	3	+ 1 37.18	+ 1.40	22	10	18.32	4	19.32	— 1	
4	11	37.41	4	36.54	+ 0.87	23	10	18.75	4	18.92	— 0	
5	13	36.90	3	37.10	— 0.20	24	9	17.94	4	17.69	+ 0	
6	9	36.16	5	36.04	+ 0.12	25	8	17.77	4	17.17	+ 0	
7	13	35.55	5	36.23	— 0.68	26 & 27	13	17.70	4	16.80	+ 0	
8	12	35.03	4	35.64	— 0.61	28	14	17.94	4	16.85	+ 1	
10	9	34.56	5	35.42	— 0.86	29	13	16.07	5	16.07	0	
11 & 12	10	32.78	9	33.32	— 0.54	Mar. 1	17	15.89	5	14.41	+ 1	
13	10	25.75	3	25.61	+ 0.14	2	16	15.69	5	15.28	+ 0	
14	6	26.17	4	24.90	+ 1.27	3	5	15.51	4	15.35	+ 0	
15 & 16	11	24.69	5	24.73	— 0.04	4	16	15.86	4	15.13	+ 0	
17 & 18	16	23.57	5	22.90	+ 0.67	6	14	14.82	5	14.59	+ 0	
		I reduced the reading of Microscope D, 20, which altered suddenly to about this amount on the 13th. T. G. T.					7	15	12.24	5	13.02	— 0
18	13	+ 1 29.79	4	+ 1 28.44	+ 1.35	8	14	12.26	4	11.98	+ 0	
19	16	28.36	5	27.45	+ 0.91	9	13	12.03	4	11.76	+ 0	
20	15	28.27	5	27.61	+ 0.66	10	11	11.83	5	11.53	+ 0	
21	16	28.19	5	28.07	+ 0.12	11	14	11.38	4	11.36	+ 0	
22 to 24	19	26.49	7	26.90	— 0.41	13	13	11.83	5	11.84	— 0	
		This sudden alteration of the Microscope D arises from the shoulder of the screw having worn so as to allow of the rim of the Micrometer head to rub against the zero lozenge, on the body of the Micrometer—the observations are suspended in consequence. I rectified this by filing away the edge of the Micrometer head. T. G. T.					14	12	11.70	5	11.90	— 0
25	12	+ 1 27.06	5	+ 1 27.93	— 0.87	15	12	11.37	5	10.55	+ 0	
26	10	26.87	3	27.11	— 0.24	16	11	11.38	5	10.40	+ 0	
27	13	25.58	5	25.74	— 0.16	17	5	10.93	5	11.22	— 0	
28	15	25.30	5	25.75	— 0.45	18	9	10.35	4	10.09	+ 0	
29 & 30	16	24.56	5	23.97	+ 0.59	19	2	9.33	—	—	—	
31	14	24.25	3	23.19	+ 1.06	20	13	11.02	4	11.50	— 0	
Feb. 1	13	23.59	5	23.58	+ 0.01	21	11	10.82	5	9.82	+ 1	
2	14	23.55	4	23.16	+ 0.39	22	12	10.43	5	10.26	+ 0	
3	12	23.02	5	22.84	+ 0.18	23	12	10.00	5	10.17	— 0	
4	16	22.26	5	23.51	— 1.25	24	10	10.30	5	9.89	+ 0	
5	12	22.33	4	21.65	+ 0.68	25	10	10.51	4	10.29	+ 0	
6 & 7	17	20.47	5	21.33	— 0.86	27	10	10.15	5	11.39	—	
8	9	20.65	4	20.39	+ 0.26	The wires were frayed and covered with dust. I tried to shake it off and blowing gently, I obtained a separation of the vertical wire; it was broken. Put in a new set. The dust appears to be black of the tube of the Telescope, and also it and the oil of the Micrometer screw, as the particles about the wire plate left a greasy black film. The wires are rather thick, similar to the Transits. W. K.						
9	12	20.45	5	20.94	— 0.49	28	8	+ 1 46.69	2	+ 1 44.75	+	
10	9	20.23	5	19.85	+ 0.38	On examining the wires found them clean and firmly set, but the adjusting screw of the horizontal wire was not home, moving whilst I shaded the hand from the light, my hand resting on the adjusting screw—set it firm and re-adjusted the vertical and horizontal wires. The following are the readings for Error: W. K.						
11	11	19.59	4	19.74	— 0.15	29	9	+ 0 54.95	3	+ 0 55.25	—	
12	11	19.12	3	19.71	— 0.59							
14	7	19.56	3	19.80	— 0.24							
15	9	19.15	4	19.35	— 0.20							
16	7	19.18	4	18.47	+ 0.71							
17	5	19.19	3	19.29	— 0.10							
18	8	19.40	5	19.45	— 0.05							
19	10	18.99	4	19.26	— 0.27							

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1848.						1848.					
Mar. 29		The south friction roller Axle has worn its bearing very much away. W. K. W.				May 5	10	+ 0 53.08	5	+ 0 52.49	+ 0.59
						6	10	53.41	4	52.77	+ 0.64
30	8	+ 0 54.81	5	+ 0 54.88	— 0.07	8	9	53.19	5	52.66	+ 0.53
31	11	54.72	5	54.95	— 0.23	9	10	52.81	5	52.88	— 0.07
						10	10	53.59	5	53.48	+ 0.11
		The clamp screws below A and B reported to require repair. On examining them I found the upper clamp plate had been worn away, the circle consequently was scarcely held; the plate would not "bite." Carefully filed away the other part to lower it, to touch the limb of the circle. They now act perfectly. The screws are good enough. W. K. W.				11	9	52.07	5	52.84	— 0.77
April 1	9	+ 0 54.45	4	+ 0 55.33	— 0.88	12	10	52.49	5	52.74	— 0.25
2		Vide remark 29th March. The bearing continues to enlarge. Lest the axis of the circle should be subjected to unequal wear, discontinued the observations, Captain Smith having kindly promised to repair the injury, after examining it and agreeing with me that it would be advisable to do so. The hole is worn .85* larger than the Axle. Sent for repair. W. K. W.				13	10	52.53	4	52.70	— 0.17
						15	7	53.44	5	52.62	+ 0.82
10		Captain Smith returned the Friction Wheels having bouched the damaged bearing with steel. Mr. R. Allan and C. Veerasawmy Pillay remarked that previous to the discovery of the damage, subsequent in fact to the last oiling in January, the divisions of the circle "were on one side" of the cross wire, and suggested that the Friction Wheels had been sustaining more than their due weight. On examining this, I found that the Circle was not pushed home. I put the Circle gently in and Mr. R. Allan tightened the back screws with his fingers fully "four turns." Whilst the wheels were under repair, I sent the Collimator to be adjusted and fitted. N. B.—Mr. Vincent failed to make a proper screw adjustment to the speculum until the 13th. W. K. W.				16	8	60.57	2	58.99	+ 1.58
11	4	+ 0 54.73	—	—	—	17	6	54.45	5	53.18	+ 1.27
12	7	54.68	—	—	—	18	8	54.83	4	54.85	+ 0.02
13	6	54.38	2	+ 0 55.20	— 0.82	19	6	53.94	4	53.77	+ 0.17
14	8	54.28	4	55.50	— 1.22	20	6	52.88	4	52.46	+ 0.42
15	8	53.92	4	54.24	— 0.32	22&23	5	51.37	5	53.06	— 1.69
17	6	51.44	4	52.22	— 0.78	25	4	50.16	3	51.90	— 1.74
18	7	51.60	5	51.18	+ 0.42	26	9	51.49	3	51.86	+ 0.13
19	8	51.14	5	51.14	0.00	27	9	51.68	4	51.81	+ 0.57
20	9	51.34	4	51.59	— 0.25	May 29 to June 1	8	50.83	13	50.54	+ 0.29
22 to 24	11	52.24	5	51.61	+ 0.63	6 & 7	7	51.02	7	51.60	— 0.58
25	11	52.21	5	51.58	+ 0.63	8	5	50.92	3	50.09	+ 0.83
28	9	53.89	4	51.90	+ 1.99	9 & 10	6	51.64	6	50.72	+ 0.92
29	8	53.00	3	52.33	+ 0.67	19	7	52.14	3	49.99	+ 2.15
May 1 & 2	11	53.35	9	52.77	+ 0.58	20	6	51.39	3	50.18	+ 1.21
3	9	53.31	5	52.51	+ 0.80	21 & 22	4	51.87	6	50.34	+ 1.53
4	3	53.89	5	52.99	+ 0.90	23	5	50.95	3	50.01	+ 0.94
						26	5	50.86	3	51.02	— 0.16
						27	5	50.94	4	50.59	+ 0.35
						28	3	49.98	4	50.88	— 0.90
						30	4	51.40	3	50.00	+ 1.40
						July 1	6	51.24	3	49.51	+ 1.73
						3	5	50.22	4	49.43	+ 0.79
						6 to 11	6	50.13	11	49.40	+ 0.73
						22 to 24	6	49.52	5	49.90	— 0.38
						25	16	50.38	4	48.80	+ 1.58
						26 & 27	10	50.62	6	49.73	+ 0.89
						29	11	50.49	3	49.23	+ 1.26
						31	9	50.39	3	49.11	+ 1.28
						Aug. 1 to 3	7	50.01	7	48.70	+ 1.31
						4 & 5	6	48.88	4	48.43	+ 0.45
						9 & 10	6	49.84	6	48.45	+ 1.39
						15	6	50.31	3	48.18	+ 2.13
						23	10	50.00	3	48.18	+ 1.82
						24	11	49.50	4	48.89	+ 0.61
						25	14	49.53	4	48.37	+ 1.16
						26	8	49.34	2	49.01	+ 0.33
						Aug. 31 to Sep. 1	5	49.49	5	48.08	+ 1.41
						4 & 5	6	48.40	5	47.96	+ 0.44
						6 to 8	8	48.95	10	48.32	+ 0.63
						9 & 10	12	48.65	3	48.06	+ 0.59
						13	11	48.92	4	47.76	+ 1.16

* Sic. The scale intended is not known.

INDEX ERROR OF THE MURAL CIRCLE, (*Continued.*)

Date	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1848.		' "		' "	"	1849.		' "		' "	"
Sept. 14	12	+ 0 48'40	4	+ 0 48'18	+ 0'22	Jan. 22	7	+ 0 52'57	4	+ 0 53'71	— 1'14
15	11	48'33	4	47'58	+ 0'75	23	12	52'38	5	52'95	— 0'57
18	8	48'76	3	47'20	+ 1'56	24	10	51'79	5	52'98	— 1'19
19	4	48'71	3	47'50	+ 1'21	25	14	52'19	5	52'40	— 0'21
20	7	47'96	3	47'59	+ 0'37	26	9	51'43	5	53'22	— 1'79
22	8	48'42	3	47'20	+ 1'22	27 & 28	10	51'50	4	52'24	— 0'74
25	Found the wires of D Microscope broken—put in a new set.					29	12	51'48	4	51'04	+ 0'44
					W. K. W.	30	4	51'27	3	51'53	— 0'26
						31	10	51'47	4	50'86	+ 0'61
25	4	+ 0 47'50	2	+ 0 47'64	— 0'14	Feb. 1	13	50'88	5	50'65	+ 0'23
26	12	48'34	3	46'69	+ 1'65	2	15	50'77	4	50'41	+ 0'36
27	4	48'05	3	47'50	+ 0'55	3	11	50'47	3	50'23	+ 0'24
Oct 2 & 3	6	49'33	6	47'23	+ 2'10	5	9	50'03	5	50'25	— 0'22
7	4	48'57	2	46'96	+ 1'61	6	10	49'68	4	48'39	+ 1'29
11 to 13	7	50'41	8	48'64	+ 1'77	7	8	49'23	3	49'05	+ 0'18
14	5	50'61	2	49'09	+ 1'52	8	5	49'99	3	49'70	+ 0'29
16	7	50'40	3	49'42	+ 0'98	9	11	48'77	4	49'31	— 0'54
17	8	51'45	3	49'22	+ 2'23	10 & 11	8	48'55	5	47'66	+ 0'89
18	6	51'18	3	49'49	+ 1'69	12	7	48'39	3	49'21	— 0'82
19	8	50'92	3	49'09	+ 1'83	13	4	48'84	3	48'71	+ 0'13
20	9	50'72	3	48'31	+ 2'41	14	12	48'75	4	47'77	+ 0'98
21 & 22	12	50'06	2	49'70	+ 0'36	15	11	48'07	4	48'67	— 0'60
23	9	50'23	3	48'30	+ 1'93	16	11	48'23	4	48'62	— 0'39
24	7	49'12	3	48'77	+ 0'35	17 & 18	12	48'02	4	48'16	— 0'14
27 to 30	4	51'96	7	50'31	+ 1'65	19	13	48'08	4	47'24	+ 0'84
Nov. 2 to 6	8	53'46	8	52'91	+ 0'55	20	11	48'14	4	47'25	+ 0'89
10 & 11	4	57'21	4	56'57	+ 0'64	21	9	48'28	4	46'97	+ 1'31
18	9	56'52	2	55'96	+ 0'56	22	10	48'07	5	47'00	+ 1'07
20 & 21	7	55'96	7	55'76	+ 0'20	23	6	47'77	3	47'72	+ 0'05
22	8	54'92	4	54'30	+ 0'62	24	9	47'33	3	47'45	— 0'12
23 & 24	6	55'69	5	55'59	+ 0'10	26	5	48'11	3	47'17	+ 0'94
30	4	55'99	3	57'64	— 1'65	27	4	48'18	3	46'51	+ 1'67
Dec. 2 to 4	8	62'92	6	61'83	+ 1'09	28	6	47'42	4	47'48	— 0'06
5 & 6	7	63'56	6	62'44	+ 1'12	Mar. 1	10	47'13	5	47'04	+ 0'09
8 & 9	7	62'88	4	62'52	+ 0'36	2	9	46'79	5	48'81	— 2'02
15 & 16	9	62'42	6	62'58	— 0'16	3	9	46'67	3	47'48	— 0'81
18	6	62'38	3	62'61	— 0'23	5	9	46'93	4	46'00	+ 0'93
19	7	61'15	4	62'10	— 0'95	6	11	47'15	4	46'64	+ 0'51
20	9	61'15	4	61'40	— 0'25	7	10	46'97	4	47'70	— 0'73
21	10	60'70	4	61'87	— 1'17	8	11	46'89	4	47'61	— 0'72
22 & 23	14	59'64	5	61'82	— 2'18	9	9	47'38	4	47'09	+ 0'29
1849.						10	4	46'99	2	48'35	— 1'36
Jan. 2	8	55'80	3	55'98	— 0'18	12	9	47'33	4	47'17	+ 0'16
3 & 4	8	54'70	8	54'87	— 0'17	13	10	46'83	4	47'22	— 0'39
8	9	56'02	4	55'90	+ 0'12	14	9	46'39	5	47'17	— 0'78
10	6	55'55	3	56'56	— 1'01	15	13	46'22	4	47'35	— 1'13
11 to 15	10	55'91	9	55'67	+ 0'24	16	8	46'54	4	47'65	— 1'11
16	8	55'61	5	55'02	+ 0'59	17	12	45'96	3	46'45	— 0'49
17	6	54'85	4	55'73	— 0'88	19	9	46'31	4	46'07	+ 0'24
18	6	54'85	3	55'24	— 0'39	20	9	46'19	5	45'90	+ 0'29
19	9	53'95	5	53'56	+ 0'39	21	7	46'16	4	46'41	— 0'25
20	6	54'31	2	54'06	+ 0'25	22	9	46'55	4	46'44	+ 0'11
						23	7	46'46	3	45'96	+ 0'50
						24	6	46'43	3	46'31	+ 0'12
						26 & 27	7	47'02	6	46'20	+ 0'82
						28	5	46'95	3	46'98	— 0'03

MURAL CIRCLE OBSERVATIONS AT THE

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1849.		' "		' "	"	1849.		' "		' "	"
Mar. 29	6	+ 0 47.34	3	+ 0 46.48	+ 0.86	July 6	4	+ 0 51.99	4	+ 0 51.70	+ 0.29
30	6	47.11	3	46.26	+ 0.85	7 & 8	6	51.25	4	51.42	- 0.17
31	6	48.16	2	46.49	+ 1.67	9	12	52.84	5	52.18	+ 0.66
April 2	7	48.33	3	46.00	+ 2.33	10	9	52.46	5	52.21	+ 0.25
3	7	48.40	2	46.58	+ 1.82	11	6	51.44	4	51.26	+ 0.18
4	8	48.24	2	46.18	+ 2.06	12	14	52.34	5	51.96	+ 0.38
5	7	47.89	3	47.16	+ 0.73	13	10	52.73	5	51.63	+ 1.10
9	7	48.83	3	47.86	+ 0.97	14 & 15	12	52.62	5	51.62	+ 1.00
10	7	48.29	3	48.08	+ 0.21	16	13	52.36	5	52.08	+ 0.28
11	6	47.88	4	47.45	+ 0.43	17	7	51.97	4	52.41	- 0.44
12	10	51.03	5	48.89	+ 2.14	18	4	51.73	4	51.52	+ 0.21
13	7	51.29	4	50.66	+ 0.63	19	6	52.18	4	51.70	+ 0.48
14	4	50.72	3	50.44	+ 0.28	20	8	52.27	5	52.15	+ 0.12
16	8	53.22	4	52.26	+ 0.96	21	4	51.35	3	51.59	- 0.24
17	8	55.73	3	54.45	+ 1.28	Aug. 6	3	51.34	3	49.91	+ 1.43
18	9	56.10	4	55.66	+ 0.44	8	16	51.30	4	49.96	+ 1.34
21	4	55.07	2	56.61	- 1.54	9	6	51.17	4	50.58	+ 0.59
23	3	55.92	3	55.35	+ 1.57	10	5	51.23	5	50.44	+ 0.79
24 & 25	12	56.67	7	55.90	+ 0.77	11	5	51.45	3	50.57	+ 0.88
26	7	55.24	4	55.94	- 0.70	12	3	52.45	1	48.50	+ 3.95
27	11	55.55	4	55.17	+ 0.38	13 & 14	7	51.89	7	49.57	+ 2.32
28	7	55.58	3	55.89	- 0.31	15	3	51.64	3	49.94	+ 1.70
30	9	55.71	4	56.89	- 1.18	16	6	51.90	5	50.28	+ 1.62
May 1	10	55.42	5	55.93	- 0.51	17	4	51.61	5	50.53	+ 1.08
2	11	55.18	4	56.40	- 1.22	18	3	53.25	4	49.82	+ 3.43
3	11	55.39	5	55.51	- 0.12	19	4	50.62	1	49.75	+ 0.87
4	8	52.77	4	53.66	- 0.89	20	7	51.25	4	49.80	+ 1.45
5	8	53.11	4	54.77	- 1.66	21	5	51.75	4	49.93	+ 1.82
7	11	53.11	4	52.80	+ 0.31	<p>Altered the fixed wire so as to bring it into adjustment with the Micrometer wire at Zero. The Index Error is therefore changed. W. S. J.</p>					
8	8	53.22	5	53.83	- 0.61						
9	10	53.57	5	53.97	- 0.40						
10 & 11	5	52.87	8	53.74	- 0.87						
12	3	53.52	1	52.80	+ 0.72	22	5	+ 2 14.78	4	+ 2 13.68	+ 1.10
14	8	53.42	4	54.21	- 0.79	23	4	14.31	4	13.91	+ 0.40
15	8	52.99	5	52.83	+ 0.16	24	3	14.25	4	13.82	+ 0.43
16	7	52.92	4	52.00	+ 0.92	25 & 26	5	14.42	4	13.72	+ 0.70
17	8	53.02	5	52.64	+ 0.38	<p>Aug. 30 } to } Sep. 1 }</p>					
18 & 19	5	52.93	7	53.15	- 0.22						
21	9	53.44	5	52.39	+ 1.05						
22 & 23	6	53.26	6	52.76	+ 0.50						
25	9	53.14	5	52.90	+ 0.24	4 to 6	4	14.05	10	15.01	- 0.96
26	8	53.11	3	52.81	+ 0.30	8 to 10	5	14.40	7	16.58	- 2.18
28	7	53.21	4	53.51	- 0.30	11	4	14.52	3	16.02	- 1.50
June 4	6	54.02	3	53.76	+ 0.26	12	5	14.22	3	16.11	- 1.89
5	9	53.38	4	53.95	- 0.57	13	4	13.55	4	15.81	- 2.26
6 to 8	11	53.56	10	52.85	+ 0.71	18	7	14.21	4	15.68	- 1.47
11 & 12	4	53.65	5	52.95	+ 0.70	19	5	13.85	4	14.47	- 0.62
20 & 21	4	53.06	5	53.31	- 0.25	20 to 22	4	13.72	9	15.08	- 1.36
23	7	52.57	2	54.35	- 1.78	24 & 25	4	13.24	4	13.42	- 0.18
24 & 25	9	53.03	4	51.72	+ 1.31	26 & 27	8	14.63	7	14.66	- 0.03
26 & 27	6	52.65	5	52.43	+ 0.22	<p>29 The Object Glass being dirty took it out and wiped it—something was heard to rattle in the tube probably a small screw, but nothing could be discovered on examination. W. S. J.</p>					
29 & 30	3	51.51	4	53.02	- 1.51						
July 3 to 5	5	52.52	8	51.89	+ 0.63						

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1849.		' "		' "	"	1850.		' "		' "	"
Sep. 29 } to Oct. 1 }	5	+ 2 13.29	6	+ 2 15.03	— 1.74	Jan. 4	5	+ 2 14.13	4	+ 2 14.30	— 0.17
2	5	11.91	4	12.06	— 0.15	5	7	13.12	4	14.04	— 0.92
6 to 8	6	13.68	4	13.31	+ 0.37	7	4	12.62	3	14.66	— 2.04
10	5	15.49	3	14.51	+ 0.98	8 & 9	4	13.58	7	13.79	— 0.21
12	5	15.54	4	14.10	+ 1.44	10	4	12.90	4	13.59	— 0.69
13	5	15.60	1	13.70	+ 1.90	11	3	11.82	4	12.88	— 1.06
15 & 16	6	15.11	6	14.03	+ 1.08	13 & 14	8	11.71	6	12.60	— 0.89
17 & 18	5	15.31	6	14.56	+ 0.75	15	4	11.11	4	12.41	— 1.30
19	4	15.75	4	14.89	+ 0.86	16	8	11.81	5	11.78	+ 0.03
20 & 21	4	15.12	4	16.12	— 1.00	17	10	11.73	5	13.23	— 1.50
22	7	15.37	4	16.71	— 1.34	18	8	11.79	5	13.27	— 1.48
23	8	14.56	4	16.63	— 2.27	19 & 20	8	12.44	5	14.16	— 1.72
24 & 25	8	14.64	8	16.53	— 1.89	21	7	11.76	5	13.70	— 1.94
26	6	14.46	4	15.88	— 1.42	22	9	11.58	4	13.51	— 1.93
28 to 30	8	13.36	7	14.84	— 1.48	23	7	12.10	4	12.13	— 0.03
31	4	13.91	4	15.78	— 1.87						
Nov. 1	9	13.14	4	16.00	— 2.86						
2	9	13.01	5	14.94	— 1.93						
3	5	13.56	2	15.72	— 2.16						
4 & 5	7	12.84	6	15.91	— 3.07						
6 to 8	6	12.78	9	15.18	— 2.40						
9	5	13.03	3	14.08	— 1.05						
10	5	13.79	4	14.13	— 0.34						
11 & 12	9	12.75	6	14.29	— 1.54						
13	8	12.82	5	13.29	— 0.47						
14	7	14.44	5	13.67	+ 0.77						
15 & 16	5	14.89	8	14.48	+ 0.41						
17 & 18	3	14.47	3	14.20	+ 0.27						
19	9	14.24	4	14.10	+ 0.14						
20	11	13.80	5	13.37	+ 0.43						
21	12	13.51	4	14.73	— 1.22						
22	7	13.43	5	13.87	— 0.44						
23 & 24	7	14.07	8	14.18	— 0.11						
25 & 26	5	13.23	5	13.59	— 0.36						
28	9	14.52	4	13.68	+ 0.84						
29 & 30	8	14.52	8	14.73	— 0.21						
Dec. 1 & 2	8	13.65	4	14.45	— 0.80						
3 to 5	8	14.50	9	14.55	— 0.05						
8	8	14.40	3	14.58	— 0.18						
10	13	12.47	4	13.99	— 1.52						
11	8	12.95	5	13.94	— 0.99						
12	12	12.89	5	12.86	+ 0.03						
13	13	12.52	4	12.83	— 0.31						
14 & 15	5	13.01	5	13.56	— 0.55						
17	6	12.71	5	13.06	— 0.35						
18	6	12.33	5	13.28	— 0.95						
19	8	11.43	5	13.18	— 1.75						
20	9	11.71	4	13.13	— 1.42						
21	13	12.16	4	13.43	— 1.27						
22	4	11.59	2	12.41	— 0.82						
1850.											
Jan. 2	4	14.09	5	13.84	+ 0.25						
3	5	13.77	3	13.95	— 0.18						

INDEX ERROR OF THE MURAL CIRCLE. (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1850.		" "		" "	"	1850.		" "		" "	"
Mar. 4	14	+ 2 8.94	4	+ 2 9.17	- 0.23	May 20	8	+ 2 7.86	4	+ 2 7.15	+ 0.71
5	15	8.54	5	8.63	- 0.09	21	8	7.27	4	7.18	+ 0.09
6	13	8.24	4	8.54	- 0.30	22	10	7.41	4	7.88	+ 0.03
7	17	7.78	3	8.55	- 0.77	25 to 27	8	8.04	8	8.96	- 0.92
8	12	7.82	4	8.33	- 0.51						
9	9	8.46	3	8.30	+ 0.16						
10	3	7.66	1	8.40	- 0.74						
11	12	8.66	4	8.92	- 0.26						
12	10	8.77	4	9.94	- 1.17						
13	10	9.33	4	9.44	- 0.11						
14	12	9.14	3	10.21	- 1.07						
15 to 17	12	9.11	7	10.12	- 1.01						
18	10	6.46	4	5.58	+ 0.88						
19	9	6.36	5	6.40	- 0.04						
20	3	6.97	3	6.11	+ 0.86						
21	8	7.18	4	6.64	+ 0.54						
22	7	6.92	5	8.42	- 1.50						
23	6	7.03	3	6.91	- 0.12						
25	8	6.67	4	6.44	+ 0.23						
26	7	6.94	4	6.20	+ 0.74						
27	7	6.90	3	6.56	+ 0.34						
28	4	7.63	3	6.30	+ 1.33						
Apr. 3	5	7.45	4	7.69	- 0.24	July 1	4	14.83	2	12.94	+ 1.89
4	7	6.80	4	7.01	- 0.21	2	3	13.67	3	13.49	+ 0.18
5 & 6	6	6.19	6	7.04	- 0.85	3 & 4	4	14.18	6	14.26	- 0.08
8	9	5.94	4	5.85	+ 0.09	5	9	13.95	4	14.48	- 0.48
9	4	6.32	4	5.86	+ 0.46	6 & 7	4	14.36	3	13.81	+ 0.55
10	6	6.35	4	6.04	+ 0.31	8	5	14.06	3	15.47	- 1.41
11	5	6.39	4	5.85	+ 0.54	9 & 10	7	13.56	6	13.99	- 0.43
13	4	6.43	4	6.06	+ 0.37	11 & 12	3	14.06	6	13.87	+ 0.19
15	4	6.89	4	7.31	- 0.42	13	3	14.41	2	13.30	+ 1.11
16	4	7.01	2	6.98	+ 0.03	18	4	13.53	3	14.11	- 0.58
17 & 18	5	5.89	9	6.95	- 1.06	19 & 20	3	13.65	3	14.08	- 0.43
19	4	6.88	4	6.39	+ 0.49	23 to 25	3	14.23	7	13.65	+ 0.58
20	5	6.91	4	7.20	- 0.29	26	4	13.75	2	13.06	+ 0.69
22 & 23	5	6.59	9	7.23	- 0.64	27	3	13.76	3	12.75	+ 1.01
24	5	7.77	3	6.96	+ 0.81	29	6	12.70	4	13.76	- 1.06
25	5	7.23	3	7.62	- 0.39	July 30					
26	5	7.81	3	7.95	- 0.14	to					
27 & 28	4	7.34	3	7.24	+ 0.10	Aug. 2	3	13.47	12	12.78	+ 0.69
29 & 30	7	7.31	5	6.82	+ 0.49	5	5	13.19	4	12.81	+ 0.38
						6	6	12.54	3	12.01	+ 0.53
May 1	7	6.86	4	6.41	+ 0.45	7 & 8	6	11.32	6	12.52	- 1.20
2	7	6.65	4	6.96	- 0.31	9	6	12.08	3	12.58	- 0.50
3	6	6.71	4	7.74	- 1.03	12	12	12.46	4	11.67	+ 0.79
4	6	6.75	3	7.86	- 1.11	13	4	12.89	2	13.14	- 0.25
6	8	7.11	4	6.47	+ 0.64	14	6	12.79	3	13.98	- 1.19
7 & 8	9	7.32	7	6.70	+ 0.62	15	7	12.19	3	12.16	+ 0.03
9	7	7.50	3	7.11	+ 0.39						
10	6	7.42	3	6.59	+ 0.83						
11	7	7.46	3	6.75	+ 0.71						
13	7	7.69	4	7.35	+ 0.34						
14	6	7.95	4	6.21	+ 1.74						
15	7	8.31	4	7.76	+ 0.55						
17	6	7.96	4	7.59	+ 0.37						
18	6	6.99	2	8.89	- 1.90						

INDEX ERROR OF THE MURAL CIRCLE, (*Continued.*)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1850. Aug. 31 to Sep. 2	5	+ 2 36.20	7	+ 2 35.28	+ 0.92	Vertical wire one turn more westward.					
3	4	35.24	3	35.02	+ 0.22	1850. Nov. 18	12	+ 2 22.08	4	+ 2 21.25	+ 0.83
4	3	35.16	3	35.04	+ 0.12	19	16	22.51	4	20.89	+ 2.12
There being much dust on the Object Glass, took it out and cleaned it.						20	15	21.83	4	20.42	+ 1.41
4	3	+ 2 44.77	1	+ 2 43.05	+ 1.72	21	7	20.94	3	20.05	+ 0.89
7 to 10	7	47.72	7	46.44	+ 1.28	22	8	21.29	3	21.20	+ 0.09
11	4	48.55	3	46.56	+ 1.99	23	10	21.26	2	20.26	+ 1.00
23 to 26	8	47.29	10	45.77	+ 1.52	25	11	20.68	4	20.35	+ 0.33
27	6	47.99	3	47.01	+ 0.98	26	8	21.60	3	20.62	+ 0.98
28	3	48.59	2	47.50	+ 1.09	27	4	19.61	3	19.74	— 0.13
30	6	46.76	3	47.00	— 0.24	Moved the wire a half turn eastward.					
Oct. 1	8	46.18	4	46.70	— 0.52	28	2	+ 2 21.48	3	+ 2 19.62	+ 1.86
2	5	46.86	2	45.51	+ 1.35	Dec. 3	6	25.38	4	22.02	+ 3.36
The Instrument must have had a blow between this and previous observations.						4	8	25.80	3	22.46	+ 3.34
2	2	+ 3 20.31	1	+ 3 21.62	— 1.31	5	5	24.78	3	23.48	+ 1.30
3	5	20.36	2	21.84	— 1.48	6 to 8	9	24.29	6	23.24	+ 1.05
4	4	18.88	4	20.33	— 1.45	Moved the wire a quarter turn westward.					
5	6	20.73	3	20.85	— 0.12	9	4	+ 2 24.35	3	+ 2 23.13	+ 1.22
7	7	21.34	3	20.62	+ 0.72	10	10	23.83	3	21.96	+ 1.87
8 & 9	10	20.35	7	20.21	+ 0.14	11	10	23.65	4	21.66	+ 1.99
10	6	19.29	2	20.33	— 1.04	12	14	23.30	3	22.96	+ 0.34
11 & 12	12	20.25	5	20.01	+ 0.24	13	16	22.00	4	21.43	+ 0.57
14	4	20.43	3	20.56	— 0.13	14 & 15	16	21.64	4	20.98	+ 0.66
15	6	19.44	3	19.81	— 0.37	16	17	20.30	4	21.19	— 0.89
16 & 17	3	17.58	5	19.93	— 2.35	17	15	20.79	3	21.14	— 0.35
18 & 19	5	20.51	4	20.00	+ 0.51	18	5	21.32	3	19.59	+ 1.73
21	6	21.07	3	22.95	— 1.88	19	11	22.33	4	18.88	+ 3.45
22 & 23	12	21.58	6	22.15	— 0.57	20	9	22.23	4	19.48	+ 2.75
26	12	22.23	3	21.94	+ 0.29	21 & 22	11	21.74	4	20.13	+ 1.61
28	12	22.80	3	22.33	+ 0.47	23 to 26	4	21.58	4	20.41	+ 1.17
29	10	22.66	2	21.64	+ 1.02	1851. Jan. 1	3	20.87	1	18.70	+ 2.17
30	9	22.55	3	23.25	— 0.70	2	16	19.65	4	18.62	+ 1.03
31	8	23.16	3	22.59	+ 0.57	3	18	19.35	4	17.77	+ 1.58
Nov. 1	5	22.24	3	23.07	— 0.83	4	10	19.76	3	18.34	+ 1.42
2	8	22.81	2	22.50	+ 0.31	5	3	19.20	1	17.25	+ 1.95
3 to 7	9	22.13	10	22.58	— 0.45	6	15	19.01	4	17.83	+ 1.18
11 & 12	9	23.51	5	24.63	— 1.12	7	9	20.00	3	18.79	+ 1.21
13	13	24.03	3	22.80	+ 1.23	8	15	19.60	4	19.32	+ 0.28
14	2	20.69	1	22.87	— 2.18	9	12	19.76	4	18.98	+ 0.78
Brought back the horizontal wire to coincidence with the Zero of the Micrometer; Index Error changed—also moved vertical wire one turn westward.						10	16	19.61	4	19.45	+ 0.16
14 & 15	15	+ 2 23.20	6	+ 2 21.90	+ 1.30	11 to 13	14	19.59	4	19.40	+ 0.19
						14	16	19.06	4	19.02	+ 0.04
						15	17	18.98	4	18.83	+ 0.15
						16	19	19.10	3	19.36	— 0.26
						17	8	19.14	2	19.85	— 0.71
						18	9	19.36	3	18.95	+ 0.41
						19 & 20	16	19.27	5	19.72	— 0.45
						21	12	19.19	3	19.42	— 0.23
						22	12	19.13	4	18.87	+ 0.26

MURAL CIRCLE OBSERVATIONS AT THE

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1851.		" "		" "	" "	1851.		" "		" "	" "
Jan. 23	8	+ 2 18.90	3	+ 2 19.22	— 0.32	Mar.		" "		" "	" "
24	15	18.15	3	19.47	— 1.32	16 & 17	4	+ 2 21.54	3	+ 2 19.67	+ 1.87
25	11	17.73	3	18.81	— 1.08	18	6	21.90	2	21.83	+ 0.07
26	5	18.73	—	—	—	19	6	22.55	3	20.92	+ 1.63
27	11	17.84	4	18.60	— 0.76	20	7	23.21	3	20.62	+ 2.59
28	16	18.21	4	18.45	— 0.24	21	6	22.72	3	21.58	+ 1.14
29	18	18.39	4	18.02	+ 0.37	22	5	23.26	2	21.93	+ 1.33
30	16	18.67	4	17.96	+ 0.71	23	3	21.96	1	20.80	+ 1.16
31	15	18.90	4	18.75	+ 0.15	24	8	22.57	3	21.85	+ 0.72
Feb. 1	3	18.93	2	18.81	+ 0.12	25	7	22.92	3	21.85	+ 1.07
2	4	18.10	1	18.35	— 0.25	26	9	22.52	3	21.84	+ 0.68
3	9	18.95	3	18.74	+ 0.21	27	5	22.29	3	21.38	+ 0.91
4	11	18.45	2	18.76	— 0.31	28	9	22.59	3	20.96	+ 1.63
5	9	18.41	3	18.01	+ 0.40	29	6	23.08	2	22.50	+ 0.58
6	14	19.34	2	17.97	+ 1.37	31	7	22.87	3	22.69	+ 0.18
7	14	18.53	3	18.22	+ 0.31	April 1	10	22.33	3	21.86	+ 0.47
8 & 9	14	18.42	3	17.78	+ 0.64	2	10	23.05	3	22.70	+ 0.35
10	15	18.52	3	17.22	+ 1.30	3	8	22.81	3	22.86	— 0.05
11	9	18.33	3	17.66	+ 0.67	4	10	21.93	3	22.01	— 0.08
12	10	19.50	3	18.08	+ 1.42	5	5	21.18	2	21.66	— 0.48
13	15	20.81	2	17.64	+ 3.17	6	4	22.50	1	22.92	— 0.42
14	12	20.36	3	18.08	+ 2.28	7	13	21.52	2	21.97	— 0.45
15	7	20.44	2	16.80	+ 3.64	8	10	22.59	3	21.60	+ 0.99
16 & 17	10	20.46	4	18.78	+ 1.68	9	12	22.61	3	21.76	+ 0.85
By Transits of stars from Polaris to α Centauri—the errors of the circle come out.						10	9	22.59	3	22.11	+ 0.48
A. C. L.						11	10	23.72	3	22.11	+ 1.61
21.06 W. 3.72 E. 23.74						12 & 13	7	23.15	3	22.44	+ 0.71
18	10	+ 2 20.12	3	+ 2 19.66	+ 0.46	14	10	24.06	3	22.39	+ 1.67
19	11	20.53	3	19.87	+ 0.66	15	9	23.74	3	22.42	+ 1.32
20	16	20.05	3	18.72	+ 1.33	16 & 17	9	22.93	4	22.66	+ 0.27
21	12	19.82	2	18.80	+ 1.02	21	6	22.94	1	23.47	— 0.53
22 & 23	9	19.59	2	18.64	+ 0.95	22	4	22.04	2	22.20	— 0.16
24	15	19.63	3	18.38	+ 1.25	23	4	22.83	2	22.42	+ 0.41
25	12	19.93	2	19.02	+ 0.91	24	5	23.38	2	22.32	+ 1.06
26	10	20.40	2	18.16	+ 2.24	25 to 27	6	22.34	5	22.64	— 0.30
27	12	20.59	3	18.42	+ 2.17	May 1 to 7	7	22.33	4	21.20	+ 1.13
28	9	20.06	3	18.55	+ 1.51	8	9	21.40	1	21.00	+ 0.40
Mar. 1	8	21.04	2	18.87	+ 2.17	9	7	22.22	1	21.57	+ 0.65
2	4	17.80	1	16.77	+ 1.03	10 & 11	7	22.44	2	21.26	+ 1.18
3	16	19.35	3	18.47	+ 0.88	12	4	23.21	3	21.97	+ 1.24
4	14	20.32	3	18.32	+ 2.00	13	5	21.53	2	22.34	— 0.81
5	12	20.19	3	19.60	+ 0.59	14	5	20.86	2	21.98	— 1.12
6	9	20.89	3	19.12	+ 1.77	15	5	23.24	1	21.80	+ 1.44
7 & 8	7	20.21	5	19.03	+ 1.18	16 & 17	4	22.65	2	22.71	— 0.06
9	5	20.85	1	18.15	+ 2.70	18	3	22.59	1	22.47	+ 0.12
10	6	21.16	3	18.68	+ 2.48	19	4	23.85	2	21.71	+ 2.14
12	8	21.27	3	19.59	+ 1.68	20 & 21	11	23.34	4	22.29	+ 1.05
13	8	21.29	3	19.92	+ 1.37	22	10	23.82	3	22.70	+ 1.12
14	8	22.16	2	19.91	+ 2.25	23	9	23.50	3	21.88	+ 1.62
15	7	22.37	2	20.45	+ 1.92	25	6	23.36	1	21.77	+ 1.59
						26	6	23.72	1	21.55	+ 2.17
						27	11	24.02	2	22.79	+ 1.23
						28	5	24.65	2	23.18	+ 1.47
						29	4	23.50	1	22.22	+ 1.28
						30 & 31	6	23.85	2	23.29	+ 0.56

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1851.		' "		' "	"	1851.		' "		' "	"
June 1 & 2	10	+ 2 23.72	3	+ 2 22.90	+ 0.82	Oct. 18	7	+ 2 27.77	3	+ 2 25.15	+ 2.62
3 & 4	4	23.95	5	23.41	+ 0.54	15 & 16	7	27.09	5	25.57	+ 1.52
6 & 7	5	23.46	6	22.23	+ 1.23	17	5	26.72	3	24.59	+ 2.13
8 to 12	8	22.85	10	22.80	+ 0.05	18	4	26.51	2	23.57	+ 2.94
13 to 15	7	23.24	5	22.67	+ 0.57	20 & 21	6	27.36	5	24.61	+ 2.75
16 & 17	9	24.07	5	22.57	+ 1.50	24	9	26.61	3	25.22	+ 1.39
18	4	23.08	4	22.94	+ 0.14	25 & 26	10	26.43	3	24.63	+ 1.80
20 to 23	12	23.19	10	22.25	+ 0.94	27	7	26.56	3	24.75	+ 1.81
24	7	22.75	2	21.19	+ 1.56	28	7	24.95	3	23.36	+ 1.59
28 & 29	5	22.89	2	22.11	+ 0.78	29	5	25.11	2	23.79	+ 1.32
30	7	23.18	4	21.04	+ 2.14	30	10	24.19	3	23.61	+ 0.58
						31	4	24.59	2	23.35	+ 1.24
July						Nov. 7 to 11	11	30.41	8	27.86	+ 2.55
1	7	21.21	4	20.41	+ 0.80	17 & 18	7	34.12	8	33.92	+ 0.20
2	6	22.24	4	21.75	+ 0.49	19	5	34.65	2	33.49	+ 1.16
3	6	23.08	4	20.95	+ 2.13	20	14	35.02	2	33.34	+ 1.68
4 to 6	5	21.24	9	20.38	+ 0.86	21	12	34.48	3	32.75	+ 1.73
9 & 10	5	22.11	6	19.81	+ 2.30	22 & 23	8	34.69	2	32.22	+ 2.47
21	10	24.14	4	21.73	+ 2.41	24	12	34.18	3	32.31	+ 1.87
22 & 23	7	24.08	4	23.24	+ 0.84	25	14	33.28	3	30.71	+ 2.57
24 & 26	7	24.67	7	22.65	+ 2.02	26 & 27	13	30.80	5	30.02	+ 0.78
						28	14	30.80	2	29.80	+ 1.00
Aug. 5 & 6	8	25.40	5	23.60	+ 1.80	Dec. 1	5	29.97	2	28.50	+ 1.47
8 & 9	9	24.58	5	22.73	+ 1.85	3 & 4	8	28.80	5	28.63	+ 0.17
11	6	25.52	2	23.38	+ 2.14	5	9	28.87	3	27.66	+ 0.71
12	6	25.28	4	23.25	+ 2.03	6 & 7	7	27.52	3	26.84	+ 0.68
13 & 14	11	26.24	6	23.56	+ 2.68	8	10	26.99	3	26.22	+ 0.77
15	8	26.45	4	23.47	+ 2.98	9	8	26.21	3	26.77	— 0.56
16 & 17	7	26.40	3	24.83	+ 1.57	10 & 11	7	26.85	4	26.71	+ 0.14
18	10	27.46	3	25.50	+ 1.96	15	5	26.87	3	26.58	+ 0.29
19 & 20	4	27.24	5	24.94	+ 2.30	16	8	26.98	3	26.65	+ 0.33
27 & 28	8	27.40	5	25.23	+ 2.17	17 & 18	11	27.70	6	26.55	+ 1.15
31	7	27.38	1	25.67	+ 1.71	19	6	26.66	3	27.37	— 0.71
Sept.						20	10	26.86	1	25.32	+ 1.54
2	6	26.83	3	25.37	+ 1.46	21	6	25.68	1	26.25	— 0.57
3	8	27.61	3	26.40	+ 1.21	22	12	25.59	3	25.19	+ 0.40
4	5	25.89	2	25.61	+ 0.28	23 & 24	9	25.13	5	24.45	+ 0.68
5	4	26.73	2	24.79	+ 1.94	1852.					
6 & 7	6	25.41	2	24.21	+ 1.20	Jan. 1 & 2	6	23.80	2	21.01	+ 2.79
8	5	25.99	2	23.41	+ 2.58	6	7	22.79	2	22.41	+ 0.38
9	7	26.96	2	24.34	+ 2.62	7 & 8	5	21.75	4	23.63	— 1.88
10	5	24.46	2	22.86	+ 1.60	9 to 11	9	22.42	4	23.56	— 1.14
12 & 13	8	24.23	3	23.62	+ 0.61	12 to 15	11	21.48	3	21.83	— 0.35
15	4	23.69	2	23.53	+ 0.16	16	7	21.11	2	22.01	— 0.90
16	13	23.94	3	22.79	+ 1.15	17 & 18	6	20.15	2	23.16	— 3.01
17	5	23.20	2	23.83	— 0.63	19	6	20.01	2	21.83	— 1.82
18	7	22.74	2	23.11	— 0.37	20 & 21	13	20.92	4	21.27	— 0.35
19	12	23.10	2	22.42	+ 0.68	22 & 23	7	21.00	4	20.60	+ 0.40
20	6	22.99	1	21.32	+ 1.67	24	6	22.82	2	22.59	+ 0.23
21	5	22.08	1	23.67	— 1.59	25 & 26	9	23.66	5	22.96	+ 0.70
22	6	22.65	2	22.68	— 0.03	27	5	23.01	4	22.63	+ 0.38
24 & 25	11	22.07	5	21.76	+ 0.31	28	6	23.93	4	22.71	+ 1.22
27 to 30	6	23.75	7	21.57	+ 2.18	29	7	22.75	4	22.09	+ 0.66
Oct.						30	8	22.86	4	22.71	+ 0.15
1	9	24.45	2	22.96	+ 1.49						
2 & 3	5	24.13	1	22.30	+ 1.83						
6 & 7	4	25.80	5	23.95	+ 1.85						
11	5	26.94	1	23.52	+ 3.42						

INDEX ERROR OF THE MURAL CIRCLE, (Continued)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1852.						1852.					
Jan. 31	4	+ 2 22.92	3	+ 2 22.61	+ 0.31	April 14	6	+ 2 29.83	3	+ 2 28.86	+ 0.97
Feb. 1 & 2	6	23.11	3	22.87	+ 0.24	15	5	28.28	3	27.45	+ 0.78
3 & 4	6	23.04	6	22.99	+ 0.05	16 & 17	9	30.59	5	28.83	+ 2.26
5 & 6	7	23.62	5	22.99	+ 0.63	19	5	31.61	3	28.77	+ 2.84
7 to 9	7	23.04	6	23.94	- 0.90	20 & 21	11	30.05	6	27.91	+ 2.14
10	8	24.29	3	22.59	+ 1.70	22	7	29.69	2	30.26	- 0.57
11	5	24.23	3	23.81	+ 0.42	23 & 24	8	30.38	5	28.91	+ 1.47
12	8	23.67	3	23.15	+ 0.52	26 & 27	8	30.50	6	30.42	+ 0.08
13	7	23.89	3	23.83	+ 0.06	28	5	30.28	3	30.91	- 0.63
14	6	23.55	2	23.30	+ 0.25	29	4	30.46	3	30.09	+ 0.37
15 & 16	7	23.56	4	23.04	+ 0.52	Apr. 30 to May 3	6	31.52	6	30.13	+ 1.39
17 & 18	7	23.56	6	23.13	+ 0.43	7	5	30.95	2	30.64	+ 0.31
19 & 20	7	24.79	6	23.98	+ 0.81	8 to 13	9	30.60	13	29.90	+ 0.70
21 to 23	9	24.40	6	24.08	+ 0.32	17 & 18	6	29.61	6	29.41	+ 0.20
24	4	24.56	3	24.25	+ 0.31	20	6	31.57	2	28.61	+ 2.96
25	6	23.90	3	23.79	+ 0.11	21 to 25	8	30.88	8	28.04	+ 2.89
26	9	24.56	3	24.32	+ 0.24	26	4	30.47	3	29.01	+ 1.46
27	5	24.24	3	22.99	+ 1.25	27 & 28	5	30.52	6	28.57	+ 1.95
28	6	24.22	2	24.77	- 0.55	29 to 31	6	31.01	6	31.02	- 0.01
Mar. 1	8	24.98	2	24.30	+ 0.68	June 1	5	30.94	3	30.81	+ 0.13
2	11	25.39	2	25.05	+ 0.34	2	4	31.37	3	31.69	- 0.32
3	10	24.94	3	24.18	+ 0.76	3	9	32.73	3	32.30	+ 0.43
4	11	25.33	2	24.46	+ 0.87	4	9	31.86	3	31.42	+ 0.44
Found some dirt hanging on the horizontal wire, removed it.						5	8	36.16			
W. S. J.						Microscope C has suddenly altered its reading 15 in defect—cause unknown.					
5	12	+ 2 26.73	3	+ 2 26.20	+ 0.53	6	Corrected the reading of the Microscope C + 15				
6 & 7	11	26.69	3	25.53	+ 1.16	7	10	+ 2 32.69	3	+ 2 32.58	+ 0.11
8	5	25.96	3	24.12	+ 1.84	8	6	32.28	3	31.57	+ 0.71
9	9	25.56	3	24.55	+ 1.01	9	9	32.14	3	31.29	+ 0.85
10	8	25.37	3	23.77	+ 1.60	10	6	30.78	3	32.09	- 1.31
11	7	25.62	3	24.17	+ 1.45	11	4	32.03	3	31.34	+ 0.69
12	7	25.04	2	24.59	+ 0.45	12 to 14	6	31.88	6	29.90	+ 1.98
13	6	25.31	2	24.64	+ 0.67	22 to 28	5	32.09	12	31.66	+ 0.43
15	6	25.59	3	24.66	+ 0.93	July 4 to 10	8	32.20	11	32.66	- 0.46
16 & 17	11	25.50	5	23.49	+ 2.01	12	7	33.93	3	33.27	+ 0.66
19 to 21	7	26.31	6	24.02	+ 2.29	13	6	33.46	2	31.80	+ 1.66
22	7	26.59	2	25.13	+ 1.46	14	5	32.63	3	33.47	- 0.84
23	11	27.91	3	25.37	+ 2.54	15	10	32.75	3	33.59	- 0.84
24 & 25	7	26.21	5	25.44	+ 0.77	16	4	33.15	2	33.57	- 0.42
26	10	27.18	3	26.01	+ 1.17	17 & 18	5	33.19	3	33.12	+ 0.07
27	9	27.48	2	25.10	+ 2.38	19	9	32.81	2	33.65	- 0.84
29	10	28.23	2	26.63	+ 1.60	20	5	32.87	2	31.49	+ 1.38
30	9	27.72	2	26.66	+ 1.06	22 & 23	4	32.43	3	32.64	- 0.21
31	12	27.70	3	26.18	+ 1.52	25 to 27	11	32.44	6	33.55	- 1.11
April 1	11	28.56	3	27.75	+ 0.81	Aug. 6 to 9	10	32.87	7	33.76	- 0.89
2	11	29.76	2	27.63	+ 2.13	10	5	34.05	2	34.75	- 0.70
3	9	29.58	2	27.59	+ 1.99						
5 & 6	10	28.95	6	27.46	+ 1.49						
7	7	29.40	3	27.70	+ 1.70						
8	7	29.00	2	27.53	+ 1.47						
13	6	29.81	3	28.53	+ 1.28						

INDEX ERROR OF THE MURAL CIRCLE, (*Continued.*)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1852.		' "		' "	"	1852.		' "		' "	"
Aug. 11	5	+ 2 32.80	3	+ 2 34.25	— 1.45	Oct. 23 to 25	6	+ 2 41.57	5	+ 2 40.42	+ 1.15
12 to 17	6	32.79	12	33.24	— 0.45	26	6	40.69	3	40.16	+ 0.53
23	5	31.91	2	32.10	— 0.19	27	10	40.51	2	39.32	+ 1.19
24	10	32.81	2	31.43	+ 1.38	28	8	39.74	3	39.52	+ 0.22
25	15	32.53	3	31.58	+ 0.95	29	5	39.15	3	40.60	— 1.45
26	17	32.48	3	32.06	+ 0.42						
27	13	31.90	3	32.46	— 0.56	Oct. 30 } to } Nov. 4 }	8	39.26	13	40.50	— 1.24
28	11	31.52	2	32.80	— 1.28	7 & 8	8	44.95	1	44.21	+ 0.74
Sept. 1	5	31.01	2	32.10	— 1.09	9 to 11	6	46.20	6	46.25	— 0.05
2	7	30.47	3	30.72	— 0.25	12 to 16	8	46.43	9	48.90	— 2.47
3 to 6	12	30.59	5	29.33	+ 1.26	19 to 21	9	48.94	6	49.64	— 0.70
7	10	30.91	3	31.23	— 0.32	22	5	49.48	2	48.73	+ 0.75
8	3	31.00	2	31.89	— 0.89	23 & 24	10	48.52	5	49.66	— 1.14
15	5	32.89	3	32.95	— 0.06	25	7	47.94	3	50.57	— 2.63
16 & 17	5	33.22	6	33.39	— 0.17						
18 to 21	6	32.29	6	32.93	— 0.64						
22	10	33.51	2	32.19	+ 1.32						
23 & 24	8	33.38	5	33.25	+ 0.13						
25	8	34.74	2	34.45	+ 0.29						
26 & 27	10	34.37	4	34.19	+ 0.18						
28 & 29	12	34.88	6	33.33	+ 1.55	Dec. 3 & 4	2	+ 2 61.66	3	+ 2 61.48	+ 0.18
30	7	33.92	2	34.14	— 0.22	5 & 6	3	54.17	4	55.20	— 1.03
Oct. 1	12	34.01	3	33.35	+ 0.66						
2 & 3	9	33.84	3	33.44	+ 0.40						
4	6	33.09	3	33.48	— 0.39						
5	6	32.28	3	33.32	— 1.04						
6	4	32.92	3	33.72	— 0.80						
10 & 11	7	37.70	3	37.56	+ 0.14	7	6	+ 2 55.85	3	+ 2 56.56	— 0.71
12	7	38.48	2	36.91	+ 1.57	8	4	56.03	3	57.03	— 1.00
13	7	39.56	3	38.16	+ 1.40	9 & 10	8	56.26	5	55.98	+ 0.28
14	6	39.88	3	39.28	+ 0.60	11 & 12	7	54.59	3	55.84	— 1.25
15	7	36.65	2	35.71	+ 0.94	13 to 15	5	54.88	4	56.29	— 1.41
16 to 18	5	40.08	4	38.22	+ 1.86	16 to 20	11	54.05	10	56.15	— 2.10
						21	4	53.24	2	56.85	— 3.61
						23 & 24	2	54.20	4	55.69	— 1.49

The Index Error has altered several seconds without any apparent cause.

A fine cobweb was seen to be attached the horizontal wire; removed it carefully; also took out and cleaned the Object Glass.

N. B.—This perhaps accounts for the change on 8d.

RIGHT ASCENSION AND NORTH POLAR DISTANCE
OF
THE SUN, MOON, AND PLANETS,
AS DEDUCED FROM
THE MADRAS OBSERVATIONS,
COMPARED WITH THE TABLES.

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE.

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Scndd.	
d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "	"
4	0	4	54.2	18 56 57.98	58.11	+ 0.13	112 48 39.07	36.00	— 3.07	16	0.62
5	0	5	21.6	19 1 22.02	22.22	+ 0.20	112 42 16.18	22.90	+ 6.72	16	2.38
6	0	5	49.2	5 46.29	45.90	— 0.39	112 35 45.67	42.60	— 3.07	16	0.64
7	0	6	15.4	10 9.05	9.14	+ 0.09	112 28 30.59	35.50	+ 4.91	16	0.64
8	0	6	41.5	14 31.80	31.89	+ 0.09	112 21 1.37	1.90	+ 0.53	16	4.14
9	0	7	7.2	18 54.15	54.12	— 0.03	—	—	—	16	3.10
10	0	7	32.4	23 15.98	15.80	— 0.18	112 4 32.48	35.90	+ 3.42	16	3.42
11	0	7	57.0	27 37.23	36.93	— 0.30	111 55 43.59	43.90	+ 0.31	16	3.10
12	0	8	20.9	31 57.77	57.45	— 0.32	111 46 23.81	26.30	+ 2.49	16	2.00
13	0	8	44.1	36 17.63	17.32	— 0.31	111 36 39.38	43.40	+ 4.02	16	2.32
14	0	9	6.7	40 36.84	36.57	— 0.27	—	—	—	16	2.16
16	0	9	49.7	49 13.14	13.01	— 0.13	—	—	—	16	2.00
17	0	10	10.7	53 30.61	30.19	— 0.42	—	—	—	16	1.92
18	0	10	30.6	57 47.17	46.65	— 0.52	110 41 61.23	59.20	— 2.03	16	3.14
19	0	10	49.8	20 2 2.95	2.37	— 0.58	110 29 48.68	50.50	+ 1.82	16	1.48
20	0	11	7.9	6 17.66	17.35	— 0.31	110 17 18.89	18.60	— 0.29	16	2.45
21	0	11	25.7	10 32.08	31.62	— 0.46	—	—	—	—	—
22	0	11	42.6	14 45.54	45.09	— 0.45	109 51 7.33	6.60	— 0.73	16	2.55
23	0	11	58.6	18 58.14	57.81	— 0.33	—	—	—	16	1.30
24	0	12	14.0	23 10.19	9.75	— 0.44	—	—	—	—	—
25	0	12	28.4	27 21.22	20.91	— 0.31	—	—	—	16	0.08
27	0	12	55.3	35 41.24	40.88	— 0.36	108 39 18.00	14.60	+ 1.60	16	1.50
28	0	13	7.5	39 50.01	49.67	— 0.34	108 23 46.91	49.70	+ 2.79	16	3.92
29	0	13	19.0	43 58.09	57.68	— 0.41	108 8 4.15	4.80	+ 0.65	16	2.85
30	0	13	29.4	48 5.09	4.87	— 0.22	—	—	—	16	2.04
31	0	13	39.3	52 11.62	11.26	— 0.36	107 35 32.10	36.70	+ 4.60	16	2.98
1	0	13	48.2	20 56 17.09	16.84	— 0.25	107 18 52.22	54.40	+ 2.18	16	2.70
2	0	13	56.6	21 0 22.09	21.61	— 0.48	107 1 53.65	53.70	+ 0.05	16	0.38
3	0	14	4.0	4 26.01	25.57	— 0.44	106 44 32.83	35.10	+ 2.27	16	1.88
4	0	14	10.4	8 29.02	28.70	— 0.32	106 26 57.84	59.00	+ 1.16	16	2.50
5	0	14	16.2	12 31.38	31.01	— 0.37	106 9 1.33	5.80	+ 4.47	16	2.30
6	0	14	21.3	16 33.04	32.50	— 0.54	—	—	—	16	2.65
7	0	14	25.3	20 33.55	33.17	— 0.38	105 32 30.43	29.90	— 0.53	16	0.42
8	0	14	28.5	24 33.40	33.03	— 0.37	105 13 45.25	48.10	+ 2.85	16	2.60
9	0	14	31.1	28 32.55	32.07	— 0.48	104 54 50.39	50.90	+ 0.51	16	2.23
11	0	14	33.5	36 28.03	27.70	— 0.33	104 16 6.83	12.10	+ 5.27	16	1.80
12	0	14	33.3	40 24.33	24.32	— 0.01	103 56 28.30	31.40	+ 3.10	16	2.12
13	0	14	33.0	44 20.68	20.15	— 0.53	—	—	—	16	1.40
14	0	14	31.1	48 15.33	15.20	— 0.13	103 16 21.24	29.10	+ 7.86	16	4.10
15	0	14	29.0	52 9.68	9.41	— 0.27	102 56 5.36	8.50	+ 3.14	16	2.60
18	0	14	17.8	22 3 48.27	47.87	— 0.40	—	—	—	—	—
19	0	14	12.6	7 39.62	39.22	— 0.40	101 32 38.73	45.70	+ 6.97	16	1.15
20	0	14	6.8	11 30.26	29.90	— 0.36	—	—	—	16	0.40
22	0	13	53.2	19 9.73	9.24	— 0.49	100 28 13.13	18.20	+ 5.07	16	3.34
23	0	13	45.3	22 58.36	57.96	— 0.40	106 6 28.52	29.20	+ 0.68	16	1.90
24	0	13	36.9	26 46.51	46.06	— 0.45	99 44 25.23	30.90	+ 5.67	16	2.90
25	0	13	28.1	30 34.24	33.57	— 0.67	99 22 25.24	23.70	— 1.54	16	1.66
26	0	13	18.3	34 20.91	20.50	— 0.41	98 59 59.33	68.00	+ 8.67	—	—
27	0	13	7.7	38 6.89	6.88	— 0.01	—	—	—	16	1.06
28	0	12	57.3	41 53.02	52.69	— 0.33	98 15 10.78	12.80	+ 2.02	16	2.88
29	0	12	46.3	45 38.51	37.99	— 0.52	97 52 26.76	34.00	+ 7.24	16	1.70
1	0	12	34.4	22 49 23.10	22.80	— 0.30	97 29 47.14	48.40	+ 1.26	16	1.90
2	0	12	22.3	53 7.50	7.11	— 0.39	97 6 49.80	56.40	+ 6.60	16	1.64
3	0	12	9.4	56 51.18	50.93	— 0.25	—	—	—	—	—
4	0	11	56.4	23 0 34.66	34.29	— 0.37	96 20 49.50	54.40	+ 4.90	16	3.98

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1846.	d.	h.	m.	s.	h. m. s.	s.	° ' "	"	"	' "
Mar.	5	0	11	42.6	23 4 17.36	17.21	—	—	—	16 3.14
	6	0	11	28.6	7 59.88	59.68	—	95 34 34.73	31.50	16 2.30
	7	0	11	14.1	11 41.92	41.75	—	95 11 5.89	13.30	16 2.56
	8	0	10	59.2	15 23.56	23.42	—	—	+ 7.41	16 3.08
	9	0	10	44.0	19 4.80	4.70	—	94 24 21.50	24.90	16 1.10
	10	0	10	28.4	22 45.71	45.61	—	94 0 56.38	55.70	16 2.12
	11	0	10	12.5	26 26.33	26.18	—	93 37 20.31	23.60	16 2.16
	12	0	9	56.1	30 6.47	6.41	—	—	—	16 1.10
	13	0	9	39.4	33 46.25	46.33	+	92 50 14.67	12.30	16 2.90
	14	0	9	22.6	37 25.97	25.97	0.00	92 26 31.22	34.00	16 1.96
	15	0	9	5.5	41 5.39	5.33	—	—	—	16 1.40
	16	0	8	48.1	44 44.46	44.44	—	91 39 5.49	13.50	16 2.92
	17	0	8	30.7	48 28.62	28.32	—	91 15 30.09	32.10	16 1.38
	18	0	8	12.9	52 2.27	2.02	—	90 51 42.90	50.40	16 2.02
	19	0	7	55.3	55 41.22	40.54	—	—	—	16 3.58
	20	0	7	36.8	59 19.15	18.89	—	90 4 25.15	27.50	16 1.82
	21	0	7	18.2	0 2 57.08	57.13	+	89 40 45.40	46.90	16 2.80
	22	0	7	0.0	6 35.40	35.25	—	89 17 7.25	7.50	16 2.14
	23	0	6	41.6	10 13.51	13.31	—	88 53 29.49	29.60	16 0.82
	24	0	6	23.0	13 51.37	51.29	—	88 29 47.74	53.30	16 2.14
	25	0	6	4.5	17 29.39	29.27	—	88 6 14.51	19.10	16 2.23
	26	0	5	27.4	24 45.29	45.20	—	87 19 15.57	18.50	16 2.98
	27	0	5	8.8	28 23.22	23.20	—	—	—	16 2.60
	28	0	4	50.4	32 1.26	1.24	—	—	—	16 3.18
	29	0	4	32.1	35 39.44	39.36	—	86 9 9.60	12.00	16 2.45
	30	0	4	18.7	39 17.59	17.58	—	85 45 51.85	57.70	16 1.35
April	1	0	3	55.4	0 42 55.75	55.90	+	85 22 45.16	48.00	16 2.80
	2	0	3	19.5	50 12.88	12.91	+	—	—	16 1.70
	3	0	2	26.6	1 1 9.54	9.59	+	—	—	16 1.78
	4	0	2	9.4	4 48.88	48.86	+	—	—	16 0.00
	5	0	1	36.0	12 8.40	8.04	—	—	—	16 2.63
	6	0	1	19.2	15 48.07	47.98	—	—	—	16 2.32
	7	0	1	2.4	19 27.85	28.18	+	81 36 42.19	41.90	16 2.50
	8	0	0	46.9	23 8.80	8.65	—	81 14 45.28	46.10	15 58.00
	9	0	0	31.0	26 49.44	49.39	—	80 52 57.69	59.20	16 2.63
	10	0	0	15.4	30 30.29	30.47	+	80 31 24.13	21.40	16 2.40
	11	0	0	0.4	34 11.87	11.86	—	—	—	16 0.62
	12	23	59	31.2	41 35.77	35.71	—	79 27 24.37	25.90	16 3.45
	13	23	59	17.2	45 18.19	18.18	—	79 6 28.39	27.80	16 5.10
	14	23	59	3.6	49 1.17	1.07	—	—	—	16 3.16
	15	23	58	50.3	52 44.42	44.37	—	78 25 3.39	4.20	16 3.00
	16	23	58	37.5	56 28.13	28.10	—	—	—	16 1.80
	17	23	58	1.9	2 7 42.06	42.06	0.00	77 4 35.36	35.80	16 2.08
	18	23	57	50.9	11 27.59	27.69	+	76 44 60.06	59.40	16 2.65
	19	23	57	21.4	22 47.71	47.66	—	—	—	16 3.72
	20	23	57	12.5	26 35.23	35.35	+	75 28 47.60	46.80	16 2.60
	21	23	57	4.2	30 23.51	23.60	+	—	—	16 2.33
	22	23	56	56.4	34 12.27	12.41	+	74 52 4.39	4.70	16 3.28
May	1	23	56	49.2	2 38 1.57	1.75	+	74 34 7.33	5.80	16 1.26
	2	23	56	42.7	41 51.59	51.64	+	74 16 23.60	22.20	16 2.45
	3	23	56	36.5	45 41.90	42.08	+	73 58 54.64	54.20	16 2.43
	4	23	56	31.0	49 32.99	33.09	+	73 41 39.61	42.00	16 0.80
	5	23	56	25.9	53 24.38	24.65	+	73 24 46.39	45.90	16 2.23
	6	23	56	21.4	57 16.47	16.78	+	—	—	16 1.90
	7	23	56	17.6	3 1 9.19	9.46	+	72 51 43.51	43.80	16 2.32

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation				A. R. from Observation.			A. R. from N. A.		Error of N. A.		N. P. D. from Observation.			N. P. D. from N. A.		Error of N. A.		Mean Hor. Scind.	
1848.	d.	h.	m.	s.	h.	m.	s.	s.	s.		°	'	"	"	"	"	"	'	"
May	8	23	56	14.6	3	5	2.75	2.68	-0.07		72	35	36.47	38.40	+1.93	16	2.08		
	9	23	56	11.8		8	56.47	56.47	0.00		72	19	50.12	50.80	+0.18	16	1.94		
	10	23	56	9.5		12	50.72	50.81	+0.09		72	4	17.47	20.10	+2.63	16	2.60		
	11	23	56	7.7		16	45.48	45.71	+0.23							16	2.70		
	12	23	56	6.8		20	41.19	41.17	-0.02		71	34	15.80	14.00	-1.80	16	3.12		
	13	23	56	6.2		24	37.10	37.20	+0.10										
	14	23	56	6.2		28	33.67	33.77	+0.10		71	5	23.95	22.80	-1.65	16	3.74		
	15	23	56	7.1		32	31.17	30.91	-0.26		70	51	32.11	25.00	-7.11	16	3.45		
	16	23	56	7.8		36	28.37	28.61	+0.24		70	37	48.75	47.20	-0.55	16	3.05		
	17	23	56	9.6		40	26.71	26.87	+0.16		70	24	31.28	29.10	-2.18	16	3.65		
	18	23	56	11.9		44	25.63	25.69	+0.06		70	11	31.96	30.80	-1.16	16	2.94		
	19	23	56	14.6		48	24.83	25.07	+0.24		69	58	54.53	52.80	-1.73	16	2.10		
	20	23	56	17.8		52	24.64	25.00	+0.36										
	22	23	56	26.4	4	0	26.35	26.50	+0.15										
	23	23	56	31.3		4	27.88	28.07	+0.19										
	24	23	56	36.9		8	30.04	30.17	+0.13										
	25	23	56	43.0		12	32.68	32.80	+0.12		68	50	20.85	21.90	+1.05	16	0.78		
	26	23	56	49.8		16	35.83	35.91	+0.08		68	40	12.61	11.70	-0.91	16	1.90		
	28	23	57	4.0		24	43.38	43.63	+0.25										
	30	23	57	20.4		32	52.97	53.20	+0.23										
																16	2.60		
June	1	23	57	38.7	4	41	4.38	4.46	+0.06							16	2.43		
	4	23	58	8.3		53	23.82	24.17	+0.35		67	25	37.66	36.20	-1.46	16	1.66		
	6	23	58	30.2	5	1	38.91	38.95	+0.04		67	13	26.94	18.00	-8.94	16	2.38		
	7	23	58	41.0		5	46.22	46.75	+0.53		67	7	42.85	44.70	+1.85	16	2.16		
	8	23	58	52.4		9	54.23	54.80	+0.57		67	2	35.89	35.60	-0.29	16	3.18		
	9	23	59	4.2		14	2.61	3.08	+0.47		66	57	50.53	50.70	+0.17	16	2.03		
	12	23	59	41.0							66	46	2.01	2.30	+0.29	16	3.05		
	13	23	59	53.0							66	42	58.45	55.10	-3.35	16	2.50		
	20	0	1	9.7		55	34.01	34.21	+0.20		66	32	51.94	51.00	-0.94	16	3.12		
	21	0	1	22.3		59	43.24	43.73	+0.49		66	32	36.53	37.10	+0.57	16	3.92		
	22	0	1	35.5	6	3	53.03	53.24	+0.21		66	32	49.10	48.00	-1.10	16	2.65		
	23	0	1	48.1		8	2.25	2.74	+0.49		66	33	28.14	23.80	+0.66	16	1.68		
	26	0	2	26.5		20	30.34	30.79	+0.45		66	37	39.45	39.40	-0.05	16	2.45		
	27	0	2	39.3		24	39.78	39.93	+0.15		60	39	55.94	54.00	-1.94	15	57.58		
	30	0	3	15.6		37	5.87	6.36	+0.49		66	49	7.45	5.00	-2.45	16	0.42		
July	1	0	3	27.5	6	41	14.31	14.75	+0.44		66	51	60.34	57.50	-2.84	16	0.62		
	2	0	3	39.2		45	22.60	22.88	+0.28							16	0.55		
	4	0	4	1.4		53	38.02	38.29	+0.27							16	0.48		
	5	0	4	12.3		57	45.45	45.50	+0.05							16	0.42		
	6	0	4	21.9	7	1	51.70	52.36	+0.66							16	2.32		
	7	0	4	32.0		5	58.27	58.87	+0.60							16	3.34		
	11	0	5	7.7		22	20.39	20.70	+0.31							16	1.88		
	19	0	5	55.9		54	41.15	41.64	+0.49		69	9	28.13	30.10	+1.97	16	3.50		
	22	0	6	5.9	8	6	40.84	40.92	+0.08							16	2.88		
	23	0	6	8.1		10	39.57	39.59	+0.02							16	2.00		
	24	0	6	9.3		14	37.34	37.68	+0.34		70	8	30.54	30.70	+0.16	16	1.38		
	25	0	6	10.1		18	34.76	35.22	+0.46		70	21	18.08	19.60	+1.52	16	1.15		
	26	0	6	10.5		22	31.77	32.19	+0.42		70	34	27.24	28.20	+0.96	16	2.76		
	27	0	6	10.9		26	28.66	28.58	-0.08		70	47	54.64	56.00	+1.36	16	1.96		
	28	0	6	10.0		30	24.30	24.37	+0.07		71	1	47.15	42.90	-4.25	15	59.62		
	30	0	6	6.5		38	13.90	14.20	+0.30							16	0.95		
	31	0	6	4.2		42	8.12	8.21	+0.09		71	44	54.67	55.40	+0.73	16	3.94		
Aug.	1	0	6	0.8	8	46	1.31	1.61	+0.30		71	59	55.09	55.80	+0.71	16	3.48		
	4	0	5	47.6		57	37.72	38.15	+0.43		72	46	41.90	41.60	-0.30				

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1848.	d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
Aug.	9	0	5	19.9	9 16 46.73	46.76	+ 0.03	—	—	—	16 1.18
	10	0	5	5.3	20 34.59	34.66	+ 0.07	—	—	—	16 1.15
	11	0	4	56.0	24 21.85	22.00	+ 0.15	74 45 19.88	19.30	— 0.58	16 3.16
	12	0	4	46.	—	—	—	75 3 16.18	17.00	+ 0.82	16 1.86
	15	0	4	13.6	39 25.59	25.63	+ 0.04	75 58 33.52	34.50	+ 0.98	16 1.96
	16	0	4	1.5	43 9.89	10.19	+ 0.30	—	—	—	16 3.32
	23	0	2	24.6	10 9 8.67	8.58	— 0.09	—	—	—	—
	24	0	2	8.8	12 49.40	49.43	+ 0.03	78 55 59.04	58.40	— 0.64	16 1.28
	25	0	1	52.3	16 29.39	29.90	+ 0.51	79 16 39.05	38.40	— 0.65	16 0.42
	27	0	1	19.6	23 49.77	49.66	— 0.11	—	—	—	16 0.15
	28	0	1	2.	—	—	—	80 19 36.86	38.50	+ 1.64	16 1.88
	31	0	0	8.5	38 24.62	24.83	+ 0.21	81 24 2.45	2.30	— 0.15	16 2.74
Sept.	5	23	58	13.3	11 0 8.42	8.33	— 0.09	83 36 25.47	23.40	— 2.07	16 2.00
	6	23	57	52.9	3 44.54	44.70	+ 0.16	83 58 48.21	50.80	+ 2.59	16 2.00
	8	23	57	12.2	10 56.79	56.82	+ 0.03	84 44 2.65	3.00	+ 0.35	16 2.34
	9	23	56	51.3	14 32.43	32.64	+ 0.21	—	—	—	15 59.14
	10	23	56	30.6	18 8.23	8.30	+ 0.07	—	—	—	16 1.64
	12	23	55	48.8	25 19.41	19.30	— 0.11	—	—	—	—
	13	23	55	27.6	23 54.07	54.69	+ 0.02	86 38 31.43	30.70	— 0.73	16 1.75
	14	23	55	6.4	32 29.97	30.02	+ 0.05	87 1 35.03	36.70	+ 1.67	16 2.58
	16	23	53	41.8	46 51.40	51.33	— 0.07	88 34 32.53	31.40	— 1.13	16 3.90
	19	23	53	21.1	50 27.18	26.77	— 0.41	88 57 48.29	51.80	+ 3.01	16 0.33
	21	23	52	38.8	57 37.77	37.92	+ 0.15	89 44 35.79	36.00	+ 0.21	16 1.75
	22	23	52	18.3	12 1 13.82	13.68	— 0.14	90 7 59.24	60.20	+ 0.96	16 3.16
	25	23	51	17.1	12 2.05	1.91	— 0.14	91 18 17.74	15.90	— 1.84	16 1.35
	26	23	50	57.1	15 38.58	38.34	— 0.24	91 41 40.41	41.00	+ 0.59	16 2.98
	27	23	50	37.0	19 15.04	15.04	0.00	92 5 5.43	5.30	— 0.13	16 1.88
	28	23	50	17.	—	—	—	92 28 28.97	28.60	— 0.37	16 0.48
Oct.	1	23	49	20.2	12 33 44.28	44.09	— 0.19	93 38 28.21	28.50	+ 0.29	16 3.20
	3	23	48	43.	—	—	—	94 24 56.90	56.40	— 0.50	16 2.27
	6	23	47	50.6	51 57.20	57.86	+ 0.16	95 34 16.18	12.80	— 3.38	16 2.27
	10	23	46	46.8	13 6 39.35	39.97	— 0.88	97 5 32.99	31.90	— 1.09	—
	11	23	46	31.7	10 20.76	20.85	— 0.21	97 28 8.81	8.00	— 0.81	16 3.14
	12	23	46	17.3	14 2.94	2.62	— 0.32	97 50 34.90	38.06	+ 3.10	16 2.52
	13	23	46	3.4	17 45.49	45.23	— 0.26	98 13 1.44	1.50	+ 0.06	16 1.57
	15	23	45	37.2	25 12.30	12.12	— 0.18	98 57 26.50	27.40	+ 0.90	16 5.30
	17	23	45	13.5	32 41.43	41.40	— 0.03	99 41 25.36	22.90	— 2.46	16 1.88
	18	23	45	2.5	36 27.24	26.96	— 0.28	100 3 8.30	8.30	0.00	16 2.90
	19	23	44	52.2	40 13.48	13.20	— 0.28	100 24 46.86	44.90	— 1.96	16 2.85
	20	23	44	42.2	43 59.97	60.10	+ 0.13	100 46 12.69	12.40	— 0.29	15 56.25
	21	23	44	33.7	47 47.96	47.67	— 0.29	—	—	—	16 2.25
	22	23	44	25.4	51 36.25	35.96	— 0.29	101 28 38.97	38.30	— 0.67	16 4.65
Nov.	1	23	43	43.4	14 30 19.59	19.39	— 0.20	104 49 20.99	21.00	+ 0.01	16 1.40
	5	23	43	48.2	46 10.87	10.57	— 0.10	106 8 12.85	14.90	+ 2.05	16 2.25
	6	23	43	51.5	50 10.50	10.39	— 0.11	106 21 1.03	3.90	+ 2.87	16 1.66
	10	23	44	12.7	15 6 18.00	18.07	+ 0.07	107 29 32.71	30.60	— 2.11	16 2.54
	12	23	44	29.	—	—	—	108 1 55.82	56.90	+ 1.08	16 3.54
	17	23	45	23.4	35 4.74	4.33	— 0.41	—	—	—	16 3.25
	18	23	45	36.7	39 14.69	14.35	— 0.34	—	—	—	—
	19	23	45	50.8	43 25.33	25.23	— 0.10	109 45 14.48	13.90	— 0.58	16 3.56
	20	23	46	6.2	47 37.32	36.94	— 0.38	109 58 37.72	36.10	— 1.62	16 3.12
	22	23	46	38.7	56 3.04	2.80	— 0.24	—	—	—	—
	23	23	46	56.2	16 0 17.18	16.92	— 0.26	—	—	—	15 57.96
	24	23	47	14.6	4 32.19	31.81	— 0.38	110 48 21.87	22.20	+ 0.33	16 1.33
	29	23	48	50.8	25 57.41	57.20	— 0.21	111 41 50.31	48.30	— 2.01	16 2.76

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1848.	d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
Dec.	3	23	50	30.5	16 43 17.61	17.24	— 0.37	112 17 4.26	6.50	+ 2.24	16 3.10
	4	23	50	55.5	47 39.23	38.67	— 0.56	—	—	—	16 3.00
	6	23	51	46.5	56 23.45	23.10	— 0.35	112 39 3.44	3.10	— 0.34	16 3.20
	7	23	52	12.8	17 0 46.33	46.05	— 0.28	112 45 26.15	28.80	+ 2.65	15 59.38
	8	23	52	39.4	5 9.61	9.44	— 0.17	112 51 30.06	27.70	+ 2.36	16 4.54
	12	23	54	30.	—	—	—	113 10 52.71	50.40	— 2.31	—
	13	23	54	59.	—	—	—	113 14 32.75	32.30	— 0.45	16 3.18
	14	23	55	28.5	31 38.52	37.95	— 0.57	113 17 45.30	46.30	+ 1.00	16 2.70
	15	23	55	57.4	36 4.13	3.79	— 0.34	113 20 30.57	32.20	+ 1.63	—
	16	23	56	28.7	40 30.04	29.86	— 0.18	—	—	—	16 0.24
	17	23	56	56.6	44 56.58	56.14	— 0.44	113 24 43.02	40.00	— 3.02	16 2.60
	18	23	57	26.2	49 22.81	22.57	— 0.24	113 25 58.27	61.80	+ 3.53	16 0.40
	19	23	57	56.5	53 49.78	49.14	— 0.59	113 26 55.24	55.20	— 0.04	16 3.43
	20	23	58	26.3	58 16.18	15.81	— 0.37	113 27 18.38	20.80	+ 1.92	16 3.20
	21	23	58	56.4	18 2 42.92	42.53	— 0.39	113 27 17.82	17.10	— 0.72	16 3.05
	22	23	59	26.5	7 9.70	9.27	— 0.43	113 28 43.02	45.60	+ 2.58	16 0.64
	24	0	0	9.7	11 36.12	36.00	— 0.12	—	—	—	16 2.16
	27	0	1	26.2	24 55.94	55.67	— 0.27	—	—	—	16 3.18
	28	0	1	55.8	29 22.17	21.91	— 0.26	—	—	—	16 2.32
	29	0	2	25.6	33 48.57	47.98	— 0.59	—	—	—	16 0.66
1849.											
Jan.	1	0	3	51.8	18 47 4.67	4.53	— 0.14	—	—	—	16 3.25
	2	0	4	20.3	51 29.78	29.39	— 0.39	112 55 42.31	42.70	+ 0.39	16 1.98
	4	0	5	15.5	19 0 18.28	17.95	— 0.33	112 43 57.42	57.30	— 0.12	16 2.98
	8	0	7	0.8	17 50.12	49.63	— 0.49	112 15 2.46	3.50	+ 1.04	16 3.72
	10	0	7	50.2	26 32.75	32.39	— 0.36	111 57 58.02	58.40	+ 0.38	16 3.10
	17	0	10	24.8	56 43.64	43.02	— 0.62	110 44 54.34	55.60	+ 1.26	16 2.54
	19	0	11	2.8	20 5 14.84	14.34	— 0.50	110 20 24.33	25.70	+ 1.37	16 1.75
	22	0	11	54.5	17 56.44	55.86	— 0.58	109 40 47.92	49.40	+ 1.48	15 59.12
	23	0	12	10.2	22 8.67	8.16	— 0.51	109 26 49.46	53.10	+ 3.64	16 2.40
	24	0	12	25.0	26 20.03	19.68	— 0.35	109 12 32.22	35.20	+ 2.98	16 3.45
	25	0	12	39.3	30 30.93	30.40	— 0.53	108 57 53.50	56.20	+ 2.70	16 2.63
	26	0	12	52.5	34 40.78	40.31	— 0.47	108 42 56.94	56.30	— 0.64	16 0.08
	27	0	13	5.0	38 49.84	49.41	— 0.43	108 27 35.76	36.20	+ 0.44	16 0.75
	28	0	13	16.7	42 58.12	57.67	— 0.45	—	—	—	16 0.80
	29	0	13	27.4	47 5.43	5.08	— 0.35	107 55 56.06	56.60	+ 0.54	16 1.96
	30	0	13	37.4	51 11.98	11.66	— 0.32	107 39 36.07	37.80	+ 1.73	16 3.74
	31	0	13	46.7	55 17.85	17.39	— 0.46	107 23 1.11	0.20	— 0.91	16 3.54
Feb.	1	0	13	54.8	20 59 22.53	22.28	— 0.25	107 6 3.58	4.30	+ 0.72	16 4.30
	2	0	14	2.5	21 3 26.85	26.33	— 0.52	106 48 51.68	50.60	— 1.08	16 6.63
	3	0	14	8.4	7 29.31	29.52	+ 0.21	106 31 19.33	19.30	— 0.03	16 1.96
	4	0	14	14.7	11 32.24	31.90	— 0.34	—	—	—	16 3.23
	6	0	14	23.8	19 34.40	34.10	— 0.30	—	—	—	16 1.88
	7	0	14	27.2	23 34.38	34.00	— 0.38	105 18 23.65	26.40	+ 2.75	16 2.07
	8	0	14	29.8	27 33.53	33.08	— 0.45	104 59 32.07	33.40	+ 1.33	16 2.94
	9	0	14	31.1	31 31.45	31.37	— 0.08	104 40 25.63	25.30	— 0.33	15 59.66
	10	0	14	32.6	35 29.45	28.86	— 0.59	104 20 58.15	62.60	+ 4.45	—
	11	0	14	32.8	39 26.22	25.60	— 0.66	—	—	—	—
	12	0	14	32.0	43 21.95	21.55	— 0.40	103 41 33.42	34.30	+ 0.88	15 58.56
	13	0	14	30.9	47 17.45	16.79	— 0.66	103 21 26.51	29.80	+ 3.29	16 2.12
	14	0	14	28.5	51 11.64	11.28	— 0.36	—	—	—	16 2.36
	15	0	14	25.3	55 4.93	5.05	+ 0.12	102 40 36.56	42.00	+ 5.44	16 1.00
	16	0	14	21.9	58 58.08	58.10	+ 0.07	102 19 57.94	59.40	+ 1.46	16 2.58
	17	0	14	18.3	22 2 51.04	50.46	— 0.58	—	—	—	—
	18	0	14	13.4	6 42.69	42.13	— 0.56	—	—	—	16 1.35

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1849. d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
Feb.	19	0	14	22 10 33.07	33.18	+ 0.06	101 16 40.71	42.20	+ 1.49	16 2.98
	20	0	14	14 24.08	23.45	— 0.58	100 55 12.51	14.80	+ 2.29	16 1.62
	21	0	13	18 18.48	18.12	— 0.31	—	—	—	15 59.52
	22	0	13	22 1.98	2.16	+ 0.28	100 11 47.21	49.80	+ 2.59	16 2.58
	23	0	13	25 50.78	50.55	— 0.18	99 49 54.06	53.20	— 0.56	—
	24	0	13	29 38.41	38.82	— 0.09	—	—	—	—
	25	0	13	33 25.85	25.50	+ 0.15	—	—	—	15 58.87
	26	0	13	37 11.85	12.09	+ 0.24	98 43 10.25	11.50	+ 1.25	16 2.70
	27	0	12	40 57.69	58.09	+ 0.40	98 20 41.95	41.70	— 0.25	16 0.87
	28	0	12	44 43.71	43.54	— 0.17	97 58 0.81	4.70	+ 3.89	16 2.85
Mar.	1	0	12	22 48 28.68	28.42	— 0.26	97 35 18.77	21.00	+ 2.28	16 1.46
	2	0	12	52 18.11	12.78	— 0.38	97 12 26.45	30.70	+ 4.25	16 2.07
	3	0	12	55 56.88	56.68	— 0.25	96 49 32.34	34.50	+ 2.16	16 2.10
	4	0	11	59 40.28	39.99	— 0.24	—	—	—	16 2.14
	5	0	11	3 28.20	22.86	— 0.34	96 3 24.71	25.50	+ 0.79	16 0.87
	6	0	11	7 5.89	5.31	— 0.08	95 40 12.68	13.50	+ 0.82	16 2.90
	7	0	11	10 47.60	47.80	— 0.30	—	—	—	16 1.70
	8	0	11	14 29.06	28.90	— 0.16	94 53 33.56	36.40	+ 2.84	16 3.30
	9	0	10	18 10.26	10.12	— 0.14	94 30 12.02	11.90	— 0.12	16 2.47
	10	0	10	21 51.01	50.98	— 0.03	94 6 43.11	44.10	+ 0.99	16 2.12
	11	0	10	25 32.00	31.49	— 0.51	—	—	—	16 1.28
	12	0	9	29 11.41	11.72	+ 0.31	93 19 39.00	39.70	+ 0.70	15 59.07
	13	0	9	32 51.67	51.65	— 0.02	92 56 1.69	3.90	+ 2.21	16 3.63
	14	0	9	36 31.08	31.32	+ 0.24	92 32 25.50	26.10	+ 0.60	16 4.80
	15	0	9	40 10.49	10.74	+ 0.25	92 8 42.78	46.60	+ 3.82	16 4.16
	16	0	8	—	—	—	91 45 4.76	5.90	+ 1.14	—
	17	0	8	47 28.46	28.95	+ 0.49	91 21 21.48	24.40	+ 2.92	15 58.23
	18	0	8	51 7.37	7.79	+ 0.42	—	—	—	16 0.15
	19	0	7	54 40.39	46.48	+ 0.09	90 33 55.99	59.90	+ 3.91	16 6.07
	20	0	7	58 24.83	25.02	+ 0.19	90 10 15.58	17.90	+ 2.32	16 2.65
	21	0	7	2 3.08	3.43	+ 0.40	89 46 35.60	36.60	+ 1.00	16 1.08
	22	0	7	5 41.24	41.73	+ 0.49	89 22 56.24	56.10	— 0.14	15 59.00
	23	0	6	12 58.19	58.11	— 0.08	88 35 35.81	39.40	+ 3.59	16 1.48
	24	0	6	16 36.04	36.22	+ 0.18	—	—	—	16 0.30
	25	0	5	20 14.12	14.29	+ 0.17	—	—	—	16 2.14
	26	0	5	23 51.93	52.35	+ 0.42	—	—	—	16 0.28
	27	0	5	27 30.08	30.89	+ 0.86	—	—	—	16 3.23
	28	0	4	31 8.01	8.44	+ 0.43	86 38 11.01	10.90	— 0.11	16 1.13
	29	0	4	34 46.13	46.53	+ 0.40	86 14 50.53	51.50	+ 0.97	16 4.87
	30	0	4	38 24.17	24.67	+ 0.50	85 51 35.63	36.30	+ 0.07	16 3.78
April	1	0	4	0 42 3.21	2.88	— 0.38	—	—	—	16 1.35
	2	0	3	45 40.67	41.18	+ 0.51	85 5 17.05	20.30	+ 3.25	16 3.30
	3	0	3	49 18.92	19.59	+ 0.67	84 42 21.31	20.10	— 1.21	15 59.20
	4	0	3	52 58.08	58.12	+ 0.04	—	—	—	16 1.48
	5	0	2	56 36.26	36.80	+ 0.54	83 56 35.28	37.10	+ 1.82	16 5.56
	6	0	2	0 15.61	15.66	+ 0.05	—	—	—	16 1.86
	7	0	2	3 54.79	54.71	— 0.08	—	—	—	16 1.75
	8	0	1	11 12.88	13.48	+ 0.60	82 26 28.84	29.30	+ 0.46	16 2.34
	9	0	1	14 52.57	53.25	+ 0.68	82 4 15.27	15.60	+ 0.33	16 1.77
	10	0	1	18 32.61	33.30	+ 0.69	81 42 9.73	9.80	+ 0.07	15 58.43
	11	0	0	22 13.08	13.63	+ 0.60	81 20 8.61	12.30	+ 3.69	16 2.23
	12	0	0	25 54.04	54.29	+ 0.25	—	—	—	16 3.27
	13	0	0	29 34.72	35.31	+ 0.59	80 36 43.20	43.30	+ 0.10	16 0.57
	14	0	0	33 16.65	16.67	+ 0.02	—	—	—	15 59.05
	15	23	59	36 58.71	58.40	— 0.31	79 53 48.35	51.20	+ 2.85	15 59.77
	16	23	59	40 40.46	40.50	+ 0.04	79 32 39.16	39.70	+ 0.54	16 2.10

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1849. d. h. m. s.	h. m. s.			s.	s.	s.	° ' "	"	"	' "
April 17 23 59 19.2	1	44	22.60	23.02	+ 0.42		79 11 37.02	38.60	+ 1.58	16 1.70
18 23 59 6.							78 50 48.66	48.00	- 0.66	15 58.67
20 23 58 40.0		55	32.91	33.09	+ 0.18		78 9 37.51	39.90	+ 2.39	16 4.47
22 23 58 15.5	2	3	1.47	2.00	+ 0.53					16 0.88
23 23 58 4.2		6	46.75	47.14	+ 0.39		77 9 25.12	25.60	+ 0.48	15 57.77
24 23 57 53.8		10	32.82	32.73	- 0.09		76 49 44.76	45.50	+ 0.74	16 7.70
25 23 57 43.4		14	19.01	18.81	- 0.20		76 30 16.92	18.50	+ 1.58	16 3.80
27 23 57 23.1		21	51.66	52.41	+ 0.75		75 52 1.86	4.80	+ 2.94	16 4.50
28 23 57 14.9		25	40.09	39.96	- 0.13					16 1.26
29 23 57 6.0		29	27.68	28.00	+ 0.32		75 14 44.68	47.10	+ 2.42	16 5.14
30 23 56 58.4		33	16.56	16.57	+ 0.01		74 56 28.47	29.90	+ 1.43	16 2.56
May 1 23 56 50.9	2	37	5.66	5.65	- 0.01		74 38 23.93	27.60	+ 3.67	16 3.56
2 23 56 43.9		40	55.21	55.26	+ 0.05		74 20 36.52	40.70	+ 4.18	16 3.80
3 23 56 37.8		44	45.55	45.39	- 0.16					16 3.38
4 23 56 31.6		48	35.93	36.09	+ 0.16		73 45 51.35	53.80	+ 2.45	16 3.38
5 23 56 26.2		52	27.07	27.34	+ 0.27					16 3.25
6 23 56 21.7		56	19.17	19.15	- 0.02		73 12 8.41	11.50	+ 3.09	16 3.05
7 23 56 17.7	3	0	11.67	11.53	- 0.14		72 55 43.92	45.30	+ 1.38	16 1.75
8 23 56 14.2		4	4.70	4.49	- 0.21		72 39 35.68	36.10	+ 0.42	16 3.27
10 23 56 5.1		11	51.76	52.17	+ 0.41		72 8 8.62	9.90	+ 1.28	16 3.32
12 23 56 5.2		19	41.96	42.20	+ 0.25					16 0.13
13 23 56 4.2		23	37.49	38.12	+ 0.63					16 0.90
14 23 56 4.7		27	34.53	34.62	+ 0.09		71 8 51.86	54.30	+ 2.44	16 2.96
15 23 56 5.3		31	31.64	31.71	+ 0.07		70 54 52.36	52.10	- 0.26	16 4.83
16 23 56 6.3		35	29.20	29.41	+ 0.21		70 41 7.22	9.20	+ 1.98	16 2.80
17 23 56 8.2		39	27.68	27.68	0.00		70 27 42.74	45.90	+ 3.16	16 2.82
18 23 56 10.7		43	26.79	26.51	- 0.28		70 14 39.12	42.30	+ 3.18	16 3.85
20 23 56 16.4		51	25.54	25.69	+ 0.35		69 49 34.36	35.80	+ 1.44	16 5.34
22 23 56 24.9		59	27.25	27.44	+ 0.19		69 25 50.77	51.60	+ 0.83	16 4.76
24 23 56 35.2	4	7	30.70	31.06	+ 0.36		69 3 31.16	31.80	+ 0.64	16 2.80
25 23 56 41.3		11	33.34	33.62	+ 0.28		68 52 54.67	54.20	- 0.47	16 2.83
26 23 56 48.1		15	36.71	36.65	- 0.06					16 4.78
27 23 56 54.5		19	39.66	40.13	+ 0.47		68 32 42.63	44.70	+ 2.07	16 0.50
28 23 57 2.0		23	43.80	44.06	+ 0.26					15 58.03
31 23 57 27.							67 56 53.85	54.60	+ 0.75	16 2.94
June 1 23 57 36.										
3 23 57 54.7	4	48	15.95	16.21	+ 0.26		67 48 52.87	54.20	+ 1.33	16 2.03
4 23 58 4.8		52	22.61	22.86	+ 0.25		67 34 3.39	3.30	- 0.09	16 2.92
6 23 58 25.8	5	0	36.82	37.17	+ 0.35					15 59.88
7 23 58 37.2		4	44.76	44.78	+ 0.02		67 14 42.76	43.70	+ 0.94	16 5.25
10 23 59 12.							67 9 2.06	4.80	+ 2.74	16 1.30
12 23 59 36.0		25	26.49	26.80	+ 0.31		66 54 31.58	32.80	+ 1.22	16 1.30
18 0 0 40.							66 46 52.14	53.10	+ 0.96	16 3.92
19 0 0 53.							66 34 54.86	53.60	- 1.26	16 3.85
21 0 1 19.0		58	42.30	42.53	+ 0.23		66 33 45.26	43.90	- 1.36	16 1.82
24 0 1 58.0	6	11	11.08	11.36	+ 0.28		66 32 41.92	38.60	- 3.32	16 3.03
27 0 2 36.3		23	39.14	39.24	+ 0.10					16 3.12
29 0 3 1.1		31	57.09	56.98	- 0.11		66 39 17.69	17.80	+ 0.11	16 3.52
July 5 0 4 8.8	6	56	44.28	44.20	- 0.08		66 44 44.35	48.30	+ 3.95	15 59.58
6 0 4 18.9	7	0	50.95	50.99	+ 0.04		67 11 4.42	3.70	- 0.72	16 1.70
7 0 4 28.8		4	57.49	57.45	- 0.04		67 16 48.94	50.30	+ 1.36	16 4.78
10 0 4 55.7		17	13.18	14.60	+ 0.42		67 22 56.22	60.60	+ 4.38	16 2.74
11 0 5 4.5		21	19.49	19.52	+ 0.03		67 43 51.53	52.00	+ 0.47	16 4.47
12 0 5 12.3		25	23.90	24.03	+ 0.13		67 51 31.92	35.50	+ 3.58	16 1.94
							67 59 42.14	41.80	- 0.34	16 3.70

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of (Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1849.	d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
July	13	0	5	19.8	7 29 27.97	28.10	+ 0.13	68 8 9.04	10.70	+ 1.66	16 0.64
	14	0	5	25.6	32 31.80	31.71	+ 0.41	68 17 2.23	2.30	+ 0.07	16 3.07
	15	0	5	32.8	37 34.11	34.86	+ 0.75	—	—	—	16 59.73
	16	0	5	39.4	41 37.25	37.55	+ 0.30	68 35 50.98	52.00	+ 1.02	16 3.78
	17	0	5	45.1	45 39.61	39.73	+ 0.12	—	—	—	16 2.50
	19	0	5	54.4	53 42.01	42.56	+ 0.55	69 6 49.40	49.70	+ 0.30	16 3.16
	20	0	5	58.8	57 42.43	43.17	+ 0.74	69 17 51.40	51.60	+ 0.20	16 5.03
	21	0	5	2.3	8 1 43.07	43.23	+ 0.16	69 29 15.15	14.50	— 0.65	16 1.80
	Aug. 4	0	5	49.	—	—	—	72 42 44.56	44.20	— 0.36	16 4.67
	7	0	5	30.4	9 8 12.50	12.13	— 0.37	—	—	—	16 1.04
Aug.	8	0	5	22.8	12 1.37	1.84	— 0.03	73 48 41.47	41.20	— 0.27	16 1.70
	9	0	5	14.8	15 49.93	49.98	+ 0.05	74 5 48.70	50.40	+ 1.70	—
	11	0	4	57.3	23 25.54	25.59	+ 0.05	74 40 54.17	54.70	+ 0.53	—
	12	0	4	47.4	27 12.12	12.58	+ 0.46	—	—	—	16 3.78
	14	0	4	27.5	34 45.30	44.93	— 0.37	75 35 21.13	21.20	+ 0.07	16 1.88
	15	0	4	16.1	38 30.40	30.31	— 0.09	75 53 56.81	53.10	+ 1.29	16 2.43
	16	0	4	4.5	42 15.30	15.18	— 0.12	76 12 49.91	48.60	— 1.31	16 3.58
	20	0	3	12.6	57 9.54	9.60	+ 0.06	77 30 19.54	19.10	— 0.44	16 2.27
	21	0	2	58.3	10 0 51.77	51.98	+ 0.21	77 50 11.82	12.40	+ 0.58	16 3.56
	22	0	2	42.7	4 33.69	33.89	+ 0.20	78 10 16.90	17.20	+ 0.30	16 0.86
	23	0	2	29.1	8 15.56	15.32	— 0.24	78 30 30.15	33.10	+ 2.95	16 0.70
	24	0	2	12.9	11 55.83	56.32	+ 0.49	78 50 58.32	59.90	+ 1.58	16 2.50
	27	0	1	24.	—	—	—	79 53 19.36	22.50	+ 3.14	16 1.15
	30	0	0	31.2	33 53.24	53.48	+ 0.24	—	—	—	16 0.88
	31	0	0	12.7	37 31.19	31.69	+ 0.50	81 18 41.49	45.20	+ 3.71	16 1.62
Sep.	3	23	58	57.3	10 52 1.78	1.52	— 0.26	82 46 17.40	21.20	+ 3.80	16 2.58
	4	23	58	37.4	55 38.43	38.33	— 0.10	—	—	—	16 4.67
	5	23	58	17.	—	—	—	83 30 52.01	52.90	+ 0.89	16 1.04
	12	23	55	53.5	24 26.47	26.65	+ 0.18	—	—	—	16 4.96
	13	23	55	32.9	28 2.36	2.21	— 0.15	—	—	—	—
	16	23	54	30.	—	—	—	87 42 18.50	21.50	+ 3.00	16 1.55
	17	23	54	9.2	11 42 24.68	24.18	— 0.50	88 5 35.88	36.90	+ 1.02	16 4.30
	19	23	53	27.1	49 35.54	35.19	— 0.35	88 52 13.94	14.70	+ 0.73	16 2.14
	20	23	53	6.0	53 10.96	10.70	— 0.20	89 15 35.99	36.40	+ 0.41	16 1.24
	21	23	52	45.4	50 46.79	46.42	— 0.37	89 38 57.26	59.60	+ 2.34	16 1.46
	23	23	52	3.8	12 3 58.17	58.01	— 0.16	90 25 46.70	48.50	+ 1.80	16 0.90
	25	23	51	22.4	11 9.81	10.10	+ 0.29	91 12 38.27	38.90	+ 0.63	16 5.12
	26	23	51	2.2	14 46.12	46.38	+ 0.26	—	—	—	—
	27	23	50	42.6	18 22.98	22.85	— 0.13	91 59 26.58	27.60	+ 1.02	16 1.92
	28	23	50	22.6	21 59.53	59.53	0.00	92 22 48.64	50.50	+ 1.86	16 4.25
Oct.	1	23	49	25.0	12 32 51.40	51.13	— 0.27	93 32 49.34	49.80	+ 0.46	—
	2	23	49	6.0	36 28.88	28.91	+ 0.03	93 56 3.39	5.30	+ 1.91	16 0.64
	7	23	47	38.1	54 43.51	43.33	— 0.18	95 51 32.59	34.60	+ 2.01	16 2.27
	9	23	47	6.0	13 2 4.42	4.07	— 0.35	96 37 15.17	17.40	+ 2.28	16 2.12
	10	23	46	50.6	5 45.55	45.16	— 0.39	97 0 0.14	1.20	+ 1.08	16 2.27
	11	23	46	35.7	9 27.14	26.76	— 0.38	97 22 37.40	39.50	+ 2.10	16 1.02
	13	23	46	20.8	13 8.74	8.87	+ 0.13	—	—	—	16 59.07
	14	23	46	6.9	16 51.39	51.51	+ 0.12	—	—	—	16 3.34
	15	23	45	53.6	20 34.58	34.72	+ 0.14	98 29 57.33	56.80	— 0.53	16 58.32
	17	23	45	17.6	31 48.20	47.78	— 0.42	99 36 11.35	9.80	— 1.55	16 2.63
	18	23	45	0.5	35 33.60	33.32	— 0.28	99 57 56.05	58.00	+ 1.95	16 2.43
	21	23	44	37.3	46 53.99	53.71	— 0.28	101 2 29.71	28.00	— 1.71	16 3.00
	22	23	44	28.9	50 42.15	41.83	— 0.32	101 23 36.72	38.60	+ 1.85	16 3.08
	23	23	44	21.3	54 31.01	30.60	— 0.41	101 44 35.95	38.80	+ 2.85	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation.					A. R. from Observation.	A. R. from N. A.	Error of N. A.	N.P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
d.	h.	m.	s.		h. m. s.	s.	s.	° ' "	"	"	' "
25	23	44	8.1		14 2 10.90	10.20	— 0.70	102 26 5.83	6.30	+ 0.47	—
28	23	43	52.2		13 45.65	45.04	— 0.61	103 26 47.99	49.60	+ 1.61	16 1.96
29	23	43	49.3		17 38.22	38.16	— 0.06	108 46 40.83	38.90	— 1.93	16 0.86
30	23	43	46.8		21 32.25	32.04	— 0.21	104 6 12.36	15.10	+ 2.74	16 0.37
31	23	43	44.9		25 26.94	26.73	— 0.21	104 25 36.97	37.60	+ 0.63	16 1.33
1	23	43	43.9		14 29 22.48	22.21	— 0.27	104 44 43.40	46.30	+ 2.90	16 3.16
2	23	43	43.6		33 18.81	18.52	— 0.29	105 3 39.53	40.60	+ 1.07	—
8	23	43	59.9		57 14.47	14.04	— 0.43	106 51 43.16	42.90	— 0.26	16 2.67
9	23	44	5.8	15	1 16.87	16.30	— 0.57	107 8 47.58	45.70	— 1.88	16 3.96
11	23	44	19.6		9 23.84	23.43	— 0.41	107 41 58.10	58.30	+ 0.20	16 2.58
12	23	44	27.7		13 28.53	28.29	— 0.24	107 58 6.75	7.30	+ 0.55	16 3.45
13	23	44	36.9		17 34.29	34.02	— 0.27	108 13 58.81	57.50	— 1.31	16 2.43
14	23	44	46.9		21 40.92	40.59	— 0.33	108 29 28.98	28.40	— 0.58	16 1.13
18	23	45	34.8		38 15.74	15.26	— 0.48	109 28 10.02	12.70	+ 2.68	16 1.08
19	23	45	49.4		42 26.34	25.97	— 0.37	109 42 2.98	1.70	— 1.28	16 2.60
20	23	46	4.3		46 37.85	37.48	— 0.37	109 55 28.54	29.20	+ 0.66	16 1.42
21	23	46	19.9		50 50.02	49.79	— 0.23	110 8 34.05	34.90	+ 0.85	16 2.43
23	23	46	53.6		59 16.93	16.68	— 0.25	110 33 39.10	39.00	— 0.10	16 0.64
25	23	47	30.7	16	7 47.23	46.58	— 0.65	110 57 10.94	11.20	+ 0.26	16 2.65
27	23	48	9.9		16 19.64	19.37	— 0.27	111 19 8.80	8.90	+ 0.10	16 0.95
28	23	48	30.7		20 37.09	36.82	— 0.27	111 29 30.32	31.50	+ 1.18	16 4.23
29	23	48	52.3		24 55.31	54.95	— 0.36	111 39 32.40	29.60	— 2.80	16 1.86
30	23	49	14.3		29 13.92	13.74	— 0.18	111 49 0.24	2.80	+ 2.56	16 2.85
2	23	50	0.7	16	37 53.60	53.28	— 0.32	112 6 53.48	53.60	+ 0.12	—
3	23	50	24.8		42 14.23	13.97	— 0.26	—	—	—	16 1.98
4	23	50	49.5		46 35.56	35.25	— 0.31	112 23 1.33	1.90	+ 0.57	16 0.73
7	23	52	6.7		59 42.66	42.41	— 0.25	—	—	—	—
9	23	53	1.1	17	8 30.34	29.69	— 0.65	112 55 41.61	41.70	+ 0.09	16 2.63
10	23	53	28.4		12 54.25	53.99	— 0.26	113 0 58.41	52.90	— 5.51	15 59.54
11	23	53	56.3		17 18.74	18.67	— 0.07	113 5 34.80	36.70	+ 1.90	16 1.55
12	23	54	24.8		21 43.93	43.73	— 0.20	—	—	—	15 59.80
13	23	54	53.5		26 9.28	9.12	— 0.16	113 13 41.96	41.70	— 0.26	—
14	23	55	22.5		30 34.90	34.77	— 0.13	113 17 2.21	2.50	+ 0.29	16 2.90
18	23	57	21.0		48 19.94	19.57	— 0.37	113 25 44.50	45.80	+ 1.30	16 1.98
19	23	57	50.8		52 46.36	46.12	— 0.24	113 26 46.48	46.20	— 0.28	16 3.14
20	23	58	20.		—	—	—	113 27 18.93	18.20	— 0.73	—
21	23	58	50.6	18	1 39.44	39.38	— 0.06	—	—	—	—
26	0	0	50.3		19 25.68	25.53	— 0.15	—	—	—	16 0.68
27	0	1	20.1		23 52.12	51.82	— 0.30	—	—	—	16 1.84
1	0	3	45.0	18	46 0.24	0.11	— 0.13	—	—	—	—
2	0	4	13.4		50 25.27	24.96	— 0.31	112 57 1.56	1.50	— 0.06	16 4.07
3	0	4	41.3		54 49.84	49.48	— 0.36	112 51 30.37	28.90	— 1.47	16 3.65
4	0	5	9.0		59 14.10	13.62	— 0.48	—	—	—	16 3.45
5	0	5	35.9	19	3 37.70	37.37	— 0.33	112 39 2.78	2.10	— 0.68	16 2.67
9	0	7	20.3		21 8.52	7.92	— 0.60	—	—	—	—
10	0	7	44.4		25 29.31	29.31	0.00	112 0 9.64	7.70	— 1.94	16 2.43
11	0	8	9.		—	—	—	111 50 59.29	62.50	+ 3.21	—
13	0	8	55.5		38 30.27	30.01	— 0.26	—	—	—	15 58.27
14	0	9	17.4		42 48.82	49.01	+ 0.19	111 21 14.62	14.80	+ 0.18	16 2.78
15	0	9	39.9		47 7.87	7.82	— 0.55	111 10 30.02	29.40	— 0.62	16 2.80
16	0	10	0.9		51 25.54	24.96	— 0.58	110 59 18.79	19.60	+ 0.81	16 2.52
17	0	10	21.0		55 42.23	41.90	— 0.33	110 47 45.07	45.80	+ 0.73	16 1.57
18	0	10	40.6		59 58.47	58.11	— 0.36.	110 35 47.08	48.30	+ 1.22	16 2.76

OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

xlv

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1850. d. h. m. s.	h. m. s.	s.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
Jan. 19 0 10 59.4	20 4 13.89	13.57	— 0.32	110 23 26.47	27.40	+ 0.93	16 3.43			
21 0 11 34.9	12 42.58	42.20	— 0.38	109 57 35.48	37.00	+ 1.57	16 4.18			
26 0 12 49.7	33 40.34	39.84	— 0.50	108 46 35.48	37.40	+ 1.92				
27 0 13 1.9	37 59.14	48.94	— 0.20				16 1.22			
28 0 13 13.7	41 57.52	57.21	— 0.31	108 15 43.32	47.90	+ 4.58	16 1.22			
29 0 13 24.4	46 4.84	4.66	— 0.18	107 59 53.50	53.40	— 0.10	16 3.52			
30 0 13 34.7	50 11.68	11.29	— 0.39	107 43 40.06	39.60	— 0.46	16 3.30			
Feb. 1 0 13 52.2	20 58 22.40	22.13	— 0.27	107 10 13.82	15.60	+ 1.78	16 4.78			
2 0 13 59.7	21 2 26.41	26.33	— 0.08	106 53 6.44	6.20	— 0.24	16 4.14			
3 0 14 6.7	6 30.03	29.72	— 0.31				16 1.82			
4 0 14 12.6	10 32.45	32.31	— 0.14	106 17 55.41	54.70	— 0.71	16 3.74			
5 0 14 17.4	14 33.84	34.09	+ 0.25				16 0.15			
6 0 14 22.1	18 35.10	35.08	— 0.02	105 41 36.03	35.50	— 0.53	16 2.18			
7 0 14 25.8	22 35.39	35.27	— 0.12	105 23 1.95	1.50	— 0.45	16 2.98			
8 0 14 28.9	26 35.06	34.69	— 0.37				16 0.08			
12 0 14 32.1	42 24.49	24.49	0.00	103 46 23.86	24.90	+ 1.04	15 57.62			
14 0 14 29.6	50 15.01	14.78	— 0.23	103 6 7.69	8.40	+ 0.71	15 59.93			
15 0 14 26.9	54 8.92	8.79	— 0.13	102 45 39.98	40.90	+ 0.92	16 0.66			
16 0 14 23.5	58 2.07	2.06	— 0.01	102 24 58.50	61.20	+ 2.70	16 2.25			
17 0 14 19.8	22 1 54.77	54.51	— 0.26				16 0.95			
18 0 14 14.7	5 46.33	46.37	+ 0.04	101 43 6.25	6.70	+ 0.45	16 1.82			
19 0 14 9.5	9 37.68	37.46	— 0.22	101 21 51.82	52.70	+ 0.88	16 0.53			
20 0 14 3.3	13 27.96	27.84	— 0.12	101 0 29.09	28.30	— 0.79	15 59.00			
21 0 13 56.7	17 17.91	17.55	— 0.36	100 38 52.22	53.60	+ 1.38	15 59.03			
22 0 13 48.8	21 6.56	6.58	+ 0.02	100 17 11.97	9.30	— 2.67	16 4.98			
23 0 13 41.0	24 55.28	54.97	— 0.31	99 55 11.01	15.60	+ 4.59	15 58.50			
24 0 13 32.2	28 42.99	42.72	— 0.27				16 2.90			
25 0 13 22.3	32 29.64	29.86	+ 0.22	99 11 8.40	1.60	— 6.80	16 3.23			
26 0 13 12.8	36 16.70	16.40	— 0.30	98 48 40.64	42.30	+ 1.66	16 1.08			
27 0 13 2.4	40 2.84	2.37	— 0.47	98 26 13.80	15.00	+ 1.20	16 1.44			
28 0 12 50.9	43 47.85	47.81	— 0.04	98 3 36.05	40.50	+ 4.45	15 59.16			
Mar. 1 0 12 39.4	22 47 32.88	32.72	— 0.16	97 40 56.18	58.90	+ 2.72	16 2.34			
2 0 12 27.5	51 17.50	17.12	— 0.38	97 18 9.75	10.70	+ 0.95	16 2.43			
3 0 12 14.4	55 0.86	1.04	+ 0.18				16 6.45			
4 0 12 1.1				96 32 13.76	15.90	+ 2.14				
5 0 11 48.1	23 2 27.65	27.49	— 0.16	96 9 9.60	10.00	+ 0.40	15 59.88			
6 0 11 34.4	6 10.47	10.07	— 0.40	95 45 56.24	59.00	+ 2.76	16 1.73			
7 0 11 19.8	9 52.38	52.24	— 0.14	95 22 41.74	43.40	+ 1.66	15 59.43			
8 0 11 5.1	13 34.17	34.05	— 0.12				16 2.74			
9 0 10 50.3	17 15.85	15.47	— 0.38	94 35 59.72	59.20	— 0.52	16 2.52			
10 0 10 34.3	20 56.44	56.57	+ 0.13				16 5.07			
11 0 10 18.7	24 37.29	37.31	+ 0.02	93 49 1.82	0.70	— 1.12	16 2.38			
12 0 10 2.6	28 17.73	17.76	+ 0.03	93 25 23.29	27.10	+ 3.81	16 3.67			
13 0 9 46.4	31 58.00	57.90	— 0.10	93 1 48.87	51.10	+ 2.23	16 0.57			
14 0 9 29.7	35 37.83	37.76	— 0.07	92 38 9.33	13.00	+ 3.67	16 2.36			
15 0 9 12.6	39 17.25	17.35	+ 0.10	92 14 33.20	33.40	+ 0.20	16 3.20			
16 0 8 55.5	42 56.59	56.69	+ 0.10	91 50 48.82	52.40	+ 3.58	16 3.56			
18 0 8 20.6	50 14.76	14.71	— 0.05				16 5.87			
19 0 8 2.5	53 53.16	53.41	+ 0.25	90 39 39.86	46.10	+ 6.24	16 3.32			
20 0 7 44.7	57 31.84	31.94	+ 0.10	90 16 2.23	4.10	+ 1.87	16 3.05			
21 0 7 27.1	0 1 10.70	10.30	— 0.40	89 52 20.89	22.80	+ 1.91	16 0.04			
22 0 7 8.3	4 48.43	48.54	+ 0.11	89 28 39.10	42.40	+ 3.30	16 0.86			
23 0 6 50.0	8 26.64	26.66	+ 0.02	89 4 58.95	63.40	+ 4.45	16 0.44			
24 0 6 31.8	12 4.94	4.67	— 0.27				16 0.08			
25 0 6 13.4	15 43.05	42.62	— 0.43	88 17 48.62	51.00	+ 2.38	16 1.17			

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N.P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1849.	d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"
Oct.	25	23	44	8.1	14 2 10.90	10.20	— 0.70	102 26 5.33	6.30	+ 0.47
	28	23	43	52.2	18 45.65	45.04	— 0.61	103 26 47.99	49.60	+ 1.61
	29	23	43	49.3	17 38.22	38.16	— 0.06	103 46 40.33	38.90	— 1.93
	30	23	43	46.8	21 32.25	32.04	— 0.21	104 6 12.36	15.10	+ 2.74
	31	23	43	44.9	25 26.94	26.73	— 0.21	104 25 36.97	37.60	+ 0.63
Nov.	1	23	43	43.9	14 29 22.48	22.21	— 0.27	104 44 43.40	46.30	+ 2.90
	2	23	43	43.6	33 18.81	18.52	— 0.29	105 3 39.53	40.60	+ 1.07
	8	23	43	59.9	57 14.47	14.04	— 0.43	106 51 43.16	42.90	— 0.26
	9	23	44	5.8	15 1 16.87	16.30	— 0.57	107 8 47.58	45.70	— 1.88
	11	23	44	19.6	9 23.84	23.43	— 0.41	107 41 58.10	58.30	+ 0.20
	12	23	44	27.7	13 28.53	28.29	— 0.24	107 58 6.75	7.30	+ 0.55
	13	23	44	36.9	17 34.29	34.02	— 0.27	108 13 58.81	57.50	— 1.31
	14	23	44	46.9	21 40.92	40.59	— 0.33	108 29 28.98	28.40	— 0.58
	18	23	45	34.8	38 15.74	15.26	— 0.48	109 28 10.02	12.70	+ 2.68
	19	23	45	49.4	42 26.34	25.97	— 0.37	109 42 2.98	1.70	— 1.28
	20	23	46	4.3	46 37.85	37.48	— 0.37	109 55 28.54	29.20	+ 0.66
	21	23	46	19.9	50 50.02	49.79	— 0.23	110 8 34.05	34.90	+ 0.85
	23	23	46	53.6	59 16.93	16.68	— 0.25	110 33 39.10	39.00	— 0.10
	25	23	47	30.7	16 7 47.23	46.58	— 0.65	110 57 10.94	11.20	+ 0.26
	27	23	48	9.9	16 19.64	19.37	— 0.27	111 19 8.80	8.90	+ 0.10
	28	23	48	30.7	20 37.09	36.82	— 0.27	111 29 30.32	31.50	+ 1.18
	29	23	48	52.3	24 55.31	54.95	— 0.36	111 39 32.40	29.60	— 2.80
	30	23	49	14.3	29 18.92	18.74	— 0.18	111 49 0.24	2.80	+ 2.56
Dec.	2	23	50	0.7	16 37 53.60	53.28	— 0.32	112 6 53.48	53.60	+ 0.12
	3	23	50	24.8	42 14.23	13.97	— 0.26	—	—	—
	4	23	50	49.5	46 35.56	35.25	— 0.31	112 23 1.33	1.90	+ 0.57
	7	23	52	6.7	59 42.66	42.41	— 0.25	—	—	—
	9	23	53	1.1	17 8 30.34	29.69	— 0.65	112 55 41.61	41.70	+ 0.09
	10	23	53	28.4	12 54.25	53.99	— 0.26	113 0 58.41	52.90	— 5.51
	11	23	53	56.3	17 18.74	18.67	— 0.07	113 5 34.80	36.70	+ 1.90
	12	23	54	24.8	21 43.93	43.73	— 0.20	—	—	—
	13	23	54	53.5	26 9.28	9.12	— 0.16	113 13 41.96	41.70	— 0.26
	14	23	55	22.5	30 34.90	34.77	— 0.13	113 17 2.21	2.50	+ 0.29
	18	23	57	21.0	48 19.94	19.57	— 0.37	113 25 44.50	45.80	+ 1.30
	19	23	57	50.8	52 46.36	46.12	— 0.24	113 26 46.48	46.20	— 0.28
	20	23	58	20.	—	—	—	113 27 18.93	18.20	— 0.73
	21	23	58	50.6	18 1 39.44	39.38	— 0.06	—	—	—
	26	0	0	50.3	19 25.68	25.53	— 0.15	—	—	—
	27	0	1	20.1	23 52.12	51.82	— 0.30	—	—	—
1850.										
Jan.	1	0	3	45.0	18 46 0.24	0.11	— 0.13	—	—	—
	2	0	4	13.4	50 25.27	24.96	— 0.31	112 57 1.56	1.50	— 0.06
	3	0	4	41.3	54 49.84	49.48	— 0.36	112 51 30.37	28.90	— 1.47
	4	0	5	9.0	59 14.10	13.62	— 0.48	—	—	—
	5	0	5	35.9	19 3 37.70	37.37	— 0.33	112 39 2.78	2.10	— 0.68
	9	0	7	20.3	21 8.52	7.92	— 0.60	—	—	—
	10	0	7	44.4	25 29.31	29.31	0.00	112 0 9.64	7.70	— 1.94
	11	0	8	9.	—	—	—	111 50 59.29	62.50	+ 3.21
	13	0	8	55.5	38 30.27	30.01	— 0.26	—	—	—
	14	0	9	17.4	42 48.82	49.01	+ 0.19	111 21 14.62	14.80	+ 0.18
	15	0	9	39.9	47 7.87	7.32	— 0.55	111 10 30.02	29.40	— 0.62
	16	0	10	0.9	51 25.54	24.96	— 0.58	110 59 18.79	19.60	+ 0.81
	17	0	10	21.0	55 42.23	41.90	— 0.33	110 47 45.07	45.80	+ 0.73
	18	0	10	40.6	59 58.47	58.11	— 0.36	110 35 47.08	48.30	+ 1.22

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.		Error of N. A.		N. P. D. from Observation.		N. P. D. from N. A.		Error of N. A.		Mean Hor. Semid.		
1850.	d.	h.	m.	s.	h.	m.	s.	s.	s.	°	'	"	"	"	"	"	'	"	
Jan.	19	0	10	59.4	20	4	13.89	13.57	— 0.32	110	23	26.47	27.40	+ 0.93	16	3.43			
	21	0	11	34.9		12	42.58	42.20	— 0.38	109	57	35.43	37.00	+ 1.57	16	4.18			
	26	0	12	49.7		33	40.34	39.84	— 0.50	108	46	35.48	37.40	+ 1.92					
	27	0	13	1.9		37	59.14	48.94	— 0.20						16	1.22			
	28	0	13	13.7		41	57.52	57.21	— 0.31	108	15	43.32	47.90	+ 4.58	16	1.22			
	29	0	13	24.4		46	4.84	4.66	— 0.18	107	59	53.50	53.40	— 0.10	16	3.52			
	30	0	13	34.7		50	11.68	11.29	— 0.39	107	43	40.06	39.60	— 0.46	16	3.30			
Feb.	1	0	13	52.2	20	58	22.40	22.13	— 0.27	107	10	13.82	15.60	+ 1.78	16	4.78			
	2	0	13	59.7	21	2	26.41	26.33	— 0.08	106	53	6.44	6.20	— 0.24	16	4.14			
	3	0	14	6.7		6	30.03	29.72	— 0.31						16	1.82			
	4	0	14	12.6		10	32.45	32.31	— 0.14	106	17	55.41	54.70	— 0.71	16	3.74			
	5	0	14	17.4		14	33.84	34.09	+ 0.25						16	0.15			
	6	0	14	22.1		18	35.10	35.08	— 0.02	105	41	36.03	35.50	— 0.53	16	2.18			
	7	0	14	25.8		22	35.39	35.27	— 0.12	105	23	1.95	1.50	— 0.45	16	2.98			
	8	0	14	28.9		26	35.06	34.69	— 0.37						16	0.08			
	12	0	14	32.1		42	24.49	24.49	0.00	103	46	23.86	24.90	+ 1.04	15	57.62			
	14	0	14	29.6		50	15.01	14.78	— 0.23	103	6	7.69	8.40	+ 0.71	15	59.93			
	15	0	14	26.9		54	8.92	8.79	— 0.13	102	45	39.98	40.90	+ 0.92	16	0.66			
	16	0	14	23.5		58	2.07	2.06	— 0.01	102	24	58.50	61.20	+ 2.70	16	2.25			
	17	0	14	19.8	22	1	54.77	54.51	— 0.26						16	0.95			
	18	0	14	14.7		5	46.33	46.37	+ 0.04	101	43	6.25	6.70	+ 0.45	16	1.82			
	19	0	14	9.5		9	37.68	37.46	— 0.22	101	21	51.82	52.70	+ 0.88	16	0.53			
	20	0	14	3.3		13	27.96	27.84	— 0.12	101	0	29.09	28.30	— 0.79	15	59.00			
	21	0	13	56.7		17	17.91	17.55	— 0.36	100	38	52.22	53.60	+ 1.38	15	59.03			
	22	0	13	48.8		21	6.56	6.58	+ 0.02	100	17	11.97	9.30	— 2.67	16	4.98			
	23	0	13	41.0		24	55.28	54.97	— 0.31	99	55	11.01	15.60	+ 4.59	15	58.50			
	24	0	13	32.2		28	42.99	42.72	— 0.27						16	2.90			
	25	0	13	22.3		32	29.64	29.86	+ 0.22	99	11	8.40	1.60	— 6.80	16	3.23			
	26	0	13	12.8		36	16.70	16.40	— 0.30	98	48	40.64	42.30	+ 1.66	16	1.08			
	27	0	13	2.4		40	2.84	2.37	— 0.47	98	26	13.80	15.00	+ 1.20	16	1.44			
	28	0	12	50.9		43	47.85	47.81	— 0.04	98	3	36.05	40.50	+ 4.45	15	59.16			
	Mar.	1	0	12	39.4	22	47	32.88	32.72	— 0.16	97	40	56.18	58.90	+ 2.72	16	2.34		
		2	0	12	27.5		51	17.50	17.12	— 0.38	97	18	9.75	10.70	+ 0.95	16	2.43		
		3	0	12	14.4		55	0.86	1.04	+ 0.18						16	6.45		
		4	0	12	1.						96	32	13.76	15.90	+ 2.14				
5		0	11	48.1	23	2	27.65	27.49	— 0.16	96	9	9.60	10.00	+ 0.40	15	59.88			
6		0	11	34.4		6	10.47	10.07	— 0.40	95	45	56.24	59.00	+ 2.76	16	1.73			
7		0	11	19.8		9	52.38	52.24	— 0.14	95	22	41.74	43.40	+ 1.66	15	59.43			
8		0	11	5.1		13	34.17	34.05	— 0.12						16	2.74			
9		0	10	50.3		17	15.85	15.47	— 0.38	94	35	59.72	59.20	— 0.52	16	2.52			
10		0	10	34.3		20	56.44	56.57	+ 0.13						16	5.07			
11		0	10	18.7		24	37.29	37.31	+ 0.02	93	49	1.82	0.70	— 1.12	16	2.38			
12		0	10	2.6		28	17.73	17.76	+ 0.03	93	25	23.29	27.10	+ 3.81	16	3.67			
13		0	9	46.4		31	58.00	57.90	— 0.10	93	1	48.87	51.10	+ 2.23	16	0.57			
14		0	9	29.7		35	37.83	37.76	— 0.07	92	38	9.33	13.00	+ 3.67	16	2.36			
15		0	9	12.6		39	17.25	17.35	+ 0.10	92	14	33.20	33.40	+ 0.20	16	3.20			
16		0	8	55.5		42	56.59	56.69	+ 0.10	91	50	48.82	52.40	+ 3.58	16	3.56			
18		0	8	20.6		50	14.76	14.71	— 0.05						16	5.87			
19		0	8	2.5		53	53.16	53.41	+ 0.25	90	39	39.86	46.10	+ 6.24	16	3.32			
20		0	7	44.7		57	31.84	31.94	+ 0.10	90	16	2.23	4.10	+ 1.87	16	3.05			
21		0	7	27.1	0	1	10.70	10.30	— 0.40	89	52	20.89	22.80	+ 1.91	16	0.04			
22		0	7	8.3		4	48.43	48.54	+ 0.11	89	28	39.10	42.40	+ 3.30	16	0.86			
23		0	6	50.0		8	26.64	26.66	+ 0.02	89	4	58.95	63.40	+ 4.45	16	0.44			
24		0	6	31.8		12	4.94	4.67	— 0.27						16	0.08			
25		0	6	13.4		15	43.05	42.62	— 0.43	88	17	48.62	51.00	+ 2.38	16	1.17			

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1850. d.	h.	m.	s.	h.	m.	s.	s.	s.	° ' "	"	"	' "
Mar. 26	0	5	54.6	0	19	20.80	20.55	— 0.25	87 54 16.44	18.30	+ 1.86	16 2.10
27	0	5	36.1		22	58.70	58.43	— 0.27	87 30 43.24	48.30	+ 5.06	16 1.94
28	0	5	16.9		26	36.06	36.32	+ 0.26	—	—	—	16 1.80
April 2	0	3	45.	—	—	—	—	—	85 11 1.14	4.80	+ 3.66	16 0.08
3	0	3	26.6	0	48	24.76	24.97	+ 0.21	84 48 2.27	3.40	+ 1.13	15 58.78
4	0	3	8.9		52	3.56	3.50	— 0.06	84 25 7.43	7.40	— 0.03	16 0.53
5	0	2	51.1		55	42.31	42.22	— 0.09	84 2 11.50	17.00	+ 5.50	16 1.66
6	0	2	33.7		59	21.41	21.15	— 0.26	—	—	—	16 1.08
8	0	1	59.3	1	6	40.00	39.62	— 0.38	82 54 21.04	24.10	+ 3.06	16 0.75
9	0	1	42.3		10	19.54	19.22	— 0.32	82 32 0.83	0.20	— 0.63	16 4.03
10	0	1	25.1		13	58.85	59.08	+ 0.23	82 9 44.22	43.80	— 0.42	15 58.87
11	0	1	9.0		17	39.24	39.21	— 0.03	81 47 33.56	35.30	+ 1.74	16 2.07
13	0	0	37.1		25	0.34	0.34	0.00	81 3 44.19	43.00	— 1.19	16 1.17
15	0	0	6.8		32	23.02	22.74	— 0.28	80 20 25.12	26.20	+ 1.08	16 1.35
15	23	59	51.6		36	4.34	4.43	+ 0.09	79 59 1.24	2.10	+ 0.86	16 6.18
16	23	59	37.1		39	46.38	46.46	+ 0.08	79 37 46.05	48.00	+ 1.95	16 0.66
17	23	59	23.2		43	28.97	28.88	— 0.09	79 16 43.44	44.10	+ 0.66	16 1.88
18	23	59	9.9		47	11.96	11.65	— 0.31	78 55 48.91	50.90	+ 1.99	16 1.60
19	23	58	56.1		50	54.88	54.82	— 0.06	78 35 6.40	8.70	+ 2.30	15 59.34
21	23	58	30.6		58	22.50	22.37	— 0.13	77 54 17.30	18.60	+ 1.30	16 1.44
22	23	58	18.6	2	2	7.01	6.79	— 0.22	77 34 9.34	11.80	+ 1.96	16 0.15
23	23	58	6.4		5	51.28	51.66	+ 0.38	77 14 14.84	16.30	+ 1.46	16 1.26
24	23	57	55.7		9	37.16	36.98	— 0.18	76 54 30.56	33.80	+ 3.24	15 59.66
25	23	57	44.4		13	22.35	22.78	+ 0.43	76 35 2.37	4.30	+ 1.93	16 1.53
26	23	57	34.4		17	8.84	9.08	+ 0.24	—	—	—	16 3.45
27	23	57	24.6		20	55.65	55.88	+ 0.23	—	—	—	16 0.88
28	23	57	15.3		24	42.85	43.20	+ 0.35	—	—	—	16 0.06
29	23	57	6.6		28	30.65	31.05	+ 0.40	—	—	—	16 4.34
30	23	56	59.2		32	19.80	19.43	— 0.37	75 0 58.82	60.90	+ 2.08	16 3.07
May 1	23	56	51.5	2	36	8.68	8.38	— 0.30	74 42 54.75	55.20	+ 0.45	16 1.37
2	23	56	44.5		39	58.19	57.89	— 0.30	74 25 1.12	4.50	+ 3.38	16 1.53
3	23	56	37.9		43	48.09	47.97	— 0.12	74 7 28.61	29.20	+ 0.59	16 1.66
4	23	56	32.4		47	39.14	38.63	— 0.51	—	—	—	16 3.98
5	23	56	26.9		51	30.16	29.87	— 0.29	73 33 4.02	5.70	+ 1.68	16 2.80
6	23	56	21.8		55	21.66	21.68	+ 0.02	73 16 17.01	18.20	+ 1.19	16 2.20
7	23	56	18.0		59	14.38	14.08	— 0.30	72 59 45.40	47.30	+ 1.90	16 2.80
8	23	56	14.4	3	3	7.29	7.08	— 0.21	72 43 30.85	33.30	+ 2.45	16 0.75
9	23	56	11.2		7	0.63	0.65	+ 0.02	72 27 35.46	36.40	+ 0.94	15 2.47
10	23	56	9.0		10	55.06	54.81	— 0.25	72 11 55.28	57.10	+ 1.82	15 59.64
11	23	56	7.4		14	49.99	49.54	— 0.45	—	—	—	15 59.64
12	23	56	6.2		18	45.28	44.84	— 0.44	71 41 30.07	32.20	+ 2.13	16 2.20
13	23	56	5.2		22	40.86	40.72	— 0.14	71 26 45.85	47.20	+ 1.35	16 2.65
14	23	56	4.6		26	36.83	37.17	+ 0.34	71 12 21.22	21.00	— 0.22	15 59.90
15	23	56	5.7		30	34.53	34.18	— 0.35	70 58 13.03	13.70	+ 0.67	16 1.48
16	23	56	6.6		34	32.00	31.75	— 0.25	70 44 24.88	25.90	+ 1.02	16 0.75
17	23	56	7.9		38	29.78	29.83	+ 0.05	70 30 54.49	57.60	+ 3.11	16 2.32
19	23	56	12.6		46	27.66	27.65	— 0.01	70 5 0.16	0.80	+ 0.64	16 1.64
20	23	56	15.7		50	27.31	27.35	+ 0.04	69 52 31.43	32.90	+ 1.47	16 3.23
21	23	56	19.7		54	27.82	27.58	— 0.24	69 40 26.58	26.60	— 0.98	16 1.40
22	23	56	24.0		58	28.71	28.33	— 0.38	69 28 38.65	39.20	+ 0.55	16 1.50
26	23	56	45.0	4	14	35.99	36.40	+ 0.41	68 45 4.50	6.80	+ 2.30	16 1.40
27	23	56	52.2		18	39.74	39.66	— 0.08	68 35 9.11	8.00	— 1.11	16 2.38
28	23	56	59.3		22	43.48	43.38	— 0.10	68 25 29.90	31.50	+ 1.60	16 1.33
31	23	57	23.6		34	57.49	57.31	— 0.18	—	—	—	16 0.40

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.		Error of N. A.		N. P. D. from Observation.		N. P. D. from N. A.		Error of N. A.		Mean Hor. Semid.		
1850.	d.	h.	m.	s.	h.	m.	s.	s.	s.	°	'	"	"	"	"	'	"	
June	1	23	57	32.3	4	39	2.70	2.84	+ 0.14				—	—		16	0.17	
	2	23	57	41.8		43	8.85	8.78	— 0.07				—	—		16	0.95	
	3	23	57	51.6		47	15.21	15.13	— 0.08	67	35	48.40	48.20	— 0.20		16	1.75	
	4	23	58	1.5		51	21.71	21.84	+ 0.13				—	—		16	1.20	
	5	23	58	11.9		55	28.73	28.92	+ 0.19	67	22	18.43	19.30	+ 0.87		16	0.55	
	6	23	58	22.9		59	36.35	36.35	0.00				—	—		16	2.20	
	7	23	58	34.0	5	3	43.96	44.07	+ 0.11	67	10	23.75	25.30	+ 1.55		16	0.93	
	9	23	58	57.				—	—	67	0	8.90	7.20	— 1.70		16	0.33	
	10	23	59	9.3		16	9.05	8.88	— 0.17	66	55	34.85	34.50	— 0.35		16	2.14	
	11	23	59	21.3		20	17.60	17.63	+ 0.03	66	51	25.82	26.20	+ 0.38		16	0.95	
	12	23	59	33.5		24	26.44	26.55	+ 0.11	66	47	41.69	42.20	+ 0.51		16	1.66	
	13	23	59	45.8		28	35.32	35.63	+ 0.31	66	44	22.01	22.70	+ 0.69		16	1.86	
	17	0	0	24.				—	—	66	36	51.43	52.40	+ 0.97		16	2.58	
	18	0	0	37.				—	—	66	35	14.27	11.80	— 2.47		16	1.98	
	19	0	0	50.3		49	22.75	22.57	— 0.18				—	—				
	20	0	1	2.7		53	31.80	32.10	+ 0.30	66	33	3.82	5.00	+ 1.18		16	2.25	
	21	0	1	15.9		57	41.51	41.62	+ 0.11	66	32	38.96	38.80	— 0.16		16	2.74	
	22	0	1	28.7	6	1	50.89	51.12	+ 0.23	66	32	39.59	37.40	— 2.19		16	1.33	
	25	0	2	7.				—	—	66	35	1.94	2.30	+ 0.36				
	26	0	2	20.				—	—	66	36	39.90	40.10	+ 0.20		16	2.94	
	27	0	2	32.				—	—	66	38	41.94	42.50	+ 0.56		16	1.00	
	28	0	2	45.				—	—	66	41	11.41	9.40	— 2.01		16	0.37	
	29	0	2	56.4		30	54.85	55.23	+ 0.38	66	44	2.73	1.10	— 1.63		16	2.67	
	30	0	3	8.5		35	3.49	3.81	+ 0.32				—	—		16	2.80	
	July	1	0	3	20.6	6	39	12.16	12.19	+ 0.03	66	50	60.10	57.70	— 2.40		16	2.00
		2	0	3	32.2		43	20.31	20.35	+ 0.04	66	55	2.91	2.50	— 0.41		16	2.36
		3	0	3	43.5		47	28.20	28.26	+ 0.06	66	59	32.46	31.50	— 0.96		16	3.18
		4	0	3	54.5		51	35.81	35.91	+ 0.10	67	4	24.23	24.60	+ 0.37		16	0.84
		5	0	4	5.1		55	43.00	43.29	+ 0.29	67	9	41.13	41.60	+ 0.47		16	2.58
		6	0	4	15.8		59	50.25	50.33	+ 0.08	67	15	22.93	22.50	— 0.43		16	3.96
8		0	4	35.7	7	8	3.37	3.42	+ 0.05	67	27	54.92	55.20	+ 0.28		16	1.73	
9		0	4	44.8		12	9.06	9.40	+ 0.34	67	34	46.26	46.80	+ 0.54		16	2.50	
11		0	5	2.7		20	20.06	20.16	+ 0.10	67	49	40.57	39.40	— 1.17		16	1.62	
13		0	5	18.6		28	29.21	29.13	— 0.08				—	—		16	0.97	
18		0	5	49.1		43	42.55	42.90	+ 0.35	68	53	33.94	34.40	+ 0.46		16	1.84	
19		0	5	54.0		52	44.00	44.04	+ 0.04	69	4	10.51	9.80	— 0.71		16	2.87	
23		0	6	6.2	8	8	42.43	42.95	+ 0.52	69	49	57.89	60.60	+ 2.71		16	1.96	
25		0	6	9.4		16	38.74	38.97	+ 0.23	70	14	59.26	58.40	— 0.86		16	0.48	
28		0	6	9.3		28	28.32	28.60	+ 0.28				—	—		16	0.53	
29		0	6	8.9		32	24.45	23.97	— 0.48	71	8	49.04	48.50	— 0.54				
30		0	6	6.8		36	18.97	18.76	— 0.21	71	23	0.90	3.40	+ 2.50		15	58.85	
31		0	6	4.4		40	13.06	12.97	— 0.09	71	37	36.84	36.70	— 0.14		16	0.08	
Aug.		2	0	5	57.6	8	47	59.35	59.63	+ 0.28	72	7	37.54	37.40	— 0.14		15	59.70
		3	0	5	53.4		51	51.69	52.07	+ 0.38	72	23	4.40	4.20	— 0.20		16	0.50
	5	0	5	43.8		59	35.18	35.21	+ 0.03	72	54	53.33	49.40	— 3.93		16	0.02	
	6	0	5	38.1	9	3	26.06	25.90	— 0.16	73	11	10.44	7.10	— 3.34		16	0.80	
	7	0	5	31.8		7	16.25	16.01	— 0.24	73	27	41.24	41.10	— 0.14		16	2.80	
	8	0	5	24.6		11	5.65	5.52	— 0.13	73	44	30.27	31.20	+ 0.93		16	0.84	
	9	0	5	17.2		14	54.75	54.44	— 0.31	74	1	37.87	37.00	— 0.87		16	1.84	
	12	0	4	50.4		26	17.56	17.71	+ 0.15	74	54	22.73	25.70	+ 2.97		15	59.20	
	13	0	4	40.5		30	4.18	4.31	+ 0.13	75	12	31.90	31.20	— 0.70		16	1.46	
	14	0	4	30.0		33	50.18	50.33	+ 0.15				—	—		15	59.58	
	20	0	3	15.5		56	14.78	15.05	+ 0.27				—	—		15	59.43	
	21	0	3	1.0		59	56.80	57.37	+ 0.57	77	45	18.28	17.40	— 0.88		16	3.12	
	22	0	2	46.9	10	3	39.24	39.23	— 0.01	78	5	17.43	18.80	+ 1.37		15	58.50	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1850. d. h. m. s.	h. m. s.			s.	s.	s.	° ' "	"	"	' "
Aug. 23	0	2	31.6	10 7 20.43	20.62	+ 0.19	78 25 32.70	31.40	— 1.30	15 58.47
24	0	2	16.0	11 1 34	1.58	+ 0.24	78 45 52.49	55.00	+ 2.51	16 2.23
26	0	1	43.8	18 22.17	22.26	+ 0.09	79 27 14.53	14.00	— 0.53	16 0.15
27	0	1	27.1	22 2.00	2.01	+ 0.01	79 48 7.11	8.90	+ 1.79	15 59.36
28	0	1	9.6	25 41.04	41.40	+ 0.36	80 9 14.55	13.50	— 1.05	16 2.45
29	0	0	52.8	29 20.69	20.44	— 0.25	—	—	—	—
30	0	0	35.0	32 59.41	59.14	— 0.27	80 51 54.54	50.90	— 3.64	16 0.02
31	0	0	16.8	36 37.22	37.51	+ 0.29	—	—	—	—
Sep. 1	23	59	39.5	10 43 53.44	53.40	— 0.04	81 56 53.93	52.50	— 1.43	15 58.56
9	23	57	1.2	11 12 47.10	47.22	+ 0.12	84 55 39.43	39.20	— 0.23	15 59.32
10	23	56	40.8	16 23.20	23.09	— 0.11	—	—	—	15 57.70
11	23	56	19.9	19 58.83	58.83	0.00	85 41 18.63	19.20	+ 0.57	16 0.57
15	23	54	56.	—	—	—	87 13 31.49	29.90	— 1.59	16 1.70
19	23	53	31.	—	—	—	88 46 33.09	30.60	— 2.49	16 1.77
22	23	52	28.7	59 29.10	28.63	— 0.47	89 56 42.03	36.50	— 5.53	16 3.20
24	23	51	47.5	12 6 40.79	40.22	— 0.57	90 43 25.69	25.10	— 0.59	16 0.20
25	23	51	26.8	10 16.60	16.27	— 0.33	91 6 49.11	50.00	+ 0.89	16 3.12
26	23	51	6.4	13 52.78	52.52	— 0.26	91 30 12.75	14.70	+ 1.95	16 0.28
27	23	50	45.9	17 28.73	28.97	+ 0.24	91 53 41.05	39.00	— 2.05	16 1.44
28	23	50	26.4	21 5.68	5.68	0.00	—	—	—	15 57.94
29	23	50	6.7	24 42.50	42.65	+ 0.15	—	—	—	16 1.75
30	23	49	47.3	28 19.68	19.90	+ 0.22	93 3 47.14	45.80	— 1.34	16 3.70
Oct. 1	23	49	28.7	12 31 57.56	57.44	— 0.12	93 27 5.85	4.80	— 1.05	16 3.32
2	23	49	10.3	35 35.63	35.80	— 0.33	93 50 23.64	21.70	— 1.94	16 0.86
3	23	48	51.9	39 13.74	13.50	— 0.24	94 13 33.26	36.00	+ 2.74	16 0.55
4	23	48	33.8	42 52.14	52.06	— 0.08	94 36 51.62	47.30	— 4.32	16 0.97
6	23	47	59.0	50 10.34	10.26	— 0.08	95 22 58.95	59.50	+ 0.55	16 7.45
9	23	47	9.6	13 1 10.46	10.62	+ 0.16	—	—	—	—
11	23	46	39.2	8 33.07	33.08	+ 0.01	97 17 12.70	11.30	— 1.40	16 2.18
14	23	45	56.9	19 40.30	40.41	+ 0.11	98 24 34.21	33.00	— 1.21	16 1.82
15	23	45	44.0	23 23.96	23.92	— 0.04	98 46 43.45	46.30	+ 2.85	15 59.58
16	23	45	31.8	27 8.23	7.99	— 0.24	99 8 50.31	52.00	+ 1.69	16 0.97
17	23	45	19.6	30 52.64	52.63	— 0.01	—	—	—	16 4.36
18	23	45	8.3	34 37.81	37.87	+ 0.06	—	—	—	16 1.96
20	23	44	47.9	42 10.42	10.20	— 0.22	100 35 52.89	51.60	— 1.29	16 2.92
21	23	44	38.4	45 57.51	57.35	— 0.16	100 57 13.41	13.80	+ 0.39	16 1.55
22	23	44	29.9	49 45.55	45.19	— 0.36	101 18 25.93	26.30	+ 0.37	16 0.13
24	23	44	14.	—	—	—	102 0 23.81	20.20	— 3.61	16 4.74
25	23	44	7.8	14 1 13.04	12.93	— 0.11	102 21 1.87	0.80	— 1.07	15 59.73
28	23	43	52.4	12 47.25	47.38	+ 0.13	103 21 52.68	53.30	+ 0.62	16 4.67
29	23	43	49.0	16 40.38	40.43	+ 0.05	—	—	—	16 0.20
30	23	43	46.4	20 34.34	34.27	— 0.07	104 1 28.86	26.20	— 2.66	16 1.90
31	23	43	44.2	24 28.66	28.92	+ 0.26	104 20 53.72	52.90	— 0.82	16 0.95
Nov. 3	23	43	43.8	14 36 17.91	17.74	— 0.17	105 17 49.41	48.50	— 0.91	16 2.30
4	23	43	45.1	40 15.76	15.65	— 0.11	105 36 19.52	17.40	— 2.12	16 1.17
5	23	43	47.1	44 14.36	14.38	+ 0.02	105 54 33.57	30.90	— 2.67	16 3.78
6	23	43	50.1	48 13.97	13.95	— 0.02	—	—	—	15 59.79
10	23	44	10.8	15 4 20.88	20.55	— 0.33	107 21 34.69	31.10	— 3.59	16 2.65
12	23	44	25.4	12 28.68	28.84	+ 0.16	107 54 18.19	16.20	— 1.99	15 59.88
13	23	44	34.4	16 34.22	34.23	+ 0.01	108 10 10.97	10.60	— 0.37	16 0.75
14	23	44	44.0	20 40.45	40.45	0.00	108 25 49.31	45.90	— 3.41	16 2.10
15	23	44	54.0	24 47.13	47.51	+ 0.38	108 41 5.82	1.60	— 4.22	16 1.00
17	23	45	17.8	33 4.01	4.10	+ 0.09	—	—	—	—
18	23	45	30.8	37 13.57	13.64	+ 0.07	109 24 46.70	47.60	+ 0.90	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1850.	d.	h.	m.	s.	h.	m.	s.	s.	° ' "	"	"	' "	
Nov.	19	23	45	44.7	15	41	24.04	24.01	— 0.03	109 38 44.40	41.40	— 3.00	15 58.67
	20	23	45	59.1		45	35.10	35.20	+ 0.10	109 52 15.24	13.70	— 1.54	—
	21	23	46	14.5		49	47.01	47.20	+ 0.19	—	—	—	16 1.92
	22	23	46	30.9		54	0.04	0.00	— 0.04	110 18 12.17	12.60	+ 0.43	15 58.83
	24	23	47	5.9	16	2	28.21	27.99	— 0.22	110 42 42.62	41.90	— 0.72	16 1.75
	25	23	47	24.3		6	48.31	48.17	— 0.14	—	—	—	—
	29	23	48	46.2		23	51.65	51.32	— 0.33	—	—	—	16 1.94
Dec.	2	23	49	54.6	16	36	49.89	49.70	— 0.19	112 4 51.94	49.10	— 2.84	16 0.62
	3	23	50	18.4		41	10.24	10.41	+ 0.17	—	—	—	15 59.8
	5	23	51	8.9		49	54.01	53.54	— 0.47	112 28 43.38	42.90	— 0.48	15 58.03
	6	23	51	34.4		54	16.17	15.90	— 0.27	112 35 49.27	48.50	— 0.77	—
	8	23	52	27.6	17	3	2.58	2.09	— 0.49	112 48 41.76	39.60	— 2.16	16 0.20
	9	23	52	54.3		7	25.90	25.85	— 0.05	—	—	—	16 1.33
	11	23	53	49.5		16	14.38	14.52	+ 0.14	113 4 33.05	33.20	+ 0.15	16 0.70
	12	23	54	17.7		20	39.21	39.38	+ 0.17	113 8 56.40	56.20	— 0.20	16 1.33
	13	23	54	46.0		25	4.18	4.54	+ 0.36	113 12 50.29	51.50	+ 1.21	16 2.34
	15	23	55	44.1		33	55.57	55.66	+ 0.09	113 19 19.43	18.60	— 0.88	16 3.34
	16	23	56	13.3		38	21.40	21.56	+ 0.16	113 21 49.44	50.10	+ 0.66	16 4.00
	17	23	56	42.9		42	47.59	47.64	+ 0.05	113 23 51.69	53.50	+ 1.81	16 2.98
	18	23	57	12.6		47	13.92	13.89	— 0.03	113 25 32.39	28.80	— 3.59	15 58.87
	19	23	57	42.3		51	40.33	40.27	— 0.06	113 26 37.29	35.80	— 1.49	15 57.38
	20	23	58	11.7		56	6.35	6.75	+ 0.40	113 27 15.06	14.60	— 0.46	16 1.08
	22	23	59	11.6	18	4	59.50	59.84	+ 0.34	113 27 8.11	7.30	— 0.81	16 1.75
	23	23	59	41.6		9	26.21	26.42	+ 0.21	113 26 22.62	21.20	— 1.42	16 1.90
	27	0	1	11.8		22	46.29	45.87	— 0.42	—	—	—	16 2.83
	31	0	3	9.3		40	30.31	29.85	— 0.46	—	—	—	16 0.70
1851.													
Jan.	1	0	3	38.1	18	44	55.79	55.28	— 0.51	—	—	—	16 2.16
	2	0	4	5.9		49	20.15	20.37	+ 0.22	112 58 24.93	20.00	— 4.93	16 3.85
	3	0	4	34.1		53	44.99	45.13	+ 0.14	112 52 56.09	54.10	— 1.99	16 2.78
	4	0	5	1.8		58	9.39	9.53	+ 0.14	112 47 0.81	0.90	+ 0.09	16 2.83
	6	0	5	56.3	19	6	57.07	57.03	— 0.04	112 33 48.55	53.20	+ 4.65	16 0.17
	7	0	6	22.5		11	19.93	20.08	+ 0.15	112 26 38.64	39.10	+ 0.46	16 4.14
	8	0	6	48.8		15	42.83	42.64	— 0.19	112 18 55.70	58.50	+ 2.80	16 2.12
	9	0	7	13.7		20	4.38	4.66	+ 0.28	112 10 51.83	51.60	— 0.23	—
	10	0	7	39.1		24	26.44	26.13	— 0.31	112 2 20.36	18.60	— 1.76	16 0.70
	11	0	8	2.8		28	46.81	47.00	+ 0.19	—	—	—	16 1.86
	12	0	8	26.7		33	7.28	7.26	— 0.02	—	—	—	16 1.22
	14	0	9	12.2		41	45.99	45.88	— 0.11	111 23 50.37	51.20	+ 0.83	16 2.45
	15	0	9	38.8		46	4.30	4.19	— 0.11	111 13 10.24	11.90	+ 1.66	16 2.76
	16	0	9	54.7		50	21.80	21.83	+ 0.03	111 2 6.69	8.10	+ 1.41	16 1.28
	17	0	10	14.6		54	38.31	38.76	+ 0.45	110 50 40.01	40.40	+ 0.39	16 4.92
	18	0	10	34.9		58	55.22	55.00	— 0.22	110 38 49.23	48.80	— 0.43	16 3.80
	20	0	11	12.2	20	6	25.64	25.28	— 0.36	—	—	—	—
	21	0	11	29.2		11	39.33	39.32	— 0.01	110 0 54.36	54.90	+ 0.54	16 1.40
	22	0	11	45.9		15	52.59	52.62	+ 0.03	109 47 28.86	31.60	+ 2.74	15 59.10
	23	0	12	2.0		20	5.33	5.17	— 0.16	109 33 47.22	46.20	— 1.02	16 0.33
	24	0	12	17.2		24	17.12	16.94	— 0.18	109 19 37.97	39.10	+ 1.13	16 1.33
	25	0	12	31.4		28	27.88	27.93	+ 0.05	109 5 8.89	10.50	+ 1.61	16 2.74
	27	0	12	57.9		36	47.64	47.58	— 0.06	108 35 10.42	11.00	+ 0.58	16 2.23
	28	0	13	9.9		40	56.14	56.21	+ 0.07	108 19 40.06	40.70	+ 0.64	16 2.12
	29	0	13	21.3		45	4.16	4.04	— 0.12	—	—	—	15 56.84
	30	0	13	31.6		49	10.99	11.04	+ 0.05	107 47 39.61	40.90	+ 1.29	16 2.38
	31	0	13	41.4		53	17.41	17.24	— 0.17	107 31 13.38	12.30	— 1.08	16 2.07

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.		Error of N. A.		N. P. D. from Observation.		N. P. D. from N. A.		Error of N. A.		Mean Hor. Semid.	
1851. d. h. m. s.				h. m. s.		s.		s.		° ' "		"		"		' "	
Feb. 1 0 13 50.2				20 57 22.79		22.63		— 0.16		—		—		—		—	
3 0 14 5.4				21 5 31.20		30.91		— 0.29		106 39 54.69		56.30		+ 1.61		16 1.82	
4 0 14 11.9				9 34.19		33.80		— 0.39		—		—		—		16 2.35	
5 0 14 17.3				13 36.17		35.85		— 0.32		106 4 18.35		18.20		— 0.15		16 2.92	
6 0 14 21.9				17 37.40		37.08		— 0.32		105 46 2.78		4.10		+ 1.32		16 1.66	
7 0 14 25.8				21 37.81		37.47		— 0.34		105 27 31.75		33.90		+ 2.15		16 2.10	
8 0 14 28.8				25 37.43		37.05		— 0.38		105 8 47.28		47.90		+ 0.62		16 2.74	
9 0 14 30.7				29 35.86		35.80		— 0.06		—		—		—		16 0.06	
10 0 14 32.2				33 33.90		33.73		— 0.17		104 30 34.13		31.00		— 3.13		16 0.80	
11 0 14 33.2				37 31.45		30.86		— 0.59		104 10 54.65		60.60		+ 5.95		16 0.68	
12 0 14 33.0				41 27.79		27.20		— 0.59		103 51 16.68		16.30		— 0.38		—	
13 0 14 31.7				45 23.08		22.75		— 0.33		103 31 20.07		18.40		— 1.67		16 1.82	
14 0 14 30.0				49 17.96		17.54		— 0.42		103 11 5.01		7.20		+ 2.19		16 1.62	
15 0 14 27.7				53 12.16		11.57		— 0.59		102 50 42.20		43.30		+ 1.10		16 0.46	
17 0 14 20.3				22 0 57.86		57.44		— 0.42		102 9 15.19		18.90		+ 3.71		16 2.38	
18 0 14 15.8				4 49.92		49.30		— 0.62		101 48 17.37		19.10		+ 1.73		16 2.70	
19 0 14 10.2				8 40.86		40.49		— 0.37		101 27 4.38		8.10		+ 3.72		16 1.40	
20 0 14 4.1				12 31.30		31.00		— 0.30		101 5 44.55		46.50		+ 1.95		16 1.84	
21 0 13 57.7				16 21.36		20.86		— 0.50		100 44 10.72		14.30		+ 3.58		16 1.53	
22 0 13 50.1				20 10.35		10.09		— 0.26		100 22 31.38		32.20		+ 0.82		16 1.20	
24 0 13 34.0				27 47.26		46.69		— 0.57		99 38 35.61		39.70		+ 4.09		16 0.80	
25 0 13 24.7				31 34.52		34.10		— 0.42		99 16 26.68		30.00		+ 3.34		16 1.33	
26 0 13 15.1				35 21.41		20.94		— 0.47		98 54 11.33		11.90		+ 0.57		16 2.72	
27 0 13 4.8				39 7.67		7.21		— 0.46		98 31 42.75		45.80		+ 3.05		16 2.00	
28 0 12 54.1				42 53.47		52.95		— 0.52		98 9 9.84		12.20		+ 2.36		16 1.73	
Mar. 1 0 12 42.5				22 46 38.44		38.16		— 0.28		97 46 26.78		31.50		+ 4.72		16 2.87	
2 0 12 31.2				50 23.61		22.85		— 0.76		—		—		—		16 3.43	
3 0 12 18.6				54 7.58		7.04		— 0.54		97 0 52.28		50.20		— 2.08		15 58.83	
4 0 12 5.2				57 50.68		50.75		+ 0.07		96 37 46.89		50.40		+ 3.51		16 0.88	
5 0 11 52.0				23 1 34.01		33.98		— 0.03		96 14 45.78		45.20		— 0.58		16 0.66	
6 0 11 38.4				5 16.93		16.76		— 0.17		95 51 32.12		34.70		+ 2.58		16 0.80	
7 0 11 24.0				8 59.07		59.11		+ 0.04		95 28 20.85		19.60		— 1.25		16 0.75	
8 0 11 9.5				12 41.00		41.02		+ 0.02		95 5 0.97		0.20		— 0.77		16 1.17	
10 0 10 39.2				20 3.73		3.66		— 0.07		94 18 8.91		10.20		+ 1.29		16 1.15	
11 0 10 23.1				23 44.20		44.42		+ 0.22		93 54 37.20		40.20		+ 3.00		16 0.64	
12 0 10 7.4				27 25.02		24.84		— 0.18		93 31 6.22		7.50		+ 1.28		16 1.80	
13 0 9 50.9				31 4.95		4.95		0.00		93 7 29.38		32.40		+ 3.02		16 4.07	
14 0 9 34.4				34 44.99		44.73		— 0.26		92 43 53.77		55.40		+ 1.63		16 3.03	
15 0 9 17.2				38 24.30		24.26		— 0.04		92 20 15.73		16.70		+ 0.97		16 1.22	
17 0 8 42.5				45 42.63		42.54		— 0.09		91 32 55.21		55.60		+ 0.39		15 58.63	
18 0 8 24.8				49 21.38		21.35		— 0.03		91 9 11.28		14.20		+ 2.92		16 0.24	
19 0 8 7.0				53 0.15		0.01		— 0.14		90 45 30.67		32.50		+ 1.83		15 57.06	
20 0 7 49.0				56 38.64		38.49		— 0.15		90 21 51.10		50.90		— 0.20		16 2.16	
21 0 7 30.7				0 0 16.80		16.85		+ 0.05		89 58 9.73		9.70		— 0.03		16 4.40	
22 0 7 12.4				3 55.01		55.09		+ 0.08		89 34 26.91		29.20		+ 2.29		16 0.64	
23 0 6 54.5				7 33.65		33.26		— 0.39		—		—		—		16 2.05	
24 0 6 35.5				11 11.08		11.35		+ 0.27		88 47 10.58		12.10		+ 1.52		16 0.10	
25 0 6 17.4				14 49.53		49.40		— 0.13		88 23 35.27		36.20		+ 0.93		16 0.53	
26 0 5 58.9				18 27.56		27.43		— 0.13		87 59 59.21		62.30		+ 3.09		16 1.48	
27 0 5 40.1				22 5.25		5.46		+ 0.21		87 36 27.86		30.90		+ 3.04		16 0.04	
28 0 5 21.7				25 43.37		43.51		+ 0.14		87 12 58.42		62.40		+ 3.98		15 59.14	
29 0 5 3.3				29 21.43		21.58		+ 0.15		86 49 32.83		37.30		+ 4.47		16 0.70	
30 0 4 44.7				32 59.35		59.70		+ 0.35		—		—		—		15 57.77	
31 0 4 26.8				36 37.96		37.89		— 0.07		86 2 53.04		57.90		+ 4.86		15 59.12	
April 1 0 4 8.1				0 40 15.71		16.16		+ 0.45		85 39 42.12		44.50		+ 2.38		16 2.36	
2 0 3 50.7				43 54.88		54.54		— 0.34		85 16 31.62		35.90		+ 4.28		15 59.75	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.		Error of N. A.		N. P. D. from Observation.		N. P. D. from N. A.		Error of N. A.		Mean Hor. Semid.	
1851.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	"	"	"	'	"
April	3	0	3	32.5	0 47 33.12		33.02	— 0.10	84	53	32.78	32.30	— 0.48	16	1.70		
	4	0	3	14.7	51 11.89		11.64	— 0.25	84	30.28.33	34.10	+ 5.77	15	59.73			
	5	0	2	57.0	54 50.67		50.38	— 0.29	84	7 42.37	41.80	— 0.57	16	0.26			
	6	0	2	38.9	58 29.00		29.29	+ 0.29						16	0.14		
	7	0	2	22.0	1 2 8.71		8.38	— 0.33	83	22 11.52	15.80	+ 4.28	16	2.50			
	8	0	2	4.8	5 47.92		47.66	— 0.26	82	59 41.04	43.00	+ 1.96	16	1.13			
	9	0	1	47.8	9 27.47		27.15	— 0.32						16	2.05		
	10	0	1	30.6	13 6.79		6.88	+ 0.09	82	14 55.08	59.40	+ 4.32	16	1.82			
	11	0	1	14.4	16 47.06		46.65	— 0.21	81	52 46.49	49.30	+ 2.81					
	12	0	0	58.1	20 27.30		27.08	— 0.22	81	30 45.02	47.30	+ 2.28	16	3.40			
	13	0	0	42.1	24 7.86		7.58	— 0.28						16	0.50		
	14	0	0	26.6	27 48.83		48.38	— 0.45	80	47 6.25	9.60	+ 3.35	16	0.68			
	15	0	0	11.2	31 29.91		29.53	— 0.38	80	25 34.15	34.30	+ 0.15	16	2.63			
	15	23	59	56.0	35 11.25		11.01	— 0.24	80	4 4.92	8.50	+ 3.58	16	3.18			
	16	23	59	41.4	38 53.18		52.86	— 0.32	79	42 51.46	52.60	+ 1.14	16	2.85			
	17	23	59	26.6	42 34.87		35.07	+ 0.20						16	0.70		
	20	23	58	46.7	53 44.49		44.21	— 0.28						16	4.54		
	21	23	58	33.7	57 28.05		28.13	+ 0.08	77	59 9.09	11.50	+ 2.41	16	2.83			
	22	23	58	21.8	2 1 12.64		12.51	— 0.13	77	38 58.20	61.20	+ 3.00	16	3.47			
	23	23	58	10.0	4 57.40		57.37	— 0.03	77	19 0.64	2.90	+ 2.26	16	2.65			
	24	23	57	59.1	8 43.02		42.71	— 0.31									
	25	23	57	48.7	12 29.17		28.54	— 0.63						16	1.04		
	28	23	57	19.0	23 48.98		49.12	+ 0.14	75	42 22.47	28.40	+ 0.93	16	3.70			
May	5	23	56	29.9	2 50 35.67		35.68	+ 0.01	72	37 0.97	2.50	+ 1.53	15	59.45			
	6	23	56	24.8	54 27.08		27.36	+ 0.28						16	3.18		
	7	23	56	20.1	58 18.96		19.58	+ 0.62	73	3 30.88	36.00	+ 5.12	16	6.05			
	8	23	56	16.5	3 2 11.93		12.37	+ 0.44	72	47 14.22	18.10	+ 3.88	16	2.78			
	9	23	56	13.1	6 4.99		5.69	+ 0.70	72	31 16.53	17.40	+ 0.87	15	58.72			
	11	23	56	8.4	13 53.49		54.06	+ 0.57	72	0 5.62	8.90	+ 3.28	16	2.96			
	12	23	56	7.0	17 48.56		49.07	+ 0.51	71	44 58.05	61.80	+ 3.75	15	58.63			
	13	23	56	6.5	21 44.63		44.66	+ 0.03	71	30 8.41	13.10	+ 4.69	16	3.74			
	14	23	56	5.9	25 40.59		40.82	+ 0.23						16	1.08		
	15	23	56	5.7	29 36.96		37.55	+ 0.59	71	1 29.01	31.80	+ 2.79	15	58.67			
	16	23	56	6.3	33 34.15		34.85	+ 0.70	70	47 39.54	39.90	+ 0.36	15	59.86			
	18	23	56	10.0	41 30.92		31.18	+ 0.26	70	20 52.95	54.70	+ 1.75	15	58.00			
	19	23	56	12.1	45 29.57		30.20	+ 0.63	70	8 1.01	1.90	+ 0.89	15	59.18			
	20	23	56	15.4	49 29.44		29.79	+ 0.35	69	55 26.66	29.20	+ 2.54	16	1.50			
	21	23	56	18.8	53 29.44		29.92	+ 0.48	69	43 15.96	17.10	+ 1.14	15	57.00			
	22	23	56	23.4	57 30.33		30.63	+ 0.30	69	31 25.51	25.70	+ 0.19	15	59.80			
	26	23	56	44.9	4 13 38.40		38.81	+ 0.41	68	47 31.13	31.40	+ 0.27	16	1.04			
	27	23	56	51.7	17 41.78		42.18	+ 0.35						16	0.24		
	28	23	56	59.3	21 45.96		45.92	— 0.04						16	2.43		
	29	23	57	6.5	25 49.76		50.19	+ 0.43						16	0.10		
	30	23	57	14.6	29 54.41		54.89	+ 0.48						16	1.42		
	31	23	57	23.4	33 59.74		60.02	+ 0.28						16	0.97		
June	1	23	57	32.2	4 38 5.14		5.56	+ 0.42	67	52 40.85	40.30	— 0.55	16	2.03			
	2	23	57	41.1	42 10.63		11.49	+ 0.86	67	44 53.32	51.60	— 1.72	15	57.44			
	4	23	58	1.5	50 24.22		24.41	+ 0.19	67	30 22.44	24.30	+ 1.86	16	1.75			
	5	23	58	12.2	54 31.49		31.38	— 0.11	67	23 44.02	45.90	+ 1.88	15	59.43			
	6	23	58	22.5	58 38.39		38.65	+ 0.26	67	17 31.97	31.40	— 0.57	16	1.08			
	8	23	58	45.					67	6 11.90	14.20	+ 2.30	15	57.94			
	9	23	58	56.					67	1 12.89	11.80	— 1.09	15	58.70			
	11	23	59	19.3	5 19 18.14		18.89	+ 0.75	66	52 17.96	19.80	+ 1.84	15	59.40			
	12	23	59	32.					66	48 29.19	30.50	+ 1.31	16	1.55			
	13	23	59	44.1	27 36.09		36.47	+ 0.38	66	45 5.43	5.60	+ 0.17	16	0.62			

Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.		Error of N. A.		N. P. D. from Observation		N P. D. from N. A.		Error of N. A.		Mean Hor. Semid.	
1851.	d.	h.	m.	s.	h.	m.	s.	s.	s.	°	'	"	"	"	"	'	"
June	16	0	0	8.5	5	35	53.64	54.66	+ 1.02	66	39	29.64	29.70	+ 0.06		15	58.78
	17	0	0	21.5	40	3.27	3.95	+ 0.68		66	37	19.60	18.60	- 1.00		15	59.94
	18	0	0	34.9	44	13.24	13.34	+ 0.10		66	35	31.74	32.30	+ 0.56		15	58.03
	19	0	0	47.4	48	22.37	22.81	+ 0.44		66	34	10.46	10.80	+ 0.34		16	1.20
	20	0	1	0.4	52	31.97	32.35	+ 0.38		66	33	10.84	14.00	+ 3.16		16	0.97
	23	0	1	39.5	6	5	0.81	1.07	+ 0.26	66	32	53.65	52.30	- 1.35		15	59.23
	24	0	1	51.8	9	9	7.71	10.61	+ 0.90	66	33	33.29	34.70	+ 1.41		16	3.10
	25	0	2	5.4	13	19.89	20.09	+ 0.20		66	34	45.50	41.70	- 3.80		16	0.68
	26	0	2	17.6	17	28.73	29.48	+ 0.75		66	36	14.09	13.50	- 0.59		15	59.18
	27	0	2	30.5	21	38.19	38.74	+ 0.55		66	38	9.68	10.00	+ 0.32		16	1.94
	29	0	2	56.2	29	57.09	56.86	- 0.23								16	0.66
	30	0	3	7.9	34	5.35	5.63	+ 0.28		66	46	26.87	27.00	+ 0.13		15	58.00
July	1	0	3	19.7	6	38	13.79	14.18	+ 0.39	66	50	0.97	1.70	+ 0.73		16	1.86
	2	0	3	31.9	42	22.51	22.48	- 0.03		66	53	59.52	60.70	+ 1.18		16	1.02
	3	0	3	43.2	46	30.43	30.50	+ 0.07		66	58	21.64	23.90	+ 2.26		16	0.24
	4	0	3	54.1	50	37.89	38.24	+ 0.35		67	3	7.73	11.20	+ 3.47		16	2.67
	5	0	4	4.9	54	45.28	45.64	+ 0.36		67	8	22.49	22.60	+ 0.11		16	0.70
	7	0	4	25.7	7	2	59.29	59.40	+ 0.11							15	57.60
	8	0	4	35.5	7	5	5.62	5.71	+ 0.09	67	26	19.74	19.30	- 0.44		15	59.66
	11	0	5	1.6	19	21.50	22.20	+ 0.70								15	59.70
	17	0	5	44.						68	40	59.46	55.30	- 4.16		16	1.26
	19	0	5	53.						69	1	34.98	34.20	- 0.78		15	58.60
	22	0	6	3.8	8	3	46.00	46.59	+ 0.59								
	23	0	6	6.5	7	45.30	45.71	+ 0.41		69	47	8.25	5.40	- 2.85		16	1.46
	24	0	6	8.6	11	43.87	44.26	+ 0.39		69	59						

16 0.15

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation				A. R. from Observation.			Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1851.	d.	h.	m.	s.	h.	m.	s.	°	'	"	"	"	'	"
Sep.	8	23	57	27.2	11	8	19.13	84	27	28.63	27.60	— 1.03	16	0.60
	9	23	57	6.1	11	54	57	84	50	4.48	7.80	+ 3.32	16	2.50
	10	23	56	45.6	15	30	56	85	12	52.44	53.30	+ 0.86	16	1.15
	11	23	56	24.0	19	5	47	85	35	44.08	43.80	— 0.28	16	1.57
	12	23	56	3.9	22	41	83	85	58	38.12	38.90	+ 0.78	16	1.50
	13	23	55	42.1	26	16	49	—	—	—	—	—	15	57.92
	14	23	55	21.8	29	52	74	86	44	39.83	41.50	+ 1.67	16	0.90
	15	23	55	0.6	33	28	00	87	7	49.21	48.50	— 0.71	16	2.18
	16	23	54	39.2	37	3	10	87	30	58.18	59.00	+ 0.82	16	3.27
	17	23	54	18.3	40	38	72	87	54	11.81	12.40	+ 0.59	16	0.28
	21	23	52	54.6	55	1	00	—	—	—	—	—	—	—
	22	23	52	33.8	58	36	63	89	50	54.73	53.90	— 0.83	16	3.50
	23	23	52	12.9	12	2	12.23	90	14	19.04	18.70	— 0.34	16	1.44
	28	23	50	32.0	20	13	86	92	11	28.40	24.50	— 3.90	16	0.68
	29	23	50	12.4	23	50	79	92	34	50.64	47.50	— 3.14	—	—
	30	23	49	53.2	27	28	03	92	58	11.81	9.00	— 2.81	15	58.34
Oct.	2	23	49	14.4	12	34	42.25	—	—	—	—	—	15	59.60
	3	23	48	56.1	38	20	44	—	—	—	—	—	16	2.25
	4	23	48	38.3	41	59	18	—	—	—	—	—	16	4.30
	6	23	48	3.1	49	16	97	95	17	30.42	24.20	— 6.22	16	0.00
	8	23	47	29.	—	—	—	96	3	20.92	20.30	— 0.62	—	—
	10	23	46	57.4	13	3	57.34	96	48	57.52	57.10	— 0.42	16	0.40
	12	23	46	27.3	11	20	20	97	34	13.27	12.00	— 1.27	16	0.17
	14	23	45	59.5	18	45	45	98	18	57.85	62.20	+ 4.35	15	59.64
	15	23	45	46.3	22	28	79	98	41	19.94	17.10	— 2.84	16	0.80
	16	23	45	33.7	26	12	71	99	3	22.08	24.60	+ 2.52	15	59.14
	17	23	45	21.7	29	57	26	99	25	26.44	24.50	— 1.94	16	0.95
	19	23	44	59.8	37	28	36	100	8	61.71	59.80	— 1.91	16	0.06
	22	23	44	31.6	48	49	80	101	13	17.49	15.60	— 1.89	15	59.38
	23	23	44	23.5	52	38	18	101	34	22.09	21.10	— 0.99	15	58.96
	24	23	44	16.3	56	27	48	101	55	14.65	16.20	+ 1.55	16	1.42
	27	23	43	58.3	14	7	59.11	102	56	58.81	54.60	— 4.21	16	0.55
	28	23	43	53.9	11	51	29	—	—	—	—	—	—	—
	29	23	43	50.5	15	44	37	103	56	44.59	43.40	— 1.19	16	0.53
	30	23	43	47.2	19	37	64	—	—	—	—	—	—	—
Nov.	6	23	43	49.0	14	47	15.37	—	—	—	—	—	—	—
	7	23	43	51.8	51	14	72	106	25	51.14	52.00	+ 0.86	16	2.94
	8	23	43	56.9	55	16	34	—	—	—	—	—	15	58.70
	9	23	44	1.8	59	17	85	107	0	28.95	30.70	+ 1.75	16	0.55
	10	23	44	8.0	15	3	20.58	107	17	21.72	24.10	+ 2.38	16	2.74
	11	23	44	14.5	7	23	76	—	—	—	—	—	—	—
	12	23	44	22.3	11	28	06	107	50	17.25	17.20	— 0.05	16	1.84
	16	23	45	1.2	27	53	32	—	—	—	—	—	15	58.18
	17	23	45	13.4	32	2	07	—	—	—	—	—	—	—
	18	23	45	26.4	36	11	63	109	21	20.49	19.00	— 1.49	15	59.50
	19	23	45	39.9	40	21	80	109	35	13.63	18.60	+ 4.97	16	3.72
	20	23	45	54.5	44	32	95	—	—	—	—	—	16	0.06
	21	23	46	9.7	48	44	78	110	2	15.36	13.40	— 1.96	16	1.46
	22	23	46	26.0	52	57	64	—	—	—	—	—	—	—
	23	23	46	42.8	57	11	08	110	27	39.53	40.30	+ 0.77	16	1.86
	24	23	47	0.7	16	1	25.57	110	39	51.11	49.80	— 1.31	16	1.64
	25	23	47	19.2	5	40	71	—	—	—	—	—	16	0.88
	26	23	47	38.5	9	56	59	111	2	59.13	59.10	— 0.03	15	59.54
	27	23	47	58.4	14	13	10	111	13	59.65	58.20	— 1.45	16	0.80
	28	23	48	19.1	18	30	46	111	24	33.74	33.30	— 0.44	16	2.03
	30	23	49	3.1	27	7	62	111	44	29.56	29.60	+ 0.04	16	0.44

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.		Error of N. A.		N. P. D. from Observation.			N. P. D. from N. A.		Error of N. A.		Mean Hor. Semid.	
1851.	d.	h.	m.	s.	h.	m.	s.	s.	s.	°	'	"	"	"	"	"	"	'	"
Dec.	1	23	49	25.5	16	31	26.71	26.40	— 0.31	111	53	52.09	50.30	— 1.79	16	0.77			
	2	23	49	48.8		35	46.62	46.22	— 0.40								16	1.24	
	4	23	50	36.9		44	27.91	27.63	— 0.28	112	19	18.94	19.60	+ 0.66	16	0.50			
	5	23	51	1.7		48	49.36	49.16	— 0.20	112	26	52.94	57.50	+ 4.56					
	7	23	51	53.5		57	34.38	33.82	— 0.56	112	40	54.01	54.10	+ 0.09	16	0.68			
	8	23	52	19.5	17	1	57.00	56.88	— 0.12	112	47	14.27	12.50	— 1.77	16	1.77			
	9	23	52	46.6		6	20.74	20.41	— 0.33	112	53	2.49	4.00	+ 1.51	16	0.55			
	10	23	53	14.0		10	44.77	44.38	— 0.39	112	58	28.36	28.20	— 0.16	16	1.20			
	11	23	53	41.5		15	8.96	8.75	— 0.21						16	1.57			
	14	23	55	6.7		28	24.04	24.02	— 0.02						16	1.90			
	16	23	56	5.6		37	16.21	15.70	— 0.51	113	21	16.57	16.40	— 0.17	16	0.35			
	17	23	56	35.2		41	42.41	41.90	— 0.51	113	23	26.91	27.00	+ 0.09	16	0.86			
	18	23	57	4.9		46	8.83	8.28	— 0.55	113	25	9.90	9.50	— 0.40	15	59.27			
	19	23	57	34.7		50	35.22	34.81	— 0.41	113	26	24.89	23.70	— 1.19	16	2.94			
	20	23	58	4.6		55	1.73	1.46	— 0.27						15	59.64			
	21	23	58	35.0		59	28.78	28.18	— 0.60	113	27	28.59	27.30	— 1.29	16	0.00			
	22	23	59	4.9	18	3	55.38	54.93	— 0.45	113	27	16.68	16.60	— 0.08	16	0.97			
	23	23	59	35.1		8	22.19	21.68	— 0.51	113	26	35.80	37.60	+ 1.80	16	0.20			
	25	0	0	4.8		12	48.57	48.39	— 0.18						16	3.52			
	27	0	1	4.8		21	41.85	41.53	— 0.32										
1852.																			
Jan.	2	0	3	59.1	18	48	15.90	16.07	+ 0.17	112	59	39.71	38.10	— 1.61	16	1.19			
	3	0	4	27.7		52	41.18	40.77	— 0.41	112	54	20.81	19.00	— 1.81	16	2.56			
	5	0	5	22.						112	42	17.15	18.60	+ 1.45					
	6	0	5	49.4	19	5	52.70	52.48	— 0.22	112	35	36.80	37.90	+ 1.10	16	2.05			
	7	0	6	15.7		10	15.61	15.49	— 0.12	112	28	30.15	30.30	+ 0.15	16	2.27			
	8	0	6	41.2		14	37.82	38.03	+ 0.21	112	20	53.15	56.10	+ 2.95	15	58.72			
	10	0	7	31.7		23	21.58	21.60	+ 0.02	112	4	28.01	29.10	+ 1.09	16	0.30			
	12	0	8	19.7		32	2.83	3.00	+ 0.17	111	46	17.08	18.30	+ 1.22	16	3.65			
	13	0	8	43.1		36	22.87	22.81	— 0.06						16	0.55			
	15	0	9	27.3		45	0.30	0.63	+ 0.33	111	15	51.50	52.80	+ 1.30	15	59.34			
	16	0	9	48.5		49	18.07	18.56	+ 0.49	111	4	54.26	55.00	+ 0.74	15	58.76			
	17	0	10	9.4		53	35.61	35.83	— 0.22	110	53	30.69	32.80	+ 2.11	15	59.25			
	18	0	10	29.8		57	52.58	52.40	— 0.18						16	3.76			
	19	0	10	49.0	20	2	8.44	8.28	+ 0.16										
	20	0	11	7.3		6	23.32	23.43	+ 0.11	110	17	2.19	4.30	+ 2.11	16	2.70			
	21	0	11	25.1		10	37.71	37.85	+ 0.14	110	4	6.96	8.60	+ 1.64	16	1.90			
	22	0	11	42.2		14	51.46	51.51	+ 0.05	109	50	49.68	50.40	+ 0.72	16	2.54			
	23	0	11	58.5		19	4.35	4.38	+ 0.03	109	37	10.12	10.00	— 0.12	16	2.36			
	24	0	12	14.0		23	16.43	16.47	+ 0.04	109	23	7.93	7.70	— 0.23	16	1.80			
	26	0	12	42.5		31	38.11	38.21	+ 0.10	108	53	55.43	59.40	+ 3.97	15	59.75			
	27	0	12	55.3		35	47.58	47.86	+ 0.28	108	38	51.19	54.20	+ 3.01	16	2.10			
	28	0	13	7.6		39	56.42	56.66	+ 0.24	108	23	28.67	28.60	— 0.07	16	1.57			
	29	0	13	18.8		44	4.20	4.63	+ 0.43	108	7	40.46	43.20	+ 2.74	16	5.52			
	30	0	13	29.7		48	11.65	11.76	+ 0.11	107	51	35.10	38.40	+ 3.30	16	3.36			
	31	0	13	39.5		52	18.05	18.04	— 0.01	107	35	15.00	14.50	— 0.50	16	1.33			
Feb.	2	0	13	56.8	21	0	28.59	28.09	— 0.50										
	3	0	14	4.1		4	32.38	31.86	— 0.52	106	44	11.34	12.60	+ 1.26	15	59.88			
	4	0	14	10.5		8	35.36	34.79	— 0.57						16	0.86			
	5	0	14	16.0		12	37.42	36.88	— 0.54	106	8	41.83	43.60	+ 1.77	16	3.54			
	6	0	14	20.9		16	38.90	38.17	— 0.73	105	50	32.33	34.00	+ 1.67	16	2.32			
	7	0	14	24.6		20	39.18	38.64	— 0.54	105	32	6.44	8.00	+ 1.56	16	2.38			
	9	0	14	30.0		28	37.72	37.22	— 0.50	104	54	26.46	29.00	+ 2.54	16	1.64			
	10	0	14	31.1		32	35.41	35.33	— 0.08	104	35	16.29	16.90	+ 0.61	16	0.80			
	11	0	14	32.4		36	33.26	32.65	— 0.61	104	15	48.02	50.10	+ 2.08	16	2.14			

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1852. d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
Feb.	12	0	14	21 40 29.84	29.23	— 0.61	103 56 7.13	9.00	+ 1.87	16 2.30
	13	0	14	44 25.72	25.05	— 0.67	103 36 11.16	14.10	+ 2.94	16 0.57
	14	0	14	48 20.65	20.14	— 0.51	103 16 5.00	5.90	+ 0.90	16 1.42
	15	0	14	52 14.85	14.49	— 0.36	—	—	—	16 2.18
	16	0	14	56 8.67	8.12	— 0.55	102 35 6.81	10.70	+ 3.89	16 2.30
	17	0	14	22 0 1.50	1.03	— 0.47	102 14 21.58	24.80	+ 3.22	16 2.36
	18	0	14	3 53.45	53.24	— 0.21	101 53 27.42	27.00	— 0.42	16 3.00
	20	0	14	11 35.57	35.60	+ 0.03	101 10 56.34	58.00	+ 1.66	16 1.17
	21	0	13	15 25.94	25.76	— 0.18	100 49 25.16	27.70	+ 2.54	16 2.58
	23	0	13	23 4.40	4.09	— 0.31	100 5 56.67	57.20	+ 0.53	16 1.92
	24	0	13	26 52.40	52.30	— 0.10	99 43 56.20	57.90	+ 1.70	—
	25	0	13	30 40.30	39.89	— 0.41	99 21 48.61	50.00	+ 1.89	16 0.44
	26	0	13	34 27.43	26.85	— 0.58	98 59 30.69	33.70	+ 3.01	16 1.53
	27	0	13	38 13.74	13.22	— 0.52	98 37 8.04	9.50	+ 1.46	16 2.00
	28	0	12	41 59.24	59.01	— 0.23	98 14 34.82	37.80	+ 3.48	16 2.00
Mar.	1	0	12	22 49 28.83	28.94	+ 0.11	97 29 8.72	13.60	+ 4.88	16 0.26
	2	0	12	53 12.95	13.11	+ 0.16	97 6 19.02	21.80	+ 2.78	16 1.92
	3	0	12	56 56.73	56.78	+ 0.05	96 43 20.75	24.00	+ 3.25	16 2.38
	4	0	11	23 0 39.81	39.97	+ 0.16	96 20 19.63	20.70	+ 1.07	16 1.00
	5	0	11	4 22.37	22.70	+ 0.33	95 57 11.62	12.40	+ 0.78	15 59.58
	6	0	11	8 5.01	5.00	— 0.01	95 33 56.13	59.10	+ 2.97	16 3.12
	7	0	11	11 47.42	46.89	— 0.53	—	—	—	16 0.60
	8	0	10	15 27.99	28.39	+ 0.40	94 47 18.83	19.70	+ 0.87	16 3.16
	9	0	10	19 9.48	9.53	+ 0.05	94 23 52.78	54.20	+ 1.42	16 1.66
	10	0	10	22 50.03	50.33	+ 0.30	94 0 26.40	25.50	— 0.90	16 1.87
	11	0	10	26 30.99	30.83	— 0.16	93 36 50.24	53.70	+ 3.48	16 4.30
	12	0	9	30 11.16	11.02	— 0.14	93 13 16.90	19.30	+ 2.40	15 58.87
	13	0	9	33 51.06	50.93	— 0.13	92 49 41.48	42.60	+ 1.12	16 2.16
	14	0	9	37 30.06	30.60	+ 0.54	—	—	—	—
	15	0	9	41 10.07	10.03	— 0.04	92 2 20.95	23.80	+ 2.85	16 1.80
	16	0	8	44 49.18	49.25	+ 0.07	91 38 43.61	42.40	— 1.21	16 0.80
	17	0	8	48 28.42	28.27	— 0.15	91 14 57.00	60.30	+ 3.30	16 3.65
	18	0	8	52 7.05	7.10	+ 0.05	90 51 15.67	17.80	+ 2.13	16 3.58
	20	0	7	59 23.84	24.32	+ 0.48	90 3 48.77	52.80	+ 4.03	16 2.90
	21	0	7	0 3 3.03	2.74	— 0.29	—	—	—	16 1.35
	22	0	6	6 40.67	41.04	+ 0.37	89 16 24.93	30.70	+ 5.77	16 1.88
	23	0	6	10 19.16	19.24	+ 0.08	88 52 51.39	51.70	+ 0.31	16 2.20
	25	0	6	17 34.96	35.44	+ 0.48	—	—	—	—
	26	0	5	21 13.18	13.47	+ 0.29	87 42 4.23	7.20	+ 2.97	16 1.68
	27	0	5	24 51.25	51.48	+ 0.23	87 18 37.60	37.90	+ 0.30	16 0.46
	28	0	5	28 29.85	29.48	— 0.37	—	—	—	16 2.03
	29	0	4	32 7.19	7.50	+ 0.31	86 31 43.58	49.60	+ 6.02	16 3.27
	30	0	4	35 45.33	45.57	+ 0.24	86 8 32.49	31.50	— 0.99	16 2.40
	31	0	4	39 23.20	23.67	+ 0.47	85 45 15.58	17.60	+ 2.02	15 58.16
April	1	0	3	0 43 1.59	1.87	+ 0.28	85 22 8.74	8.50	— 0.24	15 59.73
	2	0	3	46 39.96	40.16	+ 0.20	84 59 1.58	4.60	+ 3.02	16 0.22
	3	0	3	50 18.14	18.58	+ 0.44	84 36 4.56	6.00	+ 1.44	16 2.87
	4	0	3	53 57.31	57.15	— 0.16	—	—	—	16 0.57
	5	0	2	57 36.09	35.87	— 0.22	83 50 23.29	26.30	+ 3.01	16 0.93
	6	0	2	1 14.14	14.79	+ 0.65	83 27 45.13	45.80	+ 0.67	16 3.94
	7	0	2	4 53.60	53.98	+ 0.33	83 5 12.56	12.00	— 0.56	16 2.40
	8	0	1	8 32.84	33.30	+ 0.46	82 42 43.46	45.30	+ 1.84	16 2.96
	9	0	1	12 12.76	12.92	+ 0.16	—	—	—	16 3.14
	11	0	1	19 33.64	33.03	— 0.61	—	—	—	16 0.38
	12	0	0	23 13.93	13.52	— 0.41	—	—	—	16 0.28
	13	0	0	26 53.62	54.35	+ 0.73	80 52 27.97	27.40	— 0.57	16 2.22

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1852.	d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
April	14	0	0	14.3	1 30 35.61	35.53	— 0.08	80 30 41.44	49.30	+ 7.86	15 58.40
	14	23	59	59.3	34 17.12	17.06	— 0.06	80 9 17.53	20.50	+ 2.97	16 2.85
	15	23	59	44.2	37 58.55	58.96	+ 0.41	79 48 2.48	1.30	— 1.18	16 1.46
	16	23	59	30.4	41 41.23	41.24	+ 0.01	79 26 50.72	52.20	+ 1.48	16 1.26
	18	23	59	8.1	49 6.98	6.99	+ 0.01	78 45 6.07	5.30	— 0.77	16 1.98
	19	23	58	50.1	52 50.47	50.49	+ 0.02	78 24 24.46	28.20	+ 3.74	16 2.43
	20	23	58	37.4	56 34.36	34.42	+ 0.06	78 4 2.19	2.50	+ 0.31	—
	21	23	58	25.3	2 0 18.79	18.77	— 0.02	77 43 44.67	48.60	+ 3.93	16 2.32
	22	23	58	13.4	4 3.38	3.57	+ 0.19	77 23 46.22	46.80	+ 0.58	16 1.44
	23	23	58	2.3	7 48.76	48.81	+ 0.05	77 3 57.34	57.50	+ 0.16	16 2.03
	26	23	57	31.3	19 7.33	7.33	0.00	76 5 49.10	47.60	— 1.50	16 2.40
	27	23	57	21.9	22 54.53	54.48	— 0.05	75 46 50.23	51.30	+ 1.07	15 59.12
	28	23	57	13.0	26 42.15	42.12	— 0.03	75 28 7.11	9.30	+ 2.19	16 1.37
	29	23	57	4.4	30 30.12	30.28	+ 0.16	75 9 40.99	41.60	+ 0.61	16 2.36
	30	23	56	56.6	34 18.76	18.95	+ 0.19	74 51 27.75	28.70	+ 0.95	16 0.97
May	2	23	56	43.0	2 41 58.29	57.89	— 0.40	—	—	—	16 1.90
	5	23	56	26.	—	—	—	78 24 15.03	15.20	+ 0.17	15 59.56
	6	23	56	20.9	57 22.31	22.48	+ 0.17	78 7 39.12	36.80	— 2.32	16 0.24
	7	23	56	17.4	3 1 15.35	15.06	— 0.29	72 51 13.67	15.10	+ 1.43	15 59.23
	8	23	56	14.1	5 8.64	8.24	— 0.40	—	—	—	15 57.75
	9	23	56	10.5	9 1.58	2.01	+ 0.43	72 19 23.54	23.20	— 0.34	16 0.44
	11	23	56	7.	—	—	—	71 48 41.77	41.60	— 0.17	15 57.24
	12	23	56	6.7	20 47.40	46.89	— 0.51	71 33 47.78	48.00	+ 0.22	16 1.66
	13	23	56	6.2	24 43.47	43.04	— 0.43	71 19 11.38	12.80	+ 1.42	16 0.80
	14	23	56	5.5	28 39.31	39.78	+ 0.47	71 4 56.00	56.50	+ 0.50	15 58.50
	17	23	56	10.1	40 33.63	33.48	— 0.15	—	—	—	15 59.90
	18	23	56	12.6	44 32.65	32.51	— 0.14	70 11 5.94	4.50	— 1.44	15 59.64
	19	23	56	14.7	48 31.37	32.10	+ 0.73	69 58 29.23	26.20	— 3.03	15 59.40
	20	23	56	19.3	52 32.47	32.22	— 0.25	69 46 9.50	8.60	— 0.90	16 1.15
	21	23	56	23.3	56 33.04	32.87	— 0.17	69 34 12.69	11.60	— 1.09	16 0.50
	24	23	56	38.6	4 8 38.06	37.87	— 0.19	69 0 26.15	27.60	+ 1.45	—
	25	23	56	44.6	12 40.68	40.51	— 0.17	68 49 52.64	56.00	+ 3.36	16 1.40
	26	23	56	51.0	16 43.66	43.61	— 0.05	68 39 45.51	46.50	+ 0.99	16 0.84
	27	23	56	58.3	20 47.51	47.16	— 0.35	68 29 53.15	59.00	+ 5.85	15 58.67
	28	23	57	5.4	24 51.23	51.17	— 0.06	68 20 32.77	34.00	+ 1.23	16 1.88
	29	23	57	13.3	28 55.66	55.60	— 0.06	—	—	—	16 0.68
	30	23	57	21.1	33 0.07	0.46	+ 0.39	68 2 51.26	51.70	+ 0.44	16 0.42
	31	23	57	30.1	37 5.63	5.73	+ 0.10	67 54 32.45	34.70	+ 2.25	16 3.05
June	1	23	57	39.1	4 41 11.20	11.39	+ 0.19	67 46 41.27	41.00	— 0.27	16 2.20
	2	23	57	38.6	45 17.32	17.43	+ 0.11	—	—	—	16 1.90
	3	23	57	58.4	49 23.73	23.85	+ 0.12	67 32 2.17	3.10	+ 0.93	16 2.05
	4	23	58	8.9	53 30.73	30.60	— 0.13	67 25 24.13	19.50	— 4.63	16 2.76
	5	23	58	18.9	57 37.40	37.72	+ 0.32	—	—	—	16 0.48
	6	23	58	30.1	5 1 45.10	45.16	+ 0.06	67 13 2.39	3.10	+ 0.71	16 2.70
	7	23	58	41.5	5 53.17	52.90	— 0.27	67 7 28.30	30.80	+ 2.50	16 1.46
	8	23	58	52.0	10 0.25	0.93	+ 0.68	67 2 22.14	22.40	+ 0.26	16 3.47
	9	23	59	4.3	14 9.06	9.23	+ 0.17	66 57 37.59	38.30	+ 0.71	15 58.76
	10	23	59	16.3	18 17.71	17.78	+ 0.07	66 53 18.12	18.40	+ 0.28	16 3.12
	12	23	59	40.2	26 34.83	35.56	+ 0.73	—	—	—	16 2.72
	13	23	59	53.2	30 44.33	44.72	+ 0.39	66 42 44.04	45.00	+ 0.96	16 2.27
	15	0	0	5.9	34 53.62	54.03	+ 0.41	66 40 2.67	3.00	+ 0.33	15 59.95
	17	0	0	32.	—	—	—	66 35 52.87	53.00	+ 0.13	16 2.96
	18	0	0	45.	—	—	—	66 34 27.64	25.20	— 2.44	16 2.12
	19	0	0	58.	—	—	—	66 33 22.00	22.20	+ 0.20	16 2.20
	21	0	1	24.	—	—	—	66 32 31.23	30.60	— 0.63	16 1.46

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.					A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
1852.	d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
June	25	0	2	15.4	6 16 29.14	29.53	+ 0.39	—	—	—	—
	28	0	2	52.7	28 56.16	56.58	+ 0.42	66 42 34.17	31.00	— 3.17	16 2.38
	29	0	3	4.7	33 4.72	5.22	+ 0.50	66 45 37.97	35 50	— 2.47	16 1.64
July	2	0	3	40.	—	—	—	66 57 12.44	14.70	+ 2.26	16 0.40
	3	0	3	51.	—	—	—	67 1 58.30	56.20	— 2.10	15 59.00
	4	0	4	1.1	6 53 44.15	44.73	+ 0.58	—	—	—	16 3.12
	5	0	4	11.6	57 51.21	51.77	+ 0.56	67 12 35.11	31.10	— 4.01	16 1.92
	6	0	4	22.1	7 1 58.30	58.49	+ 0.19	67 18 26.35	24.20	— 2.15	16 1.50
	7	0	4	32.2	6 4.94	4.86	— 0.08	67 24 40.84	41.00	+ 0.16	16 0.10
	9	0	4	50.9	14 16.83	16.54	— 0.29	67 38 24.08	24.60	+ 0.52	15 59.38
	10	0	4	58.9	18 21.43	21.80	+ 0.37	67 45 48.46	51.30	+ 2.84	16 1.82
	11	0	5	8.0	22 27.01	26.67	— 0.37	—	—	—	16 1.24
	12	0	5	15.1	26 30.76	31.10	+ 0.34	68 1 53.53	53.50	— 0.03	16 0.46
	13	0	5	22.5	30 34.72	35.09	+ 0.37	68 10 27.25	28.60	+ 1.35	16 0.13
	14	0	5	29.3	34 38.11	38.61	+ 0.50	68 19 24.69	26.20	+ 1.51	16 1.00
	15	0	5	35.8	38 41.19	41.65	+ 0.46	68 28 44.73	45.90	+ 1.17	16 5.30
	16	0	5	41.7	42 43.70	44.21	+ 0.51	68 38 28.41	27.70	— 0.71	15 59.36
	17	0	5	47.9	46 46.38	46.25	— 0.13	68 48 29.31	31.30	+ 1.99	16 1.88
	18	0	5	52.6	50 47.75	47.78	+ 0.03	—	—	—	16 0.04
	19	0	5	56.4	54 48.05	48.74	+ 0.69	69 9 43.64	43.10	— 0.54	16 5.14
	20	0	6	0.4	58 48.60	49.16	+ 0.56	69 20 50.19	50.80	+ 0.61	16 1.94
	26	0	6	11.5	8 22 39.10	39.31	+ 0.21	70 34 44.10	45.40	+ 1.30	15 59.84
	27	0	6	11.6	26 35.75	35.55	— 0.20	70 48 13.02	13.50	+ 0.48	15 57.96
	28	0	6	10.4	30 31.11	31.18	+ 0.07	—	—	—	15 59.20
	29	0	6	9.2	34 26.51	26.19	— 0.32	71 16 2.75	6.50	+ 3.75	16 0.70
Aug.	3	0	5	52.	—	—	—	72 31 9.32	7.00	— 2.32	—
	4	0	5	47.	—	—	—	72 46 61.15	59.40	— 1.75	16 2.45
	5	0	5	41.	—	—	—	73 3 8.31	8.60	+ 0.29	16 2.45
	6	0	5	35.2	9 5 24.84	24.57	— 0.27	73 19 34.35	34.30	— 0.05	16 1.62
	7	0	5	28.3	9 14.49	14.24	— 0.25	—	—	—	—
	9	0	5	12.7	16 51.89	51.85	— 0.04	74 10 26.71	27.30	+ 0.59	16 1.28
	10	0	5	3.6	20 39.36	39.82	+ 0.46	74 27 55.23	56.00	+ 0.77	16 2.83
	11	0	4	54.5	24 26.83	27.24	+ 0.41	—	—	—	15 59.60
	12	0	4	45.0	28 13.85	14.08	+ 0.23	75 3 40.30	38.30	— 2.00	16 2.67
	13	0	4	35.0	32 0.36	0.38	+ 0.02	75 21 50.08	51.20	+ 1.12	16 2.72
	14	0	4	24.3	37 46.20	46.17	— 0.03	75 40 18.41	18.20	— 0.21	16 0.82
	19	0	3	22.5	54 26.97	27.17	+ 0.20	—	—	—	15 57.30
	23	0	2	21.4	10 9 14.96	14.93	— 0.03	—	—	—	—
	24	0	2	8.7	12 55.75	55.70	— 0.05	78 56 28.74	29.00	+ 0.26	16 3.52
	25	0	1	52.9	16 36.41	36.05	— 0.36	—	—	—	—
	26	0	1	35.5	20 15.55	15.97	+ 0.42	79 37 59.15	59.10	— 0.05	16 2.90
	27	0	1	18.9	23 55.45	55.49	+ 0.04	79 58 58.01	58.90	+ 0.89	16 3.67
	28	0	1	1.5	27 34.58	34.62	+ 0.04	80 20 3.80	8.30	+ 4.50	16 2.45
	29	0	0	43.6	31 13.18	13.39	+ 0.21	—	—	—	16 1.15
Sept.	31	23	59	48.2	42 7.26	7.69	+ 0.43	—	—	—	—
	1	23	59	29.1	10 45 44.65	45.19	+ 0.54	82 8 6.99	6.80	— 0.19	15 58.34
	2	23	59	10.4	49 22.48	22.44	— 0.04	82 30 5.00	6.70	+ 1.70	15 57.17
	3	23	58	50.9	52 59.46	59.43	— 0.03	82 52 13.79	14.10	+ 0.31	16 1.04
	6	23	57	50.5	11 3 48.59	49.15	+ 0.56	83 59 15.27	17.20	+ 1.93	15 58.87
	8	23	57	10.0	11 1.08	1.41	+ 0.33	—	—	—	—
	10	23	56	29.	—	—	—	85 30 3.22	5.30	+ 2.08	15 59.77
	14	23	55	5.0	32 35.03	35.51	+ 0.48	87 2 7.62	10.00	+ 2.38	15 59.52
	15	23	54	43.6	36 10.14	10.97	+ 0.83	87 25 22.21	20.40	— 1.81	15 58.96
	16	23	54	22.8	39 45.84	46.40	+ 0.56	87 48 31.84	33.90	+ 2.06	16 0.90
	17	23	54	2.0	43 21.58	21.83	+ 0.25	88 11 49.67	50.00	+ 0.33	16 0.70

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)

Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.		Error of N. A.		N. P. D. from Observation.		N. P. D. from N. A.		Error of N. A.		Mean Hor. Sund		
1852.	d.	h.	m.	s.	h.	m.	s.	s.	s.	°	'	"	"	"	"	"	'	"
April	14	0	0	14.3	1	30	35.61	35.53	— 0.08	80	30	41.44	49.30	+	7.86	15	58.40	
	14	23	59	59.3		34	17.12	17.06	— 0.06	80	9	17.53	20.50	+	2.97	16	2.85	
	15	23	59	44.2		37	58.55	58.96	+ 0.41	79	48	2.48	1.30	—	1.18	16	1.46	
	16	23	59	30.4		41	41.23	41.24	+ 0.01	79	26	50.72	52.20	+	1.48	16	1.26	
	18	23	59	3.1		49	6.98	6.99	+ 0.01	78	45	6.07	5.30	—	0.77	16	1.98	
	19	23	58	50.1		52	50.47	50.49	+ 0.02	78	24	24.46	28.20	+	3.74	16	2.43	
	20	23	58	37.4		56	34.36	34.42	+ 0.06	78	4	2.19	2.50	+	0.31			
	21	23	58	25.3	2	0	18.79	18.77	— 0.02	77	43	44.67	48.60	+	3.93	16	2.32	
	22	23	58	13.4		4	3.38	3.57	+ 0.19	77	23	46.22	46.80	+	0.58	16	1.44	
	23	23	58	2.3		7	48.76	48.81	+ 0.05	77	3	57.34	57.50	+	0.16	16	2.03	
	26	23	57	31.3		19	7.33	7.33	0.00	76	5	49.10	47.60	—	1.50	16	2.40	
	27	23	57	21.9		22	54.53	54.48	— 0.05	75	46	50.23	51.30	+	1.07	15	59.12	
	28	23	57	13.0		26	42.15	42.12	— 0.03	75	28	7.11	9.30	+	2.19	16	1.37	
	29	23	57	4.4		30	30.12	30.28	+ 0.16	75	9	40.99	41.60	+	0.61	16	2.36	
	30	23	56	56.6		34	18.76	18.95	+ 0.19	74	51	27.75	28.70	+	0.95	16	0.97	
May	2	23	56	43.0	2	41	58.29	57.89	— 0.40							16	1.90	
	5	23	56	26.						73	24	15.03	15.20	+	0.17	15	59.56	
	6	23	56	20.9		57	22.31	22.48	+ 0.17	73	7	39.12	36.80	—	2.32	16	0.24	
	7	23	56	17.4	3	1	15.35	15.06	— 0.29	72	51	13.67	15.10	+	1.43	15	59.23	
	8	23	56	14.1		5	8.64	8.24	— 0.40							15	57.75	
	9	23	56	10.5		9	1.58	2.01	+ 0.43	72	19	23.54	23.20	—	0.34	16	0.44	
	11	23	56	7.						71	48	41.77	41.60	—	0.17	15	57.24	
	12	23	56	6.7		20	47.40	46.89	— 0.51	71	33	47.78	48.00	+	0.22	16	1.66	
	13	23	56	6.2		24	43.47	43.04	— 0.43	71	19	11.38	12.80	+	1.42	16	0.80	
	14	23	56	5.5		28	39.31	39.78	+ 0.47	71	4	56.00	56.50	+	0.50	15	58.50	
	17	23	56	10.1		40	33.63	33.48	— 0.15							15	59.90	
	18	23	56	12.6		44	32.65	32.51	— 0.14	70	11	5.94	4.50	—	1.44	15	59.64	
	19	23	56	14.7		48	31.37	32.10	+ 0.73	69	58	29.23	26.20	—	3.03	15	59.40	
	20	23	56	19.3		52	32.47	32.22	— 0.25	69	46	9.50	8.60	—	0.90	16	1.15	
	21	23	56	23.3		56	33.04	32.87	— 0.17	69	34	12.69	11.60	—	1.09	16	0.50	
	24	23	56	38.6	4	8	38.06	37.87	— 0.19	69	0	26.15	27.60	+	1.45			
	25	23	56	44.6		12	40.68	40.51	— 0.17	68	49	52.64	56.00	+	3.36	16	1.40	
	26	23	56	51.0		16	43.66	43.61	— 0.05	68	39	45.51	46.50	+	0.99	16	0.84	
	27	23	56	58.3		20	47.51	47.16	— 0.35	68	29	53.15	59.00	+	5.85	15	58.67	
	28	23	57	5.4		24	51.23	51.17	— 0.06	68	20	32.77	34.00	+	1.23	16	1.88	
	29	23	57	13.3		28	55.66	55.60	— 0.06							16	0.68	
	30	23	57	21.1		33	0.07	0.46	+ 0.39	68	2	51.26	51.70	+	0.44	16	0.42	
	31	23	57	30.1		37	5.63	5.73	+ 0.10	67	54	32.45	34.70	+	2.25	16	3.05	
June	1	23	57	39.1	4	41	11.20	11.39	+ 0.19	67	46	41.27	41.00	—	0.27	16	2.20	
	2	23	57	38.6		45	17.32	17.43	+ 0.11							16	1.90	
	3	23	57	58.4		49	23.73	23.85	+ 0.12	67	32	2.17	3.10	+	0.93	16	2.05	
	4	23	58	8.9		53	30.73	30.60	— 0.13	67	25	24.13	19.50	—	4.63	16	2.76	
	5	23	58	18.9		57	37.40	37.72	+ 0.32							16	0.48	
	6	23	58	30.1	5	1	45.10	45.16	+ 0.06	67	13	2.39	3.10	+	0.71	16	2.70	
	7	23	58	41.5		5	53.17	52.90	— 0.27	67	7	28.30	30.80	+	2.50	16	1.46	
	8	23	58	52.0		10	0.25	0.93	+ 0.68	67	2	22.14	22.40	+	0.26	16	3.47	
	9	23	59	4.3		14	9.06	9.23	+ 0.17	66	57	37.59	38.30	+	0.71	15	58.76	
	10	23	59	16.3		18	17.71	17.78	+ 0.07	66	53	18.12	18.40	+	0.28	16	3.12	
	12	23	59	40.2		26	34.83	35.56	+ 0.73							16	2.72	
	13	23	59	53.2		30	44.33	44.72	+ 0.39	66	42	44.04	45.00	+	0.96	16	2.27	
	15	0	0	5.9		34	53.62	54.03	+ 0.41	66	40	2.67	3.00	+	0.33	15	59.95	
	17	0	0	32.						66	35	52.87	53.00	+	0.13	16	2.96	
	18	0	0	45.						66	34	27.64	25.20	—	2.44	16	2.12	
	19	0	0	58.						66	33	22.00	22.20	+	0.20	16	2.20	
	21	0	1	24.						66	32	31.23	30.60	—	0.63	16	1.46	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (*Continued.*)

Mean Solar Time of Observation				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Stand.
1852.	d	h.	m.	s.	h. m. s.	s.	° ' "	"	"	' "
June	25	0	2	15.4	6 16 29.14	29.53	—	—	—	—
	28	0	2	52.7	28 50.16	56.58	66 42 34.17	31.00	— 3.17	16 2.38
	29	0	3	4.7	33 4.72	5.22	66 45 37.97	35.50	— 2.47	16 1.64
July	2	0	3	40.	—	—	66 57 12.44	14.70	+ 2.26	16 0.40
	3	0	3	51.	—	—	67 1 58.30	56.20	— 2.10	15 59.00
	4	0	4	1.1	6 53 44.15	44.73	—	—	—	16 3.12
	5	0	4	11.6	57 51.21	51.77	67 12 35.11	31.10	— 4.01	16 1.92
	6	0	4	22.1	7 1 58.30	58.49	67 18 26.35	24.20	— 2.15	16 1.50
	7	0	4	32.2	6 4.94	4.86	67 24 40.84	41.00	+ 0.16	16 0.10
	9	0	4	50.9	14 10.83	16.54	67 38 24.08	24.60	+ 0.52	15 59.38
	10	0	4	58.9	18 21.43	21.80	67 45 48.46	51.80	+ 2.84	16 1.82
	11	0	5	8.0	22 27.04	26.67	—	—	—	16 1.24
	12	0	5	15.1	26 30.76	31.10	68 1 53.53	53.50	— 0.03	16 0.46
	13	0	5	22.5	30 34.72	35.09	68 10 27.25	28.60	+ 1.35	16 0.13
	14	0	5	29.3	34 38.11	38.61	68 19 24.69	26.20	+ 1.51	16 1.00
	15	0	5	35.8	38 41.19	41.65	68 28 44.73	45.90	+ 1.17	16 5.30
	16	0	5	41.7	42 43.70	44.21	68 38 28.41	27.70	— 0.71	15 59.36
	17	0	5	47.9	46 46.38	46.25	68 48 29.31	31.30	+ 1.99	16 1.38
	18	0	5	52.6	50 47.75	47.78	—	—	—	16 0.04
	19	0	5	56.4	54 48.05	48.74	69 9 43.64	43.10	— 0.54	16 5.14
	20	0	6	0.4	58 48.60	49.16	69 20 50.19	50.80	+ 0.61	16 1.94
	26	0	6	11.5	8 22 39.10	39.31	70 34 44.10	45.40	+ 1.30	15 59.84
	27	0	6	11.6	26 35.75	35.55	70 48 13.02	13.50	+ 0.48	15 57.96
	28	0	6	10.4	30 31.11	31.18	—	—	—	15 59.20
	29	0	6	9.2	34 26.51	26.19	71 16 2.75	6.50	+ 3.75	16 0.70
Aug.	3	0	5	52.	—	—	72 31 9.32	7.00	— 2.32	—
	4	0	5	47.	—	—	72 46 61.15	59.40	— 1.75	16 2.45
	5	0	5	41.	—	—	73 3 8.31	8.60	+ 0.29	16 2.45
	6	0	5	35.2	9 5 24.84	24.57	73 19 34.35	34.30	— 0.05	16 1.62
	7	0	5	28.3	9 14.49	14.24	—	—	—	—
	9	0	5	12.7	16 51.89	51.85	74 10 26.71	27.30	+ 0.59	16 1.28
	10	0	5	3.6	20 39.36	39.82	74 27 55.23	56.00	+ 0.77	16 2.83
	11	0	4	54.5	24 26.83	27.24	—	—	—	15 59.60
	12	0	4	45.0	28 13.85	14.08	75 3 40.30	38.30	— 2.00	16 2.67
	13	0	4	35.0	32 0.36	0.38	75 21 50.08	51.20	+ 1.12	16 2.72
	14	0	4	24.3	37 46.20	46.17	75 40 18.41	18.20	— 0.21	16 0.82
	19	0	3	22.5	54 26.97	27.17	—	—	—	15 57.30
	23	0	2	24.4	10 9 14.96	14.93	—	—	—	—
	24	0	2	8.7	12 55.75	55.70	78 56 28.74	29.00	+ 0.26	16 3.52
	25	0	1	52.9	16 36.41	36.05	—	—	—	—
	26	0	1	35.5	20 15.55	15.97	79 37 59.15	59.10	— 0.05	16 2.90
	27	0	1	18.9	23 55.45	55.49	79 58 58.01	58.90	+ 0.89	16 3.67
	28	0	1	1.5	27 34.58	34.62	80 20 3.80	8.30	+ 4.50	16 2.45
	29	0	0	43.6	31 13.18	13.39	—	—	—	16 1.15
	31	23	59	48.2	42 7.26	7.60	—	—	—	—
Sept.	1	23	59	29.1	10 45 44.65	45.19	82 8 6.99	6.80	— 0.19	15 58.34
	2	23	59	10.4	49 22.48	22.44	82 30 5.00	6.70	+ 1.70	15 57.17
	3	23	58	50.9	52 59.46	59.43	82 52 13.79	14.10	+ 0.31	16 1.04
	6	23	57	50.5	11 3 48.59	49.15	83 59 15.27	17.20	+ 1.93	15 58.87
	8	23	57	10.0	11 1.08	1.41	—	—	—	—
	10	23	56	29.	—	—	85 30 3.22	5.30	+ 2.08	15 59.77
	14	23	55	5.0	32 35.03	35.51	87 2 7.62	10.00	+ 2.38	15 59.52
	15	23	54	43.6	36 10.14	10.97	87 25 22.21	20.40	— 1.81	15 58.96
	16	23	54	22.8	39 45.84	46.40	87 48 31.84	33.90	+ 2.06	16 0.90
	17	23	54	2.0	43 21.58	21.83	88 11 49.67	50.00	+ 0.38	16 0.70

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)												
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1852. d.	h.	m.	s.	h.	m.	s.	s.	° ' "	"	"	' "	"
Sept. 19	23	53	19.8	11	50	32.36	32.75	88 58 27.05	28.90	+ 1.85	15	58.83
20	23	52	59.4	54	8.39	8.26	+ 0.13	89 21 53.67	50.90	— 2.77	15	59.68
21	23	52	37.7	57	43.22	43.86	+ 0.64	89 45 14.62	14.10	— 0.52	16	0.22
22	23	52	17.3	12	1	19.32	19.55	90 8 38.66	38.10	— 0.56	16	2.50
23	23	51	56.6	4	55.11	55.36	+ 0.25	90 32 1.08	2.80	+ 1.72	15	59.93
24	23	51	35.9	8	30.91	31.30	+ 0.39	90 55 27.65	27.70	+ 0.05	15	59.95
25	23	51	16.0	12	7.53	7.40	— 0.13	—	—	—	16	0.50
26	23	50	55.1	15	43.10	43.69	+ 0.59	91 42 17.83	16.80	— 1.03	15	59.47
27	23	50	35.5	19	19.96	20.17	+ 0.21	92 5 38.31	40.30	+ 1.99	16	0.15
28	23	50	15.5	22	56.50	56.90	+ 0.40	—	—	—	15	59.88
29	23	49	56.0	26	33.50	33.89	+ 0.39	92 52 24.55	23.80	— 0.75	16	0.24
30	23	49	37.7	30	11.71	11.14	— 0.57	—	—	—	—	—
Oct. 2	23	48	59.2	12	37	26.20	26.61	—	—	—	15	56.14
3	23	48	41.5	41	5.02	4.85	— 0.17	94 25 27.13	27.10	— 0.03	16	0.48
4	23	48	23.9	44	43.87	43.47	— 0.40	94 48 35.08	36.10	+ 1.02	16	1.94
5	23	48	6.4	48	22.92	22.47	— 0.45	95 11 41.86	41.60	— 0.26	16	5.10
10	23	46	45.4	13	6	44.47	44.09	97 6 1.54	4.80	+ 3.26	16	1.28
11	23	46	30.7	10	26.24	25.85	— 0.39	97 28 40.52	41.80	+ 1.28	16	2.80
13	23	46	2.6	17	51.19	50.92	— 0.27	—	—	—	—	—
14	23	45	49.3	21	34.41	34.26	— 0.15	98 35 48.17	54.90	+ 6.73	15	58.60
15	23	45	36.3	25	17.91	18.17	+ 0.26	98 58 8.17	5.20	— 2.97	16	2.96
17	23	45	12.9	32	47.63	47.70	+ 0.07	—	—	—	—	—
22	23	44	25.3	51	42.60	42.33	— 0.27	101 29 19.03	17.70	— 1.33	—	—
25	23	44	4.8	14	3	11.70	11.14	102 31 36.82	35.90	— 0.92	—	—
26	23	43	59.1	7	2.61	2.19	— 0.42	102 51 59.73	59.10	— 0.63	16	3.90
27	23	43	54.4	10	54.45	53.07	— 0.48	103 12 8.20	10.20	+ 2.00	16	2.56
28	23	43	50.2	14	46.78	46.54	— 0.24	103 32 6.92	8.90	+ 1.98	16	4.07
29	23	43	46.6	18	39.71	39.87	+ 0.16	103 51 53.26	54.70	+ 1.44	16	4.16
Nov. 1	23	43	41.7	14	30	24.45	24.64	104 49 53.09	51.50	— 1.59	15	59.70
2	23	43	41.2	34	20.52	21.21	+ 0.69	105 8 45.57	42.20	— 3.37	—	—
5	23	43	47.	—	—	—	—	106 3 44.33	44.00	— 0.33	—	—
8	23	43	59.9	58	18.55	18.48	— 0.07	—	—	—	15	57.20
10	23	44	13.0	15	6	24.82	24.44	107 30 2.54	1.30	— 1.24	16	0.00
11	23	44	20.4	10	28.78	28.69	— 0.09	107 46 23.73	24.10	+ 0.37	15	57.86
14	23	44	48.8	22	46.89	46.56	— 0.33	108 33 44.28	39.90	— 4.38	15	59.90
15	23	44	59.6	20	54.35	54.20	— 0.15	108 48 45.16	46.10	+ 0.94	16	3.30
19	23	45	52.0	43	33.08	32.91	— 0.17	109 45 47.03	45.70	— 1.33	16	0.50
21	23	46	22.5	51	56.81	57.06	+ 0.25	110 12 4.30	6.70	+ 2.40	15	59.38
22	23	46	39.1	56	9.97	10.29	+ 0.32	110 24 42.50	43.90	+ 1.40	15	59.56
23	23	46	56.8	16	0	24.29	24.29	110 36 59.36	58.30	— 1.06	15	58.63
24	23	47	15.0	4	39.13	39.06	— 0.07	110 48 46.28	49.70	+ 3.42	16	0.64
25	23	47	33.9	8	54.63	54.56	— 0.07	111 0 19.28	17.70	— 1.58	15	57.75
Dec. 2	23	50	6.0	16	39	3.00	2.82	112 9 10.73	14.40	+ 3.67	16	1.22
5	23	51	20.9	52	7.78	7.35	— 0.43	112 32 28.72	27.90	— 0.82	16	3.34
7	23	52	13.4	17	0	53.53	53.13	112 45 45.86	45.10	— 0.76	16	2.23
9	23	53	7.3	9	40.77	40.81	+ 0.04	—	—	—	—	—
10	23	53	35.8	14	5.91	5.28	— 0.63	—	—	—	—	—
14	23	55	30.1	31	46.76	46.53	— 0.23	—	—	—	—	—
15	23	56	0.0	36	13.22	12.51	— 0.71	—	—	—	—	—
16	23	56	28.7	40	38.56	38.68	+ 0.12	113 23 3.58	2.20	— 1.38	16	4.60
20	23	58	28.4	58	24.91	24.59	— 0.32	113 27 26.49	29.10	+ 2.61	16	2.72
26	0	0	57.7	18	20	37.35	37.24	—	—	—	15	59.86
28	0	1	56.8	29	29.71	29.59	— 0.12	—	—	—	15	58.07
30	0	2	55.5	38	21.71	21.17	— 0.54	—	—	—	15	59.03
31	0	3	24.5	42	47.34	46.62	— 0.72	—	—	—	—	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE.

Mean Solar Time of Observation.				I or II Limb.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	N or S Limb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1848. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Jan. 13	5	58	0.1	I	1 27 36.32	37.13	+ 0.81	S	82 38 23.23	21.94	— 1.29
14	6	50	59.6	I	2 24 41.72	42.49	+ 0.77	S	78 39 54.93	53.30	— 1.63
17	9	37	7.5	I	5 23 8.03	8.78	+ 0.75	S	71 45 56.19	65.81	+ 9.62
18	10	33	8.9	I	6 23 14.81	15.58	+ 0.77	S	71 42 0.76	0.20	— 0.56
19	11	27	54.4	I	7 22 5.94	5.66	— 0.28	S	72 46 5.30	1.55	— 3.75
20	12	21	40.9	I-II	8 18 51.04	51.44	+ 0.40	S	74 49 48.73	46.70	— 2.03
21	13	12	51.9	II	9 13 3.29	4.26	+ 0.97	S	77 40 34.84	39.09	+ 4.25
22	14	0	24.1	II	10 4 42.32	42.54	+ 0.22	S	81 4 48.60	44.67	— 3.93
25	16	12	24.8	II	12 28 55.96	55.98	+ 0.02	S	92 35 14.79	6.85	— 7.94
27	17	38	13.7	II	14 2 51.79	52.12	+ 0.33	S	99 46 19.57	4.25	— 15.32
Feb. 12	6	36	49.2	I	4 4 49.58	50.53	+ 0.95	—	—	—	—
16	10	13	16.7	I	7 57 36.69	37.44	+ 0.75	N	74 0 6.19	6.15	— 0.04
17	11	3	31.3	I	8 51 54.85	55.38	+ 0.53	N	76 29 7.53	4.49	— 3.04
18	11	51	34.9	I	9 44 1.60	2.22	+ 0.62	S	79 36 62.05	55.52	— 6.53
22	14	50	23.7	II	12 57 5.46	5.73	+ 0.27	S	94 42 16.45	6.13	— 10.32
23	15	33	22.8	II	13 44 7.73	8.06	+ 0.33	S	98 16 36.88	26.28	— 10.60
24	16	17	3.2	II	14 31 51.35	51.42	+ 0.07	S	101 29 27.56	17.68	— 9.88
Mar. 13	7	17	28.3	I	6 43 50.95	52.08	+ 1.13	N	72 9 17.24	21.14	+ 3.90
14	8	9	55.4	I	7 40 21.87	22.94	+ 1.07	N	73 28 28.14	28.01	— 0.13
15	9	0	10.0	I	8 34 40.29	41.20	+ 0.91	N	75 39 58.42	56.96	— 1.46
16	9	48	12.8	I	9 26 46.06	46.62	+ 0.56	N	78 32 53.39	50.20	— 3.19
17	10	34	16.5	I	10 16 53.06	53.77	+ 0.71	N	81 55 53.07	47.84	— 5.23
18	11	18	47.1	I	11 5 26.69	27.23	+ 0.54	N	85 37 55.42	50.41	— 5.01
19	12	2	14.0	I	11 52 56.55	56.99	+ 0.44	N	89 28 37.79	36.64	— 1.15
20	12	47	10.2	II	12 39 58.51	58.86	+ 0.35	S	93 18 53.11	45.17	— 7.94
21	13	30	5.8	II	13 26 57.08	57.11	+ 0.03	S	96 58 45.74	37.61	— 8.13
22	14	13	29.8	II	14 14 24.57	25.04	+ 0.47	S	100 20 7.81	2.84	— 4.97
23	14	57	50.4	II	15 2 48.01	48.48	+ 0.47	S	103 14 56.67	55.37	— 1.30
24	15	43	26.6	II	15 52 27.47	27.69	+ 0.22	S	105 35 25.03	28.74	+ 3.71
25	16	30	30.8	II	16 43 35.09	35.05	— 0.04	S	107 14 17.56	17.62	+ 0.06
April 11	6	57	21.2	I	8 17 58.46	59.30	+ 0.84	N	74 52 16.62	16.73	+ 0.11
12	7	46	15.5	I	9 10 56.63	57.40	+ 0.77	N	77 34 12.44	13.87	+ 1.43
13	8	32	46.8	I	10 1 30.27	31.41	+ 1.14	N	80 48 48.82	46.86	— 1.96
14	9	17	25.8	I	10 50 11.94	11.62	— 0.32	N	84 24 60.29	58.50	— 1.79
15	10	0	47.7	I	11 37 37.12	37.85	+ 0.73	N	88 12 50.48	49.60	— 0.88
17	11	26	10.7	I	13 11 7.18	7.68	+ 0.50	—	—	—	—
18	12	11	21.4	II	13 58 23.12	23.14	+ 0.02	N	99 16 39.66	39.06	— 0.60
19	12	55	23.7	II	14 46 28.53	28.78	+ 0.25	S	102 22 29.04	26.11	— 2.93
20	13	40	38.5	II	15 35 46.59	46.56	— 0.03	S	104 56 30.38	29.40	— 0.98
May 10	6	29	56.8	I	9 44 48.05	48.62	+ 0.57	N	79 31 20.46	24.66	+ 4.20
11	7	15	40.6	I	10 34 34.49	35.23	+ 0.74	N	83 4 29.57	29.21	— 0.36
12	7	59	34.6	I	11 22 31.13	32.25	+ 1.12	N	86 51 30.13	31.75	+ 1.62
13	8	42	23.9	I	12 9 23.91	24.86	+ 0.95	N	90 43 13.52	14.75	+ 1.23
15	10	7	39.1	I	13 42 46.35	46.85	+ 0.50	N	98 7 34.00	31.97	— 2.03
16	10	51	16.1	I	14 30 28.08	28.26	+ 0.18	N	101 23 49.59	49.14	— 0.45
17	11	36	8.6	I	15 19 24.78	24.93	+ 0.15	N	104 11 41.58	40.57	— 1.01
18	12	24	35.5	II	16 9 53.79	53.84	+ 0.05	N	106 22 46.54	45.54	— 1.00
19	13	12	23.7	II	17 1 45.60	45.61	+ 0.01	—	—	—	—
20	14	1	24.6	II	17 54 50.31	50.46	+ 0.15	N	108 23 12.85	15.65	+ 2.80
June 19	14	29	14.3	II	20 21 0.77	1.23	+ 0.46	N	105 28 1.51	1.22	— 0.29
20	15	19	45.1	II	21 15 36.37	37.04	+ 0.67	N	102 40 19.40	23.65	+ 4.25

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)														
Mean Solar Time of Observation.					I or II Limb.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	N or S Limb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1848.	d.	h.	m.	s.		h.	m.	s.	s.	s.		° ' "	"	"
Aug.	10	8	29	34.5	I	17	47	30.18	30.42	+ 0.24	N	108 14 54.41	54.85	+ 0.44
	15	12	50	38.3	II	22	26	51.59	52.26	+ 0.67	N	98 9 35.08	38.50	- 1.58
Sept.	7	7	9	40.4	I	18	17	46.40	46.91	+ 0.51	N	108 13 56.01	61.78	+ 5.77
	8	8	0	4.0	I	19	12	15.60	15.15	- 0.45	S	107 36 51.44	53.29	+ 1.85
	9	8	51	25.9	I	20	7	42.81	42.91	+ 0.10	S	106 0 56.37	52.87	- 3.50
	13	12	24	2.3	II	23	54	30.51	31.07	+ 0.56	N	91 16 9.05	8.69	- 0.36
	14	13	17	39.3	II	0	52	22.21	22.41	+ 0.20	N	86 31 39.54	39.58	+ 0.04
	15	13	53	32.7	II	1	51	7.53	8.32	+ 0.79	N	81 58 59.42	58.53	- 0.89
	Dec.	4	6	34	7.4	I	23	29	4.62	5.63	+ 1.01	S	93 44 16.17	9.82
	6	8	16	30.1	I	1	19	38.83	40.26	+ 1.43	S	84 33 62.25	55.48	- 6.77
	8	10	8	59.0	I	3	20	22.66	23.77	+ 1.11	S	76 15 36.29	31.97	- 4.32
	9	11	9	25.6	I	4	24	56.76	57.82	+ 1.06	S	73 20 20.11	14.33	- 5.78
1849.														
Jan.	3	7	0	55.8	I	1	54	15.53	16.29	+ 0.76	S	82 7 48.11	43.13	- 4.98
	4	7	54	54.8	I	2	52	21.74	22.90	+ 1.16	S	78 5 38.71	33.60	- 5.11
	8	11	53	20.8	I	7	7	15.65	16.96	+ 1.31	S	71 46 19.70	16.61	- 3.09
Feb.	1	6	43	47.5	I	3	31	25.63	26.29	+ 0.66	S	70 1 2.52	2.28	- 0.24
	2	7	40	8.8	I	4	31	54.75	55.40	+ 0.65	S	73 21 14.25	9.98	- 4.27
	3	8	38	23.8	I	5	34	15.78	16.64	+ 0.86	S	71 47 47.11	42.46	- 4.65
	5	10	36	11.3	I	7	40	15.34	16.80	+ 1.46	N	72 30 47.62	45.53	- 2.09
	6	11	33	8.2	I	8	41	17.25	18.39	+ 1.14	-	-	-	-
Mar.	2	6	32	26.9	I	5	14	24.93	25.62	+ 0.69	S	72 13 20.71	18.32	- 2.39
	3	7	29	58.8	I	6	16	2.17	3.13	+ 0.96	S	71 30 47.12	45.00	- 2.12
	5	9	23	11.6	I	8	17	26.28	27.56	+ 1.28	N	73 44 10.36	9.06	- 1.30
	6	10	17	10.3	I	9	15	29.68	30.77	+ 1.09	N	76 25 32.11	30.52	- 1.59
	7	11	8	51.0	I	10	11	12.85	13.93	+ 1.08	N	79 52 19.83	14.85	- 4.98
	8	11	58	14.8	I	11	4	40.29	41.12	+ 0.83	N	79 52 19.83	14.85	- 4.98
	12	15	3	56.9	II	14	24	35.81	36.49	+ 0.68	S	83 48 31.49	35.37	+ 3.88
	13	15	48	58.3	II	15	13	40.93	41.46	+ 0.53	S	99 47 48.08	48.38	- 0.30
	14	16	34	31.1	II	16	3	17.28	17.68	+ 0.40	S	102 56 4.12	5.60	+ 1.48
	31	6	22	53.3	I	6	59	9.18	10.04	+ 0.86	N	105 27 40.80	44.12	+ 3.32
												71 41 23.72	24.60	+ 0.88
April	2	8	12	39.0	I	8	57	3.62	5.04	+ 1.42	N	75 24 40.64	38.75	- 1.89
	3	9	3	59.7	I	9	52	27.98	29.41	+ 1.43	N	78 35 4.88	2.18	- 2.70
	30	7	1	43.4	I	9	36	18.66	19.39	+ 0.73	N	77 24 9.44	7.10	- 2.34
May	1	7	51	16.8	I	10	29	55.61	56.36	+ 0.75	N	81 0 15.42	12.67	- 2.75
	2	8	38	31.0	I	11	21	12.96	13.55	+ 0.59	N	84 58 52.73	50.76	- 1.97
	3	9	24	5.6	I	12	10	50.66	51.45	+ 0.79	N	89 7 18.30	13.63	- 4.67
	4	10	8	42.4	I	12	59	31.17	31.70	+ 0.53	N	93 14 3.53	0.95	- 2.58
	5	10	52	59.8	I	13	47	52.00	52.52	+ 0.52	N	97 8 57.55	57.23	- 0.32
	7	12	24	36.9	II	15	25	36.47	36.80	+ 0.33	N	103 46 13.40	18.35	+ 4.95
	8	13	10	27.5	II	16	15	30.64	30.85	+ 0.21	N	106 11 41.87	48.42	+ 6.55
	9	13	57	5.2	II	17	6	12.19	12.54	+ 0.35	N	107 52 35.85	41.64	+ 5.79
June	5	11	53	7.5	I,II	16	49	22.57	22.70	+ 0.13	N	107 27 33.06	39.84	+ 6.78
	6	12	41	24.6	II	17	40	36.27	36.46	+ 0.19	N	108 38 35.15	42.09	+ 6.94
July	3	10	36	15.7	I	17	23	43.90	44.12	+ 0.22	N	108 18 56.96	60.51	+ 3.55
	6	13	2	9.1	II	19	59	46.62	47.00	+ 0.38	N	107 34 5.71	9.53	+ 3.82
	10	16	10	26.8	II	23	24	21.62	22.24	+ 0.62	N	95 22 58.30	61.85	+ 3.55
	12	17	45	39.7	II	1	7	42.19	43.13	+ 0.94	N	86 37 13.50	14.52	+ 1.02

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)												
Mean Solar Time of Observation.				I or II Lamb.	A. R. from Observation.		A. R. from N. A.	Error of N. A.	N or S Lamb.	N. P. D. from Observation.	N P. D. from N. A.	Error of N. A.
1849.	d.	h.	m.	s.		h.	m.	s.		° ' "	"	"
Aug.	8	14	43	43.3	II	0 51	53.43	53.73	+ 0.30	—	—	—
	13	20	11	34.5	II	5 40	5.27	5.62	+ 0.35	N	71 30 33.01	25.66 — 7.35
	23	4	9	0.6	I	14 16	28.96	29.72	+ 0.76	—	—	—
	24	4	54	34.4	I	15 6	6.15	6.61	+ 0.46	—	—	—
	25	5	40	18.6	I	15 55	55.14	55.74	+ 0.60	—	—	—
	31	10	26	2.8	I	21 6	6.32	6.56	+ 0.24	S	104 52 4.69	5.19 + 0.50
Sept.	2	12	3	9.2	I-II	22 50	19.54	20.07	+ 0.53	N	98 10 20.06	25.64 + 5.58
	12	20	59	1.3	II	8 25	57.91	58.49	+ 0.58	S	73 20 21.28	16.91 — 4.37
	26	7	29	32.1	I	19 51	37.12	36.89	— 0.23	S	107 50 4.76	4.19 — 0.57
	27	8	17	29.4	I	20 43	38.74	39.26	+ 0.52	S	105 58 44.63	46.45 + 1.82
	29	9	53	24.2	I	22 27	42.59	42.98	+ 0.39	S	99 52 12.50	17.95 + 5.45
Oct.	1	11	31	32.4	I-II	0 12	57.62	58.30	+ 0.68	S	91 24 3.69	3.69 0.00
	2	12	22	32.5	II	1 6	58.95	59.72	+ 0.77	S	86 46 13.60	12.69 — 0.91
	8	17	56	38.4	II	7 5	34.63	35.42	+ 0.79	S	71 10 60.36	58.52 — 1.84
	12	21	32	26.4	II	10 57	49.39	50.21	+ 0.82	S	82 20 52.99	51.38 — 1.61
	23	5	21	54.5	I	19 30	5.89	6.05	+ 0.16	—	—	—
	24	6	9	17.1	I	20 21	32.78	33.03	+ 0.25	S	107 3 48.53	49.41 + 0.88
	25	6	56	28.2	I	21 12	47.66	47.74	+ 0.08	S	104 45 10.53	14.20 + 3.67
	26	7	43	32.9	I	22 3	57.24	57.77	+ 0.53	S	101 40 44.23	46.94 + 2.71
	27	8	30	52.2	I	22 55	20.44	21.16	+ 0.72	S	97 56 19.75	26.32 + 6.57
	29	10	8	4.3	I	0 40	43.52	43.98	+ 0.46	S	89 3 49.65	52.62 + 2.97
	30	10	59	8.5	I	1 35	53.23	54.28	+ 1.05	S	84 21 34.57	34.63 + 0.06
	31	11	53	44.2	I-II	2 33	29.79	30.51	+ 0.72	S	79 51 53.92	52.37 — 1.55
Nov.	4	15	50	0.1	II	6 45	1.34	2.07	+ 0.73	S	70 47 31.92	24.80 — 7.12
	5	16	49	0.7	II	7 48	9.17	10.02	+ 0.85	S	71 46 17.15	11.14 — 6.01
	8	19	30	5.7	II	10 41	34.90	36.07	+ 1.17	—	—	—
	9	20	18	34.9	II	11 34	10.32	11.24	+ 0.92	S	85 7 32.95	25.94 — 7.01
	11	21	51	18.3	II	13 15	2.85	3.23	+ 0.38	—	—	—
	19	3	16	18.7	I	19 10	36.47	37.44	+ 0.97	—	—	—
	21	4	50	13.7	I	20 52	39.38	39.76	+ 0.38	—	—	—
	22	5	36	26.2	I	21 42	55.69	56.13	+ 0.44	—	—	—
	23	6	22	26.1	I	22 32	59.45	60.11	+ 0.66	S	99 54 18.38	18.39 + 0.01
	24	7	8	41.6	I	23 23	19.68	20.68	+ 0.95	S	95 56 24.03	22.84 — 1.19
	26	8	44	45.7	I	1 7	34.95	35.89	+ 0.94	S	86 54 30.85	32.50 + 1.65
	28	10	30	40.3	I	3 1	43.05	44.09	+ 1.04	S	77 56 43.36	44.44 + 1.08
	29	11	28	37.4	I	4 3	47.88	48.85	+ 0.97	S	74 19 9.08	8.08 — 1.00
Dec.	2	14	36	52.8	II	7 22	4.81	5.54	+ 0.73	S	70 59 16.11	11.76 — 4.35
	10	21	20	32.5	II	14 38	32.98	33.10	+ 0.12	S	100 22 53.68	45.02 — 8.66
	11	22	6	2.6	II	15 28	6.33	6.74	+ 0.41	—	—	—
	20	4	18	25.6	I	22 15	5.26	5.73	+ 0.47	—	—	—
	21	5	3	31.6	I	23 4	14.97	15.41	+ 0.44	—	—	—
	27	10	7	21.1	I	4 32	41.96	43.13	+ 1.17	—	—	—
	29	12	13	55.3	I-II	6 46	20.83	21.73	+ 0.90	—	—	—
1850.												
Jan.	25	9	49	55.2	I	6 9	34.44	35.25	+ 0.81	S	70 41 20.65	15.20 — 5.45
	26	10	52	36.4	I	7 16	23.29	24.73	+ 1.44	N	70 48 46.91	47.57 + 0.66
Feb.	4	18	46	41.0	II	15 45	1.97	2.19	+ 0.22	S	104 25 33.55	36.52 + 2.97
	5	19	33	9.8	II	16 35	34.41	34.55	+ 0.14	S	106 53 53.67	57.31 + 3.64
	6	20	20	8.4	II	17 26	37.25	36.74	— 0.51	S	108 33 53.48	59.46 + 5.98
	7	21	7	33.6	II	18 18	6.80	6.40	— 0.40	—	—	—
	18	4	52	23.3	I	2 45	44.34	44.26	— 0.08	—	—	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)

Mean Solar Time of Observation.				I or II Limb.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	N or S Limb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850. d. h. m. s.					h. m. s.	s.	s.		° ' "	"	"
Feb. 19	5	43	53.7	I	3 41 21.88	22.17	+ 0.29	—	—	—	—
21	7	35	52.6	I	5 41 35.55	35.90	+ 0.35	S	71 6 32.71	30.05	— 2.66
22	8	35	33.5	I	6 45 23.22	23.86	+ 0.64	—	—	—	—
23	9	36	7.8	I	7 50 4.29	5.38	+ 1.09	N	71 27 43.32	41.17	— 2.15
25	11	34	7.1	I	9 56 13.49	14.58	+ 1.09	N	77 7 46.00	45.23	— 0.77
26	12	30	42.6	I-II	10 55 47.91	49.11	+ 1.20	N	81 22 30.41	27.37	— 3.04
27	13	24	38.5	II	11 52 44.84	45.83	+ 0.99	—	—	—	—
28	14	15	13.0	II	12 47 24.81	25.74	+ 0.93	S	90 51 59.60	58.06	— 1.54
Mar. 3	16	39	29.0	II	15 23 55.36	55.85	+ 0.49	S	103 11 37.73	39.95	+ 2.22
5	18	14	17.2	II	17 6 52.13	52.79	+ 0.66	—	—	—	—
6	19	1	56.3	II	17 58 35.87	35.89	+ 0.02	N	109 12 0.91	2.81	+ 1.90
7	19	49	39.5	II	18 50 23.18	23.05	— 0.13	N	109 26 0.78	2.78	+ 2.00
22	7	26	18.5	I	7 26 19.35	20.61	+ 1.26	N	70 52 32.42	35.23	+ 2.81
23	8	24	34.1	I	8 28 40.59	41.64	+ 1.05	N	72 34 46.74	45.64	— 1.10
25	10	16	24.8	I	10 28 41.05	42.05	+ 1.00	N	79 18 29.75	27.13	— 2.62
26	11	9	16.9	I	11 25 37.04	37.75	+ 0.71	N	83 46 37.48	32.51	— 4.97
27	12	0	19.0	I	12 20 43.22	43.47	+ 0.25	N	88 32 47.65	43.58	— 4.07
April 19	6	19	37.7	I	8 9 51.03	51.91	+ 0.88	N	71 43 24.60	21.74	— 2.66
20	7	16	2.7	I	9 10 20.34	21.44	+ 1.10	N	74 14 25.09	23.19	— 1.90
22	9	2	22.3	I	11 4 48.13	49.21	+ 1.08	N	81 56 47.38	43.56	— 3.82
23	9	52	37.0	I	11 59 6.71	7.42	+ 0.71	N	86 33 55.09	50.62	— 4.47
30	15	34	37.8	II	18 7 32.76	33.40	+ 0.64	N	109 41 22.61	27.87	+ 5.20
May 5	19	29	12.0	II	22 22 30.73	30.97	+ 0.24	—	—	—	—
15	3	14	8.3	I	6 46 22.15	23.24	+ 1.09	—	—	—	—
20	7	50	0.6	I	11 42 36.91	38.01	+ 1.10	N	84 54 44.70	40.65	— 4.05
21	8	38	22.8	I	12 35 2.74	3.77	+ 1.03	N	89 36 22.53	20.08	— 2.45
22	9	25	47.0	I	13 26 31.16	31.53	+ 0.37	N	94 14 35.16	34.83	— 0.33
25	11	48	13.0	I	16 1 10.46	10.90	+ 0.44	N	105 40 21.70	22.46	+ 0.70
June 3	18	52	41.2	II	23 40 13.81	13.88	+ 0.07	N	95 26 26.29	33.53	+ 7.24
5	20	24	17.8	II	1 19 56.76	56.91	+ 0.15	—	—	—	—
19	8	11	15.3	I	14 2 10.51	11.00	+ 0.49	N	97 9 10.96	9.57	— 1.39
22	10	32	42.1	I	16 35 50.46	51.16	+ 0.70	N	107 18 52.21	54.19	+ 1.98
July 2	18	17	3.0	II	0 58 49.43	49.78	+ 0.35	N	88 33 35.34	37.94	+ 2.60
3	19	3	23.8	II	1 49 13.12	14.28	+ 1.16	N	84 3 36.80	31.77	— 5.03
5	20	44	55.6	II	3 38 50.68	50.80	+ 0.12	N	75 45 53.86	58.71	+ 4.85
18	7	43	7.3	I	15 28 17.83	18.24	+ 0.41	N	103 31 34.86	35.27	+ 0.41
Aug. 21	11	13	30.4	I	21 13 17.14	17.29	+ 0.15	S	106 12 0.81	0.53	— 0.28
Oct. 12	5	28	24.7	I	18 52 18.15	18.48	+ 0.33	—	—	—	—
14	7	4	5.9	I	20 36 6.92	7.31	+ 0.39	S	108 7 35.01	40.18	+ 5.17
15	7	50	12.0	I	21 26 16.22	16.54	+ 0.32	S	105 43 18.89	18.25	— 0.64
17	9	19	38.7	I	23 3 50.10	50.60	+ 0.50	S	98 52 40.97	46.53	+ 5.56
18	10	3	49.1	I	23 52 4.23	4.59	+ 0.36	S	94 42 8.11	10.05	+ 2.54
28	18	49	22.6	II	9 16 21.72	22.26	+ 0.54	S	73 36 31.95	21.97	— 9.98
29	19	44	14.5	II	10 15 20.16	20.70	+ 0.54	S	77 16 53.92	44.44	— 9.48
Nov. 11	5	43	52.0	I	21 6 2.92	3.23	+ 0.31	—	—	—	—
13	7	13	25.4	I	22 43 43.37	43.40	+ 0.03	S	—	—	—
14	7	57	9.1	I	23 31 30.15	30.70	+ 0.55	S	100 44 8.37	12.63	+ 4.26
15	8	41	1.3	I	0 19 26.43	27.31	+ 0.88	S	96 44 26.80	33.31	+ 0.51
18	11	1	15.2	I	2 51 56.50	57.68	+ 1.18	S	92 22 16.60	17.78	+ 1.18
19	11	54	21.9	I-II	3 48 4.38	5.68	+ 1.30	S	78 45 13.40	12.02	— 1.36
									74 50 56.23	52.88	— 3.85

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)

Mean Solar Time of Observation				I or II Lamb.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	N or S Lamb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850. d. h. m. s.					h. m. s.	s.	s.		° ' "	"	"
Dec. 11	5	51	10.7	I	23 11 37.76	37.65	— 0.11	S	98 42 56.88	65.50	+ 8.62
12	6	34	8.7	I	23 58 39.28	39.52	+ 0.24	S	94 32 33.32	35.21	+ 1.89
13	7	17	30.9	I	0 46 5.62	6.04	+ 0.42	S	90 5 19.41	19.36	— 0.05
14	8	2	10.9	I	1 34 50.41	51.10	+ 0.69	S	85 30 26.04	26.62	+ 0.58
16	9	39	4.5	I	3 19 56.72	57.69	+ 0.97	S	76 46 59.51	57.49	— 2.02
17	10	32	47.1	I	4 17 46.74	47.94	+ 1.20	S	73 11 52.18	49.75	— 2.43
18	11	30	15.4	I	5 19 23.02	24.31	+ 1.29	S	70 35 19.83	16.77	— 3.06
1851. Jan. 8	4	29	50.6	I	23 40 27.67	27.44	— 0.23	S	96 21 24.83	24.44	— 0.39
9	5	12	12.2	I	0 26 52.56	52.76	+ 0.20	—	—	—	—
10	5	55	7.7	I	1 13 53.08	53.52	+ 0.44	S	87 36 40.97	41.07	+ 0.10
11	6	39	35.9	I	2 2 25.60	26.12	+ 0.52	S	83 8 59.26	55.12	— 4.14
13	8	16	53.7	I	3 47 56.62	57.76	+ 1.14	—	—	—	—
14	9	11	16.7	I	4 46 27.44	28.57	+ 1.13	S	71 53 8.48	2.31	— 6.17
15	10	9	41.3	I	5 49 0.10	1.49	+ 1.39	S	69 50 28.66	24.08	— 4.58
16	11	11	12.4	I	6 54 38.83	40.26	+ 1.43	N	69 12 1.24	1.92	+ 0.68
24	18	35	31.0	II	14 49 29.03	30.01	+ 0.98	—	—	—	—
25	19	24	7.9	II	15 42 10.09	10.50	+ 0.41	—	—	—	—
26	20	13	7.3	II	16 35 13.93	14.26	+ 0.33	—	—	—	—
27	21	2	34.7	II	17 28 45.97	45.49	— 0.48	—	—	—	—
Feb. 8	5	19	53.3	I	2 32 54.23	54.68	+ 0.65	—	—	—	—
10	6	57	46.9	I	4 19 0.80	1.37	+ 0.57	S	73 11 63.35	57.48	— 5.87
11	7	52	14.6	I	5 17 36.49	37.40	+ 0.91	S	70 40 60.52	53.59	— 6.98
12	8	50	25.4	I	6 19 55.12	56.25	+ 1.13	N	69 20 5.29	1.35	— 3.94
19	15	38	12.1	II	13 34 10.05	10.73	+ 0.68	S	94 19 14.25	8.98	— 5.27
20	16	28	56.8	II	14 29 0.03	0.12	+ 0.09	S	99 11 33.86	30.00	— 3.86
21	17	19	5.8	II	15 23 14.19	14.69	+ 0.50	S	103 23 46.50	44.57	— 1.93
24	19	49	2.8	II	18 5 25.78	25.55	— 0.23	S	110 30 52.27	59.92	+ 7.65
25	20	38	31.5	II	18 58 59.40	59.05	— 0.35	—	—	—	—
26	21	27	8.9	II	19 51 42.06	41.50	— 0.56	—	—	—	—
Mar. 12	7	35	43.2	I	6 55 23.90	24.95	+ 1.05	N	69 3 54.17	56.78	+ 2.61
13	8	35	7.6	I	7 58 54.31	55.67	+ 1.36	N	69 58 26.57	24.61	— 1.96
23	17	42	49.8	II	17 45 17.93	17.99	+ 0.06	S	110 19 20.61	19.52	— 1.09
24	18	33	31.7	II	18 40 4.60	4.70	+ 0.10	N	111 1 16.28	21.86	+ 5.58
25	19	23	5.1	II	19 33 43.83	43.61	— 0.22	N	110 38 47.48	49.72	+ 2.24
April 7	4	33	3.7	I	5 34 41.99	42.84	+ 0.85	—	—	—	—
8	5	28	43.7	I	6 34 28.75	29.46	+ 0.71	—	—	—	—
9	6	25	58.7	I	7 35 50.39	51.47	+ 1.08	N	69 14 48.00	43.59	— 4.41
10	7	23	43.6	I	8 37 40.90	42.22	+ 1.32	N	71 1 61.74	58.61	— 3.13
11	8	20	54.9	I	9 38 57.81	59.16	+ 1.35	N	74 8 16.29	13.81	— 2.48
21	17	15	41.0	II	19 12 24.87	25.43	+ 0.56	N	111 10 44.38	47.68	+ 3.30
22	18	5	18.8	II	20 6 8.03	8.36	+ 0.33	N	110 10 1.94	2.87	+ 0.93
23	18	52	57.6	II	20 57 52.69	52.65	— 0.04	N	108 12 15.00	8.92	— 6.08
May 8	6	15	25.2	I	9 19 33.18	34.62	+ 1.44	—	—	—	—
15	12	24	6.8	I-II	15 55 44.16	44.92	+ 0.76	N	105 59 26.40	28.25	+ 1.85
16	13	18	42.3	II	16 53 18.38	18.95	+ 0.57	N	109 1 6.71	7.80	+ 1.09
18	15	5	10.3	II	18 47 58.49	59.22	+ 0.73	N	111 30 7.08	7.60	+ 0.52
19	15	56	35.1	II	19 43 29.03	29.16	+ 0.13	N	110 57 28.21	31.11	+ 2.90
20	16	45	54.7	II	20 36 54.19	54.25	+ 0.06	N	109 21 44.36	49.21	+ 4.85
June 12	11	6	1.1	I	16 28 54.25	55.11	+ 0.86	N	107 52 25.77	31.62	+ 5.85
15	13	46	54.7	II	19 19 54.07	54.42	+ 0.35	N	111 26 30.89	32.48	+ 1.59
24	20	31	8.0	II	2 40 44.74	45.08	+ 0.34	N	79 41 9.65	11.57	+ 1.92

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)

Mean Solar Time of Observation.				I or II Lamb.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Nor S Lamb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	
1851.	d.	h.	m.	s.		h. m. s.	s.		° ' "	"	"	
July	8	8	9	44.9	I	15 14 39.08	39.65	+ 0.57	N	103 1 17.47	21.44	+ 3.97
	9	9	0	33.7	I	16 9 33.36	34.16	+ 0.80	N	106 44 50.29	58.08	+ 2.79
	10	9	52	21.5	I	17 5 26.67	26.99	+ 0.32	—	—	—	—
Aug.	8	9	32	24.9	I	18 39 46.50	46.74	+ 0.24	N	111 34 39.37	42.82	+ 2.95
	11	12	1	48.5	I-II	21 20 19.38	19.92	+ 0.54	N	107 30 4.05	9.55	+ 5.50
Sept.	3	6	37	3.2	I	17 26 27.22	28.33	+ 1.11	—	—	—	—
	5	8	20	19.5	I	19 17 52.51	52.44	— 0.07	—	—	—	—
	6	9	10	9.6	I	20 11 46.34	46.45	+ 0.11	S	110 28 22.96	16.81	— 6.15
	18	18	17	21.6	II	6 5 36.14	37.47	+ 1.33	—	—	—	—
	19	19	13	50.1	II	7 6 8.99	10.37	+ 1.38	—	—	—	—
	21	21	10	52.7	II	9 11 23.48	24.87	+ 1.39	N	71 54 9.12	12.47	+ 3.35
	30	4	29	23.1	I	17 4 54.30	55.76	+ 1.46	—	—	—	—
Oct.	1	5	23	2.0	I	18 2 38.30	39.27	+ 0.97	S	111 29 51.10	50.88	— 0.22
	2	6	15	39.3	I	18 59 19.65	20.26	+ 0.61	—	—	—	—
	3	7	6	37.0	I	19 54 20.59	21.02	+ 0.43	S	111 8 42.51	40.77	— 1.74
	4	7	55	28.3	I	20 47 15.69	16.02	+ 0.33	—	—	—	—
	30	4	53	13.7	I	19 33 5.62	6.18	+ 0.56	—	—	—	—
	31	5	50	1.0	I	20 27 55.99	56.79	+ 0.80	S	110 28 18.72	20.02	+ 1.30
Nov.	28	4	30	32.5	I	20 58 37.15	38.10	+ 0.95	S	—	—	—
Dec.	1	6	45	32.8	I	23 25 45.98	46.14	+ 0.16	S	98 36 54.24	55.92	+ 1.66
	2	7	27	5.0	I	0 11 20.93	21.72	+ 0.79	—	—	—	—
	3	8	8	17.6	I	0 56 36.96	37.69	+ 0.73	S	89 32 21.32	13.90	— 7.42
	4	8	50	4.6	I	1 42 27.61	28.52	+ 0.91	S	84 52 19.86	14.06	— 4.90
	6	10	18	50.2	I	3 19 23.71	24.68	+ 0.97	S	76 7 40.38	32.63	— 7.75
	16	19	14	27.9	II	12 53 47.71	49.19	+ 1.48	S	90 5 50.69	59.32	+ 8.63
	30	6	3	21.8	I	0 37 47.18	47.34	+ 0.16	—	—	—	—
1852.												
Jan.	2	8	10	22.1	I	2 57 0.34	0.96	+ 0.62	S	78 1 10.07	2.84	— 7.23
	6	11	37	20.2	I	6 40 25.94	27.75	+ 1.81	N	67 35 42.56	42.54	— 0.02
	8	13	36	44.9	II	8 45 45.53	46.56	+ 1.03	N	69 59 3.88	17.19	+ 13.31
	15	19	43	44.0	II	15 21 24.17	24.93	+ 0.76	—	—	—	—
	16	20	36	16.3	II	16 18 0.61	1.13	+ 0.52	—	—	—	—
	28	5	20	47.7	I	1 49 26.38	26.82	+ 0.44	—	—	—	—
	30	6	47	34.9	I	3 24 23.71	24.47	+ 0.76	—	—	—	—
	31	7	35	0.3	I	4 15 55.67	56.44	+ 0.77	—	—	—	—
Feb.	2	9	20	34.0	I	6 9 43.96	44.72	+ 0.76	N	67 54 14.51	10.50	— 4.01
	3	10	18	7.6	I	7 11 24.80	25.95	+ 1.15	N	67 36 48.59	47.23	— 1.36
	4	11	17	17.8	I	8 14 41.73	43.51	+ 1.78	—	—	—	—
	13	19	26	17.8	II	16 58 15.06	15.59	+ 0.53	—	—	—	—
	27	5	27	3.0	I	3 54 3.24	3.50	+ 0.26	S	73 26 57.45	51.87	— 5.58
Mar.	2	8	58	39.2	I	7 42 6.10	7.30	+ 1.20	N	67 54 13.52	13.99	+ 0.47
	3	9	57	4.3	I	8 44 37.61	38.74	+ 1.13	N	69 52 38.58	40.19	+ 1.61
	4	10	55	22.4	I	9 47 1.25	2.59	+ 1.34	N	73 18 41.19	43.01	+ 1.82
	28	5	51	24.3	I	6 16 48.91	49.72	+ 0.81	—	—	—	—
	30	7	41	58.8	I	8 15 35.81	37.12	+ 1.31	N	68 33 32.29	26.91	— 5.38
	31	8	38	34.1	I	9 16 16.62	17.75	+ 1.13	N	71 15 45.82	39.93	— 5.89
April	1	9	34	48.5	I	10 16 36.63	37.75	+ 1.12	N	75 17 28.31	25.85	— 2.46
	2	10	30	17.1	I	11 16 10.37	11.29	+ 0.92	N	80 24 36.00	37.22	+ 1.22

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)

Mean Solar Time of Observation.				I or II Limb.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	N or S Limb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1852. d. h. m. s.					h. m. s.	s.	s.		° ' "	"	"
April 26	5	34	19.0	I	7 54 1.27	2.46	+ 1.19	N	67 40 40.76	37.69	— 3.07
27	6	29	6.0	I	8 52 53.80	54.88	+ 1.08	—	—	—	—
28	7	23	31.8	I	9 51 24.81	25.73	+ 0.92	N	73 13 13.23	10.21	— 3.02
29	8	17	14.5	I	10 49 12.44	13.62	+ 1.18	—	—	—	—
30	9	10	21.5	I	11 46 24.22	25.65	+ 1.43	N	83 11 51.31	51.84	+ 0.53
May 25	5	18	44.2	I	9 32 43.38	44.22	+ 0.84	—	—	—	—
26	6	11	21.4	I	10 29 25.03	26.04	+ 1.01	—	—	—	—
27	7	2	54.8	I	11 25 2.90	3.93	+ 1.03	N	80 54 8.56	10.74	+ 2.18
29	8	45	15.6	I	13 15 33.90	34.25	+ 0.35	N	92 27 39.96	45.91	+ 5.95
31	10	32	16.9	I	15 10 47.42	47.65	+ 0.23	N	103 41 56.22	61.75	+ 5.53
June 11	19	54	4.8	II	1 15 23.35	23.99	+ 0.64	N	87 36 6.75	0.91	— 5.84
28	9	16	47.1	I	15 45 28.69	29.89	+ 0.70	N	106 22 27.26	25.64	— 1.62
July 26	8	5	28.8	I	16 24 21.27	23.01	+ 1.74	—	—	—	—
Aug. 24	7	53	16.7	I	18 6 29.51	30.55	+ 1.04	N	112 59 33.41	32.62	— 0.79
25	8	49	35.0	I	19 6 53.47	54.17	+ 0.70	S	113 20 38.02	51.70	+ 13.68
26	9	44	32.2	I	20 5 54.32	55.04	+ 0.72	S	112 17 20.63	32.04	+ 11.41
27	10	37	2.3	I	21 2 28.34	29.29	+ 0.95	S	109 59 1.19	11.64	+ 10.45
28	11	26	34.5	I	21 56 3.39	4.45	+ 1.06	S	106 40 9.61	5.65	— 3.96
Sept. 21	6	45	28.5	I	18 48 53.75	54.62	+ 0.87	—	—	—	—
22	7	40	51.9	I	19 48 20.83	20.30	— 0.53	S	112 56 31.22	31.46	+ 0.24
23	8	33	42.4	I	20 45 15.33	15.69	+ 0.36	S	110 58 39.41	40.27	+ 0.86
24	9	23	44.1	I	21 39 9.95	10.76	+ 0.81	S	107 56 40.63	40.45	— 0.18
25	10	10	26.9	I	22 30 5.13	5.65	+ 0.52	S	104 5 44.73	38.62	— 6.11
Oct. 22	8	9	6.6	I	22 14 52.90	53.28	+ 0.38	—	—	—	—
23	8	53	52.7	I	23 3 41.22	41.92	+ 0.70	S	101 14 49.32	48.24	— 1.08
25	10	17	35.8	I	0 35 29.40	30.34	+ 0.94	S	91 38 30.04	23.97	— 6.07
26	10	58	14.6	I	1 20 11.81	12.42	+ 0.61	S	86 41 49.15	43.35	— 5.80
Nov. 8	21	36	21.5	II	12 49 13.17	13.60	+ 0.43	—	—	—	—
19	6	51	53.7	I	22 47 50.11	50.79	+ 0.68	—	—	—	—
20	7	35	21.4	I	23 35 20.13	20.69	+ 0.56	S	98 17 15.36	12.83	— 2.53
22	8	57	27.9	I	1 5 31.52	32.05	+ 0.53	S	88 25 43.39	39.44	— 3.95
23	9	38	3.6	I	1 50 10.65	10.58	— 0.07	S	83 32 14.59	10.56	— 4.03
24	10	19	30.3	I	2 35 41.65	42.38	+ 0.73	S	78 53 13.87	9.55	— 4.02
Dec. 20	7	35	43.0	I	1 33 57.25	57.95	+ 0.70	S	85 21 19.61	12.54	— 7.07
21	8	16	42.6	I	2 19 0.95	1.69	+ 0.74	S	80 35 27.21	17.17	— 10.04
23	9	43	27.2	I	3 53 55.15	55.78	+ 0.63	S	72 17 59.99	53.63	— 6.36
24	10	30	27.7	I	4 45 1.34	1.99	+ 0.65	S	69 9 28.70	19.24	— 9.46

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY.

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D from Observation.	N. P. D. from N. A.	Error of N. A.	
1848.	d.	h.	m.	s.		h. m. s.	s.	s.	° ' "	"	"	
Jan.	3	23	1	23.9	C	17 53 17.23	17.18	— 0.05	C	113 50 23.80	25.88	+ 2.08
	5	23	6	42.1	"	18 6 29.27	28.89	— 0.38	"	114 4 3.00	8.81	+ 5.81
	7	23	12	9.9	"	18 19 51.18	51.03	— 0.15	"	114 12 45.51	49.33	+ 3.82
	9	23	17	47.3	"	18 33 22.69	22.31	— 0.38	"	114 16 22.75	26.37	+ 3.62
	11	23	23	32.4	"	18 47 2.16	1.72	— 0.44	"	114 14 41.91	45.86	+ 3.95
	12	23	26	28.0	"	18 53 54.86	54.08	— 0.78	"	114 11 51.84	53.43	+ 1.59
	16	23	38	24.6	"	19 21 39.54	38.82	— 0.72	"	113 46 23.77	27.89	+ 4.12
	18	23	44	30.1	"	19 35 39.49	38.74	— 0.75	"	113 25 2.73	4.14	+ 1.41
Feb.	22	1	17	45.7	"	23 23 13.23	12.76	— 0.47	"	93 17 23.94	20.75	— 3.19
	23	1	18	21.8	"	23 27 45.88	45.51	— 0.37	"	92 32 50.03	44.95	— 5.08
	24	1	18	35.4	"	23 31 56.14	55.80	— 0.34	"	91 50 12.16	8.16	— 4.00
	25	1	18	24.3	1 L	23 35 41.81	41.81	— 0.50	"	91 9 57.16	53.44	— 3.72
	28	1	15	7.3	C	23 44 13.53	12.96	— 0.57	"	89 27 3.11	0.27	— 2.84
April	27	22	41	34.2	"	1 6 48.10	48.12	+ 0.02	"	85 38 9.07	11.06	+ 1.99
	28	22	43	40.5	"	1 12 51.29	51.26	— 0.03	"	84 56 49.67	51.13	+ 1.46
	30	22	48	14.5	"	1 25 18.94	19.30	+ 0.36	"	83 31 38.63	39.30	+ 0.67
May	5	23	1	54.9	"	1 58 44.41	44.42	+ 0.01	"	79 46 34.62	32.96	— 1.66
Sept.	14	0	34	12.9	"	12 7 46.39	46.42	+ 0.03	"	90 1 22.35	22.67	+ 0.32
Oct.	11	1	13	38.2	"	14 33 45.37	44.78	— 0.59	"	107 35 25.26	26.94	+ 1.68
	19	1	16	54.1	"	15 8 34.12	33.34	— 0.78	"	110 42 35.21	37.63	+ 2.42
	23	1	14	29.1	1 L	15 21 55.21	54.44	— 0.77	"	111 39 19.32	19.68	+ 0.36
1849.												
Jan.	19	0	41	47.6	C	20 36 5.19	4.44	— 0.75	C	110 44 50.00	52.21	+ 2.21
	22	0	51	4.4	"	20 57 12.86	12.21	— 0.65	"	109 15 27.21	28.64	+ 1.43
	24	0	57	1.4	"	21 11 4.20	3.93	— 0.27	"	108 8 20.08	23.26	+ 3.18
	25	0	59	54.6	"	21 17 54.49	54.18	— 0.31	"	107 32 41.40	43.40	+ 2.00
	29	1	10	32.8	"	21 44 20.54	20.09	— 0.45	"	104 57 42.95	42.56	— 0.39
	30	1	12	53.7	"	21 50 38.38	38.23	— 0.15	"	104 16 25.98	24.93	— 1.05
Feb.	1	1	17	4.8	"	22 2 42.73	43.17	+ 0.44	"	102 51 54.65	52.77	— 1.88
	3	1	20	24.3	"	22 13 55.85	55.95	+ 0.10	"	101 26 12.43	11.47	— 0.96
	7	1	23	23.1	"	22 32 42.06	41.66	— 0.40	"	98 40 38.08	34.67	— 3.41
	10	1	21	13.3	"	22 42 21.67	20.69	— 0.98	"	96 53 5.00	7.25	+ 2.25
	12	1	17	6.2	"	22 46 6.92	6.21	— 0.71	"	95 55 34.49	32.18	— 2.31
Mar.	12	22	35	8.9	"	21 58 2.25	1.47	— 0.78	"	101 49 53.25	58.65	+ 5.40
April	24	23	23	23.1	"	1 35 56.03	55.86	— 0.17	"	81 33 29.28	26.97	— 2.31
	25	23	26	48.4	"	1 43 18.96	18.56	— 0.40	"	80 42 22.02	19.95	— 2.07
May	16	0	54	27.6	"	4 30 3.46	3.88	+ 0.42	"	66 17 57.89	56.34	— 1.55
	19	1	6	51.6	"	4 54 19.54	19.83	+ 0.29	"	65 17 48.33	47.71	— 0.62
Sept.	29	1	22	9.1	"	13 54 1.01	0.80	— 0.21	"	—	—	—
Nov.	1	22	46	53.5	2 L	13 32 22.74	22.14	— 0.60	"	97 54 47.32	41.27	— 6.05
	14	22	36	28.4	C	14 13 11.40	11.23	— 0.17	"	101 10 42.02	41.02	— 1.00
	21	22	47	48.5	"	14 52 9.36	9.22	— 0.14	"	104 58 57.78	56.43	— 1.35
	28	23	2	49.7	"	15 34 48.85	48.39	— 0.46	"	—	—	—
	29	23	5	10.7	"	15 41 6.74	5.81	— 0.93	"	109 5 20.95	24.49	+ 3.54

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY, (*Continued.*)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1849. d. h. m. s.					h. m. s.	s.	s.		° ' "	"	"
Dec. 4 23 17 29.3				C	16 18 10.17	9.96	— 0.21	—	—	—	—
10 23 33 32.0				"	16 52 55.24	54.85	— 0.39	C	113 16 64.84	52.38	— 12.46
1850.											
Jan. 3 0 44 9.8				C	19 34 25.17	24.90	— 0.27	"	113 50 57.45	61.65	+ 4.20
5 0 50 25.2				"	19 48 34.72	34.64	— 0.08	"	113 16 10.76	21.08	+ 1.27
19 1 24 45.9				1 L	21 18 12.98	13.10	+ 0.12	—	—	—	—
28 1 17 25.8				"	21 46 20.77	19.82	— 0.95	"	101 59 21.65	20.60	— 1.05
29 1 13 40.2				"	21 46 30.93	30.17	— 0.76	"	101 39 58.68	57.98	— 0.70
30 1 9 12.4				"	21 45 59.17	58.19	— 0.98	"	101 24 20.10	18.75	— 1.85
Feb. 15 23 4 31.9				2 L	20 47 58.77	57.33	— 1.44	—	—	—	—
17 22 54 22.5				"	20 45 40.90	40.08	— 0.82	"	105 21 54.28	57.50	+ 3.22
18 22 50 3.8				"	20 45 17.77	16.44	— 1.33	"	105 36 27.94	30.84	+ 2.90
19 22 46 12.3				"	20 45 22.53	21.33	— 1.20	"	105 49 24.45	29.87	+ 5.42
22 22 37 15.7				"	20 48 13.87	12.71	— 1.16	"	106 18 27.07	32.15	+ 5.08
25 22 31 39.7				"	20 54 26.43	25.67	— 0.76	"	106 32 41.97	44.46	+ 2.49
27 22 29 26.5				"	21 0 6.61	5.83	— 0.78	"	106 33 59.16	65.58	+ 6.42
Mar. 5 22 28 15.9				"	21 22 34.92	34.28	— 0.64	"	106 0 39.15	44.54	+ 5.89
6 22 28 40.9				"	21 26 56.79	56.26	— 0.53	"	105 49 48.69	53.44	+ 4.75
19 22 43 57.4				C	22 33 30.56	30.39	— 0.17	"	101 22 20.14	26.48	+ 6.34
20 22 45 41.0				"	22 39 11.11	10.48	— 0.63	"	100 52 30.92	36.52	+ 5.60
21 22 47 26.6				"	22 44 54.04	54.18	+ 0.14	"	100 21 24.42	31.13	+ 6.71
22 22 49 18.2				"	22 50 42.02	41.52	— 0.50	"	99 49 4.86	10.80	+ 5.94
25 22 55 10.1				"	23 8 25.02	24.60	— 0.42	"	98 4 43.27	49.58	+ 6.31
April 3 23 16 5.2				"	0 4 51.91	51.56	— 0.35	"	91 48 57.05	59.63	+ 2.58
4 23 18 44.5				"	0 11 28.51	28.27	— 0.24	"	91 1 45.53	49.16	+ 3.63
May 7 1 13 42.5				I L	4 12 55.26	55.72	+ 0.46	"	66 28 2.72	0.16	— 2.56
8 1 16 18.4				"	4 19 28.42	28.59	+ 0.17	"	66 8 34.76	32.13	— 2.63
9 1 18 40.6				"	4 25 47.47	47.72	+ 0.25	"	65 51 29.24	26.77	— 2.47
10 1 20 48.6				"	4 31 52.17	52.37	+ 0.20	"	65 36 42.85	40.80	— 2.05
11 1 22 41.2				"	4 37 41.97	42.04	+ 0.07	"	65 24 11.41	9.86	— 1.55
13 1 25 39.6				"	4 48 34.15	33.99	— 0.16	"	65 5 37.28	36.15	— 1.13
18 1 28 7.5				"	5 10 44.74	44.39	— 0.35	"	64 53 11.51	9.75	— 1.76
July 1 22 32 57.7				II L	5 12 30.65	30.43	— 0.22	"	70 21 37.49	39.76	+ 2.27
7 22 35 7.7				"	5 38 20.45	20.62	+ 0.17	"	68 48 14.18	15.51	+ 1.33
10 22 40 35.5				"	5 55 38.81	39.10	+ 0.29	"	68 3 16.49	16.19	— 0.30
18 23 8 6.5				C	6 54 46.55	47.15	+ 0.60	"	66 56 31.26	28.03	— 3.23
Aug. 9 0 43 10.6				"	9 52 54.66	54.81	+ 0.15	—	—	—	—
13 0 55 27.0				"	10 20 58.86	59.84	+ 0.98	"	78 13 58.88	62.30	+ 3.42
23 1 17 6.9				"	11 22 7.80	7.88	+ 0.08	"	85 35 28.89	33.79	+ 4.90
24 1 18 40.6				"	11 27 38.26	38.42	+ 0.16	"	86 19 10.01	15.04	+ 5.03
Oct. 21 22 39 44.7				2 L	12 40 53.10	52.96	— 0.14	"	92 26 14.59	11.53	— 3.06
28 22 41 49.8				"	13 10 34.28	34.48	+ 0.20	"	95 11 42.20	42.34	+ 0.14
Nov. 3 22 51 28.2				"	13 43 53.56	53.14	— 0.42	"	98 48 14.07	14.73	+ 0.66
13 23 12 37.4				"	14 44 31.69	31.28	— 0.41	"	105 3 17.25	17.94	+ 0.69
19 23 26 42.8				"	15 22 18.80	19.15	+ 0.35	"	108 22 26.31	30.86	+ 4.05
Dec. 12 0 27 2.5				C	17 49 32.75	32.70	— 0.05	"	115 20 36.59	41.75	+ 5.16
13 0 30 4.2				"	17 56 31.45	31.43	— 0.02	"	115 25 5.74	13.13	+ 7.39
14 0 33 6.9				"	18 3 31.04	30.89	— 0.15	"	115 28 13.00	16.52	+ 3.52

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY, (Continued)

Mean Solar Time of Observation.				Point observ- ed	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850.	d.	h.	m.	s.	h. m. s.	s.	s.	C	° ' "	"	"
Dec.	16	0	39	12.5	18 17 31.06	30.90	— 0.16	C	115 29 56.90	61.33	+ 4.43
	17	0	42	15.5	18 24 30.97	30.94	— 0.03	"	115 28 33.70	38.56	+ 4.86
	18	0	45	18.2	18 31 30.80	30.65	— 0.15	"	115 25 40.51	44.66	+ 4.15
	19	0	48	19.7	18 38 29.49	29.63	+ 0.14	"	115 21 14.30	18.82	+ 4.52
	20	0	51	20.8	18 45 27.72	27.56	— 0.16	"	115 15 17.61	20.46	+ 2.85
	21	0	54	20.6	18 52 24.07	23.96	— 0.11	"	115 7 46.24	48.82	+ 2.58
	23	1	0	12.8	19 6 10.40	10.23	— 0.17	"	114 48 4.09	7.02	+ 2.93
	24	1	3	4.3	19 12 59.05	58.96	— 0.09	"	114 35 54.61	56.60	+ 1.99
1851.											
Jan.	2*	1	23	59.4	20 9 26.68	26.32	— 0.36	"	111 42 14.51	13.35	— 1.16
	3	1	25	22.8	20 14 46.88	46.33	— 0.55	"	111 17 6.87	7.52	+ 0.66
	4	1	26	27.5	20 19 48.33	48.63	+ 0.30	"	110 51 19.93	20.64	+ 0.71
	7	1	27	29.7	20 32 40.54	39.83	— 0.71	"	109 32 10.12	9.60	— 0.52
	8	1	26	55.6	20 36 3.29	2.45	— 0.84	"	109 6 4.34	3.00	— 1.34
	9	1	25	49.9	20 38 53.32	52.44	— 0.88	"	108 40 39.35	36.87	— 2.48
	10	1	24	7.2	20 41 7.69	6.55	— 1.14	"	108 16 15.35	13.17	— 2.18
	14	1	10	22.8	20 43 7.13	5.56	— 1.57	"	106 56 24.51	21.97	— 2.54
	16	0	58	56.0	20 39 31.41	29.91	— 1.50	—	—	—	—
	30	22	59	20.4	19 38 43.71	42.09	— 1.62	—	—	—	—
Feb.	7	22	32	24.4	19 43 16.30	15.38	— 0.92	—	—	—	—
	11	22	28	34.3	19 55 12.03	11.30	— 0.73	"	—	—	—
	14	22	28	25.3	20 6 52.58	51.80	— 0.78	"	109 52 14.73	17.49	+ 2.76
	17	22	29	59.3	20 20 16.46	15.78	— 0.68	"	109 51 28.01	32.32	+ 4.31
	20	22	32	52.0	20 34 59.18	58.80	— 0.38	"	109 39 36.79	41.01	+ 4.22
	21	22	34	3.6	20 40 7.72	7.39	— 0.33	"	109 16 19.15	23.87	+ 4.72
	24	22	38	14.	—	—	—	"	109 5 58.35	63.63	+ 5.28
	25	22	39	48.1	21 1 39.28	38.93	— 0.35	"	108 27 9.84	15.06	+ 5.22
	26	22	41	26.0	21 7 14.25	13.90	— 0.35	"	108 11 37.44	42.52	+ 5.08
	27	22	43	8.2	21 12 53.29	53.01	— 0.28	"	107 54 45.26	51.59	+ 6.33
Mar.	4	22	52	32.7	21 42 1.43	1.39	— 0.04	"	107 36 38.82	42.52	+ 3.70
	9	23	3	8.6	22 12 22.04	21.95	— 0.09	"	105 46 20.87	24.99	+ 4.12
	10	23	5	23.1	22 18 38.54	33.58	+ 0.04	—	—	—	—
	11	23	7	41.3	22 24 48.38	47.61	— 0.77	—	—	—	—
	12	23	9	59.9	22 31 4.36	4.04	— 0.32	—	—	—	—
	13	23	12	22.3	22 37 23.49	22.94	— 0.55	—	—	—	—
	14	23	14	46.0	22 43 44.43	44.30	— 0.13	"	100 29 13.31	17.47	+ 4.16
	16	23	19	42.7	22 56 34.80	34.61	— 0.19	"	99 10 42.12	44.68	+ 2.56
	17	23	22	14.8	23 3 3.95	3.67	— 0.28	—	—	—	—
	19	23	27	27.5	23 16 10.63	10.18	— 0.45	"	97 3 43.33	45.77	+ 2.44
	20	23	30	7.6	23 22 47.74	48.09	+ 0.35	—	—	—	—
	21	23	32	51.9	23 29 28.86	28.52	— 0.34	—	—	—	—
June	15	22	25	15.0	4 0 44.35	44.80	+ 0.45	—	—	—	—
Aug.	11	1	33	36.4	10 50 24.11	24.23	+ 0.12	—	—	—	—
	15	1	37	55.1	11 10 29.81	29.69	— 0.12	"	85 8 28.65	36.63	+ 7.98
Sept.	1	1	32	21.0	12 11 56.20	55.86	— 0.34	"	94 40 14.55	15.13	+ 0.58
	10	1	5	16.2	12 20 16.07	15.45	— 0.62	"	96 37 20.64	24.20	+ 3.56
Oct.	2	22	49	29.7	11 34 47.45	47.22	— 0.23	—	—	—	—
Nov.	21	0	16	39.6	16 15 22.72	23.14	+ 0.42	"	112 38 27.28	32.07	+ 4.79
	22	0	19	16.8	16 21 56.83	56.93	+ 0.10	"	112 59 40.56	44.69	+ 4.13
	24	0	24	34.7	16 35 8.66	8.69	+ 0.03	"	113 38 34.21	39.79	+ 5.58

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY, (Continued.)

Mean Solar Time of Observation				Point observ- ed	A. R. from Observation.			Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.
1851. d. h. m. s.					h. m. s.	s.	s.			° ' "	"	"		
Nov. 25	0	27	15.5	C	16 41 46.61	46.48	— 0.13		C	113 56 16.17	19.63	+ 3.46		
27	0	32	40.4	"	16 55 5.62	5.46	— 0.16		"	114 27 53.98	56.16	+ 2.18		
28	0	35	24.3	"	17 1 46.47	46.41	— 0.06		"	114 41 45.49	49.89	+ 4.40		
29	0	38	9.1	"	17 8 28.38	28.13	— 0.25		"	114 54 22.98	25.32	+ 2.34		
Dec. 1	0	43	39.5	"	17 21 53.47	53.02	— 0.45		"	115 15 31.32	35.88	+ 4.56		
2	0	46	25.1	"	17 28 35.96	35.69	— 0.27		"	115 24 1.63	8.05	+ 6.42		
3	0	49	10.5	"	17 35 18.44	18.17	— 0.27		—	—	—	—		
5	0	54	39.5	1 L	17 48 41.46	41.06	— 0.40		"	115 41 13.07	17.22	+ 4.15		
8	1	2	41.1	"	18 8 34.33	33.56	— 0.77		"	115 45 18.63	22.23	+ 3.60		
9	1	5	16.3	"	18 15 6.04	5.65	— 0.39		"	115 43 43.44	47.83	+ 4.39		
10	1	7	47.3	"	18 21 34.34	33.91	— 0.43		"	115 40 39.96	43.22	+ 3.26		
11	1	10	14.0	"	18 27 57.98	57.51	— 0.47		"	115 36 6.80	9.45	+ 2.65		
17	1	22	13.1	"	19 3 38.59	37.98	— 0.61		"	114 38 42.73	42.09	— 0.64		
1852. Jan. 19	22	34	59.5	11 L	18 29 59.59	58.42	— 1.17		—	—	—	—		
Feb. 29	23	30	29.4	"	22 7 17.70	17.30	— 0.40		"	103 52 57.73	62.79	+ 5.06		
Mar. 1	23	33	10.2	"	22 13 55.04	55.17	+ 0.13		"	103 16 36.35	38.77	+ 2.42		
2	23	35	53.3	"	22 20 35.11	34.65	— 0.46		"	102 38 54.17	56.94	+ 2.77		
3	23	38	37.3	"	22 27 16.19	15.66	— 0.53		—	—	—	—		
29	0	54	42.3	1 L	1 22 7.58	7.67	+ 0.09		"	80 26 50.82	47.55	— 3.27		
30	0	57	23.6	"	1 28 45.94	45.83	— 0.11		"	79 34 55.12	53.50	— 1.62		
31	0	59	55.1	"	1 35 14.16	14.33	+ 0.17		"	78 44 48.02	41.43	— 1.59		
April 1	1	2	15.3	"	1 41 31.57	31.80	+ 0.23		"	77 56 29.23	24.20	— 5.03		
2	1	4	23.8	"	1 47 37.02	36.86	— 0.16		"	77 10 17.54	13.74	— 3.80		
3	1	6	18.2	"	1 53 28.05	28.24	+ 0.19		"	76 26 25.40	20.79	— 4.61		
7	1	11	15.9	"	2 14 12.87	12.96	+ 0.09		"	73 56 38.47	32.56	— 5.91		
8	1	11	44.7	"	2 18 38.22	38.25	+ 0.03		"	73 26 8.64	5.43	— 3.21		
13	1	8	56.3	"	2 35 31.90	31.57	— 0.33		"	71 38 44.83	43.10	— 1.73		
14	1	7	15.9	"	2 37 48.58	47.42	— 1.16		"	71 26 30.45	28.09	— 2.86		
15	1	5	12.6	"	2 39 41.55	40.46	— 1.09		—	—	—	—		
16	1	2	46.6	"	2 41 11.19	10.33	— 0.86		"	71 11 26.35	22.48	— 3.87		
17	0	59	56.6	"	2 42 17.64	17.20	— 0.44		—	—	—	—		
July 10	0	59	41.9	C	8 13 13.02	13.87	+ 0.85		"	68 10 52.88	54.24	+ 1.36		
12	1	7	38.1	"	8 29 3.07	4.40	+ 0.73		"	69 0 33.45	30.94	— 2.51		
15	1	18	8.4	"	8 51 25.25	26.01	+ 0.76		"	70 39 34.07	36.67	+ 2.60		
Sept. 19	22	48	37.3	11 L	10 45 38.96	38.77	— 0.19		"	81 15 50.79	45.04	— 5.75		
21	22	49	19.8	"	10 54 14.84	14.85	+ 0.01		"	81 43 32.96	31.65	— 1.31		
26	22	56	35.2	"	11 21 14.21	14.70	+ 0.49		"	83 54 20.53	19.58	— 0.95		
27	22	58	40.5	"	11 27 15.66	15.76	+ 0.10		"	84 28 48.90	47.03	— 1.87		
Oct. 3	23	12	51.8	"	12 5 8.79	9.09	+ 0.30		"	88 31 8.00	8.65	+ 0.65		
Nov. 2	0	18	59.4	C	15 5 47.69	47.98	+ 0.29		"	108 22 16.75	21.96	+ 5.21		
22	1	4	57.1	"	17 10 44.09	44.01	— 0.08		"	115 23 32.96	36.23	+ 3.27		
25	1	11	9.6	"	17 28 47.60	47.84	+ 0.24		"	115 43 32.92	37.74	+ 4.82		

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS.																
Mean Solar Time of Observation.					Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	
1848.	d.	h.	m.	s.		h	m.	s.	s.	s.		°	'	"	"	"
Jan.	3	20	51	26.4	2 L	15	42	57.74	57.15	— 0.59	C	106	44	36.97	36.97	0.00
	4	20	52	3.6	"	15	47	31.47	30.70	— 0.77	"	107	0	33.09	32.13	— 0.96
	5	20	52	42.2	"	15	52	6.62	5.78	— 0.84	"	107	16	10.63	9.88	— 0.75
	10	20	56	15.9	"	16	15	24.22	23.41	— 0.81	"	108	29	24.74	25.39	+ 0.65
	12	20	57	51.4	"	16	24	53.35	52.45	— 0.90	"	108	56	12.09	10.82	— 1.27
	21	21	6	6.2	"	17	8	38.59	37.40	— 1.19	"	110	35	13.09	5.56	— 7.53
	23	21	8	9.1	"	17	18	34.74	33.61	— 1.13	"	110	51	55.01	58.16	+ 3.15
	26	21	11	20.7	"	17	33	36.24	35.43	— 0.81	"	111	12	59.56	64.02	+ 4.46
	27	21	12	26.1	"	17	38	38.77	37.85	— 0.92	"	111	18	55.96	60.42	+ 4.46
	28	21	13	32.5	"	17	43	41.81	41.08	— 0.73	"	111	24	17.87	23.27	+ 5.40
	31	21	16	56.5	"	17	58	56.09	55.18	— 0.91	"	111	37	0.53	5.17	+ 4.64
Feb.	1	21	18	5.6	"	18	4	1.80	1.18	— 0.62	"	111	40	4.11	9.10	+ 4.99
	2	21	19	15.5	"	18	9	8.78	7.73	— 1.05	"	111	42	32.71	37.53	+ 4.82
	4	21	21	36.9	"	18	19	23.45	22.22	— 1.23	"	111	45	42.06	46.51	+ 4.45
	7	21	25	10.9	"	18	34	47.80	46.73	— 1.07	"	111	45	51.72	56.88	+ 5.16
	21	21	41	53.4	"	19	46	44.52	43.78	— 0.74	"	110	33	20.54	28.49	+ 7.95
	22	21	43	2.5	"	19	51	50.80	50.15	— 0.65	"	110	23	39.84	43.55	+ 3.71
	23	21	44	12.0	"	19	56	56.90	55.99	— 0.91	"	110	13	16.19	23.15	+ 6.96
	27	21	48	42.7	"	20	17	14.28	13.64	— 0.64	"	109	26	6.86	12.91	+ 6.06
	28	21	49	48.6	"	20	22	17.19	16.42	— 0.77	"	109	12	53.47	49.19	— 4.28
Mar.	1	21	51	58.3	"	20	32	20.37	19.81	— 0.56	"	108	44	46.31	55.42	+ 9.11
	7	21	58	8.7	"	21	2	10.96	10.49	— 0.47	"	107	7	54.87	60.38	+ 5.51
	20	22	9	40.1	"	22	4	59.48	59.11	— 0.37	"	102	40	49.28	52.51	+ 3.23
	23	22	15	33.3	"	22	42	25.92	25.66	— 0.26	"	99	25	18.94	23.13	+ 4.19
	29	22	16	14.2	"	22	47	3.46	3.10	— 0.36	"	98	59	35.57	38.78	+ 3.21
April	19	22	28	37.4	C	0	22	16.67	16.43	— 0.24	"	89	18	42.46	42.40	— 0.06
	23	22	30	49.2	"	0	40	15.11	15.19	+ 0.08	"	87	24	11.18	11.93	+ 0.75
	27	22	33	4.5	"	0	58	16.93	16.84	— 0.09	"	85	30	13.90	12.07	— 1.83
	28	22	33	38.9	"	1	2	48.04	47.97	— 0.07	"	85	1	54.57	52.15	— 2.42
	30	22	34	48.9	"	1	11	51.17	51.37	+ 0.20	"	84	5	30.28	28.93	— 1.35
May	10	22	41	10.7	"	1	57	39.62	39.77	+ 0.15	"	79	32	15.85	12.93	— 2.92
	12	22	42	35.5	"	2	6	57.40	57.59	+ 0.19	"	78	39	59.23	57.27	— 1.96
	16	22	45	33.7	"	2	25	42.92	43.42	+ 0.50	"	76	58	39.78	34.80	— 4.98
June	21	23	24	51.5	"	5	27	2.51	2.77	+ 0.26	"	66	52	49.94	46.63	— 3.31
	25	23	30	23.2	"	5	48	21.83	22.91	+ 1.08	"	66	31	46.78	45.33	— 1.45
Aug.	23	0	37	15.3	"	10	44	5.17	5.02	— 0.15	"	80	25	39.06	40.73	+ 1.67
	24	0	37	57.2	"	10	48	43.62	43.56	— 0.06	"	80	53	54.46	54.17	— 0.29
	31	0	42	31.6	"	11	20	54.49	54.30	— 0.19	"	84	17	38.40	41.12	+ 2.72
Sept.	14	0	50	40.5	"	12	24	16.61	16.18	— 0.43	"	91	24	37.17	40.11	+ 2.94
Oct.	2	1	1	50.9	"	13	46	27.01	25.96	— 1.05	"	100	26	7.82	10.12	+ 2.30
	11	1	8	50.3	"	14	28	56.72	55.79	— 0.93	"	104	32	58.82	61.18	+ 2.36
	20	1	17	17.0	"	15	12	53.68	53.08	— 0.60	"	108	11	15.44	16.64	+ 1.20
	23	1	20	28.2	"	15	27	55.08	54.12	— 0.96	"	109	16	2.48	2.16	— 0.32
Dec.	18	2	36	18.8	1 L	20	24	45.93	45.43	— 0.50	"	111	20	29.94	28.12	— 1.82
	20	2	38	31.8	"	20	34	52.46	51.95	— 0.51	"	110	44	41.30	38.59	— 2.71
	21	2	39	36.1	"	20	39	53.29	52.99	— 0.30	"	110	25	55.32	51.90	— 3.42
	22	2	40	38.7	"	20	44	52.68	52.58	— 0.10	"	110	6	33.32	30.62	— 2.70
	23	2	41	40.2	"	20	49	50.97	50.61	— 0.36	"	109	46	40.57	37.93	— 2.64

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (*Continued.*)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1849.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Jan.	2	2	50	28.7	1 L	21	38	6.44	6.24	— 0.20	S L	106	0	24.57	22.42	— 2.15
	22	3	0	41.4	"	23	7	12.17	12.03	— 0.14	"	96	39	29.39	25.24	— 4.15
	23	3	0	59.	—	—	—	—	—	—	"	96	9	3.24	0.67	— 2.57
	24	3	1	14.7	"	23	15	38.41	38.55	+ 0.14	"	95	38	29.16	27.33	— 1.83
	25	3	1	29.6	"	23	19	50.09	50.15	+ 0.06	"	95	7	49.21	46.93	— 2.28
	26	3	1	43.5	"	23	24	0.57	0.71	+ 0.14	"	94	36	63.29	59.83	— 3.46
	29	3	2	19.3	"	23	36	26.01	26.17	+ 0.16	"	93	4	12.19	7.81	— 4.38
	30	3	2	29.3	"	23	40	32.47	32.69	+ 0.22	"	92	33	5.51	2.54	— 2.97
Feb.	1	3	2	46.4	"	23	48	42.72	42.81	+ 0.09	"	91	30	48.20	44.81	— 3.39
	2	3	2	52.9	"	23	52	46.15	46.47	+ 0.32	"	90	59	33.49	33.77	+ 0.28
	7	3	3	16.	—	—	—	—	—	—	"	88	23	45.42	43.47	— 1.95
	12	3	3	16.8	"	0	32	35.59	35.87	+ 0.28	"	85	49	10.32	6.96	— 3.36
	14	3	3	12.4	"	0	40	24.25	24.29	+ 0.04	"	84	47	59.86	55.74	— 4.12
	16	3	3	4.5	"	0	48	8.96	9.78	+ 0.82	C	83	47	16.80	15.10	— 1.70
	19	3	2	47.8	"	0	59	41.99	42.61	+ 0.62	S L	82	17	24.19	22.12	— 2.07
	21	3	2	33.0	"	1	7	20.57	20.86	+ 0.29	"	81	18	25.37	19.88	— 5.49
Mar.	13	2	56	39.4	"	2	20	17.02	17.90	+ 0.88	"	72	26	15.90	16.75	+ 0.85
April	14	2	12	21.9	"	3	42	1.88	4.01	+ 2.13	"	64	19	26.50	25.56	— 0.94
	16	2	6	22.0	"	3	43	55.11	56.41	+ 1.30	"	64	10	26.81	20.98	— 5.83
	17	2	3	8.7	"	3	44	37.47	39.65	+ 2.18	"	64	7	10.53	6.36	— 4.17
	25	1	31	47.7	"	3	44	44.14	46.73	+ 2.59	"	64	13	65.55	59.58	— 5.97
	26	1	27	9.3	"	3	44	1.63	3.46	+ 1.83	"	64	19	30.16	26.22	— 3.94
	28	1	17	21.6	"	3	42	4.46	7.59	+ 3.13	"	64	33	48.09	41.11	— 6.98
	30	1	6	56.7	"	3	39	31.45	33.89	+ 2.44	"	64	52	38.66	32.40	— 6.26
May	1	1	1	30.4	"	3	38	1.19	3.65	+ 2.46	"	65	3	48.07	43.78	— 4.29
	2	0	55	56.0	"	3	36	22.46	25.08	+ 2.62	"	65	16	9.16	5.93	— 3.23
	3	0	50	14.0	"	3	34	36.03	38.62	+ 2.59	"	65	20	43.81	38.38	— 4.93
	5	0	38	28.7	"	3	30	41.79	44.66	+ 2.87	"	60	0	15.50	9.83	— 5.67
	7	0	26	20.9	"	3	26	25.27	27.70	+ 2.43	"	60	35	7.40	2.56	— 4.84
	8	0	20	10.2	"	3	24	10.32	12.65	+ 2.33	"	66	53	68.80	59.13	— 9.67
	21	22	55	21.6	2 L	2	54	15.10	17.33	+ 2.23	N L	72	6	29.87	19.36	— 10.51
	24	22	39	32.0	"	2	50	12.98	15.27	+ 2.29	"	73	7	18.51	9.57	— 8.94
June	6	21	46	15.3	"	2	48	3.03	4.38	+ 1.35	C	75	48	53.93	48.48	— 5.45
	11	21	31	57.8	"	2	53	26.21	27.11	+ 0.90	"	76	4	43.90	38.29	— 5.61
	12	21	29	27.6	"	2	54	52.08	53.02	+ 0.94	"	76	5	12.50	6.47	— 6.03
	24	21	6	59.7	"	3	19	39.13	39.75	+ 0.62	"	75	16	61.35	59.10	— 2.25
	25	21	5	39.4	"	3	22	15.45	16.07	+ 0.62	"	75	9	35.30	32.93	— 2.37
	26	21	4	23.6	"	3	24	56.00	56.63	+ 0.63	"	75	1	47.13	44.20	— 2.93
July	9	20	53	37.7	"	4	5	23.72	24.16	+ 0.44	"	72	58	39.20	36.14	— 3.06
	12	20	52	26.3	"	4	16	1.71	2.11	+ 0.40	"	72	27	58.33	54.35	— 3.98
	16	20	51	29.3	"	4	30	50.66	50.96	+ 0.30	"	71	47	48.19	44.75	— 3.44
	19	20	51	12.9	"	4	42	23.74	24.03	+ 0.29	"	71	18	57.31	53.52	— 3.79
Aug.	8	20	57	6.7	"	6	7	10.31	10.72	+ 0.41	"	69	8	16.74	13.99	— 2.75
	9	20	57	41.9	"	6	11	42.11	42.31	+ 0.20	"	69	5	42.05	38.93	— 3.12
	12	20	59	34.4	"	6	25	24.12	24.48	+ 0.36	"	69	0	44.78	40.83	— 3.95
	13	21	0	13.6	"	6	30	0.48	0.81	+ 0.33	"	68	59	61.99	58.55	— 3.44
	17	21	3	2.0	"	6	48	35.54	35.97	+ 0.43	"	69	2	10.17	6.79	— 3.38
	20	21	5	17.0	"	7	2	40.53	40.99	+ 0.46	"	69	9	7.84	5.06	— 2.78
	21	21	6	3.8	"	7	7	23.85	23.99	+ 0.14	"	69	12	30.26	27.30	— 2.96
	26	21	10	3.0	"	7	31	6.77	6.85	+ 0.08	"	69	37	20.37	18.48	— 1.89

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1849. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Sept. 4	21	17	31.6	2 L	8 14 5.86	5.88	+ 0.02	C	70 56 3.27	1.95	— 1.32
12	21	24	9.5	"	8 52 17.03	17.12	+ 0.09	"	72 42 3.07	4.14	+ 1.07
19	21	29	42.0	"	9 25 26.32	26.76	+ 0.44	"	74 40 54.66	54.46	— 0.20
20	21	30	27.6	"	9 30 8.93	9.31	+ 0.38	"	74 59 43.70	43.87	+ 0.17
25	21	34	10.4	"	9 53 34.79	34.97	+ 0.18	"	76 40 15.79	15.92	+ 0.13
26	21	34	53.8	"	9 58 14.52	14.67	+ 0.15	"	77 1 33.90	35.72	+ 1.82
27	21	35	36.3	"	10 2 53.74	53.89	+ 0.15	"	77 23 18.16	18.72	+ 0.56
Oct. 12	21	45	23.1	"	11 11 51.15	51.09	— 0.06	"	83 28 47.93	53.81	+ 5.88
14	21	46	36.4	"	11 20 57.28	56.99	— 0.29	"	84 22 14.14	13.14	— 1.00
16	21	47	48.2	"	11 30 2.50	2.01	— 0.49	S L	85 16 19.55	20.18	+ 0.63
17	21	48	23.5	"	11 34 34.45	34.29	— 0.16	"	85 43 39.52	39.91	+ 0.39
18	21	48	58.7	"	11 39 6.70	6.34	— 0.36	"	86 11 8.85	9.46	+ 0.61
19	21	49	34.2	"	11 43 38.73	38.35	— 0.38	"	86 38 47.41	48.20	+ 0.79
21	21	50	44.9	"	11 52 42.42	42.08	— 0.34	"	87 34 29.33	30.21	+ 0.88
31	21	56	40.7	"	12 38 4.90	4.41	— 0.49	"	92 18 8.41	7.38	— 1.03
Nov. 1	21	57	17.5	"	12 42 38.41	37.84	— 0.57	"	92 46 40.47	40.26	— 0.21
11	22	3	51.3	"	13 28 38.60	37.85	— 0.75	"	97 29 18.00	18.56	+ 0.56
14	22	6	1.2	"	13 42 38.86	38.01	— 0.85	"	98 51 54.91	53.31	— 1.60
23	22	13	17.6	"	14 25 25.18	24.29	— 0.89	"	102 48 31.69	31.16	— 0.53
Dec. 11	22	32	11.2	"	15 55 20.10	19.34	— 0.76	C	109 18 48.30	48.78	+ 0.48
13	22	34	40.4	"	16 5 42.81	42.48	— 0.33	"	109 52 50.63	49.69	— 0.94
14	22	35	57.3	"	16 10 56.47	55.98	— 0.49	"	110 8 58.98	60.24	+ 1.26
16	22	38	33.7	C	16 21 26.58	25.61	— 0.97	—	—	—	—
17	22	39	53.7	"	16 26 43.35	42.15	— 1.20	"	110 53 61.30	56.87	— 4.43
1850. Jan. 1	23	1	31.5	"	17 47 33.15	32.41	— 0.74	"	113 13 10.96	7.55	— 3.41
4	23	6	6.0	"	18 3 58.51	57.69	— 0.82	"	113 22 19.62	18.24	— 1.38
6	23	9	12.	—	—	—	—	—	113 24 48.15	49.16	+ 1.01
7	23	10	43.7	"	18 20 26.02	24.66	— 1.36	"	113 25 1.45	0.81	— 0.64
8	23	12	15.8	"	18 25 55.02	53.71	— 1.31	"	113 24 27.38	26.21	— 1.17
9	23	13	47.2	"	18 31 23.82	22.68	— 1.14	"	113 23 10.33	9.41	— 0.92
17	23	25	53.9	"	19 15 4.75	4.20	— 0.55	"	112 46 59.68	58.98	— 0.70
18	23	27	22.8	"	19 20 30.44	29.68	— 0.76	"	112 39 14.34	15.95	+ 1.61
25	23	37	22.2	"	19 58 7.02	6.51	— 0.51	"	111 26 8.39	8.69	+ 0.30
27	23	40	4.9	"	20 8 43.49	43.08	— 0.41	"	110 59 18.07	20.05	+ 1.98
28	23	41	24.8	"	20 13 60.24	59.81	— 0.43	"	110 44 57.59	59.09	+ 1.50
29	23	42	44.0	"	20 19 16.06	15.49	— 0.57	"	110 29 58.39	61.08	+ 2.69
Feb. 1	23	46	33.6	"	20 34 56.14	55.65	— 0.49	"	109 41 29.82	31.48	+ 1.66
5	23	51	25.1	"	20 55 34.04	33.46	— 0.58	"	108 28 49.21	49.07	— 0.14
6	23	52	34.4	"	21 0 40.40	39.89	— 0.51	"	108 9 18.23	18.07	— 0.16
14	0	0	7.7	"	21 35 50.80	50.65	— 0.15	"	105 38 45.70	44.94	— 0.76
15	0	1	7.7	"	21 40 47.72	47.33	— 0.39	"	105 15 25.00	24.62	— 0.38
16	0	2	6.6	"	21 45 43.29	42.80	— 0.49	"	104 51 39.40	39.13	— 0.27
18	0	4	0.1	"	21 55 30.36	30.24	— 0.12	—	—	—	—
20	0	5	50.0	"	22 5 13.56	13.12	— 0.44	"	103 12 40.21	40.30	+ 0.09
21	0	6	43.0	"	22 10 3.13	2.84	— 0.29	"	102 46 61.22	58.06	— 3.16
22	0	7	34.8	"	22 14 51.88	51.52	— 0.36	"	102 20 60.94	59.61	— 1.33
23	0	8	26.2	"	22 19 39.62	39.14	— 0.48	"	101 54 41.11	39.18	— 1.98
Mar. 21	0	26	10.5	"	0 19 57.65	57.11	— 0.54	"	89 14 51.16	50.32	— 0.84
22	0	26	46.2	"	0 24 29.44	29.51	+ 0.07	"	88 44 16.93	18.07	+ 1.14
23	0	27	22.2	"	0 29 2.24	1.91	— 0.33	"	88 13 47.78	46.92	— 0.86

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (*Continued.*)

Mean Solar Time of Observation.				Point observed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850. d	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Mar. 26	0	29	9.4	C	0 42 39.67	39.49	— 0.18	C	86 42 26.73	27.03	+ 0.30
27	0	29	45.6	"	0 47 12.52	12.29	— 0.23	"	86 12 7.94	7.38	— 0.56
April 4	0	34	45.9	"	1 23 45.86	45.97	+ 0.11	"	82 13 21.07	19.13	— 1.94
5	0	35	25.2	1 L	1 28 22.13	22.21	+ 0.08	"	81 44 8.58	7.64	— 0.94
10	0	38	52.8	"	1 51 32.79	32.95	+ 0.16	"	79 21 14.46	12.94	— 1.52
13	0	41	5.8	"	2 5 36.03	36.26	+ 0.23	"	77 58 22.58	21.35	— 1.23
16	0	43	26.8	"	2 19 47.00	47.15	+ 0.15	"	76 38 6.87	4.95	— 1.92
17	0	44	15.2	"	2 24 32.08	32.60	+ 0.52	"	76 11 58.63	57.62	— 1.01
19	0	45	55.8	"	2 34 6.38	6.37	— 0.01	"	75 20 45.46	44.34	— 1.12
23	0	49	28.4	C	2 53 25.45	25.97	+ 0.52	"	73 42 46.21	45.15	— 1.06
25	0	51	20.8	1 L	3 3 11.54	12.08	+ 0.54	"	72 56 10.52	11.29	+ 0.77
26	0	52	18.9	"	3 8 5.71	6.76	+ 1.05	"	72 33 33.86	33.37	— 0.49
30	0	56	22.1	"	3 27 55.81	56.62	+ 0.81	"	71 7 39.31	38.70	— 0.61
May 1	0	57	25.6	C	3 32 56.52	56.89	+ 0.37	"	70 47 22.98	22.85	— 0.13
2	0	58	30.4	"	3 37 57.99	58.28	+ 0.29	"	70 27 37.32	37.50	+ 0.18
3	0	59	35.9	1 L	3 43 0.59	0.94	+ 0.35	"	—	—	—
7	1	4	10.1	"	4 3 21.36	21.85	+ 0.49	"	68 56 53.18	52.86	— 0.32
8	1	5	21.1	"	4 8 20.45	29.81	+ 0.36	"	68 40 25.40	25.02	— 0.38
9	1	6	33.4	"	4 13 38.47	38.81	+ 0.34	"	68 24 30.34	32.27	+ 1.93
10	1	7	46.8	"	4 18 48.33	48.82	+ 0.49	"	68 9 14.92	15.31	+ 0.39
11	1	9	1.0	"	4 23 59.56	59.83	+ 0.27	"	67 54 33.70	34.64	+ 0.94
13	1	11	32.1	"	4 34 24.38	24.64	+ 0.26	"	67 27 4.08	4.89	+ 0.81
14	1	12	49.2	"	4 39 38.03	38.40	+ 0.37	"	67 14 16.17	16.88	+ 0.71
17	1	16	45.3	"	4 55 24.51	24.59	+ 0.08	"	66 39 44.18	46.40	+ 2.22
18	1	18	5.3	"	5 0 40.97	41.46	+ 0.49	"	66 29 34.34	35.74	+ 1.40
20	1	20	47.3	"	5 11 16.57	17.17	+ 0.60	"	66 11 16.30	16.23	+ 0.07
21	1	22	9.2	"	5 16 35.26	35.88	+ 0.62	"	66 3 6.37	8.16	+ 1.79
27	1	30	30.1	C	5 48 36.10	37.09	+ 0.99	"	65 29 0.36	2.99	+ 2.63
28	1	31	54.6	"	5 53 57.87	58.23	+ 0.36	"	65 25 49.86	51.64	+ 1.78
29	1	33	19.0	"	5 59 19.12	19.51	+ 0.39	"	65 23 20.46	23.45	+ 2.99
June 3	1	40	21.1	"	6 26 5.06	5.49	+ 0.43	"	65 21 48.83	53.19	+ 4.36
5	1	43	8.6	"	6 36 45.98	46.55	+ 0.57	"	65 26 16.38	18.95	+ 2.57
12	1	52	39.5	1 L	7 13 54.84	55.18	+ 0.34	"	66 4 17.83	19.12	+ 1.29
13	1	53	58.4	"	7 19 10.43	10.83	+ 0.40	"	66 12 30.80	32.65	+ 1.85
19	2	1	31.7	"	7 50 24.57	24.93	+ 0.36	"	67 15 57.84	60.28	+ 2.44
Aug. 13	2	36	36.8	"	12 2 25.86	25.68	— 0.18	—	—	—	—
21	2	38	3.6	"	12 35 24.92	24.33	— 0.59	N L	93 55 40.60	38.90	— 1.70
23	2	38	21.7	"	12 43 37.18	36.52	— 0.66	S L	94 56 52.59	49.94	— 2.65
24	2	38	31.4	"	12 47 42.73	42.40	— 0.33	N L	95 27 20.13	18.09	— 2.04
27	2	38	59.1	"	12 59 60.44	59.63	— 0.81	"	96 58 5.78	4.79	— 0.99
Sept. 10	2	41	16.7	"	13 57 30.15	29.81	— 0.34	"	103 42 5.96	2.93	— 3.03
27	2	44	53.3	"	15 8 9.25	8.47	— 0.78	"	110 38 7.42	5.55	— 1.87
Oct. 1	2	45	47.5	"	15 24 49.38	48.82	— 0.56	"	111 59 19.76	16.17	— 3.59
2	2	46	0.6	"	15 28 59.44	58.51	— 0.93	"	112 18 30.61	24.77	— 5.84
3	2	46	13.2	"	15 33 8.78	7.93	— 0.85	"	112 37 7.94	4.90	— 3.04
5	2	46	37.8	"	15 41 26.35	25.75	— 0.60	"	113 12 62.97	58.08	— 4.89
7	2	47	0.6	"	15 49 42.38	41.67	— 0.71	"	113 46 54.93	52.22	— 2.71
9	2	47	20.9	"	15 57 55.74	55.05	— 0.69	"	114 18 52.51	44.31	— 8.20
11	2	47	38.1	"	16 6 6.08	5.13	— 0.95	"	114 48 35.23	31.61	— 3.62
12	2	47	44.8	"	16 10 9.85	8.65	— 0.70	"	115 2 40.93	37.76	— 3.17
14	2	47	55.3	"	16 18 13.09	12.15	— 0.94	"	115 29 16.98	13.69	— 3.29
17	2	48	0.0	"	16 30 7.69	6.69	— 1.00	"	116 5 4.29	3.39	— 0.90

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850. d.	h.	m.	s.		h m. s.	s.	s.		° ' "	"	"
Oct. 19	2	47	54.8	1 L	16 37 55.41	54.38	— 1.03	N L	116 26 13.99	11.59	— 2.40
21	2	47	40.8	"	16 45 34.72	33.79	— 0.93	"	116 45 10.21	7.14	— 3.07
22	2	47	30.3	"	16 49 20.70	20.05	— 0.65	"	116 53 48.21	45.10	— 3.11
23	2	47	17.6	"	16 53 4.72	3.79	— 0.93	"	117 1 53.61	49.87	— 3.74
29	2	44	59.5	"	17 14 25.21	24.08	— 1.13	"	117 38 49.90	46.94	— 2.96
30	2	44	24.4	"	17 17 46.65	45.42	— 1.23	"	117 43 4.66	2.61	— 2.05
31	2	43	44.9	"	17 21 3.72	2.80	— 0.92	"	117 46 49.62	46.30	— 3.32
Nov. 2	2	42	14.3	"	17 27 26.01	24.76	— 1.25	"	117 52 41.60	39.00	— 2.60
4	2	40	25.0	"	17 33 29.75	28.18	— 1.57	"	117 56 27.49	27.28	— 0.21
5	2	39	22.8	"	17 36 23.90	22.30	— 1.60	"	117 57 38.79	35.52	— 3.27
13	2	27	28.4	"	17 55 59.88	58.50	— 1.38	"	117 48 60.86	59.73	— 1.13
14	2	25	28.1	"	17 57 55.99	54.08	— 1.91	"	117 45 47.99	46.59	— 1.40
15	2	23	19.5	"	17 59 43.62	41.68	— 1.94	"	117 42 9.08	5.88	— 3.20
20	2	10	27.1	"	18 6 32.05	29.89	— 2.16	S L	117 16 62.69	50.13	— 12.56
21	2	7	24.8	"	18 7 25.72	23.62	— 2.10	"	117 10 34.80	23.82	— 10.98
23	2	0	50.2	"	18 8 43.26	41.19	— 2.07	N L	116 56 13.84	11.18	— 2.66
28	1	41	22.0	"	18 8 54.80	52.25	— 2.55	"	116 12 25.81	25.49	— 0.32
Dec. 4	1	12	8.3	"	18 3 15.60	12.53	— 3.07	"	115 3 50.24	49.47	— 0.77
5	1	6	40.0	"	18 1 43.13	40.12	— 3.01	"	114 50 38.06	39.30	+ 1.24
6	1	1	2.3	"	17 59 61.57	58.37	— 3.20	"	114 36 60.23	59.99	— 0.24
8	0	49	22.2	"	17 56 12.17	8.98	— 3.19	"	—	—	—
9	0	43	20.0	"	17 54 6.09	2.61	— 3.48	"	113 53 19.49	16.62	— 2.87
10	0	37	11.2	"	17 51 52.37	49.44	— 2.93	"	113 37 51.10	51.55	+ 0.45
12	0	24	36.8	"	17 47 8.87	6.46	— 2.41	"	113 5 57.55	58.56	+ 1.01
13	0	18	13.1	"	17 44 40.68	37.73	— 2.95	"	112 49 34.43	35.72	+ 1.29
14	0	11	46.4	"	17 42 9.32	6.58	— 2.74	"	112 32 61.64	59.88	— 1.76
17	23	45	52.7	2 L	17 31 54.27	51.65	— 2.62	"	—	—	—
20	23	26	46.7	"	17 24 34.04	31.10	— 2.94	S L	110 36 31.61	26.03	— 5.58
22	23	14	26.8	"	17 20 5.24	2.06	— 3.18	"	110 5 22.35	17.82	— 4.53
23	23	8	27.0	"	17 17 60.68	57.50	— 3.18	"	109 50 33.11	27.33	— 5.78
25	22	56	49.4	"	17 14 14.70	11.71	— 2.99	—	—	—	—
1851. Jan. 2	22	16	32.5	2 L	17 5 23.54	21.04	— 2.50	"	108 0 50.10	45.27	— 4.83
3	22	12	15.0	"	17 4 62.02	59.71	— 2.31	"	107 54 9.72	10.26	+ 0.54
6	22	0	22.3	"	17 4 57.51	55.52	— 1.99	—	—	—	—
7	21	56	45.0	"	17 5 15.86	13.59	— 2.27	"	107 35 44.18	40.79	— 3.39
8	21	53	16.0	"	17 5 43.15	41.11	— 2.04	"	107 32 57.66	55.43	— 2.23
9	21	49	57.2	"	17 6 19.98	17.89	— 2.09	"	107 30 53.03	50.73	— 2.30
10	21	46	46.3	"	17 7 5.73	3.73	— 2.00	"	107 29 27.44	25.44	— 2.00
13	21	38	7.6	"	17 10 15.07	13.37	— 1.70	"	107 28 46.32	45.88	— 0.44
14	21	35	31.2	"	17 11 34.92	33.23	— 1.69	"	107 29 37.22	37.69	+ 0.47
16	21	30	42.2	"	17 14 38.16	36.54	— 1.62	"	107 32 46.12	46.07	— 0.05
19	21	24	23.8	"	17 20 8.49	6.94	— 1.55	"	107 40 28.61	27.05	— 1.56
20	21	22	31.2	"	17 22 12.51	10.97	— 1.54	"	107 43 38.95	39.54	+ 0.59
22	21	19	6.2	"	17 26 39.75	38.43	— 1.32	—	—	—	—
23	21	17	32.5	"	17 29 2.69	1.42	— 1.27	"	107 54 44.87	43.84	— 1.03
24	21	16	5.3	"	17 31 31.64	30.30	— 1.34	"	107 58 48.17	47.35	— 0.82
26	21	13	27.3	"	17 36 46.17	44.92	— 1.25	"	108 7 16.56	15.67	— 0.89
27	21	12	16.2	"	17 39 31.56	30.22	— 1.34	"	108 11 34.71	36.69	+ 1.98
28	21	11	10.3	"	17 42 21.90	20.52	— 1.38	"	108 15 58.73	59.75	+ 1.02
29	21	10	8.6	"	17 45 16.85	15.87	— 0.98	"	108 20 22.33	23.21	+ 0.88
31	21	8	20.1	"	17 51 21.22	20.34	— 0.88	—	—	—	—
Feb. 2	21	6	49.3	"	17 57 43.13	42.26	— 0.87	"	108 37 27.48	28.48	+ 1.00
3	21	6	9.3	"	18 0 59.92	59.34	— 0.58	"	108 41 29.97	29.93	— 0.04

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (*Continued.*)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1851.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Feb.	4	21	5	34.3	2 L	18	4	21.46	20.29	— 1.17	S L	108	45	24.03	22.59	— 1.44
	6	21	4	34.2	"	18	11	14.31	13.31	— 1.00	"	108	52	34.73	36.03	+ 1.30
	7	21	4	9.4	"	18	14	45.98	45.08	— 0.90	"	108	55	53.08	54.26	+ 1.18
	9	21	3	30.2	"	18	21	59.61	58.49	— 1.12	"	109	1	49.76	47.88	— 1.88
	10	21	3	14.8	"	18	25	40.77	39.90	— 0.87	"	109	4	19.64	21.08	+ 1.44
	11	21	3	2.2	"	18	29	25.14	24.29	— 0.85	"	109	6	36.47	37.05	+ 0.58
	13	21	2	46.6	"	18	37	2.37	1.56	— 0.81	"	109	10	11.09	12.46	+ 1.37
	14	21	2	42.5	"	18	40	54.94	54.24	— 0.70	"	109	11	31.43	32.11	+ 0.68
	17	21	2	45.7	"	18	52	47.86	47.06	— 0.80	"	109	13	15.94	19.05	+ 3.11
	18	21	2	51.0	"	18	56	49.93	49.25	— 0.68	"	109	13	7.27	9.16	+ 1.89
	19	21	2	59.1	"	19	0	54.33	53.55	— 0.78	"	109	12	33.22	35.30	+ 2.08
	20	21	3	9.2	"	19	4	61.00	59.90	— 1.10	"	109	11	36.34	36.78	+ 0.44
	21	21	3	20.7	"	19	9	9.27	8.13	— 1.14	"	109	10	8.48	12.95	+ 4.52
	24	21	4	6.0	"	19	21	44.45	43.39	— 1.06	"	109	3	23.64	24.23	+ 0.59
	25	21	4	24.3	"	19	25	59.22	58.33	— 0.89	"	109	0	10.98	14.04	+ 3.06
	26	21	4	43.9	"	19	30	15.47	14.79	— 0.68	"	108	56	35.63	36.24	+ 0.61
	27	21	5	4.9	"	19	34	33.08	32.38	— 0.70	—	—	—	—	—	—
	28	21	5	27.2	"	19	38	52.07	51.34	— 0.73	—	—	—	—	—	—
Mar.	3	21	6	40.8	"	19	51	55.61	54.80	— 0.81	"	108	31	17.95	20.92	+ 2.97
	4	21	7	8.1	"	19	56	18.85	17.88	— 0.97	"	108	24	47.77	51.03	+ 3.26
	6	21	8	2.9	"	20	5	7.24	6.53	— 0.71	"	108	10	20.23	23.12	+ 2.89
	12	21	11	3.7	"	20	31	47.91	47.16	— 0.75	"	107	15	7.42	11.24	+ 3.82
	13	21	11	35.6	"	20	36	16.29	15.48	— 0.81	"	107	4	14.70	16.13	+ 1.43
	14	21	12	7.3	"	20	40	44.89	44.09	— 0.80	"	106	52	51.66	52.33	+ 0.67
	16	21	13	12.2	"	20	49	42.80	42.05	— 0.75	—	—	—	—	—	—
	17	21	13	44.5	"	20	54	11.78	11.34	— 0.44	"	106	15	42.68	47.01	+ 4.33
	18	21	14	17.5	"	20	58	41.37	40.66	— 0.71	"	106	2	27.02	28.10	+ 1.08
	20	21	15	22.9	"	21	7	40.26	39.62	— 0.64	"	105	34	20.57	26.21	+ 5.64
	21	21	15	56.2	"	21	12	9.97	9.14	— 0.83	"	105	10	39.18	43.63	+ 4.45
	23	21	17	1.3	"	21	21	8.81	8.02	— 0.79	"	104	48	51.49	57.62	+ 6.13
	28	21	19	43.3	"	21	43	33.47	32.94	— 0.53	"	103	24	18.44	25.75	+ 7.31
	31	21	21	17.4	"	21	56	57.77	57.22	— 0.55	"	102	28	41.19	47.68	+ 6.39
April	1	21	21	49.0	"	22	1	25.44	24.73	— 0.71	"	102	9	25.39	27.92	+ 2.53
	2	21	22	18.6	"	22	5	52.48	51.96	— 0.52	"	101	49	42.93	46.33	+ 3.40
	3	21	22	48.7	"	22	10	18.99	18.84	— 0.15	—	—	—	—	—	—
	4	21	23	19.2	"	22	14	46.33	45.40	— 0.93	"	101	9	17.59	18.24	+ 0.65
	6	21	24	18.1	"	22	23	37.97	37.52	— 0.45	"	100	27	26.88	27.09	+ 0.21
	7	21	24	46.3	"	22	28	3.39	3.07	— 0.32	"	100	6	1.85	1.81	— 0.04
	8	21	25	15.0	"	22	32	28.70	28.27	— 0.43	"	99	44	14.72	17.55	+ 2.83
	9	21	25	43.5	"	22	36	53.85	53.13	— 0.72	"	99	22	11.90	14.66	+ 2.76
	10	21	26	11.5	"	22	41	18.14	17.70	— 0.44	"	98	59	50.26	53.80	+ 3.54
	11	21	26	39.1	"	22	45	42.60	41.92	— 0.68	"	98	37	15.25	15.65	+ 0.40
	14	21	27	59.8	"	22	58	53.45	52.88	— 0.57	"	97	27	42.48	42.09	— 0.39
	16	21	28	52.6	"	23	7	39.24	38.83	— 0.41	"	96	40	2.32	3.14	+ 0.82
	21	21	31	0.3	"	23	29	30.21	29.85	— 0.36	"	94	37	1.69	2.46	+ 0.77
	25	21	32	40.0	"	23	46	56.41	55.91	— 0.50	"	92	55	18.81	18.63	— 0.18
	27	21	33	29.5	"	23	55	38.84	38.38	— 0.46	"	92	3	33.85	34.27	+ 0.42
May	8	21	38	4.2	"	0	43	35.85	35.53	— 0.32	—	—	—	—	—	—
	9	21	38	29.7	"	0	47	58.16	58.11	— 0.05	"	86	46	19.78	22.15	+ 2.37
	13	21	40	17.2	"	1	5	32.07	31.90	— 0.17	"	85	0	5.87	8.46	+ 2.59
	14	21	40	44.4	"	1	9	56.40	56.39	— 0.01	"	84	33	40.89	41.79	+ 0.90
	21	21	44	14.5	"	1	41	2.68	2.84	+ 0.16	"	81	31	6.53	5.04	— 1.49
	22	21	44	47.5	"	1	45	32.14	32.00	— 0.14	—	—	—	—	—	—
	25	21	46	28.7	"	1	59	3.79	3.39	— 0.40	"	79	49	40.28	40.28	0.00
	27	21	47	41.0	"	2	8	8.97	9.42	+ 0.45	"	79	0	3.19	3.17	— 0.02

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1851. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
June 6	21	54	33.5	C	2 54 29.18	29.49	+ 0.31	N L	75 6 45.61	51.00	+ 5.39
13	22	0	24.0	"	3 27 56.43	56.59	+ 0.16	"	72 42 41.02	40.45	- 0.57
15	22	2	14.0	"	3 37 39.77	40.12	+ 0.35	"			
16	22	3	11.6	"	3 42 33.06	33.61	+ 0.55	"	71 46 53.20	48.45	- 4.75
17	22	4	9.3	"	3 47 27.82	28.45	+ 0.63	"	71 29 8.85	6.30	- 2.55
20	22	7	9.6	"	4 2 18.57	18.82	+ 0.25	"	70 38 41.52	41.06	- 0.46
23	22	10	19.6	"	4 17 18.96	19.47	+ 0.51	"	69 52 40.91	40.14	- 0.77
24	22	11	26.0	"	4 22 21.40	21.76	+ 0.36	"	69 38 22.33	21.56	- 0.77
25	22	12	36.	—	—	—	—	"	69 24 37.07	34.83	- 2.24
July 1	22	19	30.	—	—	—	—	C	68 13 34.31	35.93	+ 1.62
10	22	30	58.5	2 L	5 45 2.57	3.05	+ 0.48	"	67 7 44.02	42.35	- 1.67
25	22	51	9.3	C	7 4 25.03	25.09	+ 0.06	"	67 15 46.13	43.87	- 2.26
Aug. 10	23	11	26.4	"	8 27 50.74	50.88	+ 0.14	"	70 7 25.38	26.09	+ 0.71
13	23	14	52.2	"	8 43 6.90	7.20	+ 0.30	"	70 56 53.67	52.73	- 0.94
15	23	17	4.6	"	8 53 12.68	13.31	+ 0.63	"	71 32 32.31	35.20	+ 2.89
31	23	32	24.3	"	10 11 39.51	39.72	+ 0.21	"	77 26 55.67	55.43	- 0.24
Sept. 1	23	33	13.6	"	10 16 25.62	25.59	- 0.03	"	77 52 30.54	30.64	+ 0.10
2	23	34	2.2	"	10 21 10.89	10.77	- 0.12	"	78 18 25.40	26.87	+ 1.47
3	23	34	49.6	"	10 25 55.14	55.01	- 0.13	"	78 44 41.11	42.00	+ 0.89
5	23	36	22.1	"	10 35 20.99	21.03	+ 0.04	"	79 38 8.54	7.83	- 0.71
7	23	37	52.5	"	10 44 43.99	43.96	- 0.03	"	80 32 41.71	42.35	+ 0.64
9	23	39	18.2	"	10 54 4.10	4.04	- 0.06	"	81 28 23.90	19.93	- 3.97
11	23	40	42.1	"	11 3 21.10	21.53	+ 0.43	"	82 24 53.67	56.09	+ 2.42
12	23	41	24.7	"	11 7 59.66	59.42	- 0.24	"	82 53 32.78	32.19	- 0.59
Oct. 16	0	2	54.3	"	13 39 40.03	39.13	- 0.90	"	99 18 34.97	33.21	- 1.76
17	0	3	39.0	1 L	13 44 21.68	20.82	- 0.86	"	99 47 8.42	14.30	+ 5.88
20	0	5	59.4	C	13 58 31.90	30.96	- 0.94	"	101 11 34.43	34.42	- 0.01
23	0	8	27.9	"	14 12 50.44	49.42	- 1.02	"	102 33 37.67	38.57	+ 0.90
25	0	10	11.6	"	14 22 27.58	26.73	- 0.85	"	103 26 52.80	52.05	- 0.75
30	0	14	50.5	"	14 46 50.00	49.06	- 0.94	"	105 33 56.93	56.43	- 0.50
31	0	15	49.7	"	14 51 45.51	44.96	- 0.55	"	105 58 14.11	13.11	- 1.00
Nov. 8	0	24	27.1	"	15 31 56.40	55.70	- 0.70	"	108 56 31.98	32.47	+ 0.49
17	0	35	42.5	"	16 18 42.57	41.89	- 0.68	"			
20	0	39	48.5	"	16 34 38.90	38.25	- 0.65	"	112 20 18.90	18.15	- 0.75
21	0	41	11.6	1 L	16 39 59.12	59.13	+ 0.01	"	112 33 16.70	17.51	+ 0.81
22	0	42	37.2	"	16 45 21.34	20.98	- 0.36	"	112 45 38.01	37.00	- 1.01
23	0	44	2.4	"	16 50 43.94	43.79	- 0.15	—			
24	0	45	30.3	"	16 56 8.01	7.50	- 0.51	"	113 8 15.41	14.31	- 1.10
25	0	46	58.2	"	17 1 32.92	32.07	- 0.85	"	113 18 32.31	31.01	- 1.30
26	0	48	26.7	"	17 6 58.22	57.42	- 0.80	"	113 28 3.66	10.24	+ 6.58
27	0	49	55.9	"	17 12 24.31	23.59	- 0.72	"	113 36 58.27	58.29	+ 0.02
28	0	51	25.5	"	17 17 50.61	50.32	- 0.29	"	113 45 6.29	7.75	+ 1.46
29	0	52	56.1	"	17 23 18.18	17.75	- 0.43	"	113 52 36.33	34.10	- 2.23
Dec. 1	0	55	58.7	"	17 34 15.04	14.24	- 0.80	"	114 5 13.72	15.82	+ 2.10
2	0	57	30.6	"	17 39 43.65	43.18	- 0.47	"	114 10 28.95	30.31	+ 1.36
3	0	59	3.3	"	17 45 13.25	12.52	- 0.73	"	114 14 58.27	60.40	+ 2.13
4	1	0	36.6	"	17 50 42.94	42.21	- 0.73	"	114 18 44.77	45.78	+ 1.01
5	1	2	9.3	"	17 56 12.73	12.14	- 0.59	"	114 21 44.93	46.26	+ 1.33
8	1	6	49.4	"	18 12 43.55	42.83	- 0.72	"	114 26 16.15	16.61	+ 0.46
9	1	8	23.5	C	18 18 13.64	13.12	- 0.52	"	114 26 15.53	13.09	- 2.44
10	1	9	56.5	1 L	18 23 44.07	43.38	- 0.69	"	114 25 28.45	30.14	+ 1.69

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (*Continued.*)

Mean Solar Time of Observation.					Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1851.	d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Dec.	11	1	11	30.0	C	18 29 14.00	13.49	— 0.51	C	114 23 58.89	58.89	0.00
	17	1	20	43.0	1 L	19 2 8.41	7.74	— 0.67	"	113 59 5.49	4.25	— 1.24
	20	1	25	12.9	C	19 18 28.28	27.87	— 0.41	"	113 36 37.28	36.91	— 0.37
	24	1	31	1.4	1 L	19 40 4.37	3.80	— 0.57	S L	112 56 37.57	36.31	— 1.26
	26	1	33	50.5	"	19 50 46.63	46.13	— 0.50	—	—	—	—
1852.												
Jan.	6	1	47	54.5	1 L	20 48 15.17	14.75	— 0.42	S L	109 33 16.86	15.08	— 1.78
	8	1	50	11.1	"	20 58 24.89	24.75	— 0.14	"	108 52 59.94	59.82	— 0.12
	10	1	52	22.2	"	21 8 29.65	29.26	— 0.39	"	108 10 38.32	36.83	— 1.49
	15	1	57	25.9	"	21 33 16.74	16.58	— 0.16	"	106 16 1.85	1.18	— 0.67
	16	1	58	32.5	"	21 38 9.91	10.01	+ 0.10	"	105 51 45.82	43.08	— 2.74
	17	1	59	18.0	"	21 43 2.80	2.10	— 0.20	"	105 26 60.54	59.79	— 0.75
	21	2	2	46.3	"	22 2 17.52	17.48	— 0.04	"	103 44 4.09	3.98	— 0.11
	22	2	3	35.1	"	22 7 3.12	3.16	+ 0.04	C	103 17 25.38	23.69	— 1.69
	23	2	4	23.2	"	22 11 47.84	47.63	— 0.21	S L	102 50 25.53	22.49	— 3.04
	24	2	5	9.6	"	22 16 31.00	30.91	— 0.09	C	102 23 2.39	1.18	— 1.21
	26	2	6	39.5	"	22 25 54.16	53.93	— 0.23	"	101 27 22.46	21.45	— 1.01
	27	2	7	22.4	"	22 30 33.59	33.73	+ 0.14	S L	100 59 7.20	4.52	— 2.68
	28	2	8	5.0	"	22 35 12.83	12.45	— 0.38	C	100 30 32.51	30.47	— 2.04
	29	2	8	45.7	"	22 39 50.08	50.09	+ 0.01	S L	100 1 44.82	40.70	— 4.12
	30	2	9	25.5	"	22 44 26.82	26.71	— 0.11	"	99 32 38.40	35.42	— 2.98
Feb.	2	2	11	19.0	"	22 58 10.90	10.62	— 0.28	"	98 3 57.86	55.45	— 2.41
	3	2	11	54.8	"	23 2 43.43	43.39	— 0.04	"	97 33 59.06	56.58	— 2.48
	4	2	12	30.1	"	23 7 15.46	15.30	— 0.16	"	97 3 48.14	46.74	— 1.40
	5	2	13	4.5	"	23 11 46.44	46.39	— 0.05	—	—	—	—
	6	2	13	38.1	"	23 16 16.85	16.64	— 0.21	"	96 2 55.79	55.28	— 0.51
	9	2	15	14.8	"	23 29 43.27	43.02	— 0.25	"	94 30 35.04	32.75	— 2.29
	11	2	16	15.9	"	23 38 37.79	37.50	— 0.29	"	93 28 23.35	20.96	— 2.39
	13	2	17	14.7	"	23 47 29.87	30.01	+ 0.14	"	92 25 47.84	45.96	— 1.88
	14	2	17	43.6	"	23 51 55.29	55.45	+ 0.16	"	91 54 24.44	22.67	— 1.77
	16	2	18	40.1	"	0 0 45.04	45.11	+ 0.07	"	90 51 29.56	27.23	— 2.33
	17	2	19	7.8	"	0 5 9.33	9.42	+ 0.09	"	90 19 58.26	56.34	— 1.92
	20	2	20	29.0	"	0 18 19.86	20.62	+ 0.76	"	88 45 24.45	20.21	— 4.24
	21	2	20	55.7	"	0 22 43.41	43.97	+ 0.56	"	88 13 51.84	49.37	— 2.48
	23	2	21	48.6	"	0 31 29.65	30.17	+ 0.52	"	87 10 56.62	54.03	— 2.59
	24	2	22	15.0	"	0 35 52.55	53.11	+ 0.56	"	86 39 33.14	31.04	— 2.10
	26	2	23	7.8	"	0 44 38.71	38.89	+ 0.18	"	85 36 61.18	58.10	— 3.08
	27	2	23	36.	—	—	—	—	"	85 5 51.04	50.21	— 0.83
	28	2	24	0.0	"	0 53 24.12	24.79	+ 0.67	"	84 34 48.73	47.17	— 1.56
Mar.	1	2	24	53.6	"	1 2 10.71	11.02	+ 0.31	"	83 33 6.18	4.12	— 2.06
	2	2	25	20.2	"	1 6 33.85	34.39	+ 0.54	"	83 2 29.60	25.01	— 4.59
	3	2	25	47.1	"	1 10 57.70	57.91	+ 0.21	"	82 31 58.37	54.94	— 3.43
	4	2	26	14.2	"	1 15 21.12	21.66	+ 0.54	"	82 1 36.91	34.88	— 2.03
	5	2	26	41.7	"	1 19 45.09	45.68	+ 0.59	"	81 31 28.31	25.21	— 3.10
	6	2	27	9.5	"	1 24 9.82	9.97	+ 0.15	"	81 1 30.15	27.08	— 3.07
	9	2	28	34.4	"	1 37 24.65	25.00	+ 0.35	"	79 32 50.57	46.55	— 4.02
	10	2	29	3.8	"	1 41 50.36	50.80	+ 0.44	"	79 3 42.83	40.23	— 2.60
	11	2	29	32.9	"	1 46 16.58	17.06	+ 0.48	"	78 34 50.61	48.62	— 1.99
	12	2	30	3.3	"	1 50 43.58	43.84	+ 0.26	"	78 6 14.84	12.44	— 2.40
	13	2	30	33.9	"	1 55 10.85	11.01	+ 0.16	"	77 37 54.14	52.49	— 1.65
	17	2	32	42.3	"	2 13 5.85	5.35	+ 0.50	"	75 47 29.00	26.94	— 2.06
	19	2	33	49.2	"	2 22 5.95	6.22	+ 0.27	"	74 54 11.53	8.59	— 2.94
	20	2	34	24.1	"	2 26 36.92	37.53	+ 0.61	"	74 28 2.84	0.48	— 2.36
	22	2	35	35.5	"	2 35 41.72	42.10	+ 0.38	"	73 36 48.73	49.36	+ 0.63

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.
1852. d.	h.	m.	s.		h. m. s.		s.		s.		° ' "		"		"
Mar.	23	2	36	11.7	1 L	2 40 14.90	15.37	+ 0.47	S L		73 11 50.21	47.96	— 2.25		
	25	2	37	27.5	"	2 49 23.67	23.88	+ 0.21	"		72 22 55.60	56.49	+ 0.89		
	26	2	38	5.7	"	2 53 58.64	59.10	+ 0.46	"		71 59 10.68	8.02	— 2.66		
	27	2	38	44.8	"	2 58 34.53	34.98	+ 0.45	"		71 35 47.83	45.02	— 2.81		
	29	2	40	5.3	"	3 7 48.28	48.62	+ 0.34	"		70 50 20.89	18.65	— 2.24		
	30	2	40	46.5	"	3 12 26.26	26.38	+ 0.12	"		70 28 16.42	16.53	+ 0.11		
	31	2	41	28.2	"	3 17 4.31	4.80	+ 0.49	"		70 6 43.70	42.51	— 1.19		
April	1	2	42	10.1	"	3 21 43.13	43.65	+ 0.52	"		69 45 40.36	37.37	— 2.99		
	2	2	42	53.1	"	3 26 22.82	23.18	+ 0.36	"		69 25 4.43	1.54	— 2.89		
	3	2	43	36.5	"	3 31 2.71	3.24	+ 0.53	"		69 4 59.24	55.59	— 3.65		
	5	2	45	5.0	"	3 40 25.27	24.96	— 0.31	"		68 26 12.66	15.69	+ 3.03		
	6	2	45	50.0	"	3 45 6.00	6.56	+ 0.56	"						
	8	2	47	20.9	"	3 54 30.48	31.09	+ 0.61	C		67 32 24.39	13.39	— 11.00		
	13	2	51	15.1	"	4 18 7.90	8.72	+ 0.82	—						
	14	2	52	0.	—			—	S L		65 59 8.80	10.10	+ 1.30		
	15	2	52	49.9	"	4 27 36.81	37.42	+ 0.61	C		65 45 40.55	41.10	+ 0.55		
	16	2	53	38.0	"	4 32 21.21	21.93	+ 0.72	"		65 32 47.17	47.61	+ 0.44		
	19	2	56	0.9	"	4 46 34.51	35.29	+ 0.78	S L		64 57 43.94	44.07	+ 0.13		
	20	2	56	48.4	"	4 51 18.68	19.49	+ 0.81	"		64 47 18.82	15.94	+ 2.12		
	21	2	57	35.6	"	4 56 2.55	3.44	+ 0.89	"		64 37 24.81	24.72	— 0.09		
	22	2	58	22.6	"	5 0 46.28	47.08	+ 0.80	"		64 28 8.40	11.68	+ 3.28		
	24	2	59	55.2	"	5 10 12.21	13.00	+ 0.79	"		64 11 34.38	35.97	+ 1.59		
	27	3	2	9.4	"	5 24 16.55	17.40	+ 0.85	"		63 51 20.46	19.80	— 0.66		
	28	3	2	52.7	"	5 28 56.58	57.30	+ 0.72	"		63 45 50.04	51.09	+ 1.05		
	29	3	3	35.1	"	5 33 35.63	36.29	+ 0.66	"		63 40 55.70	57.54	+ 1.84		
	30	3	4	16.2	"	5 38 13.19	14.25	+ 1.06	"		63 36 42.07	42.28	+ 0.21		
May	7	3	8	29.4	"	6 10 3.10	3.70	+ 0.60	C		63 24 2.72	6.17	+ 3.45		
	10	3	9	53.3	"	6 23 16.64	17.24	+ 0.60	"		63 27 32.95	38.12	+ 5.17		
	25	3	11	20.5	"	7 23 53.22	53.59	+ 0.37	N L		64 56 29.82	39.02	+ 9.20		
	26	3	11	1.2	"	7 27 30.36	30.66	+ 0.30	"		65 6 7.10	14.99	+ 7.89		
	31	3	8	23.6	"	7 44 34.57	35.50	+ 0.93	"		65 59 32.11	40.48	+ 8.37		
June	1	3	7	38.9	"	7 47 46.66	47.44	+ 0.78	"		66 11 12.89	20.02	+ 7.13		
	2	3	6	49.8	"	7 50 53.85	54.74	+ 0.89	"		66 23 10.40	16.72	+ 6.32		
	3	3	5	55.8	"	7 53 56.40	57.25	+ 0.85	"		66 35 21.88	29.61	+ 7.73		
	4	3	4	57.0	"	7 56 53.98	54.82	+ 0.84	"		66 47 52.40	57.61	+ 5.21		
	5	3	3	52.8	"	7 59 46.47	47.34	+ 0.87	"		67 0 33.64	39.63	+ 5.99		
	7	3	1	29.4	"	8 5 15.60	16.57	+ 0.97	"		67 26 35.01	41.71	+ 6.70		
	8	3	0	9.3	"	8 7 52.16	52.98	+ 0.82	"		67 39 53.19	59.39	+ 6.20		
July	7	1	27	50.0	"	8 29 38.31	39.56	+ 1.25	"		73 51 59.20	59.83	+ 0.63		
	10	1	11	7.5	"	8 24 42.39	43.80	+ 1.41	"		74 18 2.14	3.31	+ 1.17		
	12	0	59	18.5	"	8 20 44.57	45.83	+ 1.26	"		74 33 10.30	10.40	+ 0.10		
	14	0	47	1.4	"	8 16 18.44	19.89	+ 1.45	"		74 46 24.85	24.79	— 0.06		
	16	0	34	21.8	"	8 11 29.89	31.33	+ 1.44	"		74 57 44.08	44.49	+ 0.41		
Aug.	24	21	22	52.7	2 L	7 37 8.89	9.22	+ 0.33	S L		74 8 38.77	34.15	— 4.62		
	25	21	20	50.5	"	7 39 3.24	3.65	+ 0.41	"		74 6 29.96	23.87	— 6.09		
	26	21	18	56.4	"	7 41 4.60	4.62	+ 0.02	"		74 4 31.76	26.55	— 5.21		
	27	21	17	6.6	"	7 43 11.48	11.81	+ 0.33	"		74 2 51.92	46.34	— 5.58		
Sept.	6	21	3	54.2	"	8 9 22.66	22.58	— 0.08	"		74 4 11.92	4.83	— 7.09		
	19	20	56	29.1	"	8 53 11.64	11.98	+ 0.34	"		75 7 28.89	24.60	— 4.29		
	20	20	56	13.9	"	8 56 52.63	52.96	+ 0.33	"		75 15 34.49	31.08	— 3.41		
	21	20	56	0.1	"	9 0 35.87	36.04	+ 0.17	"		75 24 7.81	6.03	— 1.78		

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (*Continued.*)

Mean Solar Time of Observation.					Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.
1852.	d.	h.	m.	s.		h.	m.	s.	s.			°	'	"	"	"
Sept.	22	20	55	49.5	2 L	9	4	20.96	21.10	+ 0.14	S L	75	33	11.04	9.58	— 1.46
	23	20	55	39.5	"	9	8	7.98	8.03	+ 0.05	"	75	42	45.02	41.72	— 3.30
	24	20	55	31.5	"	9	11	56.53	56.74	+ 0.21	"	75	52	46.91	43.44	— 3.47
	29	20	55	16.7	"	9	31	24.27	24.21	— 0.06	"	76	49	57.78	53.54	— 4.24
Oct.	4	20	55	33.7	"	9	51	24.67	24.56	— 0.11	"	77	58	46.35	44.22	— 2.13
	10	20	56	26.3	"	10	15	56.63	56.74	+ 0.11	"	79	35	60.94	59.80	— 1.14
	11	20	56	37.7	"	10	20	5.02	4.69	— 0.33	"	79	53	42.05	40.49	— 1.56
	12	20	56	49.9	"	10	24	13.81	13.25	— 0.56	"	80	11	48.35	45.07	— 3.28
	14	20	57	12.	—	—	—	—	—	—	"	80	49	0.38	4.29	+ 3.91
	15	20	57	29.3	"	10	36	42.79	42.33	— 0.46	"	81	8	19.33	18.98	— 0.35
	26	21	0	27.2	"	11	23	3.70	3.20	— 0.50	"	85	2	3.00	1.67	— 1.33
	29	21	1	24.5	"	11	35	50.55	49.77	— 0.78	"	86	11	51.44	52.04	+ 0.60
Nov.	7	21	4	36.3	"	12	14	31.69	30.90	— 0.79	"	89	52	53.86	49.19	— 4.67
	8	21	4	54.	—	—	—	—	—	—	"	90	18	10.32	10.92	+ 0.60
	15	21	7	57.1	"	12	49	25.78	25.38	— 0.40	"	93	18	22.67	19.94	— 2.73
	21	21	10	53.0	"	13	16	1.27	0.47	— 0.80	"	95	54	11.36	8.11	— 3.25
	24	21	12	30.1	"	13	29	28.24	27.61	— 0.63	"	97	11	39.31	37.28	— 2.03
Dec.	5	21	19	34.6	"	14	19	56.11	55.61	— 0.50	"	101	46	54.70	53.60	— 1.10
	6	21	20	18.7	"	14	24	37.23	36.89	— 0.34	"	102	10	49.89	49.88	— 0.01
	7	21	21	5.0	"	14	29	19.84	19.22	— 0.62	"	102	34	30.59	31.65	+ 1.06
	8	21	21	51.7	"	14	34	3.67	2.32	— 1.35	N L	102	57	57.33	56.67	— 0.66
	16	21	28	45.7	"	15	12	31.54	30.58	— 0.96	"	105	54	42.51	42.26	— 0.25

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS.

1848.	d.	h.	m.	s.		h.	m.	s.	s.			°	'	"	"	"
Jan.	3	7	25	21.2	C	2	14	40.82	39.70	— 1.12	C	75	1	24.99	17.24	— 7.75
	4	7	22	41.0	"	2	15	56.62	55.48	— 1.14	"	74	53	67.11	59.72	— 7.39
	6	7	17	24.9	"	2	18	33.32	32.31	— 1.01	"	74	39	14.81	7.01	— 7.80
	7	7	14	50.3	"	2	19	54.35	53.30	— 1.05	"	74	31	41.19	33.94	— 7.25
	8	7	12	16.9	"	2	21	17.05	15.93	— 1.12	"	74	23	64.48	56.53	— 7.95
	10	7	7	14.3	"	2	24	7.00	6.05	— 0.95	"	74	8	36.39	29.46	— 6.93
	17	6	50	23.6	"	2	34	49.70	48.67	— 1.03	"	73	12	51.40	44.49	— 6.91
	18	6	48	4.7	"	2	36	27.10	26.02	— 1.08	"	73	4	44.00	37.44	— 6.56
	19	6	45	46.9	"	2	38	5.52	4.63	— 0.89	"	72	56	35.09	28.75	— 6.34
	20	6	43	31.4	2 L	2	39	45.59	44.59	— 1.00	"	72	48	25.50	18.76	— 6.74
	21	6	41	15.8	C	2	41	26.70	25.76	— 0.94	"	72	40	14.25	7.65	— 6.60
	22	6	39	2.1	"	2	43	9.16	8.16	— 1.00	"	72	31	60.15	55.69	— 4.46
	24	6	34	37.8	"	2	46	37.24	36.49	— 0.75	—	—	—	—	—	—
	25	6	32	28.0	"	2	48	23.48	22.37	— 1.11	"	72	7	23.49	16.68	— 6.81
	26	6	30	18.9	1 L	2	50	10.56	9.43	— 1.13	"	71	59	10.66	3.43	— 7.23
	27	6	28	10.5	C	2	51	58.46	57.68	— 0.83	"	71	50	55.73	50.27	— 5.46
	28	6	26	3.7	"	2	53	47.85	46.90	— 0.95	"	71	42	42.51	37.51	— 5.00
	29	6	23	57.8	"	2	55	38.21	37.26	— 0.95	"	71	34	30.41	25.36	— 5.05
	31	6	19	49.2	"	2	59	22.00	21.19	— 0.81	"	71	18	10.20	3.37	— 6.83
Feb.	1	6	17	46.3	1 L	3	1	15.53	14.73	— 0.80	"	71	9	60.40	53.99	— 6.41
	2	6	15	44.3	"	3	3	9.96	9.30	— 0.66	"	71	1	52.76	45.86	— 6.90
	3	6	13	43.9	"	3	5	5.72	4.88	— 0.84	"	70	53	47.22	39.29	— 7.93
	4	6	11	44.4	"	3	7	2.31	1.46	— 0.85	"	70	45	40.35	34.34	— 6.01
	5	6	9	45.6	"	3	8	59.81	59.03	— 0.78	"	70	37	37.21	31.28	— 5.93
	7	6	5	51.0	"	3	12	57.77	57.03	— 0.74	"	70	21	36.65	31.23	— 5.42

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	
1848.	d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Feb.	8	6	3	55.4	1 L	3 14 58.30	57.44	— 0.86	C	70 13 39.93	34.73	— 5.20
	10	6	0	6.8	"	3 19 1.85	0.96	— 0.89	"	69 57 55.33	49.64	— 5.69
	11	5	58	13.6	"	3 21 5.25	4.05	— 1.20	"	69 50 7.54	1.44	— 6.10
	12	5	56	21.5	"	3 23 9.00	7.99	— 1.01	"	69 42 22.21	16.23	— 5.98
1849.												
July	12	19	11	42.4	C	2 35 2.16	1.64	— 0.52	"	76 20 41.08	42.68	+ 1.60
	15	19	7	59.2	2 L	2 43 7.17	6.82	— 0.35	"	75 41 29.39	30.08	+ 0.69
	16	19	6	44.0	"	2 45 48.85	48.33	— 0.52	"	75 28 41.46	43.35	+ 1.89
Aug.	12	18	31	46.3	"	3 57 12.13	11.43	— 0.70	"	70 42 55.25	54.34	— 0.91
	16	18	26	15.3	"	4 7 27.05	26.15	— 0.90	"	70 10 36.45	36.16	— 0.29
	19	18	22	2.0	"	4 15 2.61	1.89	— 0.72	"	69 48 4.62	4.87	+ 0.25
	20	18	20	36.5	"	4 17 33.35	32.70	— 0.65	"	69 40 55.70	53.78	— 1.92
	21	18	19	10.8	"	4 20 3.85	2.91	— 0.94	"	69 33 54.51	52.33	— 2.18
Sept.	18	17	33	39.4	"	5 24 49.07	47.96	— 1.11	"	67 16 9.20	1.61	— 7.59
	19	17	31	27.0	"	5 26 52.34	51.44	— 0.90	"	67 12 61.73	54.68	— 7.05
	24	17	22	2.0	"	5 36 48.76	47.89	— 0.87	"	66 58 53.88	45.18	— 8.70
	26	17	17	8.2	"	5 40 36.89	36.11	— 0.78	"	66 53 48.89	41.17	— 7.72
	27	17	15	54.2	"	5 42 29.05	27.88	— 1.17	"	66 51 24.15	15.94	— 8.21
Oct.	8	16	51	10.2	"	6 1 3.59	2.40	— 1.19	"	66 28 37.62	25.66	— 11.96
	12	16	41	11.3	"	6 6 49.37	48.22	— 1.15	"	66 21 24.91	11.99	— 12.92
	16	16	30	36.2	"	6 11 53.37	57.08	— 1.29	"	66 14 19.76	7.78	— 11.98
	22	16	13	26.4	"	6 18 25.34	23.97	— 1.37	"	66 3 28.60	14.34	— 14.26
	23	16	10	25.2	"	6 19 20.22	18.91	— 1.31	"	66 1 29.82	20.36	— 9.46
	26	16	1	4.0	"	6 21 47.55	46.36	— 1.19	"	65 55 40.74	25.39	— 15.35
	28	15	54	36.4	"	6 23 11.23	9.71	— 1.52	"	65 51 28.70	15.68	— 13.02
	31	15	44	29.7	"	6 24 52.78	51.23	— 1.55	"	65 44 53.89	38.00	— 15.89
Nov.	1	15	41	1.1	"	6 25 20.18	18.59	— 1.59	"	65 42 33.93	18.58	— 15.35
	6	15	22	46.7	"	6 26 45.31	44.14	— 1.17	"	65 29 62.25	45.47	— 16.78
	19	14	28	9.6	"	6 23 14.88	13.38	— 1.50	"	64 49 77.92	57.68	— 20.24
	20	14	23	31.0	"	6 22 31.95	30.31	— 1.64	"	64 46 54.69	34.72	— 19.97
	21	14	18	48.3	"	6 21 44.98	43.48	— 1.50	"	64 43 29.37	10.39	— 18.98
	22	14	14	2.3	"	6 20 54.66	52.92	— 1.74	"	64 39 64.88	45.08	— 19.80
	23	14	9	12.	—	—	—	—	"	64 36 39.24	19.36	— 19.88
	25	13	59	29.1	1 & 2	6 18 0.98	59.36	— 1.62	"	64 29 48.55	28.05	— 20.50
	28	13	44	8.5	"	6 14 35.83	34.44	— 1.39	"	64 19 39.47	19.06	— 20.41
	29	13	38	58.0	"	6 13 21.03	19.55	— 1.48	"	64 16 19.07	0.07	— 19.00
Dec.	2	13	23	8.6	"	6 9 18.44	16.64	— 1.80	"	64 6 45.02	22.95	— 22.07
	10	12	39	6.2	"	5 56 41.95	40.18	— 1.77	"	63 44 63.24	43.53	— 19.71
	11	12	33	28.4	"	5 54 59.37	57.60	— 1.77	"	63 42 52.88	33.91	— 18.97
	12	12	27	49.2	"	5 53 15.73	13.99	— 1.74	"	63 40 53.65	33.26	— 20.39
	13	12	22	9.2	"	5 51 31.37	29.56	— 1.81	"	63 38 61.42	42.72	— 18.70
	17	11	59	25.1	"	5 44 29.71	28.33	— 1.38	"	63 32 66.01	48.19	— 17.82
	18	11	53	45.2	"	5 42 45.28	43.04	— 2.24	"	63 31 61.72	43.32	— 18.40
	19	11	48	4.1	"	5 40 60.19	58.54	— 1.65	"	63 30 65.58	47.98	— 17.60
	20	11	42	24.8	"	5 39 16.38	14.84	— 1.54	"	63 30 18.58	1.82	— 16.76
	21	11	36	47.1	"	5 37 34.02	32.18	— 1.84	"	63 29 42.01	24.64	— 17.37
	27	11	3	30.	—	—	—	—	"	63 28 52.51	36.69	— 15.82
	29	10	52	42.	—	—	—	—	"	63 29 34.13	18.85	— 15.28
1850.												
Jan.	2	10	31	35.3	C	5 19 30.50	28.85	— 1.65	"	63 31 65.41	49.56	— 15.85
	3	10	26	26.2	1 & 2	5 18 17.16	15.61	— 1.55	"	63 32 54.05	38.43	— 15.62

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (*Continued.*)

Mean Solar Time of Observation.				Point observed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850.	d.	h.	m.	s.	h. m. s.	s.	s.		° ' "	"	"
Jan.	5	10	16	17.9	5 15 60.37	58.71	— 1.66	C	63 34 41.80	26.23	—15.57
	9	9	56	41.0	5 12 6.68	5.35	— 1.33	"	63 38 44.26	29.20	—15.06
	10	9	51	56.3	5 11 17.13	15.79	— 1.34	"	63 39 47.12	33.11	—14.01
	11	9	47	14.5	5 10 31.13	29.81	— 1.32	"	63 40 52.85	37.44	—15.41
	14	9	33	31.0	5 8 34.97	33.76	— 1.21	"	63 43 62.24	49.08	—13.16
	15	9	29	2.8	5 8 3.31	2.38	— 0.93	"	63 44 64.32	51.39	—12.93
	16	9	24	39.5	5 7 35.83	34.66	— 1.17	"	63 45 66.04	52.45	—13.59
	17	9	20	19.9	5 7 11.80	10.59	— 1.21	"	63 46 65.74	51.89	—13.85
	18	9	16	3.6	5 6 51.38	50.16	— 1.22	"	63 47 62.70	49.38	—13.32
	21	9	3	36.4	5 6 11.89	10.36	— 1.53	"	63 50 42.02	29.14	—12.88
	22	8	59	36.	—	—	—	"	63 51 29.89	17.62	—12.27
	23	8	56	36.	—	—	—	"	63 52 15.48	3.49	—11.99
	24	8	51	42.	—	—	—	"	63 52 58.88	46.65	—12.23
	25	8	47	48.5	5 6 7.21	5.99	— 1.22	"	63 53 37.06	27.07	— 9.99
	26	8	43	59.4	5 6 14.48	13.28	— 1.20	"	63 54 16.66	4.76	—11.90
	28	8	36	32.0	5 6 38.77	37.55	— 1.22	"	63 55 22.92	12.13	—10.79
	29	8	32	52.9	5 6 55.50	54.42	— 1.08	"	63 55 53.85	41.69	—12.16
	30	8	29	16.6	5 7 15.40	14.35	— 1.05	"	63 56 19.60	8.70	—10.90
	31	8	25	43.9	5 7 38.29	37.43	— 0.86	"	63 56 44.02	33.21	—10.81
Feb.	1	8	22	13.8	5 8 4.42	3.27	— 1.15	"	63 56 66.12	55.14	—10.98
	2	8	18	47.0	5 8 33.43	32.15	— 1.28	"	63 57 27.55	14.68	—12.87
	4	8	12	1.2	5 9 39.71	38.48	— 1.23	"	63 57 57.70	46.87	—10.83
	5	8	8	42.8	5 10 16.96	15.82	— 1.14	"	63 57 70.45	59.69	—10.76
	6	8	5	26.6	5 10 57.01	55.90	— 1.11	"	63 58 22.00	10.55	—11.45
	7	8	2	13.2	5 11 39.74	38.64	— 1.10	"	63 58 30.01	19.51	—10.50
	8	7	59	2.3	5 12 25.12	24.01	— 1.11	"	63 58 37.09	26.72	—10.37
	12	7	46	45.2	5 15 51.88	50.80	— 1.08	"	63 58 50.78	41.71	— 9.07
	13	7	43	46.7	5 16 40.46	48.57	— 0.89	"	63 58 50.58	41.32	— 9.26
	14	7	40	50.5	5 17 49.46	48.66	— 0.80	"	63 58 50.11	41.03	— 9.08
	15	7	37	56.8	5 18 51.83	51.01	— 0.82	"	63 58 51.11	39.97	—11.14
	16	7	35	5.5	5 19 56.48	55.60	— 0.88	"	63 58 47.95	38.32	— 9.63
	18	7	29	29.0	5 22 12.05	11.23	— 0.82	"	63 58 43.79	34.10	— 9.69
	19	7	26	43.6	5 23 23.08	22.16	— 0.92	"	63 58 39.96	31.92	— 8.04
	21	7	21	19.1	5 25 50.92	50.01	— 0.91	"	63 58 37.91	28.28	— 9.63
	22	7	18	40.3	5 27 7.83	6.82	— 1.01	"	63 58 37.08	27.24	— 9.84
	23	7	16	2.4	5 28 26.38	25.53	— 0.85	"	63 58 36.39	27.02	— 9.37
	25	7	10	53.5	5 31 9.24	8.27	— 0.97	"	63 58 38.82	29.79	— 9.03
	26	7	8	20.7	5 32 33.08	32.25	— 0.88	"	63 58 41.86	33.09	— 8.77
	27	7	5	50.1	5 33 58.83	57.91	— 0.92	"	63 58 44.44	37.91	— 6.53
	28	7	3	21.6	5 35 26.01	25.20	— 0.81	"	63 58 51.72	44.53	— 7.19
Mar.	1	7	0	53.7	5 36 54.70	54.09	— 0.61	"	63 58 59.13	53.06	— 6.07
	2	6	58	27.9	5 38 25.22	24.53	— 0.69	"	63 59 10.36	3.70	— 6.66
	4	6	53	41.3	5 41 30.60	29.98	— 0.62	"	63 59 37.26	31.97	— 5.29
	5	6	51	19.8	5 43 5.42	4.90	— 0.52	"	63 59 58.19	49.91	— 8.28
	6	6	49	0.1	5 44 41.81	41.25	— 0.56	"	64 0 17.67	10.65	— 7.02
	7	6	46	41.6	5 46 19.50	19.00	— 0.50	"	64 0 41.75	34.40	— 7.35
	8	6	44	24.6	5 47 58.69	58.10	— 0.59	"	64 1 8.27	1.24	— 7.03
	9	6	42	8.5	5 49 38.99	38.56	— 0.43	"	64 1 38.59	31.29	— 7.30
	11	6	37	41.3	5 53 3.83	3.34	— 0.49	"	64 2 48.09	41.87	— 6.22
	12	6	35	29.5	5 54 48.15	47.60	— 0.55	"	64 3 29.44	22.70	— 6.74
	13	6	33	18.7	5 56 33.47	33.09	— 0.38	"	64 4 12.89	7.36	— 5.53
	14	6	31	9.5	5 58 20.38	19.78	— 0.60	"	64 4 62.51	56.07	— 6.44
	15	6	29	1.2	6 0 8.17	7.62	— 0.55	"	64 5 54.40	48.89	— 5.51
	18	6	22	42.4	6 5 38.13	37.74	— 0.39	"	64 8 59.62	53.63	— 5.99
	19	6	20	38.5	6 7 30.34	29.89	— 0.45	"	64 10 12.33	4.43	— 7.90

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850. <i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h m. s.</i>	<i>s.</i>	<i>s.</i>		<i>° ' "</i>	<i>"</i>	<i>"</i>
Mar. 20	6	18	35.3	1 L	6 9 23.52	23.04	— 0.48	C	64 11 27.16	20.02	— 7.14
21	6	16	33.2	"	6 11 18.17	17.15	— 1.02	"	64 12 46.38	40.50	— 5.88
25	6	8	33.6	"	6 19 3.47	2.75	— 0.72	"	64 18 60.46	54.02	— 5.54
26	6	6	36.2	"	6 21 2.10	1.29	— 0.81	"	64 20 47.47	42.27	— 5.20
27	6	4	39.2	"	6 23 1.36	0.62	— 0.74	"	64 22 40.61	35.19	— 5.42
28	6	2	43.3	C	6 25 0.96	0.74	— 0.22	—	—	—	—
May 16	4	37	47.2	"	8 13 2.63	2.04	— 0.59	—	—	—	—
27	4	19	54.3	"	8 38 26.14	27.81	— 0.33	—	—	—	—
1851.											
Feb. 18	22	55	29.5	"	20 30 4.78	4.32	— 0.46	—	—	—	—
24	22	47	5.6	"	21 5 1.99	1.36	— 0.63	"	107 49 14.82	21.14	+ 6.32
25	22	46	17.8	"	21 8 10.25	9.70	— 0.55	"	107 36 1.23	6.55	+ 5.32
26	22	45	29.4	"	21 11 18.31	17.65	— 0.66	"	107 22 35.68	40.98	+ 5.30
June 24	20	41	16.0	"	2 51 56.66	56.30	— 0.36	—	—	—	—
July 7	20	27	18.1	"	3 29 12.41	12.06	— 0.35	"	71 44 18.77	18.51	— 0.26
21	20	12	25.8	"	4 9 29.52	28.98	— 0.54	"	69 28 35.12	33.00	— 2.12
Aug. 10	19	50	49.2	"	5 6 40.57	40.60	+ 0.03	"	66 19 35.41	31.03	— 4.38
17	19	42	57.2	"	5 26 23.19	22.82	— 0.37	"	66 52 35.78	29.74	— 6.04
18	19	41	48.6	"	5 29 11.05	10.54	— 0.51	"	66 49 31.61	24.10	— 7.51
31	19	26	19.7	"	6 4 54.47	54.18	— 0.29	"	66 25 23.29	15.83	— 7.46
Sep. 2	19	23	49.5	"	6 10 17.17	16.80	— 0.37	"	66 24 13.77	7.51	— 0.26
4	19	21	16.7	"	6 15 37.31	37.21	— 0.10	"	66 23 45.94	37.95	— 7.90
11	19	12	5.5	"	6 34 0.40	0.18	— 0.22	—	—	—	—
12	19	10	44.8	"	6 36 35.33	35.23	— 0.10	"	66 27 55.51	47.32	— 8.19
16	19	5	13.2	2 L	6 46 49.52	48.78	— 0.74	"	66 33 25.19	16.90	— 8.20
18	19	2	22.8	"	6 51 51.79	51.28	— 0.51	"	66 36 57.02	49.00	— 8.62
19	19	0	56.7	"	6 54 21.81	21.31	— 0.50	"	—	—	—
21	18	58	2.1	"	6 59 19.83	19.33	— 0.50	"	—	—	—
22	18	56	33.1	"	7 1 47.64	47.10	— 0.54	"	—	—	—
28	18	47	24.4	"	7 16 16.24	15.92	— 0.32	"	—	—	—
1852.											
Jan. 2	14	14	30.	—	—	—	—	"	68 56 21.60	1.25	— 20.35
6	13	54	30.	—	—	—	—	"	68 29 41.43	22.40	— 19.03
8	13	44	17.8	C	8 54 28.48	27.67	— 0.81	"	68 15 43.11	23.64	— 19.47
10	13	33	49.6	"	8 51 51.89	50.74	— 1.15	"	68 1 30.79	7.76	— 23.03
15	13	6	57.7	"	8 44 38.12	37.00	— 1.12	N L	67 25 17.70	0.01	— 17.69
16	13	1	24.	—	—	—	—	S L	67 17 70.17	49.41	— 20.76
17	12	55	58.8	"	8 41 30.64	29.68	— 0.96	N L	67 10 58.71	42.00	— 16.71
19	12	44	53.5	1 L	8 38 17.48	16.43	— 1.05	"	66 56 56.76	41.03	— 15.73
20	12	39	20.3	C	8 36 39.10	38.43	— 0.67	S L	66 49 72.76	51.00	— 21.76
21	12	33	45.4	"	8 34 59.88	58.73	— 1.15	"	66 43 24.87	4.64	— 20.23
22	12	28	9.7	"	8 33 19.89	18.74	— 1.15	"	66 36 50.06	27.97	— 22.09
23	12	22	33.6	"	8 31 39.41	38.26	— 1.15	N L	66 30 14.71	0.07	— 14.64
24	12	16	56.9	"	8 29 58.38	57.47	— 0.91	S L	66 23 61.50	41.69	— 19.81
26	12	5	44.3	"	8 26 36.99	35.91	— 1.08	"	66 11 56.55	36.62	— 19.93
27	12	0	8.5	"	8 24 56.68	55.54	— 1.14	N L	66 5 65.77	51.53	— 14.24
28	11	54	33.1	"	8 23 16.89	15.69	— 1.20	S L	65 0 41.10	18.49	— 22.61
29	11	48	58.4	"	8 21 37.70	36.57	— 1.13	N L	65 54 68.58	58.18	— 10.40
30	11	43	24.2	"	8 19 59.43	58.40	— 1.03	S L	65 49 71.20	51.03	— 20.17
31	11	37	51.5	"	8 18 22.47	21.35	— 1.12	N L	65 44 71.28	57.44	— 13.84

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.		
1852.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"		
Feb.	2	11	26	50.0	C	8	15	12.74	11.34	— 1.40	S	L	65	35	69.37	52.49	— 16.88
	3	11	21	21.6	"	8	13	40.03	38.71	— 1.32	N	L	65	31	52.93	41.52	— 11.41
	4	11	15	54.8	"	8	12	8.99	7.88	— 1.11	S	L	65	27	61.61	46.05	— 15.56
	5	11	10	30.2	"	8	10	39.97	39.02	— 0.95	N	L	65	24	13.65	3.18	— 10.47
	6	11	5	7.6	"	8	9	13.24	12.28	— 0.96	S	L	65	20	52.69	36.23	— 16.46
	7	10	59	47.9	"	8	7	49.02	47.71	— 1.31	N	L	65	17	36.91	23.90	— 13.01
	9	10	49	14.5	"	8	5	6.95	5.88	— 1.07	S	L	65	11	54.36	43.20	— 11.16
	10	10	44	2.5	"	8	3	50.22	48.82	— 1.40	N	L	65	9	31.02	14.75	— 16.27
	11	10	38	51.5	"	8	2	35.52.	34.47	— 1.05	N	L	65	7	13.22	0.74	— 12.48
	12	10	33	44.0	"	8	1	23.76	22.96	— 0.80	S	L	65	5	15.64	1.01	— 14.63
	13	10	28	42.	"						N	L	65	3	25.68	15.30	— 10.88
	14	10	23	38.6	"	7	59	9.69	8.86	— 0.83	S	L	65	1	59.23	43.36	— 15.87
	16	10	13	45.3	"	7	57	7.87	6.88	— 0.99	S	L	64	59	34.18	20.12	— 14.06
	17	10	8	53.4	"	7	56	11.62	10.74	— 0.88	N	L	64	58	36.85	28.24	— 8.61
	19	9	59	19.8	"	7	54	29.15	28.32	— 0.83	N	L	64	57	32.63	22.60	— 10.03
	20	9	54	38.0	"	7	53	43.08	42.18	— 0.90	C		64	57	18.85	8.18	— 10.67
	21	9	49	59.3	"	7	53	0.16	59.29	— 0.87	N	L	64	57	13.37	5.61	— 7.76
	23	9	40	52.4	"	7	51	44.93	43.98	— 0.95	N	L	64	57	42.97	34.90	— 8.07
	24	9	36	24.1	"	7	51	12.42	11.44	— 0.98	S	L	64	58	17.02	6.14	— 10.88
	25	9	31	58.5	"	7	50	43.03	42.54	— 0.49	N	L	64	58	53.94	47.98	— 5.96
	26	9	27	37.0	"	7	50	17.53	16.68	— 0.85	S	L	64	59	51.30	40.19	— 11.11
	27	9	23	19.2	"	7	49	55.52	54.40	— 1.12	"		65	0	53.05	42.88	— 10.67
	28	9	19	4.1	"	7	49	36.02	35.50	— 0.52	"		65	1	66.31	54.29	— 12.02
Mar.	1	9	10	45.0	"	7	49	8.34	7.74	— 0.60	C		65	4	54.87	46.29	— 8.58
	2	9	6	40.4	"	7	48	59.56	58.80	— 0.76	"		65	6	34.43	25.72	— 8.71
	3	9	2	38.8	"	7	48	53.95	53.09	— 0.86	"		65	8	20.86	13.85	— 7.01
	4	8	58	40.4	"	7	48	51.32	50.59	— 0.73	"		65	10	18.36	10.40	— 7.96
	6	8	50	53.9	"	7	48	55.80	55.00	— 0.80	"		65	14	34.24	24.01	— 10.23
	8	8	43	18.0	"	7	49	12.35	11.76	— 0.59	"		65	19	22.28	16.34	— 5.94
	9	8	39	34.6	"	7	49	25.31	24.67	— 0.64	"		65	21	58.47	52.79	— 5.68
	10	8	35	54.6	"	7	49	41.00	40.18	— 0.82	"		65	24	42.73	35.97	— 6.76
	11	8	32	16.7	"	7	49	59.50	58.78	— 0.72	"		65	27	33.43	26.29	— 7.14
	12	8	28	42.2	"	7	50	21.01	20.19	— 0.82	"		65	30	29.60	23.69	— 5.91
	13	8	25	10.4	"	7	50	45.09	44.39	— 0.70	"		65	33	33.83	28.13	— 5.70
	15	8	18	15.3	"	7	51	41.89	40.90	— 0.99	"		65	39	61.80	57.40	— 4.40
	16	8	14	51.6	"	7	52	14.13	13.12	— 1.01	"		65	43	27.27	22.03	— 5.24
	17	8	11	30.3	"	7	52	49.05	47.95	— 1.10	"		65	46	59.69	53.32	— 6.37
	20	8	1	41.9	"	7	54	48.02	47.40	— 0.62	"		65	58	10.17	5.90	— 4.27
	22	7	55	21.6	"	7	56	19.84	19.05	— 0.79	—						
	23	7	52	14.3	"	7	57	8.94	8.34	— 0.60	"		66	10	24.04	15.55	— 8.49
	26	7	43	6.	"						"		66	23	25.53	21.40	— 4.13
	27	7	40	9.1	"	8	0	47.74	47.17	— 0.57	—						
	29	7	34	18.6	"	8	2	49.33	48.88	— 0.45	—						
	30	7	31	26.0	"	8	3	52.88	52.60	— 0.28	"		66	42	19.27	15.31	— 3.96
	31	7	28	36.0	"	8	4	58.77	58.20	— 0.57	—						
April	1	7	25	46.9	"	8	6	5.98	5.59	— 0.39	—						
	2	7	22	59.7	"	8	7	14.96	14.71	— 0.25	—						
	3	7	20	14.7	"	8	8	25.81	25.56	— 0.25	—						
	14	6	51	36.8	"	8	23	5.75	5.34	— 0.41	—						
Oct.	27	1	17	17.4	"	15	40	36.63	35.82	— 0.81	—						
	28	1	16	18.9	"	15	43	34.59	33.94	— 0.65	—						
	29	1	15	21.5	"	15	46	33.33	32.71	— 0.62	"		110	26	31.35	35.98	+ 4.63

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VESTA.

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1848. d. h. m. s.					h. m. s.	s.	s.		° ' "	"	"
Sept. 20 12 7 21.4				C	0 6 28.47	29.88	+ 1.41	C	102 5 54.25	46.73	— 7.52
Oct. 17 9 59 36.8				"	23 44 49.40	50.59	+ 1.19	"	103 46 43.61	38.69	— 4.92
Nov. 20 7 42 4.0				"	23 40 56.87	58.03	+ 1.16	"	102 5 40.25	39.89	— 0.36
22 7 34 54.7				"	23 41 39.41	40.82	+ 0.91	"	101 53 29.31	29.68	+ 0.37
1849. Nov. 25 15 38 50.1				"	7 57 46.42	47.73	+ 1.31	"	70 1 34.98	52.02	+ 17.04
Dec. 2 15 10 18.6				"	7 56 46.06	47.80	+ 1.74	"	69 42 41.66	60.32	+ 18.66
10 14 35 50.9				"	7 53 45.77	47.43	+ 1.66	"	69 14 12.63	32.77	+ 20.14
12 14 26 55.7				"	7 52 41.63	43.25	+ 1.62	"	69 6 1.95	20.81	+ 18.86
13 14 22 25.2				"	7 52 7.05	8.64	+ 1.59	"	69 1 46.82	65.81	+ 18.99
1850. Jan. 10 12 6 45.5				"	7 26 28.50	30.85	+ 2.35	"	66 39 32.49	52.16	+ 19.67
11 12 1 43.2				"	7 25 21.95	24.16	+ 2.21	"	66 34 21.69	41.67	+ 19.98
14 11 46 36.0				"	7 22 1.83	4.20	+ 2.37	"	66 19 8.45	27.75	+ 19.30
16 11 36 31.7				"	7 19 49.67	51.91	+ 2.24	"	66 9 16.67	35.83	+ 19.16
17 11 31 30.6				"	7 18 44.12	46.33	+ 2.21	"	66 4 25.81	45.78	+ 19.97
18 11 26 29.8				"	7 17 39.02	41.25	+ 2.23	"	65 59 39.94	60.01	+ 20.07
21 11 11 30.9				"	7 14 27.38	29.87	+ 2.49	"	65 45 52.65	70.07	+ 17.42
22 11 6 34.				—	—	—	—	—	65 41 25.07	42.95	+ 17.88
25 10 51 45.4				"	7 10 24.49	26.59	+ 2.10	"	65 28 33.66	52.26	+ 18.60
26 10 46 50.9				"	7 9 26.15	28.40	+ 2.25	"	65 24 27.90	45.94	+ 18.04
28 10 37 6.8				"	7 7 33.42	35.60	+ 2.18	"	65 16 32.33	49.58	+ 17.25
29 10 32 16.7				"	7 6 38.96	41.14	+ 2.18	"	65 12 41.05	59.74	+ 18.69
31 10 22 40.5				"	7 4 54.15	56.37	+ 2.22	"	65 5 20.28	36.72	+ 16.44
Feb. 1 10 17 54.4				"	7 4 4.04	6.19	+ 2.15	"	65 1 48.00	63.67	+ 15.67
2 10 13 10.0				"	7 3 15.23	17.51	+ 2.28	"	64 58 19.95	36.30	+ 16.35
4 10 3 45.8				"	7 1 42.72	44.98	+ 2.26	"	64 51 48.81	58.47	+ 14.66
5 9 59 6.6				"	7 0 58.90	61.22	+ 2.32	"	64 48 32.67	48.02	+ 15.35
6 9 54 28.6				"	7 0 16.95	19.16	+ 2.21	"	64 45 28.79	43.18	+ 14.39
18 9 1 20.7				"	6 54 18.87	20.81	+ 1.94	"	64 15 35.25	46.78	+ 11.53
19 8 57 7.5				"	6 54 1.78	3.80	+ 2.02	"	64 13 37.51	50.22	+ 12.71
21 8 48 47.7				"	6 53 33.85	35.85	+ 2.00	"	64 10 0.23	11.30	+ 11.07
22 8 44 41.3				"	6 53 23.01	24.90	+ 1.89	"	64 8 17.55	28.80	+ 11.25
25 8 32 33.1				"	6 53 2.27	4.13	+ 1.86	"	64 3 35.75	48.30	+ 11.55
26 8 28 33.7				"	6 52 59.27	61.19	+ 1.92	"	64 2 13.44	23.71	+ 10.27
27 8 24 36.7				"	6 52 58.31	60.25	+ 1.94	"	64 0 52.80	63.38	+ 10.58
28 8 20 42.8				"	6 52 59.45	61.28	+ 1.83	"	63 59 35.27	47.32	+ 12.05
Mar. 1 8 16 49.2				"	6 53 2.41	4.25	+ 1.84	"	63 58 24.77	35.57	+ 10.80
2 8 12 57.9				"	6 53 7.24	9.17	+ 1.93	"	63 57 17.12	27.97	+ 10.85
4 8 5 22.2				"	6 53 22.95	24.81	+ 1.86	"	63 55 15.24	25.03	+ 9.79
5 8 1 36.9				"	6 53 33.75	35.48	+ 1.73	"	63 54 18.95	29.72	+ 10.77
6 7 57 53.1				"	6 53 46.17	48.05	+ 1.88	"	63 53 27.47	38.42	+ 10.95
23 6 59 7.8				"	7 1 52.21	53.68	+ 1.47	"	63 48 50.10	64.57	+ 14.47
25 6 52 43.3				"	7 3 20.15	21.74	+ 1.59	"	63 49 29.04	37.08	+ 8.04
27 6 46 25.4				"	7 4 54.13	55.63	+ 1.50	"	—	—	—
28 6 43 18.6				"	7 5 42.86	44.66	+ 1.80	"	63 50 56.83	64.41	+ 7.58
1851. Mar. 18 17 28 17.7				"	17 12 5.12	8.24	+ 3.12	"	106 3 9.81	9.55	— 0.26
28 16 59 11.				—	—	—	—	"	106 5 35.28	35.09	— 0.19
31 16 49 59.0				"	17 24 55.38	58.91	+ 3.53	"	—	—	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VESTA, (Continued.)

Mean Solar Time of Observation.				Point observed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1851. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
April 1	16	46	52.5	C	17 25 44.39	48.05	+ 3.66	C	106 5 39.28	37.61	— 1.67
3	16	40	33.0	"	17 27 17.53	21.60	+ 4.07	"	106 5 32.10	31.08	— 1.02
4	16	37	21.6	"	17 28 2.36	5.95	+ 3.59	"	106 5 27.54	26.37	— 1.17
6	16	30	53.5	"	17 29 25.72	29.72	+ 4.00	"	106 5 18.70	14.83	— 3.87
7	16	27	36.4	"	17 30 5.20	9.12	+ 3.92	"	106 5 11.11	8.23	— 2.88
8	16	24	17.6	"	17 30 42.42	46.81	+ 4.39	"	106 5 3.21	1.36	— 1.85
9	16	20	57.9	"	17 31 18.75	22.77	+ 4.02	"	106 4 56.89	54.29	— 2.60
10	16	17	36.3	"	17 31 52.78	57.00	+ 4.22	"	106 4 49.18	47.72	— 1.46
11	16	14	12.9	"	17 32 25.60	29.48	+ 3.88	"	106 4 43.87	40.13	— 3.74
14	16	3	51.2	"	17 33 52.17	56.19	+ 4.02	"	106 4 25.29	21.12	— 4.17
15	16	0	20.3	"	17 34 17.14	21.45	+ 4.31	"	106 4 21.21	15.95	— 5.26
16	15	56	48.0	"	17 34 40.69	44.83	+ 4.14	"	106 4 15.38	11.56	— 3.82
21	15	38	36.	—	—	—	—	"	106 4 10.77	6.79	— 3.98
22	15	34	52.1	"	17 36 20.12	25.00	+ 4.88	"	106 4 14.94	10.21	— 4.73
24	15	27	17.9	"	17 36 37.93	42.59	+ 4.66	"	106 4 27.95	22.28	— 5.67
25	15	23	27.4	"	17 36 43.66	48.35	+ 4.69	"	106 4 35.82	31.30	— 4.52
May 7	14	34	45.5	"	17 35 11.75	17.09	+ 5.34	"	106 9 47.49	40.80	— 6.69
8	14	30	29.4	"	17 34 51.23	56.22	+ 4.99	"	106 10 32.21	26.89	— 5.32
9	14	26	10.6	"	17 34 28.48	33.38	+ 4.90	"	106 11 22.86	16.58	— 6.28
11	14	17	26.2	"	17 33 36.18	41.76	+ 5.58	"	106 13 12.39	6.96	— 5.43
13	14	8	36.3	"	17 32 37.35	42.61	+ 5.26	"	106 15 16.93	12.42	— 4.51
15	13	59	37.2	"	17 31 30.23	35.96	+ 5.73	"	106 17 40.20	33.37	— 6.83
18	13	45	56.3	"	17 29 36.99	42.52	+ 5.53	"	106 21 41.37	34.40	— 6.90
22	13	27	19.0	"	17 26 42.33	47.83	+ 5.50	"	106 27 58.08	52.85	— 5.73
27	13	3	28.5	"	17 22 30.78	36.37	+ 5.59	"	106 37 23.70	15.35	— 8.35
28	12	58	38.5	"	17 21 36.62	42.32	+ 5.70	"	106 39 27.32	20.02	— 7.30
29	12	53	47.5	"	17 20 41.77	47.17	+ 5.40	"	—	—	—
30	12	48	55.5	"	17 19 45.11	51.01	+ 5.90	"	106 43 45.01	41.19	— 3.82
June 1	12	37	8.8	"	17 17 50.07	56.03	+ 5.96	"	106 48 25.54	18.28	— 7.26
12	11	44	49.6	"	17 6 43.60	49.78	+ 6.18	"	107 18 17.83	10.53	— 6.80
18	11	15	15.5	"	17 0 44.59	50.31	+ 5.72	"	107 37 28.63	23.39	— 5.24
1852. Nov. 24	10	14	15.7	"	2 29 26.27	28.11	+ 1.84	"	85 7 55.82	63.19	+ 7.37
Dec. 9	9	6	9.3	"	2 20 17.02	18.82	+ 1.80	"	84 52 22.73	31.47	+ 8.74
10	9	1	49.4	"	2 19 52.94	54.66	+ 1.72	"	84 50 3.78	11.26	+ 7.48
11	8	57	30.5	"	2 19 30.60	32.16	+ 1.56	"	84 47 33.61	42.16	+ 8.55

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUNO.

1848. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Dec. 20	11	26	58.5	C	5 24 45.49	60.65	+15.16	C	91 13 13.11	17.03	+ 3.92
22	11	17	30.2	"	5 23 8.54	23.61	+15.07	"	91 6 59.96	65.07	+ 5.11
1849. Jan. 11	9	47	16.0	"	5 11 30.32	41.76	+11.44	"	89 2 18.34	28.53	+10.19
1850. April 8	12	14	6.1	"	13 20 47.47	50.51	+ 3.04	"	88 53 8.86	29.91	+21.05
11	11	59	57.4	"	13 18 25.75	28.87	+ 3.12	"	—	—	—
17	11	31	43.6	"	13 13 46.50	49.70	+ 3.20	"	—	—	—
20	11	17	42.	"	—	—	—	"	87 27 57.82	74.46	+16.64

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUNO, (Continued)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.
1850. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"
May 2	10	22	27.2	C	13	3	27.44	29.93	+ 2.49	C	86	22	15.41	28.45	+13.04
1852.															
Oct. 5	11	6	41.2	"	0	4	53.06	72.64	+19.58	"	96	3	87.22	23.70	-63.52
6	11	2	7.1	"	0	4	15.78	35.35	+19.57	"	96	15	103.60	42.89	-60.71
11	10	39	34.3	"	0	1	21.01	40.18	+19.17	"	97	14	78.54	17.87	-60.67
13	10	30	39.6	"	0	0	17.51	36.64	+19.13	"	97	36	64.98	6.91	-58.07
14	10	26	13.5	"	23	59	47.54	66.58	+19.04	"	97	46	93.81	38.31	-55.50
15	10	21	48.8	"	23	59	18.52	37.70	+19.18	"	97	56	108.26	53.49	-54.77
23	9	47	20.9	"	23	56	17.52	36.19	+18.67	"	99	8	73.30	23.83	-49.47
25	9	38	59.7	"	23	55	47.78	65.82	+18.04	"	99	23	56.83	10.63	-46.20
27	9	30	43.8	"	23	55	24.10	42.22	+18.12	"	99	36	84.11	40.23	-43.88
29	9	22	36.0	"	23	55	7.83	25.39	+17.56	"	99	48	94.44	51.77	-42.67

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF PALLAS.

1848. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"
Mar. 1	12	5	34.9	C	10	44	21.09	19.61	- 1.48	C	94	53	22.67	64.87	+42.20
2	12	0	57.7	"	10	43	39.78	38.13	- 1.65	"	94	27	46.74	89.83	+43.09
3	11	56	21.0	"	10	42	58.67	56.90	- 1.77	"	94	2	4.47	46.44	+41.97
4	11	51	44.1	"	10	42	17.65	15.92	- 1.73	"	93	36	12.85	56.16	+43.31
6	11	42	31.6	"	10	40	56.65	55.20	- 1.45	"	92	44	18.31	61.00	+42.69
7	11	37	56.2	"	10	40	17.02	15.57	- 1.45	"	92	18	16.61	59.06	+42.45
8	11	33	21.5	"	10	39	38.01	36.52	- 1.49	"	91	52	14.29	56.17	+41.88
9	11	28	47.5	"	10	38	59.79	58.16	- 1.63	"	91	26	10.85	53.83	+42.98
10	11	24	13.9	"	10	38	22.01	20.55	- 1.46	"	91	0	13.63	53.56	+39.93
11	11	19	41.2	"	10	37	45.30	43.70	- 1.60	"	90	34	13.12	57.17	+44.05
14	11	6	8.8	"	10	35	60.08	58.64	- 1.44	"	89	17	1.72	41.85	+40.13
15	11	1	39.9	"	10	35	27.06	25.59	- 1.47	"	88	51	30.74	72.87	+42.13
16	10	57	12.2	"	10	34	55.09	53.65	- 1.44	"	88	26	11.24	53.96	+42.72
18	10	48	19.9	"	10	33	54.75	53.21	- 1.54	"	87	36	8.43	51.40	+42.97
20	10	39	32.5	"	10	32	58.97	57.64	- 1.33	"	86	47	2.01	43.11	+41.10
21	10	35	11.1	"	10	32	33.08	31.79	- 1.29	"	86	22	51.00	92.03	+41.03
22	10	30	50.5	"	10	32	8.45	7.25	- 1.20	"	85	58	56.72	97.60	+40.88
23	10	26	30.4	"	10	31	45.30	44.09	- 1.21	"	85	35	16.61	60.74	+44.13
24	10	22	14.0	"	10	31	23.60	22.34	- 1.26	"	85	12	1.94	42.32	+40.38
27	10	9	29.7	"	10	30	26.91	25.71	- 1.20	"	84	4	6.42	44.86	+38.44
30	9	56	59.0	"	10	29	43.82	42.70	- 1.12	"	82	59	21.30	58.80	+37.50
31	9	52	52.1	"	10	29	32.70	31.47	- 1.23	"	82	38	31.88	68.51	+36.63
1849.															
July 11	10	11	26.9	"	17	29	21.51	21.43	- 0.08	"	66	56	43.07	50.48	+ 7.41
12	10	6	53.5	"	17	28	43.82	44.00	+ 0.18	"	67	3	56.45	61.95	+ 5.50
14	9	57	49.9	"	17	27	31.53	31.62	+ 0.09	"	67	18	56.37	64.36	+ 7.99
16	9	48	49.8	"	17	26	23.19	23.32	+ 0.13	"	67	34	51.05	56.73	+ 5.68
20	9	31	3.2	"	17	24	19.51	19.59	+ 0.08	"	68	8	54.76	60.70	+ 5.94
Aug. 17	7	35	28.8	"	17	18	50.37	50.55	+ 0.18	"	73	4	27.55	20.59	- 6.96
20	7	24	3.2	"	17	19	12.51	12.16	- 0.35	"	73	38	56.97	59.96	+ 2.99
1850.															
Aug. 9	12	36	15.9	"	21	47	57.16	56.60	- 0.56	"	79	19	28.45	6.29	-22.16
12	12	22	12.8	"	21	45	40.99	42.01	+ 1.02	"	79	44	58.51	35.56	-22.95
23	11	30	37.4	"	21	37	19.10	19.16	+ 0.06	"	81	33	26.65	2.89	-23.76
Oct. 3	8	28	17.3	"	21	16	8.23	5.51	- 2.72	"	89	45	40.43	16.84	-23.59
7	8	12	3.3	"	21	15	37.57	36.98	- 0.59	"	90	29	67.07	43.58	-23.49
21	7	17	58.4	"	21	16	35.59	34.62	- 0.97	"					

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF CERES.																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1848.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Mar.	10	12	45	17.2	C	11	59	38.62	44.64	+ 6.02	C	71	10	48.79	92.94	+44.15
	11	12	40	30.5	"	11	58	47.77	54.13	+ 6.36	"	71	5	9.48	51.11	+41.63
	18	12	6	59.6	"	11	52	47.28	53.56	+ 6.28	"	70	30	32.69	72.91	+40.22
	21	11	52	37.9	"	11	50	12.65	18.94	+ 6.29	"	70	18	51.06	89.95	+38.89
	22	11	47	50.9	"	11	49	21.60	27.86	+ 6.26	"	70	15	24.34	62.81	+38.47
	23	11	43	4.5	"	11	48	30.99	37.13	+ 6.14	"	70	12	9.08	49.58	+40.50
	24	11	38	18.5	"	11	47	40.60	46.16	+ 5.56	"	70	9	11.23	49.56	+38.33
	25	11	33	33.4	"	11	46	51.36	56.92	+ 5.56	"	70	6	27.20	65.77	+38.57
	27	11	24	2.9	"	11	45	12.39	18.80	+ 6.41	"	70	1	43.61	80.08	+36.47
	28	11	19	19.4	"	11	44	24.55	30.69	+ 6.14	"	69	59	46.76	79.37	+32.61
	29	11	14	36.1	"	11	43	37.05	43.29	+ 6.24	"	69	57	55.37	93.62	+38.25
	30	11	9	53.6	"	11	42	50.36	56.60	+ 6.24	"	69	56	27.10	62.65	+35.55
	31	11	5	12.1	"	11	42	4.63	10.79	+ 6.16	"	69	55	10.80	46.90	+36.10
1849.																
June	30	11	52	17.7	"	18	27	6.83	18.14	+11.31	"	117	55	8.76	8.39	— 0.37
July	12	10	53	52.6	"	18	15	50.58	62.02	+11.44	"	118	33	39.65	44.82	+ 5.17
	13	10	49	4.4	"	18	14	58.22	69.69	+11.47	"	118	36	21.51	26.93	+ 5.42
	14	10	44	17.5	"	18	14	6.80	18.22	+11.42	"	118	38	57.28	64.19	+ 6.91
	16	10	34	45.8	"	18	12	26.75	38.11	+11.36	"	118	43	58.76	64.34	+ 5.68
	17	10	30	1.1	"	18	11	38.01	49.59	+11.58	"	118	46	20.12	27.34	+ 7.22
	20	10	15	55.7	"	18	9	19.34	30.65	+11.31	"	118	53	1.90	8.80	+ 6.90
Aug.	11	8	38	53.5	"	17	58	46.10	56.14	+10.04	"	119	24	25.83	38.21	+12.38
	16	8	18	36.0	"	17	58	8.23	18.00	+ 9.77	—	—	—	—	—	—
	18	8	10	40.5	"	17	58	4.48	14.17	+ 9.69	"	119	29	40.99	52.20	+11.21
	20	8	2	51.6	"	17	58	7.25	16.85	+ 9.60	"	119	30	53.20	64.20	+11.00
	21	7	58	59.7	"	17	58	11.12	20.60	+ 9.48	"	119	31	24.99	37.57	+12.58
1850.																
Oct.	1	11	46	27.8	"	0	26	57.63	70.53	+12.90	"	104	5	120.95	32.17	—88.78
	2	11	41	40.9	"	0	26	6.83	19.89	+13.06	"	104	9	102.09	14.27	—87.82
	4	11	33	7.9	"	0	24	25.64	39.05	+13.41	"	104	16	98.29	7.75	—90.54
	5	11	27	22.9	"	0	23	36.13	48.96	+12.83	"	104	19	108.09	18.67	—89.42
	9	11	8	22.9	"	0	20	19.14	32.10	+12.96	"	104	30	99.09	12.03	—87.06
	29	9	36	21.4	"	0	6	53.38	65.33	+11.95	"	104	37	83.94	8.21	—75.73
Nov.	22	7	56	26.8	"	0	1	19.71	30.44	+10.73	"	103	6	111.80	48.67	—63.13
	25	7	44	52.5	"	0	1	33.51	43.75	+10.24	"	102	49	83.81	20.97	—62.84
	26	7	41	3.8	"	0	1	40.70	50.83	+10.13	"	102	43	78.17	16.43	—61.74
	28	7	33	30.0	"	0	1	58.64	68.92	+10.28	"	102	30	104.12	45.38	—58.74
Dec.	6	7	4	6.2	"	0	4	2.85	12.08	+ 9.23	"	101	36	67.27	8.04	—59.23
	7	7	0	30.9	"	0	4	23.34	33.01	+ 9.67	"	101	28	108.24	49.97	—58.27
	11	6	46	22.2	"	0	5	58.36	68.44	+10.08	"	100	58	98.45	40.55	—57.90
	12	6	42	54.1	"	0	6	26.04	35.16	+ 9.12	"	100	50	113.56	54.60	—58.96
	14	6	35	59.3	"	0	7	22.98	31.92	+ 8.94	"	100	35	64.75	7.43	—57.32
1852.																
Jan.	8	11	22	45.2	"	6	32	32.77	49.18	+16.41	"	60	49	25.60	23.58	— 2.02
Feb.	2	9	24	48.6	"	6	12	51.38	66.65	+15.27	"	59	36	66.65	54.26	—12.39
	3	9	20	26.9	"	6	12	25.48	40.04	+14.56	"	59	35	30.01	15.19	—14.82

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER.

Mean Solar Time of Observation.				Point observed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1848.	d.	h.	m.	s.	h. m. s.	s.	s.		° ' "	"	"
Jan.	6	12	5	29.1	7 7 24.78	24.71	— 0.07	C	67 15 35.49	31.59	— 3.00
	10	11	47	27.3	7 5 6.01	5.94	— 0.07	"	67 11 23.92	19.35	— 4.57
	13	11	33	55.5	7 3 22.89	22.90	+ 0.01	"	67 8 21.60	17.51	— 4.09
	14	11	29	26.4	7 2 48.56	48.89	+ 0.33	"	67 7 23.41	18.42	— 4.09
	15	11	24	55.7	7 2 15.07	15.11	+ 0.04	"	67 6 24.61	20.23	— 4.38
	17	11	15	58.5	7 1 8.25	8.27	+ 0.02	"	67 4 31.45	26.43	— 5.02
	18	11	11	29.6	7 0 35.31	35.27	— 0.04	"	67 3 35.48	31.33	— 4.15
	19	11	7	1.1	7 0 2.65	2.60	— 0.05	"	67 2 39.61	36.34	— 3.27
	20	11	2	32.9	6 59 30.02	30.24	+ 0.22	"	67 1 48.37	42.72	— 5.05
	21	10	58	5.1	6 58 58.13	58.24	+ 0.11	"	67 0 54.62	50.02	— 4.60
	22	10	53	37.8	6 58 26.68	26.61	— 0.07	"	66 59 03.39	55.44	— 4.95
	25	10	40	18.0	6 56 54.22	54.22	0.00	"	66 57 34.17	29.09	— 4.48
	27	10	31	26.9	6 55 54.80	54.91	+ 0.11	"	66 55 59.12	55.85	— 3.27
	29	10	22	37.9	6 54 57.58	57.62	+ 0.04	"	66 54 31.07	26.31	— 3.76
	31	10	13	51.2	6 54 2.42	2.51	+ 0.09	"	66 53 7.39	1.33	— 6.06
Feb.	1	10	9	28.9	6 53 35.88	35.84	— 0.04	"	66 52 22.17	20.40	— 1.68
	2	10	5	6.9	6 53 9.93	9.78	— 0.15	"	66 51 42.33	40.84	— 1.40
	3	10	0	45.5	6 52 44.33	44.32	— 0.01	"	66 51 2.98	2.29	— 0.69
	4	9	56	24.9	6 52 19.50	19.52	+ 0.02	"	66 50 27.14	24.91	— 3.23
	7	9	43	26.9	6 51 9.09	9.09	0.00	"	66 48 40.90	30.68	— 1.22
	10	9	30	36.1	6 50 5.30	4.98	— 0.32	"	66 47 7.14	4.56	— 2.58
	11	9	26	19.7	6 49 45.26	45.16	— 0.10	"	66 46 38.26	35.24	— 3.02
	12	9	22	5.0	6 49 26.06	25.96	— 0.10	"	66 46 8.04	6.82	— 1.22
	14	9	13	37.4	6 48 50.25	49.96	— 0.29	"	66 45 15.80	13.44	— 2.36
	16	9	5	12.5	6 48 17.08	17.07	— 0.01	"	66 44 30.11	24.44	— 5.67
	18	8	56	50.7	6 47 47.43	47.37	— 0.06	"	66 43 44.43	39.01	— 4.52
	19	8	52	40.5	6 47 33.06	33.74	+ 0.68	"	66 43 25.14	19.23	— 5.91
	21	8	44	23.4	6 47 8.82	8.89	+ 0.07	"	66 42 45.79	41.03	— 4.76
	22	8	40	17.3	6 46 57.54	57.68	+ 0.14	"	66 42 28.39	23.53	— 4.88
	23	8	36	11.2	6 46 47.16	47.32	+ 0.16	"	66 42 10.43	7.03	— 3.40
	24	8	32	5.9	6 46 37.81	37.78	— 0.03	"	66 41 55.76	51.61	— 4.15
	25	8	28	1.0	6 46 29.03	29.08	+ 0.05	"	66 41 41.03	37.17	— 4.46
	26	8	23	57.4	6 46 21.10	21.23	+ 0.13	"	66 41 28.11	23.75	— 4.36
	28	8	15	52.7	6 46 8.09	8.04	— 0.05	"	66 41 5.24	0.08	— 5.16
	29	8	11	51.4	6 46 2.80	2.70	— 0.10	"	66 40 54.32	49.83	— 4.40
Mar.	1	8	7	51.3	6 45 58.43	58.27	— 0.16	"	66 40 43.16	40.48	— 2.68
	2	8	3	51.6	6 45 54.74	54.64	— 0.10	"	66 40 35.46	32.20	— 3.26
	4	7	55	55.0	6 45 49.84	49.96	+ 0.12	"	66 40 20.43	18.57	— 1.86
	6	7	48	2.3	6 45 48.83	48.72	— 0.11	"	66 40 11.58	8.80	— 2.78
	7	7	44	7.0	6 45 49.35	49.38	+ 0.03	"	66 40 7.82	5.39	— 2.43
	9	7	36	19.2	6 45 53.24	53.24	0.00	"	66 40 4.75	1.50	— 3.25
	14	7	17	3.9	6 46 17.56	17.66	+ 0.10	"	66 40 12.79	8.81	— 3.98
	15	7	13	15.4	6 46 24.99	25.04	+ 0.05	"	66 40 16.35	13.37	— 2.98
	16	7	9	27.9	6 46 33.36	33.23	— 0.13	"	66 40 22.37	18.74	— 3.63
	18	7	1	54.6	6 46 52.21	52.05	— 0.16	"	66 40 35.22	32.34	— 2.88
	20	6	54	24.5	6 47 14.01	14.08	+ 0.07	"	66 40 52.39	49.92	— 2.47
	21	6	50	41.2	6 47 26.33	26.29	— 0.04	"	66 41 2.11	0.16	— 1.95
	22	6	46	58.4	6 47 39.60	39.27	— 0.33	"	66 41 12.26	11.40	— 0.56
	23	6	43	15.4	6 47 52.60	53.03	+ 0.43	"	66 41 25.03	23.62	— 1.41
	24	6	39	34.5	6 48 7.52	7.57	+ 0.05	"	66 41 38.24	36.84	— 1.40
	25	6	35	54.0	6 48 23.01	22.86	— 0.15	"	66 41 49.15	51.08	+ 1.93
	27	6	28	34.8	6 48 55.69	55.74	+ 0.05	"	66 42 24.78	22.58	— 2.20
	29	6	21	18.1	6 49 31.82	31.64	— 0.18	"	66 42 60.91	17.59	— 2.72
	30	6	17	41.9	6 49 50.68	50.86	+ 0.23	"	66 43 20.48	17.59	— 2.89
	31	6	14	5.8	6 50 10.42	10.49	+ 0.07	"	66 43 41.26	37.98	— 3.28

OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

xci

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued.)													
Mean Solar Time of Observation				Point observ- ed.	A. R. from Observation.		A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.
1848.	d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"	
April	1	6	10	30.6	C	6 50 31.08	30.99	— 0.09	C	66 43 61.94	59.45	— 2.49	
Oct.	19	20	1	19.1	"	9 26 3.50	3.47	— 0.03	"	74 14 5.78	3.39	— 2.39	
	22	19	21	11.8	"	9 27 39.69	39.61	— 0.08	"	74 21 5.51	4.17	— 1.34	
1849.													
Feb.	9	12	0	32.7	"	9 19 29.11	28.70	— 0.41	"	73 18 52.38	49.85	— 2.53	
	10	11	56	5.1	"	9 18 57.83	57.41	— 0.42	"	73 16 21.54	20.77	— 0.77	
	14	11	38	17.8	"	9 16 53.59	53.30	— 0.29	"	73 6 39.15	35.67	— 3.48	
	15	11	33	51.8	"	9 16 22.96	22.65	— 0.31	"	73 4 15.43	12.57	— 2.86	
	16	11	29	25.4	"	9 15 52.43	52.18	— 0.25	"	73 1 54.51	51.02	— 3.49	
	19	11	16	6.7	1 L	9 14 22.74	22.18	— 0.56	"	72 54 58.17	56.22	— 1.95	
	21	11	7	17.4	C	9 13 23.93	23.57	— 0.36	"	72 50 33.09	28.88	— 4.21	
	22	11	2	51.7	1 L	9 12 55.10	54.74	— 0.36	"	72 48 20.97	18.19	— 2.78	
Mar.	2	10	27	49.7	C	9 9 18.69	18.38	— 0.31	"	72 32 16.99	15.17	— 1.82	
	3	10	23	29.1	"	9 8 53.89	53.41	— 0.48	"	72 30 28.03	26.03	— 2.00	
	5	10	14	49.0	"	9 8 5.51	5.01	— 0.50	"	72 26 58.85	55.82	— 3.03	
	7	10	6	10.9	"	9 7 19.11	18.79	— 0.32	"	72 23 36.39	36.74	+ 0.35	
	8	10	1	53.1	"	9 6 56.94	56.54	— 0.40	"	72 22 5.19	1.51	— 3.68	
	9	9	57	34.0	1 L	9 6 35.23	34.88	— 0.35	"	72 20 31.58	29.25	— 2.33	
	12	9	44	47.1	C	9 5 33.90	33.48	— 0.42	"	72 16 13.00	10.25	— 2.75	
	14	9	36	17.4	1 & 2	9 4 56.06	55.68	— 0.38	"	72 13 36.21	32.81	— 3.40	
	16	9	27	50.1	"	9 4 20.62	20.48	— 0.14	"	72 11 10.98	7.94	— 3.04	
	17	9	23	38.5	"	9 4 4.40	3.90	— 0.50	"	72 10 2.06	0.19	— 1.87	
	19	9	15	15.1	"	9 3 33.15	32.79	— 0.36	"	72 7 57.29	54.21	— 3.08	
	20	9	11	4.8	"	9 3 18.65	18.27	— 0.38	"	72 6 57.86	56.00	— 1.86	
	21	9	6	53.9	1 L	9 3 4.93	4.47	— 0.46	"	72 6 4.39	1.09	— 3.30	
	22	9	2	46.4	C	9 2 51.63	51.37	— 0.26	"	72 5 11.55	9.44	— 2.11	
	24	8	54	30.0	"	9 2 27.60	27.37	— 0.23	"	72 3 38.83	35.81	— 3.02	
	27	8	42	12.5	"	9 1 57.20	56.91	— 0.29	"	72 1 43.57	40.26	— 3.31	
	28	8	38	8.1	"	9 1 48.77	48.26	— 0.51	"	72 1 11.71	8.31	— 3.40	
	29	8	34	4.2	"	9 1 40.69	40.35	— 0.34	"	72 0 42.09	39.66	— 2.43	
	30	8	30	1.1	"	9 1 33.46	33.20	— 0.26	"	72 0 16.25	14.36	— 1.89	
	31	8	25	57.3	1 L	9 1 26.93	26.80	— 0.13	"	71 59 55.50	52.25	— 3.25	
April	2	8	17	56.7	1 & 2	9 1 16.61	16.28	— 0.33	"	71 59 23.06	18.08	— 4.98	
	3	8	13	56.9	"	9 1 12.58	12.16	— 0.42	"	71 59 10.13	5.92	— 4.21	
	9	7	50	12.5	"	9 1 3.65	3.29	— 0.36	"	71 59 3.93	1.30	— 2.63	
	11	7	42	23.7	"	9 1 6.63	6.35	— 0.28	"	71 59 27.22	25.58	— 1.64	
	12	7	38	30.3	"	9 1 9.26	8.99	— 0.27	"	71 59 44.39	42.46	— 1.93	
	13	7	34	37.5	"	9 1 12.68	12.38	— 0.30	"	72 0 4.34	2.59	— 1.75	
	16	7	23	3.7	"	9 1 27.19	27.00	— 0.19	"	72 1 24.68	21.93	— 2.75	
	17	7	19	14.5	"	9 1 33.57	33.35	— 0.22	"	72 1 57.19	54.60	— 2.59	
	18	7	15	25.9	"	9 1 40.57	40.42	— 0.15	"	72 2 32.40	30.47	— 1.93	
	23	6	56	33.0	"	9 2 27.19	26.64	— 0.55	"	72 6 19.91	16.00	— 3.91	
	25	6	49	3.8	"	9 2 50.44	50.12	— 0.32	"	72 8 11.20	7.50	— 3.70	
	27	6	41	37.4	"	9 3 16.90	16.37	— 0.53	"	72 10 12.33	11.13	— 1.20	
May	1	6	26	55.2	C	9 4 17.48	17.03	— 0.45	"	72 14 54.85	53.49	— 1.36	
	2	6	23	16.0	"	9 4 34.20	33.85	— 0.35	"	72 16 12.01	11.33	— 0.68	
	3	6	19	37.7	"	9 4 51.87	51.40	— 0.47	"	72 17 32.95	32.05	— 0.90	
Oct.	12	21	33	7.4	1 L	10 59 34.90	34.37	— 0.53	"	82 29 36.37	34.29	— 2.08	
	14	21	26	44.5	2 L	11 1 1.50	0.84	— 0.66	"	82 38 14.57	11.65	— 2.92	
	16	21	20	17.7	"	11 2 26.75	26.29	— 0.46	"	82 46 46.28	43.38	— 2.90	
	17	21	17	3.9	"	11 3 8.97	8.61	— 0.36	"	82 50 59.00	56.68	— 2.34	
	18	21	13	49.9	"	11 3 51.41	50.67	— 0.74	"	82 55 11.49	9.07	— 2.42	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation			N. P. D. from N. A.	Error of N. A.
1849. <i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
Oct. 19	21	10	35.5	2 L	11	4	32.92	32.45	— 0.47	C	82	59	21.45	19.66	— 1.79
21	21	4	6.5	"	11	5	55.65	55.16	— 0.49	"	83	7	37.87	35.80	— 2.07
22	21	0	51.2	"	11	6	36.71	36.06	— 0.65	"	83	11	45.56	41.22	— 4.34
23	20	57	35.7	"	11	7	17.30	16.69	— 0.61	"	83	15	49.78	45.10	— 4.68
26	20	47	47.1	"	11	9	17.03	16.72	— 0.31	"	83	27	48.21	45.54	— 2.67
30	20	34	38.7	"	11	11	53.03	52.26	— 0.77	"	83	43	20.85	19.17	— 1.68
31	20	31	21.5	"	11	12	31.01	30.30	— 0.71	"	83	47	9.57	7.33	— 2.24
Nov. 2	20	24	44.4	"	11	13	45.97	45.38	— 0.59	"	83	54	39.27	37.75	— 1.52
5	20	14	46.5	"	11	15	35.81	35.27	— 0.54	"	84	5	39.47	36.01	— 3.46
8	20	4	45.0	"	11	17	22.32	21.81	— 0.51	"	84	16	15.58	13.37	— 2.21
9	20	1	23.3	"	11	17	57.07	56.55	— 0.52	"	84	19	42.06	40.86	— 1.20
11	19	54	40.2	"	11	19	5.56	4.80	— 0.76	"	84	26	30.57	28.25	— 2.32
12	19	51	17.1	"	11	19	38.82	38.28	— 0.54	"	84	29	49.63	47.95	— 1.68
13	19	47	54.2	"	11	20	11.82	11.37	— 0.45	"	84	33	7.68	4.97	— 2.71
14	19	44	30.8	"	11	20	44.47	44.01	— 0.46	"	84	36	22.07	19.22	— 2.85
19	19	27	27.4	"	11	23	21.16	20.56	— 0.60	"	84	51	45.74	47.64	+ 1.90
20	19	24	1.3	"	11	23	50.97	50.48	— 0.49	"	84	54	47.46	43.34	— 4.12
22	19	17	8.0	"	11	24	49.52	48.90	— 0.62	"	85	0	30.87	28.56	— 2.31
23	19	13	40.6	"	11	25	17.87	17.39	— 0.48	"	85	3	19.54	15.94	— 3.60
29	18	52	42.7	1 L	11	27	58.50	57.73	— 0.77	"	85	18	52.89	51.34	— 1.55
30	18	49	13.6	2 L	11	28	23.04	22.65	— 0.39	"	85	21	18.43	15.44	— 2.99
Dec. 2	18	42	10.5	"	11	29	11.59	10.87	— 0.72	"	85	25	54.97	52.99	— 1.98
3	18	38	36.3	1 & 2	11	29	34.88	34.16	— 0.72	"	85	28	9.48	6.48	— 3.00
4	18	35	4.4	2 L	11	29	57.65	56.90	— 0.75	"	85	30	19.93	15.27	— 4.66
19	17	40	33.6	1 & 2	11	34	27.54	26.88	— 0.66	"	85	54	59.08	57.91	— 1.17
20	17	36	51.0	"	11	34	40.75	39.86	— 0.89	"	85	56	5.09	3.31	— 1.78
21	17	33	7.5	"	11	34	53.03	52.20	— 0.83	"	85	57	8.08	5.47	— 2.61
1850. Jan. 16	15	52	13.2	"	11	36	13.22	12.41	— 0.81	"	85	57	50.83	48.35	— 2.48
17	15	48	11.3	"	11	36	6.90	6.00	— 0.90	"	85	56	50.40	49.08	— 1.32
18	15	44	8.0	"	11	35	59.54	58.89	— 0.65	"	85	55	47.04	45.45	— 1.59
27	15	7	11.0	"	11	34	25.32	24.31	— 1.01	"	85	43	3.80	1.01	— 2.79
Feb. 28	12	49	41.1	"	11	22	42.49	41.88	— 0.61	"	84	21	26.02	26.01	— 0.01
Mar. 11	12	1	15.5	2 L	11	17	29.00	27.97	— 1.03	"	83	47	22.39	19.03	— 3.36
12	11	56	47.7	1 L	11	16	60.37	59.22	— 1.15	"	83	44	18.05	14.94	— 3.11
14	11	47	58.8	"	11	16	3.28	1.95	— 1.33	"	83	38	11.48	9.62	— 1.86
15	11	43	34.6	"	11	15	34.67	33.50	— 1.17	"	83	35	11.59	8.68	— 2.91
18	11	30	22.2	"	11	14	9.93	8.82	— 1.11	"	83	26	17.19	14.22	— 2.97
19	11	25	58.9	"	11	13	42.20	40.95	— 1.25	"	83	23	21.32	19.38	— 1.94
20	11	21	35.2	"	11	13	14.50	13.29	— 1.21	"	83	20	27.96	26.07	— 0.89
21	11	17	11.4	"	11	12	46.97	45.85	— 1.12	"	83	17	37.13	34.81	— 2.32
22	11	12	48.8	"	11	12	19.70	18.65	— 1.05	"	83	14	47.46	45.59	— 1.87
23	11	8	25.9	"	11	11	52.76	51.71	— 1.05	"	83	11	63.14	58.46	— 4.68
25	10	59	43.7	2 L	11	10	59.67	58.69	— 0.98	"	83	6	34.04	31.09	— 2.95
26	10	55	22.0	"	11	10	33.66	32.64	— 1.02	"	83	3	52.78	51.02	— 1.76
27	10	51	0.7	"	11	10	8.15	6.91	— 1.24	"	83	1	15.39	13.41	— 1.98
28	10	46	39.8	"	11	9	42.59	41.53	— 1.06	"	82	58	41.73	38.52	— 3.21
April 4	10	16	19.7	1 & 2	11	6	55.16	54.85	— 0.31	"	82	41	60.07	55.19	— 4.88
5	10	12	0.7	1 L	11	6	33.56	32.78	— 0.78	"	82	39	48.10	44.98	— 3.12
6	10	7	44.0	"	11	6	12.88	11.20	— 1.68	"	82	37	39.24	37.12	— 2.12
8	9	59	10.3	"	11	5	30.96	29.51	— 1.45	"	82	33	35.03	31.26	— 3.77

OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

xciii

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued.)

Mean Solar Time of Observation.				Point observ ^d .	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ ^d .	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1850.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
April	9	9	54	53.3	1 L	11	5	9.78	9.44	— 0.34	C	82	31	37.67	36.08	— 1.59
	10	9	50	39.1	"	11	4	50.85	49.91	— 0.94	"	82	29	45.45	42.93	— 2.52
	11	9	46	24.0	"	11	4	31.81	30.91	— 0.90	"	82	27	56.26	53.67	— 2.59
	13	9	37	56.0	"	11	3	55.49	54.61	— 0.88	"	82	24	28.72	26.18	— 2.54
	15	9	29	33.1	2 L	11	3	21.74	20.62	— 1.12	"	82	21	18.04	14.42	— 3.62
	16	9	25	18.6	1 L	11	3	5.65	4.51	— 1.14	"	82	19	46.09	44.48	— 1.61
	18	9	16	56.4	"	11	2	35.30	34.13	— 1.17	"	82	16	57.85	56.62	— 1.23
	19	9	12	45.8	"	11	2	20.79	19.86	— 0.93	"	82	15	42.53	38.82	— 3.71
	20	9	8	36.6	"	11	2	7.16	6.22	— 0.94	"	82	14	27.85	25.10	— 2.75
	22	9	0	19.3	"	11	1	41.72	40.82	— 0.90	"	82	12	12.05	10.19	— 1.86
	23	8	56	11.8	"	11	1	30.17	29.10	— 1.07	"	82	11	11.44	8.99	— 2.45
	24	8	52	7.9	"	11	1	18.78	18.01	— 0.77	"	82	10	16.07	11.98	— 4.09
	25	8	48	1.1	2 L	11	1	8.39	7.57	— 0.82	"	82	9	22.03	19.25	— 2.78
	26	8	43	54.9	"	11	0	58.43	57.79	— 0.64	"	82	8	33.70	30.58	— 3.12
	27	8	39	51.0	"	11	0	49.66	48.63	— 1.03	"	82	7	48.93	46.09	— 2.84
	29	8	31	42.9	"	11	0	38.23	32.38	— 0.85	"	82	6	33.19	30.28	— 2.91
	30	8	27	40.2	"	11	0	26.30	25.24	— 1.06	"	82	5	61.38	58.63	— 2.75
May	1	8	23	33.9	1 L	11	0	19.49	18.75	— 0.74	"	82	5	33.91	31.26	— 2.65
	2	8	19	36.	—	—	—	—	—	—	"	82	5	11.11	4.08	— 7.03
	3	8	15	32.7	C	11	0	8.59	7.81	— 0.78	"	82	4	52.49	49.34	— 3.15
	4	8	11	32.3	"	11	0	3.90	3.34	— 0.56	"	82	4	36.73	34.80	— 1.93
	7	7	59	36.	—	—	—	—	—	—	"	82	4	18.67	18.79	+ 0.12
	9	7	51	40.8	"	10	59	52.06	51.19	— 0.87	"	82	4	27.35	26.11	— 1.24
	10	7	47	44.6	"	10	59	51.55	50.79	— 0.76	"	82	4	39.49	37.12	— 2.37
	11	7	43	49.0	"	10	59	52.06	51.08	— 0.98	"	82	4	57.12	52.41	— 4.71
	13	7	35	59.8	"	10	59	54.87	53.69	— 1.18	"	82	5	38.05	35.71	— 2.34
	14	7	32	6.3	"	10	59	57.01	56.01	— 1.00	"	82	6	7.31	3.62	— 3.69
	15	7	28	13.7	"	10	59	59.89	59.00	— 0.89	"	82	6	39.77	35.72	— 4.05
	17	7	20	27.9	1 L	11	0	7.80	6.99	— 0.81	"	82	7	52.93	52.52	— 0.41
	18	7	16	37.5	"	11	0	12.99	12.00	— 0.99	"	82	8	39.98	37.15	— 2.83
	21	7	5	9.6	C	11	0	31.62	30.95	— 0.67	"	82	11	17.68	15.46	— 2.22
	22	7	1	21.4	"	11	0	39.57	38.56	— 1.01	"	82	12	18.15	16.37	— 1.78
Nov.	13	21	19	58.3	"	12	51	34.24	32.97	— 1.27	"	94	16	41.45	36.38	— 5.07
	14	21	16	44.7	"	12	52	16.74	15.45	— 1.29	"	94	20	63.08	56.23	— 6.85
	18	21	3	48.0	1 & 2	12	55	4.14	2.95	— 1.19	"	94	37	59.73	56.77	— 2.96
	19	21	0	33.2	"	12	55	45.30	44.22	— 1.08	"	94	42	9.58	7.00	— 2.58
	20	20	57	18.1	"	12	56	26.39	25.20	— 1.19	"	94	46	19.59	15.16	— 4.43
	21	20	54	2.9	"	12	57	7.05	5.93	— 1.12	"	94	50	22.94	21.33	— 1.61
	22	20	50	47.7	"	12	57	47.73	46.38	— 1.35	"	94	54	29.03	25.85	— 3.68
	24	20	44	15.3	"	12	59	7.65	6.43	— 1.22	"	95	2	33.50	26.90	— 6.60
	25	20	40	58.7	"	12	59	47.26	46.03	— 1.23	"	95	6	29.21	24.39	— 4.82
	27	20	34	25.1	"	13	1	5.51	4.25	— 1.26	"	95	14	12.82	12.21	— 0.61
Dec.	5	20	7	57.5	"	13	6	5.91	4.34	— 1.57	"	95	43	52.83	49.57	— 3.26
	8	19	57	55.3	"	13	7	51.76	51.13	— 0.63	"	95	54	15.84	13.48	— 2.36
	10	19	51	12.8	"	13	9	1.24	0.28	— 0.96	"	96	0	60.77	55.64	— 5.13
	11	19	47	50.8	"	13	9	35.26	34.27	— 0.99	"	96	4	14.56	12.54	— 2.02
	12	19	44	28.5	"	13	10	8.84	7.85	— 0.99	"	96	7	29.39	26.61	— 2.78
	13	19	41	6.2	"	13	10	42.48	41.01	— 1.47	"	96	10	43.72	37.83	— 5.89
	15	19	34	18.5	"	13	11	46.99	46.06	— 0.93	"	96	16	56.60	51.18	— 5.42
	16	19	30	54.7	C	13	12	19.12	17.95	— 1.17	"	96	19	55.18	53.74	— 1.44
	17	19	27	30.0	1 & 2	13	12	50.36	49.39	— 0.97	"	96	22	57.25	53.10	— 4.15
	22	19	10	20.3	C	13	15	20.75	19.83	— 0.92	"	96	37	5.83	3.81	— 2.02
	23	19	6	53.2	"	13	15	49.28	48.50	— 0.78	"	96	39	47.63	44.50	— 3.13

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	
1851.	d.	h.	m.	s.		h. m. s.	s.	s.	° ' "	"	"	
Jan.	24	17	11	24.6	1 & 2	13 26 12.07	11.05	— 1.02	C	97 34 4.93	3.29	— 1.64
	27	17	0	2.3	"	13 26 37.45	36.35	— 1.10	—	—	—	—
Feb.	2	16	36	58.7	"	13 27 9.40	8.16	— 1.24	"	97 37 18.75	17.84	— 0.91
	3	16	33	5.3	"	13 27 12.19	10.99	— 1.20	"	97 37 18.90	18.62	— 0.28
	4	16	29	11.5	"	13 27 14.35	13.11	— 1.24	"	97 37 19.54	15.22	— 4.32
	5	16	25	17.4	"	13 27 16.12	14.51	— 1.61	"	97 37 9.81	7.71	— 2.10
	6	16	21	21.6	"	13 27 16.23	15.21	— 1.02	"	97 36 56.54	55.95	— 0.59
	7	16	17	25.7	"	13 27 16.27	15.19	— 1.08	"	97 36 41.65	40.01	— 1.64
	9	16	9	32.1	"	13 27 14.23	13.94	— 1.19	"	97 35 57.32	55.77	— 1.55
	10	16	5	33.8	"	13 27 11.93	10.89	— 1.04	"	97 35 28.59	27.57	— 1.02
	11	16	1	35.0	"	13 27 9.45	8.05	— 1.40	"	97 34 54.44	55.02	+ 0.58
	12	15	57	35.4	"	13 27 5.76	4.50	— 1.26	"	97 34 19.37	18.50	— 0.87
	14	15	49	34.4	"	13 26 56.38	55.29	— 1.04	"	97 32 55.17	53.34	— 1.83
	16	15	41	30.7	"	13 26 44.00	43.28	— 0.72	"	97 31 13.79	11.94	— 1.85
	17	15	37	28.0	"	13 26 37.67	36.24	— 1.43	"	97 30 15.87	15.29	— 0.58
	19	15	29	20.0	"	13 26 21.36	20.09	— 1.27	"	97 28 12.55	9.92	— 2.63
	20	15	25	15.4	"	13 26 12.53	10.98	— 1.55	"	97 27 2.37	1.38	— 0.99
	21	15	21	9.0	"	13 26 2.21	1.19	— 1.02	"	97 25 49.30	48.92	— 0.38
	23	15	12	56.1	"	13 25 40.61	39.58	— 1.03	"	97 23 13.90	12.36	— 1.54
	24	15	8	48.3	"	13 25 29.24	27.78	— 1.46	"	97 21 51.19	48.40	— 2.79
	25	15	4	40.0	"	13 25 16.64	15.31	— 1.33	"	97 20 24.01	20.69	— 3.32
April	17	11	23	49.7	1 L	13 4 55.66	54.24	— 1.42	N L	95 12 20.08	16.86	— 3.22
May	10	9	44	8.4	1 & 2	12 55 36.23	34.80	— 1.43	C	94 17 48.00	45.16	— 2.84
June	16	7	13	36.0	C	12 50 31.37	29.70	— 1.67	—	—	—	—
	17	7	9	43.5	"	12 50 35.09	33.78	— 1.31	—	—	—	—
	18	7	5	51.0	"	12 50 39.12	38.50	— 0.62	—	—	—	—
	24	6	42	58.4	"	12 51 21.30	20.27	— 1.03	—	—	—	—
	30	6	20	26.7	"	12 52 25.86	24.80	— 1.06	—	—	—	—
July	1	6	16	44.0	"	12 52 39.00	37.72	— 1.28	—	—	—	—
	2	6	13	1.1	"	12 52 52.45	51.25	— 1.20	—	—	—	—
	22	5	0	51.8	"	12 59 21.78	21.09	— 0.69	—	—	—	—
Dec.	19	20	57	24.2	1 & 2	14 49 55.72	54.79	— 0.93	"	105 15 46.46	44.88	— 1.58
	21	20	51	1.0	"	14 51 24.26	22.98	— 1.28	"	105 22 9.18	7.34	— 1.84
	22	20	47	48.2	"	14 52 7.81	7.02	— 0.79	"	105 25 15.12	15.87	+ 0.75
	23	20	44	36.0	"	14 52 51.48	50.51	— 0.97	"	105 28 22.82	22.30	— 0.52
1852.												
Jan.	1	20	15	29.5	C	14 59 8.79	7.47	— 1.32	"	105 54 45.37	43.63	— 1.74
	15	19	29	10.9	"	15 7 54.12	52.93	— 1.19	"	106 29 40.12	38.89	— 1.23
	18	19	19	3.8	"	15 9 35.49	34.39	— 1.10	SL	106 36 7.02	8.60	+ 1.58
	19	19	15	39.6	1 L	15 10 8.50	7.20	— 1.30	C	106 38 9.42	11.60	+ 2.18
	20	19	12	17.5	C	15 10 40.93	39.50	— 1.43	N L	106 40 12.96	13.57	+ 0.61
	21	19	8	53.3	"	15 11 12.59	10.72	— 1.87	C	106 42 13.45	13.05	— 0.40
	22	19	5	28.3	"	15 11 43.78	42.57	— 1.21	SL	106 44 9.29	9.99	+ 0.70
	23	19	2	3.2	"	15 12 14.60	13.32	— 1.28	—	—	—	—
	25	18	55	10.8	"	15 13 14.26	13.19	— 1.07	—	—	—	—
	27	18	48	16.6	"	15 14 11.80	10.86	— 0.94	—	—	—	—
	29	18	41	20.4	"	15 15 7.41	6.27	— 1.14	—	—	—	—
Feb.	2	18	27	19.5	1 & 2	15 16 51.39	50.14	— 1.25	—	—	—	—
May	29	10	25	13.8	C	14 54 42.88	41.50	— 1.38	N L	105 25 34.98	38.51	+ 3.53

OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

xcv

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1852. d. h. m. s.					h. m. s.	s.	s.		° ' "	"	"
June 1 10 12 12.8	1 & 2	14 53 26.19	24.84	— 1.35	N L	105 20 37.08	38.79	+ 1.71			
3 10 3 28.9	"	14 52 37.03	35.97	— 1.06	S L	105 17 30.06	28.88	— 1.18			
4 9 59 9.4	"	14 52 13.28	12.23	— 1.05	N L	105 15 55.32	57.00	+ 1.68			
5 9 54 50.3	"	14 51 50.33	49.01	— 1.32	S L	105 14 27.10	27.35	+ 0.25			
7 9 46 13.8	"	14 51 5.34	4.07	— 1.27	N L	105 11 32.78	35.06	+ 2.28			
8 9 41 55.9	"	14 50 43.58	42.37	— 1.21	S L	105 10 12.43	12.34	— 0.09			
9 9 37 39.9	"	14 50 22.08	21.22	— 0.86	N L	105 8 52.45	52.03	— 0.42			
10 9 38 22.8	"	14 50 1.81	0.62	— 1.19	S L	105 7 32.81	34.22	+ 1.41			
14 9 16 23.0	"	14 48 45.19	43.99	— 1.20	N L	105 2 48.54	48.95	+ 0.81			
July 10 7 30 7.9	C	14 44 43.16	41.98	— 1.18	"	104 51 24.52	26.76	+ 2.24			
12 7 22 16.9	"	14 44 44.03	42.88	— 1.15	S L	104 52 4.84	3.83	— 1.01			
13 7 18 22.5	"	14 44 45.50	44.41	— 1.09	N L	104 52 23.99	27.24	+ 3.25			
14 7 14 28.9	"	14 44 47.63	46.66	— 0.97	—	—	—	—			
15 7 10 35.9	"	14 44 50.68	49.62	— 1.06	—	—	—	—			
16 7 6 43.7	"	14 44 54.31	53.31	— 1.00	S L	104 53 57.43	56.85	— 0.58			
17 7 2 51.7	"	14 44 58.87	57.69	— 1.18	—	—	—	—			
19 6 55 11.3	"	14 45 9.51	8.58	— 0.93	—	—	—	—			
20 6 51 21.8	"	14 45 16.08	15.07	— 1.01	—	—	—	—			
27 6 24 54.3	"	14 46 20.89	20.04	— 0.85	—	—	—	—			
Sept. 22 3 7 40.0	"	15 13 16.95	16.11	— 0.84	C	107 10 1.08	3.30	+ 2.22			
27 2 51 35.3	"	15 16 52.41	51.93	— 0.48	"	107 24 51.75	54.59	+ 2.84			
28 2 48 23.2	"	15 17 36.66	36.19	— 0.47	"	107 27 54.48	54.65	+ 0.17			
29 2 45 12.0	"	15 18 21.28	20.79	— 0.49	"	107 30 52.39	55.19	+ 2.80			

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN.

1848. d. h. m. s.		h. m. s.	s.	s.		° ' "	"	"
Sept. 14 11 58 31.9	C	23 33 57.78	55.70	— 2.08	C	95 25 49.14	55.68	+ 6.54
15 11 54 19.3	"	23 33 40.83	38.73	— 2.10	"	95 27 40.46	47.74	+ 7.28
Oct. 17 9 40 16.3	"	23 25 25.66	23.75	— 1.91	"	96 19 12.97	17.83	+ 4.86
18 9 36 8.0	"	23 25 13.02	11.37	— 1.65	"	96 20 25.83	29.49	+ 3.66
19 9 31 59.5	"	23 24 60.93	59.25	— 1.68	"	96 21 38.82	39.12	+ 5.30
Nov. 11 7 58 23.7	"	23 21 50.17	48.47	— 1.70	"	96 37 57.84	63.05	+ 5.21
18 7 30 31.9	"	23 21 30.09	28.15	— 1.94	"	96 38 41.61	46.68	+ 5.07
20 7 22 37.6	"	23 21 27.34	25.83	— 1.51	"	96 38 31.12	36.25	+ 5.13
21 7 18 41.3	"	23 21 27.13	25.25	— 1.88	"	96 38 22.80	27.17	+ 4.37
Dec. 4 6 28 2.7	"	23 21 55.44	53.80	— 1.64	"	96 32 32.66	37.89	+ 5.23
5 6 24 11.8	"	23 21 60.70	58.76	— 1.94	"	96 31 52.64	53.40	+ 0.76
1849. Aug. 9 15 18 55.5	"	0 31 60.67	59.02	— 1.65	"	89 17 51.80	53.76	+ 1.96
13 15 2 40.2	"	0 31 23.94	27.47	— 1.47	"	89 22 17.82	20.14	+ 2.32
16 14 50 25.4	"	0 31 1.90	0.32	— 1.67	"	89 25 58.25	60.66	+ 2.41
17 14 46 19.9	"	0 30 52.23	50.63	— 1.60	"	89 27 16.59	17.91	+ 1.32
21 14 29 54.4	"	0 30 10.01	8.76	— 1.25	"	89 32 42.05	44.70	+ 2.65
22 14 25 47.9	"	0 29 59.46	57.54	— 1.92	"	89 34 8.60	10.59	+ 1.99
23 14 21 39.5	"	0 29 47.28	46.05	— 1.23	"	89 35 36.24	38.16	+ 1.92
24 14 17 32.9	"	0 29 35.93	34.26	— 1.67	"	89 37 5.20	7.26	+ 2.06
Sept. 27 11 55 13.0	"	0 20 55.59	54.00	— 1.59	"	90 37 31.21	34.89	+ 3.68

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN, (*Continued.*)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1849. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"	
Oct.	1	11	38	20.7	C	0	19	47.03	45.43	— 1.60	C	90	45	0.07	3.34	+ 3.27
	2	11	34	7.3	"	0	19	29.71	28.35	— 1.36	"	90	46	50.10	55.08	+ 4.93
	10	11	0	25.9	"	0	17	15.34	13.66	— 1.68	"	91	1	8.47	14.90	+ 6.43
	12	10	52	1.3	"	0	16	42.47	40.87	— 1.60	"	91	4	36.76	40.68	+ 3.92
	13	10	47	50.0	"	0	16	26.35	24.68	— 1.67	"	91	6	18.65	21.82	+ 3.17
	15	10	39	25.5	"	0	15	53.75	52.68	— 1.07	"	91	9	38.68	40.35	+ 1.67
	18	10	26	51.4	"	0	15	7.81	5.87	— 1.94	"	91	14	25.95	27.79	+ 1.84
	19	10	22	40.0	"	0	14	52.13	50.63	— 1.50	"	91	15	58.22	60.68	+ 2.46
	20	10	18	29.7	"	0	14	37.40	35.57	— 1.83	"	91	17	29.15	32.00	+ 2.85
	22	10	10	8.2	"	0	14	7.89	6.07	— 1.82	"	91	20	29.18	29.91	+ 0.73
	23	10	5	57.8	"	0	13	53.37	51.63	— 1.74	"	91	21	53.92	56.30	+ 2.38
	24	10	1	47.6	"	0	13	39.13	37.41	— 1.72	"	91	23	17.90	20.90	+ 3.00
	25	9	57	37.7	"	0	13	24.69	23.42	— 1.27	"	91	24	41.50	43.71	+ 2.21
	26	9	53	28.2	"	0	13	11.78	9.67	— 2.11	"	91	26	2.74	4.72	+ 1.98
	29	9	41	0.	—	—	—	—	—	—	"	91	29	51.09	56.17	+ 5.08
	31	9	32	44.1	"	0	12	6.54	4.69	— 1.85	"	91	32	17.61	20.63	+ 3.02
Nov.	1	9	28	36.0	"	0	11	54.34	52.50	— 1.84	"	91	33	27.14	29.78	+ 2.64
	2	9	24	27.9	"	0	11	42.18	40.58	— 1.60	"	91	34	35.73	36.82	+ 1.09
	3	9	20	20.5	"	0	11	30.66	28.96	— 1.70	"	91	35	40.23	41.75	+ 1.52
	6	9	8	0.	—	—	—	—	—	—	"	91	38	41.86	43.38	+ 2.02
	8	8	59	47.3	"	0	10	36.96	35.33	— 1.63	"	91	40	31.19	33.25	+ 2.06
	9	8	55	41.5	"	0	10	27.07	25.55	— 1.52	"	91	41	22.33	24.76	+ 2.43
	10	8	51	36.3	"	0	10	17.88	16.09	— 1.79	"	91	42	11.39	13.97	+ 2.58
	12	8	43	26.6	"	0	9	59.80	58.19	— 1.61	"	91	43	42.17	45.11	+ 2.94
	13	8	39	22.6	"	0	9	51.48	49.76	— 1.72	"	91	44	23.84	27.05	+ 3.21
	15	8	31	14.8	"	0	9	35.61	33.91	— 1.70	"	91	45	42.98	43.56	+ 0.58
	19	8	15	3.7	"	0	9	8.17	6.54	— 1.63	"	91	47	44.30	46.43	+ 2.13
	20	8	11	0.	—	—	—	—	—	—	"	91	48	9.81	10.75	+ 0.94
	21	8	7	0.6	"	0	8	56.74	55.08	— 1.66	"	91	48	30.61	32.59	+ 1.98
	22	8	2	59.6	"	0	8	51.55	49.90	— 1.65	"	91	48	50.77	51.84	+ 1.07
	24	7	54	58.3	"	0	8	42.03	40.71	— 1.32	"	91	49	20.25	22.47	+ 2.22
	28	7	39	1.0	"	0	8	28.33	26.92	— 1.41	"	91	49	49.25	52.43	+ 3.18
	29	7	35	2.6	"	0	8	25.91	24.43	— 1.48	—	—	—	—	—	—
	30	7	31	4.5	"	0	8	23.83	22.34	— 1.49	"	91	49	49.74	51.74	+ 2.00
Dec.	1	7	27	7.2	"	0	8	22.23	20.64	— 1.59	"	91	49	46.10	47.41	+ 1.31
	4	7	15	16.7	"	0	8	19.47	17.89	— 1.58	"	91	49	17.42	18.84	+ 1.42
	10	6	51	45.8	"	0	8	24.50	23.06	— 1.44	"	91	47	8.54	10.76	+ 2.22
	11	6	47	52.7	"	0	8	26.87	25.32	— 1.55	"	91	46	39.15	40.28	+ 1.13
	12	6	43	59.4	"	0	8	29.33	27.98	— 1.35	"	91	46	4.92	7.21	+ 2.29
	13	6	40	6.3	"	0	8	32.24	31.03	— 1.21	"	91	45	29.66	31.56	+ 1.90
	14	6	36	14.2	"	0	8	36.07	34.48	— 1.59	"	91	44	50.66	53.32	+ 2.66
	18	6	20	48.1	"	0	8	53.52	52.44	— 1.08	"	91	41	51.38	54.63	+ 3.25
	19	6	16	57.4	"	0	8	59.06	57.66	— 1.40	"	91	40	59.75	63.57	+ 3.82
	20	6	13	7.6	"	0	9	5.06	3.48	— 1.58	"	91	40	7.91	10.12	+ 2.21
	21	6	9	18.1	"	0	9	11.23	9.68	— 1.55	"	91	39	12.77	14.08	+ 1.31
	22	6	5	28.4	"	0	9	17.61	16.28	— 1.33	"	91	38	11.67	15.55	+ 3.88
1850.																
Oct.	9	11	57	17.1	"	1	9	21.38	20.17	— 1.21	—	85	38	18.04	14.18	— 3.60
	11	11	48	49.9	"	1	8	45.94	44.98	— 0.96	—	—	—	—	—	—
	12	11	44	37.1	"	1	8	28.92	27.38	— 1.54	"	85	43	42.07	39.86	— 2.21
	14	11	36	10.2	"	1	7	53.75	52.22	— 1.53	"	85	47	17.70	15.99	— 1.71
	16	11	27	48.0	"	1	7	18.32	17.17	— 1.15	"	85	50	50.28	48.06	— 2.22
	18	11	19	16.6	"	1	6	43.61	42.32	— 1.29	"	85	54	19.86	18.01	— 1.25
	21	11	6	37.2	"	1	5	51.97	50.54	— 1.43	"	85	59	31.28	28.69	— 2.59

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.		Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.		Error of N. A.
1850.	d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"	
Oct.	22	11	2	24.4	C	1	5	34.99	33.46	— 1.53	C	86	1	12.21	10.27	— 1.94	
	26	10	45	33.7	"	1	4	27.68	26.25	— 1.43	"	86	7	49.05	46.03	— 3.02	
	29	10	32	57.7	"	1	3	39.03	37.24	— 1.79	"	86	12	32.91	31.03	— 1.88	
	30	10	28	45.5	"	1	3	22.76	21.22	— 1.54	—	—	—	—	—	—	
	31	10	24	33.7	"	1	3	6.99	5.38	— 1.61	"	86	15	37.66	34.30	— 3.63	
Nov.	2	10	16	10.8	"	1	2	35.71	34.26	— 1.45	"	86	18	37.38	31.44	— 5.94	
	11	9	38	36.	—	—	—	—	—	—	"	86	30	29.59	26.59	— 3.00	
	12	9	34	29.8	"	1	0	13.43	12.01	— 1.42	"	86	31	42.50	36.67	— 5.83	
	13	9	30	21.4	"	0	59	60.72	59.21	— 1.51	S L	86	32	50.38	44.90	— 5.48	
	14	9	26	12.8	"	0	59	48.12	46.70	— 1.42	N L	86	33	51.58	51.04	— 0.54	
	18	9	9	42.3	"	0	58	61.11	59.57	— 1.54	C	86	37	58.20	54.44	— 3.76	
	19	9	5	35.4	"	0	58	50.13	48.55	— 1.58	"	86	38	52.54	49.83	— 2.71	
	20	9	1	28.7	"	0	58	39.40	37.87	— 1.53	"	86	39	45.13	43.02	— 2.11	
	21	8	57	22.4	"	0	58	28.80	27.51	— 1.29	"	86	40	37.05	33.93	— 3.12	
	22	8	53	16.6	"	0	58	18.78	17.47	— 1.31	"	86	41	25.31	22.64	— 2.67	
	23	8	49	11.0	"	0	58	9.33	7.78	— 1.55	"	86	42	11.04	8.96	— 2.08	
	25	8	41	0.6	"	0	57	50.88	49.40	— 1.48	"	86	43	37.00	34.46	— 2.54	
	26	8	36	56.0	"	0	57	42.06	40.73	— 1.33	"	86	44	16.02	13.82	— 2.20	
	27	8	32	51.7	"	0	57	33.58	32.51	— 1.07	—	—	—	—	—	—	
	28	8	28	48.2	"	0	57	25.92	24.46	— 1.46	"	86	45	25.24	25.05	— 0.19	
Dec.	4	8	4	32.9	"	0	56	45.82	44.50	— 1.32	"	86	47	61.91	59.39	— 2.52	
	5	8	0	31.7	"	0	56	40.61	39.17	— 1.44	"	86	48	19.72	16.25	— 3.47	
	7	7	52	29.9	"	0	56	30.89	29.68	— 1.21	N L	86	48	43.44	42.33	— 1.11	
	8	7	48	30.5	"	0	56	27.14	25.52	— 1.02	—	—	—	—	—	—	
	9	7	44	30.1	"	0	56	23.09	21.76	— 1.33	S L	86	48	62.15	58.04	— 4.11	
	10	7	40	31.1	"	0	56	19.58	18.41	— 1.17	C	86	49	4.44	2.07	— 2.37	
	11	7	36	32.5	"	0	56	16.81	15.45	— 1.36	S L	86	49	7.97	3.42	— 4.55	
	12	7	32	34.1	"	0	56	14.26	12.88	— 1.38	C	86	49	5.12	2.18	— 2.94	
	13	7	28	36.2	"	0	56	12.15	10.72	— 1.43	"	86	48	61.80	58.36	— 3.44	
	14	7	24	38.7	"	0	56	10.42	8.96	— 1.46	"	86	48	54.16	51.94	— 2.22	
	16	7	16	44.0	"	0	56	7.76	6.66	— 1.10	N L	86	48	31.71	31.26	— 0.45	
	17	7	12	47.8	"	0	56	7.46	6.11	— 1.35	C	86	48	20.39	17.00	— 3.39	
	18	7	8	51.4	"	0	56	7.10	5.96	— 1.14	S L	86	48	3.98	0.24	— 3.74	
	19	7	4	55.8	"	0	56	7.49	6.22	— 1.27	N L	86	47	43.08	40.81	— 2.27	
	20	7	1	0.7	"	0	56	8.29	6.88	— 1.41	"	86	47	19.28	18.89	— 0.39	
	21	6	57	6.3	"	0	56	9.40	8.04	— 1.36	S L	86	46	59.92	54.38	— 5.54	
	26	6	37	37.7	"	0	56	20.75	19.33	— 1.42	—	—	—	—	—	—	
1851.																	
Jan.	3	6	6	49.7	"	0	56	59.95	58.52	— 1.43	C	86	37	46.33	45.33	— 1.00	
	4	6	3	0.4	"	0	57	6.66	5.21	— 1.45	"	86	36	49.73	45.72	— 4.01	
	13	5	28	54.1	"	0	58	23.87	22.94	— 0.93	N L	86	26	9.87	3.55	— 6.32	
	15	5	21	24.3	"	0	58	46.08	44.36	— 1.72	—	—	—	—	—	—	
	16	5	17	39.1	"	0	58	56.74	55.62	— 1.12	C	86	21	52.97	48.81	— 4.16	
	17	5	13	55.3	"	0	59	8.45	7.24	— 1.21	"	86	20	22.18	19.65	— 2.53	
	18	5	10	10.7	"	0	59	20.40	19.22	— 1.18	—	—	—	—	—	—	
	20	5	2	43.6	"	0	59	44.97	44.24	— 0.73	"	86	15	42.16	39.53	— 2.63	
	24	4	47	54.1	"	1	0	39.50	38.45	— 1.05	—	—	—	—	—	—	
	25	4	44	13.5	"	1	0	54.53	52.86	— 1.67	—	—	—	—	—	—	
	28	4	33	9.9	"	1	1	38.81	38.08	— 0.73	—	—	—	—	—	—	
Nov.	8	10	45	0.4	"	1	54	18.72	17.80	— 0.92	S L	81	12	24.66	13.50	— 11.16	
	17	10	7	16.5	"	1	51	50.39	49.52	— 0.87	N L	81	24	45.52	38.90	— 6.62	
	20	9	54	43.3	"	1	51	4.84	3.78	— 1.06	S L	81	28	34.60	21.62	— 12.98	
	21	9	50	32.6	"	1	50	50.00	49.02	— 0.98	N L	81	29	39.46	32.58	— 6.88	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N P D. from N. A.	Error of N. A.
1851. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Nov. 22	9	46	22.3	C	1 50 35.41	34.52	— 0.89	SL	81 30 53.92	42.76	— 11.16
24	9	38	2.5	"	1 50 7.38	6.32	— 1.06	NL	81 32 63.71	54.93	— 8.78
25	9	33	52.7	"	1 49 53.61	52.63	— 0.98	SL	81 33 69.24	58.81	— 10.43
27	9	25	34.5	"	1 49 27.25	26.15	— 1.10	NL	81 36 8.46	0.91	— 7.55
28	9	21	25.8	"	1 49 14.35	13.36	— 0.99	C	81 36 67.10	59.11	— 7.99
Dec. 2	9	4	53.7	"	1 48 26.42	25.38	— 1.04	"	81 40 41.31	31.99	— 9.32
3	9	0	46.6	"	1 48 15.27	14.20	— 1.07	"	81 41 30.37	20.04	— 10.33
4	8	56	40.2	"	1 48 4.32	3.36	— 0.96	"	81 42 16.48	5.99	— 10.49
5	8	52	38.5	"	1 47 53.77	52.86	— 0.91	"	81 42 56.37	49.83	— 6.54
6	8	48	27.7	"	1 47 43.75	42.52	— 1.23	"	81 43 38.25	31.49	— 6.76
9	8	36	11.6	"	1 47 15.30	14.41	— 0.89	"	81 45 31.63	23.23	— 8.40
10	8	32	6.5	"	1 47 6.30	5.70	— 0.60	"	81 45 64.39	56.05	— 8.34
15	8	11	49.9	"	1 46 28.90	27.81	— 1.09	"	81 48 13.93	5.82	— 8.11
16	8	7	47.5	"	1 46 22.37	21.38	— 0.99	"	—	—	—
17	8	3	45.4	"	1 46 16.62	15.36	— 1.26	"	—	—	—
18	7	59	42.	—	—	—	—	C	81 48 66.06	55.65	— 10.41
19	7	55	42.2	"	1 46 5.30	4.49	— 0.81	—	—	—	—
20	7	51	41.8	"	1 45 60.61	59.66	— 0.95	"	81 49 24.15	16.87	— 7.28
22	7	43	42.3	"	1 45 52.19	51.23	— 0.96	"	81 49 36.69	29.35	— 8.34
24	7	35	42.5	"	1 45 45.04	44.45	— 0.59	"	81 49 36.83	30.16	— 6.67
26	7	27	46.3	"	1 45 40.18	39.33	— 0.85	—	—	—	—
1852.											
Jan. 26	5	28	6.6	"	1 47 53.94	52.83	— 1.11	—	—	—	—
27	5	24	21.4	"	1 48 4.51	3.62	— 0.89	—	—	—	—
30	5	13	7.8	"	1 48 38.95	38.26	— 0.69	"	81 21 50.03	45.17	— 4.86
Feb. 2	5	1	56.7	"	1 49 16.24	16.24	0.00	—	—	—	—
3	4	58	15.1	"	1 49 30.68	29.63	— 1.05	"	81 15 54.81	47.58	— 7.23
4	4	54	32.7	"	1 49 44.19	43.38	— 0.81	—	—	—	—
Nov. 22	10	38	42.	—	—	—	—	"	76 38 28.36	21.02	— 7.34
23	10	34	30.8	"	2 45 47.78	46.99	— 0.79	"	76 39 40.83	33.07	— 7.76
24	10	30	16.7	"	2 45 29.89	29.42	— 0.47	"	76 40 52.15	44.44	— 7.71
25	10	26	3.4	"	2 45 12.55	12.04	— 0.51	"	76 41 61.92	54.37	— 7.55
Dec. 7	9	35	42.3	"	2 42 1.74	1.29	— 0.45	"	76 54 24.39	16.68	— 7.71
8	9	31	32.2	"	2 41 47.95	47.12	— 0.83	"	76 55 16.59	9.15	— 7.44
9	9	27	22.7	"	2 41 33.87	33.25	— 0.62	"	76 56 7.20	0.00	— 7.20
10	9	23	12.9	"	2 41 19.95	19.65	— 0.30	"	76 56 56.10	19.18	— 6.92
11	9	19	3.4	"	2 41 7.00	6.47	— 0.53	"	76 57 43.76	36.66	— 7.10
15	9	2	30.7	"	2 40 17.42	16.91	— 0.51	—	—	—	—
16	8	58	22.9	"	2 40 5.92	5.39	— 0.53	"	77 1 13.93	7.51	— 6.42
20	8	41	57.9	"	2 39 23.77	22.98	— 0.79	"	77 3 29.56	22.81	— 6.75
27	8	13	26.7	"	2 38 23.79	23.58	— 0.21	—	—	—	—
28	8	9	24.1	"	2 38 17.17	16.69	— 0.48	—	—	—	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS.

1848. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Oct. 17	11	29	41.5	C	1 15 8.88	18.63	+ 9.75	C	82 43 106.58	52.96	— 53.62
18	11	25	36.4	"	1 14 59.42	69.56	+ 10.14	"	82 44 100.54	47.28	— 53.26
20	11	17	26.6	"	1 14 41.86	51.46	+ 9.60	"	82 46 87.51	35.46	— 52.05
Nov. 18	9	19	31.3	"	1 10 47.38	57.01	+ 9.63	"	83 9 96.45	45.30	— 51.15

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS, (*Continued.*)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1848.	d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"
Dec.	15	7	31	17.5	C	1	8	42.98	52.52	+ 9.54	C	83	21	80.81	30.37	—50.44
	18	7	19	23.9	"	1	8	36.98	46.43	+ 9.45	"	83	22	52.08	0.68	—51.40
	20	7	11	28.8	"	1	8	33.85	43.29	+ 9.44	"	83	22	65.06	15.27	—49.79
	21	7	7	31.9	"	1	8	32.65	42.00	+ 9.35	"	83	22	70.56	20.36	—50.20
1849.																
Aug.	12	16	13	6.1	"	1	38	9.48	19.50	+10.02	"	80	24	111.54	58.19	—53.35
	16	15	57	12.2	"	1	37	59.70	69.72	+10.02	"	80	26	53.04	0.00	—53.04
	19	15	45	15.2	"	1	37	50.31	60.53	+10.22	"	80	26	107.56	56.92	—50.64
	21	15	37	16.0	"	1	37	42.69	53.56	+10.87	"	80	27	89.51	39.79	—49.72
	22	15	33	16.	—	—	—	—	—	—	"	80	28	54.32	2.63	—51.69
	24	15	25	17.6	"	1	37	31.75	41.81	+10.06	"	80	28	103.22	51.16	—52.06
Oct.	10	12	14	52.6	"	1	31	54.26	64.39	+10.13	"	81	1	109.65	55.90	—53.75
	12	12	6	42.3	"	1	31	35.70	46.12	+10.42	"	81	3	95.72	42.25	—53.47
	13	12	2	37.9	"	1	31	26.71	36.94	+10.23	"	81	4	90.94	35.53	—55.41
	18	11	42	11.9	"	1	30	40.64	50.82	+10.18	"	81	9	55.83	2.89	—52.94
	19	11	38	6.8	"	1	30	31.28	41.67	+10.39	"	81	9	111.37	56.35	—55.02
	20	11	35	2.1	"	1	30	22.15	32.46	+10.31	"	81	10	104.97	49.74	—55.23
	22	11	25	51.6	"	1	30	3.69	14.09	+10.40	"	81	12	89.94	29.40	—60.54
	23	11	21	46.5	"	1	29	54.58	64.94	+10.36	"	81	13	82.74	29.22	—53.52
	24	11	17	41.4	"	1	29	45.46	55.79	+10.33	"	81	14	72.40	21.99	—50.41
	25	11	13	36.6	"	1	29	36.09	46.69	+10.60	"	81	15	70.60	14.83	—55.77
	26	11	9	31.7	"	1	29	27.71	37.61	+ 9.90	"	81	16	61.05	7.33	—53.72
	29	10	57	16.4	"	1	29	0.08	10.63	+10.55	"	81	18	96.50	43.28	—53.22
	30	10	53	12.4	"	1	28	51.39	61.72	+10.33	"	81	19	88.60	34.75	—53.85
	31	10	49	7.8	"	1	28	42.78	52.87	+10.09	"	81	20	79.97	25.86	—54.11
Nov.	1	10	45	3.0	"	1	28	33.86	44.08	+10.22	"	81	21	71.51	16.64	—54.87
	2	10	40	58.2	"	1	28	25.06	35.32	+10.26	"	81	22	60.90	7.11	—53.79
	9	10	12	27.6	"	1	27	25.77	36.05	+10.28	"	81	27	102.03	48.06	—53.97
	12	10	0	15.8	"	1	27	1.65	11.89	+10.24	"	81	30	59.99	6.64	—53.35
	13	9	56	12.4	"	1	26	53.91	64.02	+10.11	"	81	30	104.97	51.70	—53.27
	19	9	31	51.9	"	1	26	9.02	19.11	+10.09	"	81	35	60.66	8.11	—52.55
	20	9	27	49.0	"	1	26	1.93	12.03	+10.10	"	81	35	102.65	48.39	—54.26
	21	9	23	46.1	"	1	25	54.88	5.08	+10.20	"	81	36	79.96	27.92	—52.04
	22	9	19	43.5	"	1	25	48.09	58.24	+10.15	"	81	37	58.77	6.60	—52.17
	23	9	15	41.1	"	1	25	41.30	51.55	+10.25	"	81	37	97.63	44.55	—53.08
	24	9	11	38.4	"	1	25	34.79	44.99	+10.20	"	81	38	73.94	21.60	—52.34
	28	8	55	30.0	"	1	25	9.92	20.15	+10.23	"	81	40	95.66	41.58	—54.08
	29	8	51	28.4	"	1	25	4.24	14.30	+10.06	—	—	—	—	—	—
	30	8	47	26.4	"	1	24	58.22	68.61	+10.39	"	81	41	99.05	46.27	—52.78
Dec.	4	8	31	21.9	"	1	24	37.18	47.33	+10.15	"	81	43	97.97	44.67	—53.30
	8	8	15	19.7	"	1	24	18.60	28.63	+10.03	"	81	45	81.57	27.59	—53.98
	10	8	7	19.0	"	1	24	10.04	20.28	+10.24	"	81	46	65.21	12.91	—52.30
	11	8	3	19.8	"	1	24	6.37	16.37	+10.00	"	81	46	86.56	34.04	—52.52
	12	7	59	20.3	"	1	24	2.58	12.64	+10.06	"	81	46	107.18	54.05	—53.13
	13	7	55	20.6	"	1	23	58.93	69.08	+10.15	"	81	47	66.03	13.18	—52.85
	18	7	35	26.1	"	1	23	43.75	53.99	+10.24	"	81	48	83.97	31.83	—52.14
	20	7	27	29.6	"	1	23	39.33	49.24	+ 9.91	"	81	48	107.64	55.55	—52.09
	21	7	23	31.8	"	1	23	37.13	47.15	+10.02	"	81	49	58.77	5.84	—52.93
	22	7	19	33.8	"	1	23	35.13	45.25	+10.12	"	81	49	67.70	14.91	—52.79
1850.																
Jan.	2	6	36	10.5	"	1	23	27.07	36.97	+ 9.90	"	81	49	90.99	38.67	—52.32
	3	6	32	15.0	"	1	23	27.54	37.36	+ 9.82	"	81	49	86.48	33.83	—52.65
	5	6	24	24.5	"	1	23	28.79	38.76	+ 9.97	"	81	49	73.01	20.86	—52.15
	10	6	4	52.5	"	1	23	36.10	45.66	+ 9.56	"	81	48	81.39	28.16	—53.23

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Oct. 26	11	26	18.2	C	1 45 18.84	29.56	+10.72	C	79 42 77.21	20.35	-56.86
Nov. 20	9	44	25.0	"	1 41 42.70	53.52	+10.82	—	—	—	—
22	9	36	18.5	"	1 41 27.78	38.54	+10.76	"	80 3 95.40	39.81	-55.59
25	9	24	8.9	"	1 41 6.24	16.96	+10.72	"	80 5 92.74	38.01	-54.73
28	9	12	1.0	"	1 40 45.86	56.54	+10.68	"	80 7 82.43	29.51	-52.92
Dec. 5	8	43	47.2	"	1 40 3.23	13.81	+10.58	"	80 11 75.45	21.15	-54.30
7	8	35	44.1	"	1 39 52.19	62.98	+10.79	"	80 12 74.99	19.43	-55.56
10	8	23	41.7	"	1 39 37.33	47.94	+10.61	"	80 13 92.87	39.73	-53.14
11	8	19	41.2	"	1 39 32.62	43.25	+10.63	"	30 14 56.21	4.57	-51.64
12	8	15	41.0	"	1 39 28.24	38.75	+10.51	"	80 14 83.41	28.35	-55.06
13	8	11	40.8	"	1 39 23.86	34.42	+10.56	"	80 14 107.50	51.16	-56.34
1851. Jan. 2	6	52	14.2	"	1 38 35.33	45.90	+10.57	"	80 18 100.22	46.55	-53.67
3	6	48	17.8	"	1 38 34.94	45.48	+10.54	"	80 18 99.73	46.76	-52.97
4	6	44	22.0	"	1 38 34.98	45.26	+10.28	"	80 18 99.84	45.81	-54.03
6	6	36	29.8	"	1 38 34.85	45.41	+10.56	"	80 18 94.68	40.50	-54.18
7	6	32	34.8	"	1 38 35.54	45.77	+10.23	"	80 18 90.17	36.15	-54.02
8	6	28	39.2	"	1 38 36.20	46.35	+10.15	"	80 18 88.87	30.61	-53.26
9	6	24	44.2	"	1 38 36.64	47.12	+10.48	"	80 18 77.72	23.98	-53.74
11	6	16	54.7	"	1 38 39.04	49.25	+10.21	"	80 18 61.44	7.23	-54.21
14	6	5	11.4	"	1 38 43.82	53.91	+10.09	"	80 17 86.90	33.70	-53.20
15	6	1	17.1	"	1 38 45.47	55.86	+10.39	"	80 17 74.11	20.31	-53.80
16	5	57	23.7	"	1 38 47.79	58.00	+10.21	"	80 17 62.14	5.82	-56.32
17	5	53	30.4	"	1 38 50.00	60.34	+10.34	"	80 16 105.86	50.23	-55.63
Nov. 8	10	50	3.6	"	1 59 22.68	34.19	+11.51	"	78 21 104.42	47.35	-57.07
17	10	13	28.7	"	1 58 3.61	15.08	+11.47	"	78 28 102.93	46.14	-56.79
20	10	1	16.1	"	1 57 38.76	50.15	+11.39	"	78 30 116.17	57.61	-58.56
21	9	57	12.0	"	1 57 30.57	42.03	+11.46	"	78 31 98.84	40.39	-58.45
22	9	53	8.1	"	1 57 22.41	34.03	+11.62	"	78 32 80.46	22.56	-57.90
25	9	41	57.0	"	1 56 59.25	70.64	+11.39	"	78 34 82.59	25.57	-57.02
28	9	28	47.2	"	1 56 37.00	48.34	+11.34	"	78 36 80.09	22.78	-57.31
Dec. 4	9	4	30.7	"	1 55 56.12	67.24	+11.12	"	78 39 113.63	57.63	-56.00
5	9	0	27.9	"	1 55 49.48	60.88	+11.40	"	78 40 87.00	30.71	-56.29
6	8	56	25.9	"	1 55 43.26	54.66	+11.40	"	78 41 59.27	3.01	-56.26
8	8	48	21.8	"	1 55 31.41	42.68	+11.27	"	78 42 60.95	5.06	-55.89
9	8	44	20.5	"	1 55 25.47	36.92	+11.45	"	78 42 91.78	34.85	-56.93
10	8	40	18.9	"	1 55 20.04	31.32	+11.28	"	78 43 59.94	3.65	-56.29
15	8	20	14.6	"	1 54 54.90	65.74	+10.84	"	78 45 70.95	14.60	-56.35
16	8	16	14.0	"	1 54 50.17	61.13	+10.96	"	—	—	—
17	8	12	12.6	"	1 54 45.20	56.70	+11.50	"	—	—	—
18	8	8	12.7	"	1 54 41.21	52.42	+11.21	"	78 46 78.19	21.95	-56.24
19	8	4	12.6	"	1 54 37.06	48.32	+11.26	"	78 46 98.17	42.38	-55.79
22	7	52	13.9	"	1 54 26.09	37.18	+11.04	"	78 47 93.91	38.00	-55.91
24	7	43	15.7	"	1 54 19.46	30.58	+11.12	"	78 48 65.97	9.90	-56.07
26	7	36	18.2	"	1 54 13.44	24.78	+11.34	—	—	—	—
1852. Jan. 15	6	18	25.1	"	1 54 58.39	70.01	+11.62	—	—	—	—
Nov. 15	10	34	42.1	"	2 14 27.29	39.10	+11.81	"	76 59 79.23	21.17	-58.06
20	10	14	18.4	"	2 13 42.91	55.13	+12.22	"	77 3 59.26	1.70	-57.56
23	10	2	18.	—	—	—	—	"	77 5 66.34	8.40	-57.94

OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

ci

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1852. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Nov. 24	9	58	1.5	C	2 13 9.40	21.58	+12.18	C	77 5 109.46	49.72	-59.74
25	9	53	57.4	"	2 13 1.26	13.45	+12.19	"	77 6 89.08	30.34	-58.74
Dec. 7	9	5	18.7	"	2 11 33.12	45.02	+11.90	"	77 13 108.83	50.69	-58.14
8	9	1	16.0	"	2 11 26.79	38.52	+11.73	"	77 14 79.11	22.79	-56.32
9	8	57	13.8	"	2 11 20.19	32.17	+11.98	"	77 14 112.13	54.18	-57.95
11	8	49	9.6	"	2 11 8.23	19.94	+11.71	"	77 15 110.88	54.48	-56.40
16	8	29	2.5	"	2 10 40.77	52.15	+11.38	"	77 18 66.97	10.60	-56.37

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF NEPTUNE.

1849. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Aug. 20	12	27	5.3	C	22 23 4.42	4.29	-0.13	C	100 52 49.01	49.20	+0.19
21	12	23	3.3	"	22 22 58.12	58.11	-0.01	"	100 53 25.26	25.50	+0.24
22	12	19	1.6	"	22 22 52.29	51.92	-0.37	"	100 54 1.96	1.90	-0.06
Sept. 11	10	58	20.4	"	22 20 49.04	48.96	-0.08	"	101 5 54.47	55.65	+1.18
12	10	54	18.8	"	22 20 43.35	43.06	-0.29	"	101 6 28.99	29.67	+0.68
13	10	50	17.2	"	22 20 37.44	37.19	-0.25	"	101 7 1.84	3.42	+1.58
18	10	30	8.3	"	22 20 8.73	8.41	-0.32	"	101 8 45.94	47.84	+1.90
24	10	6	0.4	"	22 19 35.83	35.63	-0.20	"	101 12 51.83	53.92	+2.09
27	9	53	57.5	"	22 19 20.14	20.14	0.00	"	101 14 20.11	21.77	+1.66
Oct. 1	9	37	54.1	"	22 19 0.58	0.45	-0.13	"	101 16 13.09	12.68	-0.41
2	9	33	53.1	"	22 18 55.76	55.71	-0.05	"	101 16 37.42	39.29	+1.87
10	9	1	51.2	"	22 18 21.08	20.92	-0.16	"	101 19 52.11	52.68	+0.57
12	8	53	51.7	"	22 18 13.48	13.13	-0.35	"	101 20 34.00	35.64	+1.64
13	8	49	52.5	"	22 18 9.66	9.40	-0.26	"	101 20 54.27	56.23	+1.96
15	8	41	53.6	"	22 18 2.52	2.24	-0.28	"	101 21 31.60	35.64	+4.04
16	8	37	53.8	"	22 17 58.71	58.81	+0.10	"	101 21 51.61	54.46	+2.85
17	8	33	54.5	"	22 17 55.84	55.49	+0.15	"	101 22 10.65	12.65	+2.00
18	8	29	55.6	"	22 17 52.76	52.28	-0.48	"	101 22 28.48	30.23	+1.75
19	8	25	56.4	"	22 17 49.30	49.17	-0.13	"	101 22 45.76	47.16	+1.40
20	8	21	58.0	"	22 17 46.52	46.18	-0.34	"	101 23 1.61	3.45	+1.84
22	8	14	0.2	"	22 17 40.77	40.52	-0.25	"	101 23 32.84	34.09	+1.25
23	8	10	1.6	"	22 17 38.13	37.87	-0.26	"	101 23 47.20	48.40	+1.20
24	8	6	3.0	"	22 17 35.60	35.32	-0.28	"	101 24 1.32	2.06	+0.74
25	8	2	5.0	"	22 17 33.01	32.87	-0.14	"	101 24 14.32	15.06	+0.74
26	7	58	6.0	"	22 17 30.63	30.55	-0.08	"	101 24 26.17	27.37	+1.20
30	7	42	15.1	"	22 17 22.72	22.49	-0.23	"	101 25 7.41	9.78	+2.37
31	7	38	17.4	"	22 17 21.05	20.77	-0.28	"	101 25 17.78	18.66	+0.88
Nov. 1	7	34	19.7	"	22 17 19.25	19.17	-0.08	"	101 25 25.75	26.85	+1.10
2	7	30	22.5	"	22 17 17.97	17.69	-0.28	"	101 25 33.12	34.34	+1.22
3	7	26	25.1	"	22 17 16.54	16.33	-0.21	"	101 25 40.70	41.12	+0.42
5	7	18	31.3	"	22 17 14.29	13.98	-0.31	"	101 25 51.53	52.52	+0.99
9	7	2	44.2	"	22 17 11.29	10.86	-0.43	"	101 26 5.14	6.63	+1.49
10	6	58	47.9	"	22 17 10.97	10.40	-0.57	"	101 26 6.69	8.33	+1.64
12	6	50	55.8	"	22 17 10.49	9.87	-0.62	"	101 26 7.90	9.52	+1.62
13	6	46	59.7	"	22 17 10.15	9.81	-0.34	"	101 26 7.57	9.00	+1.43
15	6	39	8.2	"	22 17 10.60	10.07	-0.53	"	101 26 5.44	5.74	+0.30
19	6	23	26.2	"	22 17 12.39	12.15	-0.24	"	101 25 49.77	50.81	+0.54
20	6	19	31.3	"	22 17 13.24	12.98	-0.26	"	101 25 43.26	44.60	+1.34
22	6	11	41.7	"	22 17 15.34	15.06	-0.28	"	101 25 30.72	30.96	+0.24
24	6	3	52.3	"	22 17 17.79	17.65	-0.14	"	101 25 12.00	14.35	+2.35

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF NEPTUNE, (Continued.)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1850.	d.	h.	m.	s.	h. m. s.	s.	s.	C	° ' "	"	"
Aug.	12	13	9	2.7	22 32 38.53	37.97	— 0.56	C	100 1 18.71	18.73	+ 0.02
	23	12	24	41.4	22 31 32.04	31.72	— 0.32	"	100 7 57.46	58.47	+ 1.01
	26	12	12	35.2	22 31 13.64	13.24	— 0.40	"	100 9 49.96	49.13	— 0.83
Sept.	4	11	36	16.3	22 30 17.77	17.56	— 0.21	"	100 15 19.21	20.15	+ 0.94
Oct.	2	9	43	33.5	22 27 39.99	39.10	— 0.89	—	—	—	—
	4	9	35	30.9	22 27 29.32	29.55	+ 0.23	"	100 31 38.59	38.46	— 0.13
	5	9	31	29.9	22 27 24.04	24.83	+ 0.79	"	100 32 5.38	5.12	— 0.26
	7	9	23	29.9	22 27 15.90	15.74	— 0.16	"	100 32 58.26	57.04	— 1.22
	9	9	15	29.9	—	—	—	"	100 33 46.78	46.76	— 0.02
	10	9	11	29.5	22 27 2.96	2.77	— 0.19	"	100 34 11.10	10.79	— 0.31
	12	9	3	29.6	22 26 54.96	54.54	— 0.42	"	100 34 56.17	57.22	+ 1.05
	14	8	55	29.3	22 26 46.42	46.69	+ 0.27	"	100 35 41.31	41.44	+ 0.13
	15	8	51	30.3	22 26 43.19	42.94	— 0.25	"	100 36 2.01	2.56	+ 0.55
	21	8	27	34.3	22 26 22.90	22.45	— 0.45	"	100 37 56.45	56.48	+ 0.03
	22	8	23	35.1	22 26 19.58	19.46	— 0.12	"	100 38 12.93	13.30	+ 0.37
	26	8	7	40.4	22 26 8.48	8.36	— 0.12	"	100 39 13.14	13.86	+ 0.72
	28	7	59	44.2	22 26 3.89	3.47	— 0.42	"	100 39 38.36	40.16	+ 1.80
	29	7	55	46.0	22 26 1.47	1.25	— 0.22	"	100 39 51.18	52.27	+ 1.09
	30	7	51	47.8	22 25 59.25	59.24	— 0.01	"	100 40 3.14	4.72	+ 1.58
	31	7	47	50.1	22 25 57.65	57.11	— 0.54	"	100 40 13.83	14.41	+ 0.58
Nov.	1	7	43	52.4	22 25 55.54	55.22	— 0.32	"	100 40 24.42	24.43	+ 0.01
	2	7	39	54.3	22 25 53.59	53.45	— 0.14	"	100 40 34.00	33.72	— 0.28
	13	6	56	28.2	22 25 42.29	42.11	— 0.18	"	100 41 26.40	27.68	+ 1.28
	18	6	36	48.7	22 25 42.34	42.08	— 0.26	"	100 41 23.24	22.49	— 0.75
	19	6	32	53.0	22 25 42.56	42.46	— 0.10	"	100 41 18.27	19.18	+ 0.91
	20	6	28	57.4	22 25 43.00	42.97	— 0.03	"	100 41 13.99	15.13	+ 1.14
	21	6	25	2.1	22 25 43.53	43.61	+ 0.08	"	100 41 12.18	10.34	— 1.84
	22	6	21	7.0	22 25 44.21	44.39	+ 0.18	"	100 41 3.44	4.76	+ 1.32
	25	6	9	22.1	22 25 47.44	47.48	+ 0.04	"	100 40 43.96	43.58	— 0.38
	26	6	5	27.8	22 25 48.97	48.76	— 0.21	"	100 40 35.96	35.02	— 0.94
	27	6	1	33.5	22 25 50.48	50.19	— 0.29	"	100 40 23.97	25.70	+ 1.73
	28	5	57	38.8	22 25 51.73	51.73	0.00	"	100 40 11.52	15.64	+ 4.12
1851.											
Aug.	28	12	14	10.0	22 39 44.60	45.03	+ 0.43	"	99 23 27.50	30.84	+ 3.34
Sept.	19	10	45	27.8	22 37 31.73	31.71	— 0.02	"	99 36 53.38	54.13	+ 0.75
	20	10	41	26.1	22 37 25.89	25.93	+ 0.04	"	99 37 27.83	28.41	+ 0.58
Oct.	1	9	57	10.7	22 36 25.71	26.04	+ 0.33	"	99 43 23.88	21.45	— 2.43
	2	9	53	10.7	22 36 21.18	20.98	— 0.20	"	99 43 50.93	51.10	+ 0.17
	13	9	9	5.2	22 35 30.77	30.25	— 0.52	"	99 48 42.22	44.44	+ 2.22
	16	8	57	5.2	22 35 18.68	18.18	— 0.50	"	99 49 54.21	53.34	— 0.87
	17	8	53	5.5	22 35 14.83	14.39	— 0.44	"	99 50 12.28	14.97	+ 2.69
	24	8	25	10.7	22 34 51.32	50.78	— 0.54	"	99 52 29.80	28.38	+ 1.42
	25	8	21	11.4	22 34 47.96	47.80	— 0.16	"	99 52 47.50	45.00	— 2.50
	27	8	13	14.0	22 34 41.96	42.09	+ 0.13	"	99 53 18.64	17.19	— 1.45
	28	8	9	16.1	22 34 40.03	39.48	— 0.55	"	99 53 31.53	31.98	+ 0.45
	29	8	5	17.2	22 34 37.21	36.94	— 0.27	"	99 53 43.99	46.59	+ 2.60
1852.											
Oct.	1	10	2	46.7	22 45 1.94	2.64	+ 0.70	"	98 55 60.05	54.23	— 5.82
	2	9	58	46.1	22 44 56.76	57.49	+ 0.73	"	98 56 31.20	24.89	— 6.31
	4	9	50	43.8	22 44 46.36	47.35	+ 0.99	"	98 57 29.72	24.83	— 4.89

OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

ciii

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF NEPTUNE, (*Continued.*)

Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1852. <i>d</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h. m. s.</i>	<i>s.</i>	<i>s.</i>		<i>° ' "</i>	<i>"</i>	<i>"</i>
Oct. 5	9	46	43.0	C	22 44 41.65	42.38	+ 0.73	C	98 57 61.75	54.25	— 7.50
11	9	22	39.9	"	22 44 13.94	14.26	+ 0.32	"	99 0 45.92	39.89	— 6.03
12	9	18	39.3	"	22 44 9.25	9.85	+ 0.60	"	99 1 11.80	5.65	— 6.15
14	9	10	39.3	"	22 44 0.91	1.27	+ 0.36	"	99 1 58.79	55.62	— 3.17
15	9	6	39.1	"	22 43 56.47	57.12	+ 0.65	"	99 2 26.17	19.81	— 6.36
25	8	26	44.3	"	22 43 20.58	21.02	+ 0.44	"	99 5 51.37	47.85	— 4.02
26	8	22	45.3	"	22 43 17.99	18.00	+ 0.01	"	99 6 8.38	4.58	— 3.80
27	8	18	46.1	"	22 43 14.57	15.08	+ 0.51	"	99 6 25.11	21.11	— 4.00
29	8	10	49.0	"	22 43 9.05	9.54	+ 0.49	"	99 6 55.26	52.12	— 3.14

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF IRIS.

1851. <i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h. m. s.</i>				<i>° ' "</i>		
Oct. 16	9	59	42.4	C	23 38 6.10	—	—	C	81 8 20.02	—	—
17	9	55	20.3	"	23 37 39.86	—	—	"	81 15 48.62	—	—
24	9	25	39.3	"	23 35 29.81	—	—	"	82 5 42.69	—	—
25	9	21	33.1	"	23 35 19.65	—	—	"	82 12 21.09	—	—
27	9	13	27.8	"	23 35 5.62	—	—	"	82 25 11.77	—	—
28	9	9	28.1	"	23 35 2.04	—	—	"	82 31 19.36	—	—
29	9	5	31.2	"	23 35 1.06	—	—	"	82 37 18.45	—	—
30	9	1	35.3	"	23 35 1.33	—	—	"	82 43 6.65	—	—
Nov. 17	7	57	20.8	"	23 41 33.69	—	—	"	83 46 32.61	—	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF HEBE.

1851. <i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h. m. s.</i>	<i>s.</i>	<i>s.</i>		<i>° ' "</i>	<i>"</i>	<i>"</i>
July. 2	12	47	2.2	C	19 27 58.35	57.13	— 1.22	C	98 1 22.00	19.70	— 2.30
22	11	9	32.	"	—	—	—	"	100 43 26.53	25.10	— 1.43

A
SUBSIDIARY CATALOGUE
OF
1440 STARS
SELECTED FROM THE
BRITISH ASSOCIATION CATALOGUE,
REDUCED TO JANUARY 1st, 1850.
FROM
OBSERVATIONS MADE AT MADRAS,
IN THE YEARS, 1849—53.

N. B.—The Stars are arranged as usual in the order of their Right Ascension ; it therefore happens that a few of the numbers, as given in the B. A. C., are transposed ; every such transposed number is placed between () in order to catch the eye.

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
13	7.8	0	2	16.13	+3.084	-0.011	4	44	26	36.21	-20.05	-0.06	4	1800+
15	6.6		2	21.95	3.042	-0.063	4	153	7	56.28	20.05	—	5	49.96
22	7.4		3	42.54	3.052	—	4	131	12	26.91	20.05	—	4	49.76
31	6.9		6	47.72	3.012	—	4	145	54	10.00	20.05	—	4	49.76
34	6.8		7	11.43	3.026	-0.070	2	136	52	6.81	20.05	+0.08	4	49.79
35	6.1		7	15.12	3.063	—	3						2	52.85
38	7.3		7	42.65	3.032	—	4	100	24	12.00	20.05	—	4	49.70
41	7.3		7	58.23	3.030	—	3	130	55	46.99	20.04	—	4	50.23
51	6.3		9	14.85	3.129	—	4	131	17	7.98	20.04	—	3	49.75
54	6.9		9	47.05	3.140	—	5	42	53	10.30	20.04	—	4	49.77
65	7.3		12	35.58	3.203	—	4	39	24	2.06	20.04	—	5	50.78
76	7.6		15	22.47	2.903	—	4	28	57	12.96	20.03	—	4	49.70
78	6.9		16	7.22	3.160	—	4	151	52	2.57	20.01	—	4	49.83
79	6.2		16	11.78	3.188	—	4	46	34	1.34	20.01	—	5	49.77
83	6.1		17	0.71	3.199	—	4	38	48	41.06	20.01	—	4	49.94
98	6.8		19	43.22	3.102	—	4	37	47	4.54	20.00	—	4	49.86
113	6.6		22	26.07	3.080	—	4	74	48	20.97	19.98	—	4	49.71
120	6.6		23	28.08	3.159	—	5	85	58	11.88	19.96	—	4	49.70
123	7.1		23	57.42	3.256	-0.012	4	57	14	50.40	19.95	—	5	49.73
125	6.7		24	25.99	3.465	0.000	4	37	0	49.71	19.95	+0.02	4	49.78
148	5.9		27	57.66	3.347	—	3	19	50	48.59	19.94	-0.02	4	49.83
149	6.8		28	8.79	3.107	—	2	30	30	2.38	19.91	—	4	49.81
157	7.0		29	8.27	2.770	+0.018	4	77	36	43.99	19.90	—	3	49.79
165	7.0		30	53.33	3.274	—	4	150	32	35.59	19.89	-0.41	4	49.79
175	6.1		33	9.72	3.490	—	4	41	28	15.08	19.87	—	4	49.84
177	7.0		33	26.85	3.100	—	4	24	40	34.33	19.85	—	4	49.85
181	7.0		33	52.55	3.235	—	4	81	27	55.01	19.84	—	3	49.79
188	6.8		34	55.59	2.754	+0.020	4	50	7	58.33	19.84	—	4	49.84
193	6.6		35	56.60	2.694	—	4	147	19	38.23	19.82	+0.03	4	49.76
195	6.4		36	2.71	2.595	—	5	151	5	1.08	19.81	—	4	49.89
197	6.9		36	7.38	3.296	—	4	156	17	34.30	19.81	—	3	49.92
224	7.5		41	7.09	3.197	—	4	42	57	31.55	19.81	—	4	49.71
226	6.8		41	13.96	3.327	—	4	62	5	58.16	19.73	—	4	49.70
245	7.9		46	34.83	3.369	—	4	43	3	14.29	19.73	—	4	49.70
255	6.3		47	46.65	3.541	—	3	42	8	9.44	19.64	—	4	49.71
261	6.1		49	4.37	3.695	—	4	30	27	1.67	19.62	—	4	49.79
263	8.0		49	10.67	3.211	—	4	24	27	36.36	19.60	—	4	49.86
276	6.9		52	7.51	2.515	+0.043	6	63	48	48.75	19.60	—	4	49.70
277	7.3		52	18.79	2.855	—	4	151	30	29.63	19.54	-0.11	6	49.82
280	6.9		54	9.09	4.182	—	4	125	26	52.20	19.54	—	6	49.80
282	6.6		54	24.87	3.621	—	3	16	26	6.10	19.50	—	4	49.89
294	6.0		56	3.36	2.721	+0.044	4	29	43	57.95	19.49	—	4	49.82
297	6.7		56	10.88	3.335	—	5	137	12	18.98	19.46	+0.13	4	49.72
299	6.2		56	16.11	3.250	—	5	50	48	51.53	19.46	—	4	49.77
302	6.5		56	57.70	3.688	+0.014	4	61	8	34.04	19.45	—	6	49.79
306	6.8		57	28.04	2.844	—	4	28	2	32.95	19.44	0.00	4	49.94
309	6.7		57	41.61	2.691	—	4	124	20	15.68	19.43	—	4	49.80
326	7.8	1	0	35.98	2.838	—	4	138	44	47.97	19.42	—	4	49.86
335	6.2		1	46.57	3.782	—	4	123	36	55.41	19.36	—	4	49.75
355	8.9		4	5.65	2.831	—	3	26	35	47.38	19.33	—	4	49.77
								123	2	50.83	19.28	—	3	49.91

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

3

No. from B. A. C.	Magnitude.	Right Ascension January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
371	7.0	1	6	23.59	+ 3.014	—	4	98	25	4.34	—19.22	—	4	49.87
375	7.6		7	30.16	2.955	—	4	106	36	46.40	19.19	—	4	49.87
377	7.0		7	52.47	3.424	—	3	47	51	12.32	19.18	—	3	50.66
379	7.7		8	6.17	3.994	—	2	22	58	34.07	19.18	—	2	51.01
383	8.0		8	51.87	2.475	—	4	146	25	36.83	19.16	—	4	49.81
407	7.4		14	57.89	2.627	—	3	135	55	37.63	18.99	—	5	49.78
417	7.7		16	24.94	2.316	—0.038	3	149	54	39.01	18.95	+ 0.03	4	49.86
445	8.4		21	45.49	2.794	—	4	120	40	14.24	18.79	—	4	49.76
450	6.9		22	33.88	3.988	—	3	27	10	52.42	18.77	—	4	49.85
455	7.0		23	58.56	3.210	—	3	73	49	9.43	18.72	—	3	49.74
472	6.8		27	5.15	3.072	—	4	89	48	50.92	18.62	—	4	49.76
482	5.4		28	21.37	3.851	—	4	32	47	21.63	18.58	—	4	49.84
501	5.7		31	41.11	3.548	—	4	47	27	48.28	18.47	—	4	49.75
514	6.5		33	10.98	3.367	—	4	60	42	48.84	18.42	—	4	49.75
516	5.9		33	23.98	3.435	—	4	55	30	48.72	18.41	—	4	49.83
524	7.1		34	22.42	3.214	—	4	74	58	49.77	18.38	—	4	49.93
530	7.7		36	31.79	2.241	—	4	146	37	27.16	18.30	—	4	49.87
531	6.1		36	39.59	2.060	+ 0.035	4	151	32	43.72	18.30	—0.15	4	49.96
543	7.6		39	30.35	2.023	—0.015	4	151	46	19.64	18.19	0.00	4	49.81
547	6.5		39	58.23	3.681	—	4	42	51	8.56	18.17	—	4	49.82
562	7.2		43	16.69	3.783	—	4	39	16	8.35	18.05	—	4	49.79
575	6.4		45	53.17	3.570	—	3	50	2	7.53	17.95	—	4	49.80
588	5.9		48	37.45	4.316	—	4	26	6	40.70	17.84	—	1	49.82
596	4.8		50	7.31	2.269	+ 0.084	4	142	21	24.62	17.78	—0.27	4	49.93
599	6.5		50	29.09	1.951	—	4	151	2	47.19	17.77	—	4	49.81
602	6.1		50	59.06	1.920	—	5	151	35	55.54	17.75	—	4	49.87
620	6.6		53	26.86	4.395	—	4	25	37	13.67	17.65	—	4	49.81
631	7.3		55	13.47	3.100	—	4	87	22	19.12	17.57	—	4	49.78
636	5.9		55	45.43	2.885	—	4	106	1	50.22	17.55	—	5	49.86
651	6.4		59	39.52	5.296	+ 0.016	4	16	40	54.54	17.38	+ 0.03	4	49.92
661	7.0	2	1	47.72	3.606	—	2	51	40	17.64	17.29	—	3	49.85
662	7.5		1	48.50	3.606	—	2	51	40	2.73	17.29	—	1	49.85
706	5.6		9	37.57	3.831	—	3	43	18	55.35	16.93	—	4	49.84
714	6.3		11	0.26	3.836	—0.008	4	43	22	53.25	16.87	0.00	6	49.84
728	7.5		15	12.03	3.203	—	4	79	50	57.95	16.71	—	4	49.86
738	7.3		16	9.04	3.197	—	4	80	24	37.10	16.62	—	4	49.81
761	7.1		20	39.32	3.682	—	5	51	32	6.92	16.40	—	5	49.85
764	6.1		21	35.10	3.192	—	5	81	6	23.50	16.35	—	5	49.90
776	{ 8.6 5.8 }		23	{ 36.21 45.02 }	3.093	—	{ 3 4 }	88	23	{ 51.59 59.80 }	16.24	—	{ 3 4 }	49.87
779	7.1		24	35.21	1.382	+ 0.074	5	154	58	13.10	16.20	—0.15	4	49.87
795	6.9		28	4.59	5.405	—0.004	5	19	1	30.75	16.01	—0.03	5	49.85
802	7.2		29	33.61	5.023	—0.121	4	22	35	3.77	15.93	+ 0.03	4	49.90
814	5.9		31	59.33	5.027	0.000	4	22	49	3.26	15.80	+ 0.03	4	49.95
834	6.8		35	9.63	3.461	—	4	65	0	10.15	15.63	—	4	49.92
841	7.5		36	18.80	1.269	+ 0.018	4	154	55	39.42	15.57	0.00	3	50.02
857	6.7		38	12.85	4.352	—	5	33	35	48.98	15.46	—	4	50.01
858	6.3		38	28.82	4.356	—	5	33	32	44.11	15.45	—	4	50.01
868	7.7		40	13.49	1.341	0.000	4	153	33	9.30	15.35	+ 0.41	4	49.91
875	6.2		42	15.18	4.199	—	4	37	37	23.99	15.24	—	4	49.90
876	6.3		42	15.83	1.260	+ 0.025	4	154	20	6.02	15.24	—0.06	4	49.97

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. of R. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
885	5.9	2	45	42.82	+1.302	—	4	153	25	46.21	-15.04	—	4	49.81
897	6.5		46	26.64	4.008	—	4	43	26	51.98	14.99	—	5	49.87
906	6.7		48	31.44	1.219	+0.051	4	154	9	19.40	14.88	-0.08	4	49.87
911	7.4		49	6.33	1.265	+0.007	4	153	31	26.60	14.84	-0.15	3	50.25
914	6.0		49	40.36	4.025	—	4	43	23	2.11	14.81	—	4	49.93
916	6.1		49	59.17	3.840	—	4	49	34	6.50	14.79	—	4	50.00
925	7.0		51	15.13	1.075	—	4	155	30	44.20	14.71	—	4	50.48
926	6.8		52	20.08	3.637	—	3	58	11	6.04	14.65	—	3	49.08
956	5.6		55	58.88	1.109	0.000	4	154	40	5.66	14.48	-0.06	4	49.87
961	6.0		57	48.54	2.047	+0.044	4	137	33	52.49	14.32	0.00	4	49.48
983	6.3	3	2	16.14	3.924	—	4	48	11	42.06	14.04	—	4	49.52
986	6.8		3	9.70	5.205	—	4	24	11	1.25	13.99	—	4	49.94
995	6.7		5	29.96	4.240	-0.013	4	39	37	24.26	13.84	-0.03	4	49.79
998	6.8		5	46.48	5.618	+0.012	4	20	49	27.88	13.82	-0.02	3	49.95
1008	6.6		8	3.27	3.855	—	4	51	16	19.83	13.67	—	4	49.81
1018	7.2		9	50.67	6.227	+0.023	4	17	19	57.69	13.56	+0.01	4	49.90
1036	7.1		12	48.97	0.933	+0.010	4	154	59	41.07	13.37	-0.01	3	49.90
1048	6.1		14	31.52	1.089	+0.194	4	153	9	1.30	13.26	-0.78	4	49.95
1050	6.6		14	52.26	6.045	+0.010	3	18	39	56.84	13.28	-0.06	4	49.05
1056	7.1		15	51.76	3.468	—	5	68	29	41.38	13.17	—	5	49.88
1067	6.8		18	53.01	6.372	+0.010	4	17	10	9.48	12.97	-0.02	4	49.92
1072	5.6		20	2.53	4.192	-0.006	3	42	25	1.39	12.89	-0.01	3	49.97
1080	6.9		21	28.90	6.977	—	5	14	46	4.50	12.79	—	5	50.03
1101	7.1		26	18.41	3.704	—	4	58	49	31.51	12.46	—	4	49.79
1105	6.5		27	52.42	4.022	—	4	47	54	57.47	12.36	—	3	49.85
1131	7.8		32	44.66	0.637	+0.037	3	156	15	45.00	12.02	-0.15	4	49.71
1142	6.6		35	30.61	4.158	—	4	44	47	38.78	11.82	—	4	49.90
1172	6.1		39	38.57	4.146	—	4	45	29	42.92	11.53	—	4	49.92
1182	7.0		40	25.76	3.557	—	3	66	4	54.14	11.47	—	1	49.94
1205	7.4		44	31.87	3.040	—	4	91	36	6.95	11.18	—	4	49.72
1248	7.0		54	8.43	0.742	—	4	153	53	55.06	10.47	—	4	49.86
1261	6.9		56	47.19	5.020	—	4	30	29	58.03	10.27	—	4	49.92
1282	6.9	4	2	36.72	4.397	—	4	41	17	50.14	9.83	—	4	49.91
1292	6.6		4	44.85	4.908	—	4	32	31	13.35	9.67	—	5	49.05
1297	8.2		5	45.04	0.592	+0.037	4	154	37	58.03	9.59	+0.10	4	49.73
1305	6.3		7	45.69	4.124	—	5	48	14	0.29	9.43	—	5	49.97
1307	5.6		7	58.55	4.461	—	4	40	19	23.86	9.42	—	4	49.89
1314	6.7		8	50.49	4.508	—	4	39	26	59.53	9.35	—	4	50.04
1318	6.4		9	40.83	4.837	—	4	33	51	39.14	9.29	—	5	49.96
1334	7.1		12	13.23	2.557	—	4	113	20	24.23	9.09	—	4	49.72
1351	5.9		14	52.32	3.421	—	4	73	43	33.78	8.88	—	2	49.85
1361	6.7		16	12.79	3.477	—	4	71	18	26.93	8.77	—	5	49.91
1412	7.3		26	2.36	0.679	+0.021	4	152	51	2.98	7.95	—	4	49.72
1415	7.3		26	35.75	4.913	—	4	33	40	18.68	7.79	—	4	49.96
1427	6.6		28	33.19	2.986	—	4	93	55	23.63	7.21	+0.03	4	49.93
1457	6.3		35	43.06	6.142	+0.013	4	22	6	18.59	7.13	—	4	49.92
1463	7.3		36	39.29	3.610	0.000	4	66	39	9.14	7.09	-0.08	4	49.81
1466	8.1		37	10.10	0.651	+0.036	4	152	40	18.76	6.69	-0.16	4	49.74
1489	5.9		42	6.17	0.887	+0.046	4	150	0	31.19	6.27	—	4	49.72
1516	7.5		47	7.42	3.645	—	4	65	39	7.48	6.27	—	4	49.72

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

5

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
1522	6.8	4	47	40.20	+6.008	—	4	23	23	47.51	—6.23	—	4	1800+
1566	9.6		58	2.22	4.725	—	4	37	54	13.27	5.36	—	4	49.89
1567	7.7		58	2.83	4.812	—	4	36	29	31.90	5.36	—	4	49.89
1585	6.4		59	45.72	7.316	—	4	16	54	55.44	5.21	—	4	49.92
1589	5.8	5	1	5.31	1.541	+0.068	5	139	46	58.68	5.10	—0.07	4	49.97
													4	49.73
1592	6.8		1	9.35	2.869	—	4	98	51	49.11	5.09	—	4	49.85
1612	9.5		5	37.43	0.626	—0.022	4	151	59	56.90	4.72	+0.16	5	50.06
1621	6.7		6	24.84	0.452	—0.031	4	153	35	20.46	4.64	+0.15	4	49.79
1656	6.9		18	33.65	3.261	—	4	81	43	28.36	4.04	—	3	49.75
1678	6.7		16	13.78	3.047	—	4	91	0	41.62	3.81	—	3	49.87
1696	7.1		18	40.36	3.135	—	3	87	11	57.53	3.60	—	3	49.95
1704	6.7		19	36.91	1.098	+0.020	5	146	16	35.19	3.52	—0.23	5	49.82
1706	6.1		19	42.04	7.961	+0.026	4	15	4	1.85	3.50	—	4	50.08
1712	7.0		21	22.63	1.356	—0.018	4	142	26	57.35	3.36	—	4	49.85
1728	{ 7.1 7.0 }		23	{ 32.45 32.85 }	3.473	{ — 0.000 }	{ 4 2 }	73	3	{ 28.01 34.73 }	3.18	—	{ 4 4 }	49.89
1729	5.5		24	8.24	0.869	—0.012	4	149	2	28.24	3.12	—0.07	4	49.99
1736	7.0		24	56.53	4.518	0.000	4	42	23	25.68	3.06	—	4	50.10
1751	6.6		27	25.20	5.989	—	4	24	23	32.93	2.84	—	4	50.09
1752	{ 6.3 6.2 }		27	{ 41.44 43.04 }	2.929	—	{ 4 4 }	96	6	47.41	2.82	—	{ 3 3 }	49.98
1756	5.9		27	48.62	2.013	—	4	96	6	21.50	2.81	—	4	50.04
								128	37	14.77				
1761	7.3		28	5.65	2.308	0.000	5	119	57	17.06	2.78	—	5	49.89
1770	6.9		29	22.30	0.350	+0.042	4	154	2	22.66	2.67	—0.13	4	49.87
1772	6.5		29	46.06	3.809	0.000	4	60	52	38.09	2.64	—	4	49.92
1790	6.4		32	11.12	0.310	+0.104	4	154	19	36.18	2.43	+0.06	4	49.91
1808	7.9		35	56.71	3.427	—	4	75	0	27.23	2.10	—	4	49.77
1813	6.6		36	47.79	6.433	—	4	21	34	56.12	2.03	—	4	49.98
1822	7.4		38	11.64	2.520	—	5	112	28	29.71	1.91	—	5	49.88
1826	6.8		38	38.08	3.293	—	4	80	32	15.21	1.87	—	4	49.88
1832	6.6		39	1.02	4.742	—	4	38	32	18.17	1.83	—	4	50.02
1847	7.8		41	28.09	2.092	+0.010	4	126	17	17.59	1.62	—0.25	4	49.80
1866	7.4		44	18.81	4.764	—	4	38	13	52.85	1.37	—	4	49.85
1877	7.0		45	35.64	5.040	0.000	3	34	7	13.74	1.26	—	3	50.05
1888	7.0		47	25.42	4.944	—	4	35	28	29.18	1.10	—	4	49.89
1893	7.1		48	13.51	3.294	—	5	80	31	5.05	1.03	—	5	49.75
1899	6.6		49	20.67	4.387	—	4	45	25	30.54	0.93	—	4	49.98
1907	6.8		50	26.81	3.374	—	4	77	12	39.09	0.83	—	4	50.02
1909	7.6		50	34.60	0.324	—0.037	4	154	3	59.06	0.82	—	4	49.95
1921	6.6		52	2.78	4.333	+0.006	5	46	37	46.44	0.70	+0.03	5	49.98
1926	6.2		52	57.63	0.432	+0.027	4	153	8	9.35	0.62	—0.74	4	49.92
1927	7.4		53	31.42	0.268	—0.050	4	154	30	25.49	0.56	—0.18	4	49.90
1932	7.6		54	18.62	4.137	—	4	51	25	36.68	0.50	—	4	49.89
1942	6.1		56	14.38	4.134	—0.004	4	51	30	37.65	0.33	+0.09	4	49.86
1950	6.4		57	39.12	5.431	—	4	29	31	46.64	0.21	—	4	50.02
1954	8.1		58	17.12	0.922	+0.018	4	148	6	17.09	0.15	—0.25	3	49.78
1994	6.0	6	4	33.99	2.918	—	4	96	31	13.07	+0.40	—	3	49.91
1999	7.9		5	32.51	4.048	—	4	53	48	46.94	0.49	—	4	49.90
2000	5.9		5	41.63	0.543	—	4	152	7	41.27	0.50	—	4	49.90
2013	7.0		7	22.74	1.167	—	4	144	56	10.81	0.65	—	4	50.03
2014	7.2		7	30.75	4.013	—	5	54	48	25.14	0.66	—	6	49.88
2021	6.8		8	51.19	4.015	—	4	54	44	24.75	0.77	—	3	49.93

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

SELECTED FROM THE B. A. CATALOGUE.													
No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.		Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
2031	5.8	6	10	55.63	+0.133	—0.048	4	55	33	12.14	—	—	1800 +
2046	5.9		13	45.39	5.076	+0.017	4	33	38	32.75	+0.96	—0.30	49.95
2048	7.8		14	9.43	0.836	—	4	149	9	19.77	1.20	—	50.06
2049	6.7		14	14.08	0.837	—	4	149	8	41.91	1.24	—	53.05
2070	7.6		17	16.04	3.337	—	5	78	43	24.59	1.25	—	52.25
											1.51	—	50.13
2072	7.3		17	34.85	2.274	+0.014	4	120	52	15.79	1.54	+0.20	50.06
2076	8.3		18	30.52	3.989	—	4	55	25	19.36	1.62	—	49.96
2078	7.2		18	43.09	0.868	+0.044	5	153	45	18.62	1.64	—0.27	50.04
2083	6.9		18	57.01	7.657	—	4	16	11	59.36	1.66	—	50.16
2093	6.1		20	15.51	1.074	+0.010	4	146	17	24.72	1.77	0.00	49.94
2101	7.4		21	18.16	3.626	—	4	67	21	38.18	1.86	—	50.12
2102	6.7		21	30.09	1.317	—	4	142	43	20.31	1.87	—	50.14
2106	5.9		21	45.68	1.588	—0.058	4	138	5	20.37	1.90	—0.17	50.09
2113	7.1		23	11.54	5.218	+0.013	4	31	46	36.66	2.03	+0.05	50.14
2118	7.1		23	57.10	3.188	—	3	84	57	19.21	2.09	—	50.05
2121	6.9		23	59.93	0.376	—0.119?	4	153	44	20.65	2.10	—0.12	50.02
2137	6.4		26	8.28	1.480	+0.035	4	140	8	5.35	2.28	—0.13	49.80
2139	5.5		26	13.74	4.129	—	4	51	26	23.38	2.29	—	50.07
2142	6.2		26	23.76	0.567	—0.070	4	152	3	7.54	2.31	+0.03	50.05
2184	7.5		32	42.62	3.463	—	6	73	28	3.03	2.85	—	49.83
2190	8.1		33	33.13	2.043	+0.022	4	127	51	48.81	2.93	+2.64	49.79
2238	6.4		42	53.37	3.649	—	4	66	13	33.90	3.73	—	49.81
2247	6.2		44	15.90	6.881	—	4	19	0	2.99	3.85	—	49.85
2284	6.8		51	43.43	2.469	+0.080	4	114	46	29.30	4.48	—	49.80
2288	7.0		51	56.09	2.148	0.000	5	125	18	36.99	4.51	—0.27	49.84
2292	7.4		52	40.88	3.320	—	4	79	10	7.94	4.57	—	49.85
2315	7.3		56	24.76	2.151	0.000	5	125	20	4.20	4.89	—0.04	49.84
2320	8.0		57	5.53	80.198	—0.260	4	0	57	45.06	4.94	—	50.13
2321	6.0		57	13.10	1.460	—0.015	4	141	11	22.90	4.96	—0.23	49.82
2334	6.8	7	0	27.92	4.610	—	4	39	58	16.83	5.23	—	49.85
2341	6.1		1	40.48	4.701	0.000	4	38	19	45.94	5.33	—	49.93
2360	8.1		4	31.02	1.782	+0.042	4	135	5	28.62	5.57	—0.06	49.81
2361	6.0		4	40.87	4.472	0.000	4	42	29	59.82	5.59	—	49.85
2363	7.2		5	16.89	3.668	—	4	65	2	15.76	5.63	—	49.97
2367	6.3		5	46.01	4.735	0.000	4	37	36	40.71	5.68	—	50.07
2375	6.1		6	45.84	1.613	0.000	4	138	41	34.64	5.76	—	49.93
2379	5.7		7	7.12	4.581	—	4	40	16	27.80	5.79	—	50.02
2386	7.0		8	7.87	2.330	—0.009	4	120	5	5.57	5.87	+0.06	49.98
2399	6.2		9	33.09	2.321	—0.027	4	120	25	36.59	5.99	—0.07	49.89
2404	6.1		10	30.16	1.655	0.000	4	138	0	41.42	6.07	—	49.97
2408	6.4		10	36.87	0.578	—0.011	4	152	56	1.51	6.08	—	50.07
2419	6.6		12	32.14	6.010	0.000	4	23	22	54.70	6.24	—	50.07
2463	7.4		19	20.40	3.735	—	5	62	8	55.89	6.81	—	49.82
2488	6.8		25	37.15	4.382	—	5	43	29	42.35	7.32	—	49.82
2511	{ 6.4 7.8 7.7 }	29	{ 10.33 42.38 45.21 }	2.759	—	{ 3 4 2 }	104	9	{ 50.51 10.54 14.14 }	{ 7.61 7.65 7.65 }	{ 3 2 2 }	49.84 49.92 50.08	
2512	7.0		29	45.84	4.842	—	5	34	53	42.36	7.66	—	50.05
2518	8.6		30	30.19	3.188	—	4	84	35	25.51	7.72	—	50.16
2528	7.1		32	27.13	2.121	—0.025	5	127	40	31.90	7.88	—0.09	49.87
2538	5.8		33	31.92	2.744	—	3	104	55	11.63	7.96	—	49.89
2565	6.9		38	16.16	2.521	+0.014	4	114	18	58.99	8.34	—	49.83

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

7

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
2586	7.6	7	40	38.83	+3.730	—	4	61	25	50.08	+8.53	—	4	49.87
2587	7.1		40	46.04	2.578	—	5	112	9	13.51	8.54	—	4	49.82
2610	7.1		43	46.23	0.407	—0.116?	4	155	42	20.60	8.78	—0.28	3	49.91
2615	8.9		44	9.65	1.106	—	5	148	32	6.53	8.81	—	4	49.90
2638	6.9		47	43.27	4.237	0.000	4	45	37	39.29	9.08	—	4	49.95
2650	6.9		50	20.69	4.944	0.000	4	32	19	2.80	9.29	—	4	49.95
2656	6.5		51	46.98	1.258	+0.015	4	146	54	24.69	9.40	—0.23	4	49.88
2666	5.8		53	9.07	2.688	+0.010	5	107	59	27.09	9.50	—	5	49.91
2674	6.8		54	42.42	6.319	+0.033	4	19	51	16.12	9.62	—0.07	4	50.09
2683	7.0		56	4.66	3.479	0.000	4	70	44	15.73	9.73	—	4	50.04
2687	6.7		56	20.27	1.013	+0.012	4	150	24	50.78	9.75	—0.28	4	49.88
2688	6.7		56	24.78	3.691	—	4	62	2	55.06	9.76	—	5	50.13
2704	6.8		57	42.81	4.985	—0.008	4	31	19	7.90	9.85	+0.09	4	50.18
2706	6.9		57	46.34	2.709	0.000	5	107	14	39.07	9.86	—	4	50.03
2709	7.1		58	1.78	1.407	—0.049	4	145	2	16.54	9.88	+0.11	4	49.90
2713	5.4		58	25.94	0.774	—0.019	4	153	9	9.11	9.91	—	4	50.10
2715	6.0		59	3.98	4.148	0.000	4	47	8	8.33	9.96	+0.12	4	50.17
2723	6.2	8	0	41.15	2.647	0.000	4	110	7	25.35	10.08	—	4	50.04
2737	7.0		2	32.86	3.380	0.000	4	74	55	51.04	10.22	—	4	49.98
2738	7.4		2	34.81	0.870	+0.039	4	152	24	23.11	10.22	—0.17	4	49.83
2739	6.6		2	36.88	2.745	0.000	4	105	48	43.14	10.23	—	4	50.10
2748	7.2		3	58.28	3.366	0.000	4	75	33	8.06	10.33	—	4	50.08
2749	6.4		4	2.27	6.787	+0.011	5	17	8	9.03	10.33	+0.05	6	50.36
2751	6.9		4	31.44	5.025	0.000	4	30	21	33.12	10.37	—	5	50.17
2761	6.8		6	0.27	3.344	—	4	76	30	5.39	10.48	—	4	50.08
2768	6.8		6	26.74	0.802	—0.018	4	153	21	33.21	10.51	—0.06	4	49.89
2796	5.9		12	59.56	0.927	0.000	5	152	27	9.51	11.00	—0.11	6	49.84
2798	6.8		14	32.06	4.090	0.000	4	47	31	1.54	11.11	—	4	50.06
2801	7.3		15	18.52	3.635	—	5	63	3	17.94	11.17	—	4	50.13
2820	6.6		17	44.47	2.215	—0.037	4	127	48	17.51	11.34	—0.14	4	50.10
2823	5.6		17	55.23	1.846	0.000	4	138	0	36.78	11.35	—0.19	4	49.84
2843	6.6		21	15.06	2.410	+0.039	4	121	10	49.49	11.59	—0.19	4	49.97
2852	6.6		22	53.93	6.893	+0.008	4	15	51	13.66	11.71	+0.09	4	50.12
2855	6.6		23	8.66	3.934	—0.018	4	51	28	25.58	11.73	+0.19	4	50.09
2857	6.1		23	30.11	1.655	+0.009	4	142	35	34.86	11.76	—0.15	4	49.84
2882	6.6		26	54.84	4.961	0.000	4	29	32	30.77	11.99	—	5	50.15
2887	6.1		27	7.96	4.540	—0.016	4	36	4	53.87	12.01	+0.05	3	50.13
2894	6.7		28	15.13	3.658	0.000	4	61	11	12.87	12.09	—	4	49.93
2898	6.7		29	7.63	2.544	+0.033	5	116	19	43.24	12.15	—0.04	5	49.89
2939	6.0		34	38.89	1.080	+0.035	4	152	19	35.27	12.53	+0.05	4	49.98
2949	7.1		35	46.19	1.089	—0.016	4	152	18	51.14	12.61	—	4	49.98
2988	7.0		41	51.42	4.551	—	5	34	29	28.27	13.02	—	6	50.15
3004	7.6		43	44.73	5.349	0.000	4	23	54	33.18	13.14	—	4	50.17
(3008)	7.5		43	57.50	1.121	—0.096	5	152	38	18.13	13.16	+0.24	6	50.07
3007	6.4		44	1.73	2.533	+0.040	4	118	3	37.88	13.16	+0.18	5	50.07
3013	7.1		44	28.76	3.175	0.000	4	84	5	55.31	13.19	—	4	50.17
3021	7.6		45	32.53	5.386	—	4	23	25	37.95	13.26	—	4	50.21
3027	6.1		46	45.10	3.932	—0.010	4	49	13	40.39	13.34	+0.07	4	50.21
3028	7.1		46	49.86	1.143	+0.016	4	152	37	20.58	13.34	—0.09	4	50.12
3053	6.7		49	36.35	3.244	0.000	4	80	2	15.68	13.52	—	3	50.08

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>				
3060	6.6	8	50	57.52	+3.843	0.000	4	51	48	58.34	+13.61	—	4	1800+
3067	{ 9.6		51	59.93	1.763	-0.049	{ 2 } 4	143	13	{ 22.30 29.07	13.68	+0.60	{ 2 } 4	50.12
3072	9.4		52	1.02										50.17
3082	6.5		52	58.85	4.455	—	4	35	7	45.57	13.74	—	4	50.30
3083	6.9		54	41.33	2.597	0.000	4	116	4	33.37	13.85	0.00	4	50.07
	6.9		54	43.44	4.283	-0.010	4	38	34	57.93	13.85	—	5	50.17
(3086)	6.8		55	0.99	4.740	—	4	30	3	41.42	13.87	—	4	50.22
3085	6.4		55	1.24	4.186	—	4	40	52	39.22	13.87	—	4	50.20
3091	7.5		55	53.81	4.226	—	4	39	47	41.98	13.93	—	4	50.25
3093	7.4		56	4.92	3.523	0.000	4	64	48	6.09	13.94	—	4	50.15
3100	6.9		57	15.04	3.842	+0.019	4	51	7	31.14	14.01	+0.07	4	50.11
3103	7.4		57	50.50	3.375	—	4	72	17	22.76	14.05	—	4	50.13
3116	6.5	9	0	40.61	6.265	-0.013	4	16	26	23.91	14.22	—	4	50.18
3118	{ 6.9		0	{ 46.25 47.91	4.864	—	{ 8 } 4	27	43	{ 1.82 36.87	14.23	—	4	*53.14
3128	7.4		0											50.16
3133	7.5		3	14.14	1.168	+0.023	3	153	53	52.36	14.38	-0.09	4	50.17
	6.4		4	22.55	3.143	0.000	4	85	31	15.39	14.45	—	4	50.08
3139	7.2		5	11.74	1.903	-0.003	4	141	39	6.38	14.50	+1.36	2	50.13
3154	7.9		8	29.61	1.924	+0.071	3	141	33	49.69	14.70	-0.32	5	50.15
3172	6.3		10	39.93	4.475	0.000	4	32	40	9.98	14.83	—	5	50.14
3180	8.6		12	7.67	2.675	—	4	113	49	39.31	14.91	—	4	50.18
3189	7.6		18	39.43	1.317	+0.400?	4	153	8	50.50	14.99	+0.28	3	50.10
3220	6.8		19	1.87	4.370	-0.015	4	33	36	10.74	15.31	—	4	50.18
3226	6.2		20	20.96	2.989	—	7	95	25	7.91	15.38	—	7	50.12
3274	7.5		28	1.96	1.612	-0.030	4	150	34	19.78	15.80	—	4	50.06
3276	5.9		28	21.91	2.147	+0.009	4	138	20	24.74	15.82	-0.18	4	50.13
3287	6.2		29	18.60	5.305	-0.015	4	20	5	5.16	15.87	—	4	50.18
3301	9.9		31	29.98	1.392	—	4	154	19	51.30	15.99	—	5	50.19
3308	6.5		32	42.05	4.217	—	4	34	57	19.55	16.05	—	4	50.18
3316	7.4		34	42.98	1.466	+0.010	4	153	43	30.95	16.16	-0.04	4	50.02
3323	6.8		35	50.06	1.574	+0.015	4	152	15	49.57	16.22	-0.12	5	50.21
3325	7.1		36	3.01	4.677	—	4	26	3	30.69	16.23	—	4	50.19
3336	6.1		38	14.92	3.171	—	4	82	36	5.92	16.34	—	3	50.14
3351	6.6		40	52.78	1.919	+0.031	4	146	29	41.56	16.47	0.00	4	50.12
3357	9.4		41	53.23	1.359	—	4	156	6	59.40	16.52	—	4	50.13
3373	9.9		44	27.52	1.383	—	4	156	9	53.28	16.65	—	4	50.20
3375	6.7		44	39.42	3.605	—	4	54	18	46.25	16.66	—	4	50.16
3380	6.1		45	50.02	3.157	—	4	83	20	15.00	16.72	—	4	50.10
3397	6.8		48	27.39	3.826	—	4	43	52	25.54	16.84	—	4	50.16
3402	5.8		49	29.52	4.208	—	4	32	28	24.27	16.89	—	4	50.18
3418	8.1		53	3.76	3.191	—	4	80	19	45.67	17.06	—	4	50.06
3420	7.1		53	21.09	3.513	—	5	57	44	52.09	17.07	—	6	50.17
3421	7.1		53	29.81	3.931	—	4	39	10	11.70	17.08	—	4	50.20
3426	6.8		54	45.99	1.729	+0.010	5	152	37	30.84	17.14	-0.02	4	50.22
3427	7.7		55	13.13	3.527	—	4	56	37	50.72	17.15	—	4	50.21
3430	7.8		55	21.07	3.180	—	4	81	2	53.38	17.16	—	4	50.26
3431	7.6		55	30.60	3.522	—	5	56	49	23.58	17.17	—	4	50.29
3438	7.7		56	57.46	3.139	—	4	84	16	14.54	17.23	—	4	50.28
3439	7.7		56	57.68	3.563	—	4	54	16	13.85	17.23	—	4	50.32
3460	7.0	10	0	53.80	3.303	—	4	70	44	3.02	17.41	—	4	50.19
3467	8.2		2	15.51	1.910	—	4	150	28	55.62	17.47	—	4	50.31
3468	6.1		2	18.37	3.586	—	4	51	51	40.23	17.47	—	4	50.26

* This is the mean epoch for the P. D., that for the A. R. is 1851.65.

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

9

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.		Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
3471	6.3	10	2	47.59	+2.931	4	102	4	34.96	+17.49	—	4	50.31
3479	9.5		4	27.25	1.700	4	154	46	31.89	17.56	—	4	50.19
3481	6.3		4	32.40	1.681	5	155	4	53.53	17.56	—0.18	5	50.21
3484	7.8		5	32.66	3.473	4	57	49	57.42	17.61	—	4	50.17
3488	7.1		6	27.32	2.050	4	148	5	22.13	17.64	—0.11	4	50.08
3513	6.5		9	16.53	1.700	4	155	37	44.67	17.76	—0.18	4	50.18
3519	6.2		10	46.60	3.945	4	35	2	0.02	17.82	+0.09	4	50.18
3529	7.7		12	41.01	3.147	4	82	48	58.21	17.90	—	4	50.13
3541	6.5		14	26.56	1.856	5	153	55	27.31	17.97	—0.20	5	50.09
3543	7.0		15	5.71	1.838	4	154	23	1.12	17.99	—	4	50.18
3547	8.2		15	27.05	2.343	4	140	59	11.79	18.00	+0.35	4	50.25
3553	6.9		15	57.05	3.041	4	92	53	9.29	18.02	—	3	50.20
3556	7.6		16	39.62	1.852	4	154	26	23.14	18.05	—	4	50.21
3564	5.9		18	31.71	1.776	4	156	8	35.58	18.12	—0.10	4	50.07
3567	6.7		18	46.75	3.742	4	40	24	59.78	18.13	+0.89	4	50.18
3592	7.1		22	0.46	3.093	4	87	44	14.10	18.25	—	4	50.21
3595	6.6		22	25.75	2.238	4	146	25	59.01	18.26	—	4	50.21
3599	6.6		22	42.33	1.893	4	154	56	24.67	18.27	—0.13	4	50.18
3605	7.6		24	10.48	1.937	4	154	24	38.10	18.33	—0.15	4	50.06
3607	5.9		24	27.51	3.544	4	48	48	14.89	18.34	—	4	50.19
3627	6.4		27	49.89	2.855	4	112	24	13.76	18.45	—	4	50.12
(3639)	5.6		29	45.05	3.785	4	35	33	1.79	18.54	+0.07	4	50.21
3635	5.1		29	50.42	2.288	4	146	46	54.42	18.52	—0.03	3	50.06
3637	6.1		30	9.23	2.956	4	102	36	20.17	18.53	—	4	50.18
3645	6.0		31	3.38	4.404	4	20	46	30.45	18.56	—	4	50.19
3656	7.3		33	9.88	2.045	4	154	15	45.82	18.63	—0.04	4	50.20
3659	7.4		33	38.76	2.074	4	153	43	2.50	18.65	—	4	50.12
3662	7.8		33	46.63	3.171	4	78	28	41.21	18.65	—	4	50.25
3668	6.2		35	0.53	2.063	4	154	19	6.50	18.69	0.00	4	50.12
3674	6.9		35	41.32	2.869	4	112	45	52.88	18.71	—	4	50.19
3694	5.4		38	42.58	2.153	4	153	10	28.24	18.81	—	4	50.22
3706	6.4		41	2.77	2.166	8	153	28	24.47	18.88	—0.07	7	50.17
3716	7.4		42	12.99	2.168	4	153	45	20.13	18.91	—0.07	4	50.19
3717	7.1		42	24.31	2.181	5	153	28	20.54	18.92	—0.21	4	50.21
3726	7.3		44	31.30	3.084	4	88	10	46.25	18.98	—	4	50.07
3732	6.0		46	5.63	3.061	4	91	19	58.20	19.02	—	4	50.14
3739	7.0		47	18.71	2.401	4	148	5	45.12	19.06	—0.09	3	50.18
3758	5.9		51	36.20	3.482	4	43	40	16.32	19.17	—	4	50.07
3760	6.7		51	48.74	3.445	4	46	16	49.34	19.17	+0.19	4	50.10
3780	7.5		55	53.32	3.125	4	81	36	37.04	19.28	—	4	50.19
3781	7.7		55	55.21	3.377	4	50	19	29.17	19.28	—0.02	4	50.08
3800	6.7		59	26.00	2.648	4	140	24	1.75	19.36	+0.10	4	50.06
3806	7.7	11	0	27.12	2.366	4	154	1	45.62	19.38	—0.29	4	50.13
3821	6.8		2	31.96	3.939	4	20	54	55.14	19.43	—	4	50.22
3825	7.1		3	58.62	3.545	4	34	17	29.87	19.46	—	4	50.32
3836	6.9		6	11.15	3.087	4	86	54	48.86	19.51	—	4	50.17
3839	6.3		6	34.04	2.455	4	153	21	15.57	19.51	—0.07	5	50.26
3860	7.1		13	1.35	2.519	4	153	45	48.99	19.64	—0.07	4	50.24
3869	7.6		14	37.55	3.157	4	71	44	25.77	19.66	—	4	49.99
3880	6.1		16	54.06	2.555	4	154	7	55.27	19.70	—0.06	4	50.16

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
3895	5.8	11	19	15.13	+2.604	-0.046	4	153	8	41.79	+19.74	-0.05	4	50.05
3918	6.4		23	48.37	3.465	-0.046	4	28	5	15.41	19.81	-0.05	4	50.21
(3924)	5.7		24	51.30	2.736	+0.003	3	148	36	51.71	19.82	-0.05	1	50.02
3923	5.5		24	54.18	2.735	-0.011	3	148	41	15.72	19.82	-0.11	5	50.02
3931	5.9		26	47.07	3.353	0.000	4	34	23	10.86	19.85	—	4	50.25
3942	7.1		28	57.93	3.425	+0.006	4	26	58	28.31	19.87	-0.02	5	50.22
3944	8.0		29	7.31	2.750	-0.073	2	150	44	57.22	19.87	+0.14	2	50.29
3949	6.7		29	44.30	3.292	-0.009	4	38	33	2.07	19.88	+0.03	4	50.23
3959	6.4		32	12.72	3.338	—	4	31	11	57.16	19.91	—	4	50.25
3960	6.1		32	34.65	2.735	+0.029	4	154	33	58.16	19.91	+0.05	3	50.16
3985	6.3		38	51.79	3.256	0.000	4	33	32	15.21	19.97	—	4	50.27
3996	7.4		41	25.74	3.082	0.000	4	83	58	35.57	19.99	—	4	50.09
3997	6.9		41	29.68	3.104	0.000	4	72	55	16.61	19.99	—	4	50.31
4000	5.8		42	25.06	2.870	—	4	152	57	15.85	20.00	-0.09	4	50.27
4005	7.0		43	13.18	3.093	—	4	76	53	15.85	20.00	—	4	50.33
4010	6.8		44	18.73	3.144	+0.338	4	51	12	20.14	20.01	+5.78	4	50.29
4011	6.2		44	33.19	2.883	-0.038	4	154	22	16.89	20.01	+0.02	5	50.19
4018	7.4		46	1.96	3.143	—	4	48	15	1.09	20.02	—	4	50.04
4036	6.9		49	1.08	3.193	-0.009	4	27	36	50.79	20.03	+0.01	5	50.26
4041	6.4		51	15.79	2.968	— ?	5	153	30	14.78	20.04	—	5	50.04
4067	5.7		56	37.84	3.033	0.000	6	152	19	47.33	20.05	0.00	6	50.10
4073	7.2		57	41.40	3.045	+0.018	5	152	8	23.69	20.05	-0.05	3	50.16
4074	6.5		58	2.74	3.094	-0.012	4	26	13	41.90	20.05	+0.06	4	50.17
4075	7.2		58	9.01	3.048	-0.005	4	154	42	40.81	20.06	+0.09	4	50.17
4105	7.0	12	4	5.57	3.118	+0.034?	4	153	40	29.94	20.05	+0.06	4	50.11
4109	8.0		4	16.29	3.119	—	5	152	37	5.50	20.05	—	5	50.20
4122	6.4		7	56.73	2.936	0.000	4	18	57	51.85	20.04	—	4	50.26
4133	5.3		10	20.81	3.190	-0.022	4	153	10	6.28	20.04	-0.05	4	50.05
4146	7.2		12	16.81	3.224	+0.008	4	155	0	30.70	20.03	+0.05	4	50.15
4153	6.2		12	46.66	3.032	0.000	4	62	32	33.81	20.02	—	4	50.27
4199	6.9		20	7.62	3.012	—	4	63	15	25.17	19.98	—	4	50.12
4205	7.1		21	8.30	3.008	0.000	4	62	56	32.82	19.97	—	4	50.24
4219	6.8		23	1.14	2.842	0.000	4	30	24	6.00	19.95	—	4	50.29
4231	7.9		26	3.32	2.999	0.000	4	64	43	21.75	19.93	—	4	50.07
4244	6.1		27	50.64	2.947	—	4	52	44	50.23	19.91	—	4	50.03
4277	6.5		35	56.11	3.073	—	4	90	45	3.03	19.81	—	4	50.13
4282	7.1		37	21.36	2.854	-0.004	4	45	4	29.05	19.79	-0.04	3	50.26
4287	6.3		38	3.86	2.840	-0.003	4	43	44	19.52	19.78	-0.03	4	50.28
4300	6.6		40	53.15	2.593	0.000	4	26	23	57.70	19.74	+0.03	4	50.31
4305	6.6		42	6.22	2.628	0.000	4	28	51	41.04	19.72	—	4	50.31
4311	6.8		43	2.29	2.873	—	4	51	39	57.54	19.70	—	4	50.06
4324	6.0		45	47.28	3.501	+0.012	4	148	19	50.10	19.66	+0.02	4	50.19
4341	6.5		48	4.48	2.761	+0.005	4	41	59	21.42	19.62	+0.04	4	50.19
4345	6.4		48	58.73	2.840	—	4	50	52	28.31	19.60	—	3	50.25
4350	6.4		50	15.93	2.759	-0.006	4	43	0	32.35	19.58	+0.07	4	50.26
4356	6.6		52	27.76	3.593	-0.048?	4	149	51	39.60	19.53	-0.02	4	50.25
4364	7.5		54	14.36	2.944	+0.017	4	67	55	16.73	19.50	—	4	50.19
4370	7.9		55	34.95	3.718	+0.032	4	153	38	1.54	19.47	-0.01	4	50.27
4372	8.0		56	1.05	3.623	0.000	4	149	37	59.25	19.46	+0.02	4	50.27
4381	6.7		58	29.77	3.778	+0.007	4	154	30	7.73	19.41	+0.02	4	50.23

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
4389	6.5	12	59	6.49	+2.717	—0.002	5	43	55	41.31	+19.39	—0.03	4	50.19
4394	6.0	13	0	43.79	3.121	0.000	4	98	10	45.63	19.36	—	4	50.16
4402	7.0	2	19	47	3.761	—	4	152	30	9.59	19.32	—	4	50.39
4404	7.0	2	28	22	3.606	—	2	146	6	32.58	19.31	+0.12	3	50.39
4407	6.5	2	48	22	2.786	0.000	4	51	46	35.17	19.31	—	3	50.33
4410	7.0	2	54	13	3.611	—	2	146	9	26.13	19.31	—	2	50.43
4445	8.1	9	53	94	3.127	—	4	97	56	18.91	19.13	—	4	50.06
4457	6.5	12	9	70	2.771	—	5	54	4	57.33	19.07	—	5	50.27
4462	7.0	12	59	39	3.029	—	4	84	23	1.37	19.05	—	4	50.30
4468	7.3	13	58	58	2.958	+0.014	4	75	3	43.42	19.02	+0.09	4	50.35
4469	5.8	13	59	49	3.931	0.000	3	153	44	53.40	19.02	—	3	50.37
4470	5.7	14	4	16	3.049	—0.011	4	87	7	21.45	19.02	—	4	50.40
4475	6.1	15	15	14	3.943	—0.038	4	153	41	55.05	18.98	—0.14	4	50.37
4479	6.0	17	5	26	2.728	—0.003	4	52	10	53.31	18.93	—0.01	5	50.54
4491	7.0	18	41	21	3.812	—	4	148	44	59.77	18.88	—	4	50.37
4503	7.7	21	38	17	3.033	—	4	85	21	1.32	18.80	—	4	50.18
4512	7.1	23	12	09	4.082	—0.119	4	154	51	26.46	18.75	—0.05	4	50.25
4513	{ 8.0 } { 7.5 }	23	{ 40.39 } { 45.14 }	{ 2.848 }		{ — }	{ 4 } { 4 }	64	59	{ 26.78 } { 15.26 }	{ 18.73 }		{ — }	{ 4 } { 3 }
4519	6.7	24	44	68	2.622	—0.016	4	47	7	14.56	18.70	—0.50	4	50.30
4524	7.7	25	16	24	4.084	—0.002	4	154	22	48.46	18.68	+0.07	4	50.34
4545	6.9	28	50	34	2.566	—0.005	4	45	2	5.28	18.57	—0.05	4	50.31
4552	5.4	30	47	20	2.681	—	4	52	56	25.83	18.50	—	4	50.33
4557	6.7	32	7	11	3.908	0.000	4	148	1	29.79	18.46	+0.06	4	50.34
4558	{ 6.2 } { 7.3 }	32	{ 10.72 } { 10.79 }	{ 3.786 }		{ —0.010 }	{ 3 } { 3 }	143	47	{ 48.12 } { 53.85 }	{ 18.46 }		{ +0.06 }	3 2
4559	6.5	32	10	73	2.964	0.000	4	78	29	22.77	18.45	—	4	50.35
4573	7.2	36	10	62	4.102	—?	5	152	9	16.15	18.31	+0.04	4	50.31
4575	7.0	36	30	83	2.833	0.000	4	66	32	28.67	18.30	—	4	50.24
4587	8.6	38	48	77	2.582	—	4	48	49	24.02	18.22	—	4	50.35
4588	7.6	38	59	37	4.040	—	4	150	0	4.64	18.21	—	4	50.69
4591	6.6	39	18	33	3.159	—	4	98	57	20.44	18.20	—	4	50.72
4595	6.7	39	48	65	2.610	—	5	50	44	38.57	18.18	—	4	50.83
4596	6.6	39	50	56	2.565	—0.031	3	48	9	25.73	18.18	+0.04	2	50.77
4600	6.8	40	31	10	2.606	—	4	50	42	19.68	18.16	—	5	50.72
4606	7.6	41	34	03	2.710	—0.013	4	57	50	58.77	18.12	—	5	51.14
4609	6.7	41	44	44	2.539	0.000	4	47	12	4.16	18.11	+0.03	4	50.54
4610	6.2	41	52	13	2.712	—	4	58	3	45.01	18.11	—	4	50.97
4611	6.8	41	54	96	4.181	—?	4	152	36	35.75	18.11	—	4	51.11
4612	8.4	41	55	96	4.183	—	4	152	38	58.75	18.10	—	4	51.11
4621	7.0	42	56	54	2.866	—	4	70	37	23.36	18.07	—	4	50.35
4626	7.5	44	16	51	4.113	—	6	150	35	30.37	18.02	—	6	50.65
4627	6.8	44	26	83	2.651	—	6	54	28	57.29	18.01	—	4	50.60
4628	6.7	44	31	57	2.652	—	3	54	35	21.03	18.01	—	4	50.64
4632	6.2	45	10	09	2.653	—	4	54	48	39.85	17.98	—	4	50.53
4639	6.6	46	12	90	3.247	—	4	106	26	21.32	17.94	—	4	50.28
4644	7.5	46	51	31	4.248	—0.014	4	152	56	51.50	17.91	+0.07	4	50.32
4652	6.8	49	30	86	2.676	—	4	57	13	59.57	17.83	—	4	50.33
4676	7.1	54	42	82	2.665	—	5	57	42	29.29	17.89	—	4	50.16
4678	6.9	55	53	82	2.660	—	5	57	36	54.26	17.54	—	4	50.21
4682	7.1	57	4	23	3.253	—	4	105	36	51.96	17.50	—	4	50.35
4694	7.7	59	46	83	2.661	—	4	58	25	48.98	17.38	—	4	50.28

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
4703	7.0	14	3	5.92	+4.538	-0.011	4	154	59	36.21	+17.23	-0.35	4	50.12
4723	7.2		7	14.18	2.667	-0.031	4	60	11	27.75	17.04	0.00	4	50.39
4728	6.4		8	20.07	2.426	-0.006	4	47	46	29.82	16.99	+0.11	4	50.40
4732	6.4		9	16.79	1.091	-0.014	4	19	51	46.94	16.95	+0.12	4	51.13
4736	7.0		10	0.47	2.109	-0.015	4	36	45	55.37	16.91	—	4	51.11
(4738)	6.5		10	17.63	2.457	-0.013	4	49	33	27.66	16.90	—	4	50.44
4737	6.4		10	17.90	2.865	—	4	74	2	23.92	16.90	—	4	50.41
4739	6.4		10	21.18	3.305	+0.031	4	108	1	6.34	16.90	+0.04	4	50.48
4740	5.6		10	31.20	3.409	-0.022	4	115	8	4.86	16.89	-0.25	5	50.77
4756	7.3		13	15.46	2.106	—	4	37	16	26.09	16.76	—	4	50.33
4758	7.1		13	37.78	2.464	-0.006	4	50	30	53.57	16.74	0.00	4	50.15
4776	7.0		17	9.26	3.441	—	4	116	10	6.36	16.57	—	4	50.28
4778	7.4		17	15.83	2.484	—	4	52	6	44.00	16.56	—	4	50.29
4783	7.1		19	21.50	2.450	—	4	50	55	38.85	16.46	—	4	50.15
4797	6.8		22	3.37	2.488	—	4	53	7	48.39	16.32	—	4	50.23
4805	6.9		23	41.58	2.352	+0.003	4	47	31	30.76	16.24	+0.21	4	50.19
4809	6.7		25	41.71	2.660	+0.012	4	62	39	24.19	16.14	—	4	50.30
(4817)	6.7		27	12.14	1.439	-0.030	4	26	8	58.93	16.06	-0.01	4	50.46
4816	6.6		27	12.15	2.453	—	4	52	22	33.34	16.06	—	4	50.23
4820	6.8		27	48.62	2.545	—	4	56	48	19.45	16.03	—	4	50.36
4827	6.8		28	36.64	2.191	-0.013	4	42	33	15.48	15.98	0.00	4	50.33
4830	6.1		29	24.55	2.103	—	4	39	58	33.07	15.94	—	4	50.34
4834	6.7		30	26.33	1.234	+0.002	4	23	56	54.67	15.89	-0.03	4	50.50
4840	7.4		32	15.01	3.428	0.000	4	113	24	33.70	15.79	—	4	50.34
4841	6.4		32	33.85	2.265	-0.015	4	45	42	32.34	15.77	—	4	50.27
4844	6.4		33	27.78	4.647	-0.023	4	152	13	49.89	15.73	0.00	4	50.30
(4857)	6.9		35	40.57	3.436	0.000	4	113	29	22.93	15.60	—	4	50.47
4856	7.8		35	40.71	4.344	—	4	146	35	52.06	15.60	—	4	50.44
(4863)	8.0		36	35.22	2.425	—	4	52	36	8.20	15.55	—	4	50.58
4860	6.4		36	45.80	4.135	+0.017	5	141	34	10.96	15.54	—	4	50.36
4870	6.5		37	54.87	2.329	0.000	4	48	54	14.39	15.48	-0.03	4	50.69
4874	7.1		38	18.29	1.475	—	4	28	5	53.67	15.46	—	4	51.13
4884	7.5		39	47.62	3.468	—	4	114	51	48.49	15.37	—	4	50.92
4887	6.9		40	14.12	4.202	-0.033	4	142	44	23.38	15.35	-0.22	4	50.43
4888	6.3		40	39.35	3.448	0.000	4	113	37	52.45	15.33	—	1	50.65
4897	6.6		43	12.93	2.377	-0.022	4	51	34	6.72	15.18	—	4	50.27
4899	7.6		43	16.72	4.664	-0.030	4	151	15	14.27	15.18	-0.05	4	50.40
4906	6.1		44	34.09	2.386	—	4	52	6	36.58	15.10	—	4	50.41
4908	6.2		44	42.21	4.738	-0.048?	4	152	9	57.62	15.10	-0.06	4	50.72
4910	7.3		45	13.87	3.452	—	4	113	21	28.16	15.06	—	4	50.46
4912	6.4		45	29.12	3.638	0.000	4	122	41	3.60	15.05	—?	4	50.60
4917	6.9		46	45.52	2.114	—	4	42	54	15.79	14.98	—	4	50.35
4920	7.3		48	10.15	3.501	-0.011	4	115	40	25.97	14.89	—	4	50.34
4921	7.1		48	33.75	4.907	-0.025	4	153	58	7.65	14.87	—	4	50.13
4934	7.3		50	20.14	2.263	—	4	48	15	24.86	14.77	—	4	50.35
4938	6.1		52	19.44	4.897	-0.015	4	153	26	12.84	14.65	-0.04	4	50.33
4942	7.3		53	40.66	2.293	—	5	49	45	26.18	14.57	—	5	50.32
4952	7.2		55	31.17	2.046	—	4	42	7	40.44	14.46	—	4	50.31
4956	8.9		55	50.24	4.978	—	4	154	3	12.64	14.44	—	4	50.46
(4968)	7.1		56	58.39	4.907	—	4	153	3	33.58	14.37	—	4	50.42

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

13

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
4959	6.8	14	56	58.91	+3.510	0.000	4	115	12	5.10	+14.37	—	4	50.38
4965	6.8		57	48.28	2.127	—0.023	4	44	46	0.85	14.32	—	4	50.42
4967	6.9		57	55.86	1.394	—0.005	4	29	12	19.08	14.31	0.00	4	51.16
4972	7.1		58	31.98	3.481	—	4	113	36	38.36	14.27	—	4	50.42
4975	9.0		59	36.61	5.003	—	4	153	57	53.48	14.21	—	4	50.54
4979	6.5	15	0	5.38	3.531	—	4	115	55	4.31	14.18	—	5	50.60
4980	6.2		0	27.27	1.991	—0.015	4	41	16	3.13	14.15	0.00	4	50.34
4985	6.2		1	27.06	3.530	—0.012	4	115	45	23.26	14.09	—	4	50.60
4989	6.7		1	41.10	0.880	—0.006	4	23	29	50.80	14.08	+0.06	4	51.19
4992	5.9		1	59.17	1.702	—	4	34	51	52.32	14.06	—	4	51.42
4997	6.4		3	41.65	3.393	—	4	108	32	7.68	13.95	—	4	50.30
5000	6.9		4	34.00	2.429	—	4	56	21	0.86	13.90	—	4	50.38
5001	7.3		4	35.19	2.518	—	4	60	11	57.69	13.90	—	4	50.39
5007	5.3		5	2.21	4.971	—0.025	4	153	2	56.85	13.87	—0.08	4	50.41
5018	6.9		6	16.81	3.572	0.000	4	117	17	38.72	13.79	—	4	50.45
5019	7.9		6	34.49	1.942	—0.008	4	40	44	26.19	13.77	+0.09	4	50.78
5020	6.2		6	42.13	3.567	0.000	4	117	2	7.63	13.76	—	4	50.77
5025	7.0		7	44.57	4.130	—	2	137	20	38.94	13.69	—	2	50.82
5026	6.8		7	52.33	2.284	—0.012	4	51	10	15.59	13.69	0.00	4	50.74
5027	7.3		8	1.82	3.495	0.000	4	113	27	6.77	13.68	—	4	50.53
5033	6.6		8	44.59	2.165	—0.005	4	47	16	4.99	13.63	+0.06	4	50.94
5038	7.3		9	47.40	3.518	—	4	114	26	45.20	13.56	—	4	50.76
5039	7.0		10	22.36	3.504	0.000	3	113	43	7.66	13.53	—	1	50.41
5040	7.6		10	44.49	4.691	+0.009	4	148	37	3.85	13.50	—0.03	4	51.01
5041	6.8		10	52.96	3.505	0.000	5	113	43	8.56	13.49	—	4	50.44
5042	6.4		11	4.00	4.793	—0.017	4	150	6	39.40	13.48	—0.05	4	50.99
5045	6.9		11	30.27	3.592	0.000	5	117	44	14.50	13.45	—	4	50.96
5049	5.6		11	42.97	4.149	—	3	137	22	35.24	13.44	—	2	50.40
5051	7.1		11	47.97	3.543	—	4	115	26	10.29	13.43	—	4	50.65
5053	7.3		12	13.98	4.151	—0.042	2	137	21	56.21	13.40	+0.18	2	50.44
5058	6.2		12	55.50	0.612	—	4	22	5	1.56	13.36	—	4	51.13
5062	6.8		14	0.11	3.562	—	4	116	8	50.09	13.29	—	4	50.26
5071	6.0		15	40.19	1.759	—	4	37	20	56.83	13.18	—	4	50.51
5076	6.2		17	4.16	2.217	—0.007	4	49	52	50.47	13.09	+0.03	4	50.31
5077	7.3		17	6.32	+1.732	—0.014	4	37	7	3.32	13.08	+0.08	4	50.99
5078	7.7		17	8.61	—0.004	—0.011	4	18	14	39.44	13.08	+0.02	4	51.14
5080	6.3		17	32.41	+4.327	+0.007	4	141	4	7.57	13.06	—0.15	4	50.30
5081	6.8		17	42.86	4.685	—0.031	4	147	49	20.04	13.05	+0.04	4	50.33
5083	8.2		17	58.71	4.829	—	4	149	57	52.23	13.03	—	4	50.42
5091	6.3		20	7.95	0.980	—	4	26	7	19.33	12.88	—	4	51.16
5092	7.7		20	15.76	1.948	—	4	42	24	30.23	12.87	—	4	50.38
5101	7.4		22	40.19	+4.637	—0.012	4	146	33	32.32	12.71	—0.19	4	50.26
5102	8.2		22	43.12	—0.537	—0.033	4	15	59	50.30	12.71	—0.01	4	50.19
5105	6.8		23	25.07	+3.519	—	4	113	21	55.35	12.66	—	4	50.36
5106	7.7		23	40.06	4.663	+0.026	4	146	54	25.94	12.64	+0.12	4	50.44
5110	7.2		24	11.52	3.562	—	4	115	17	11.32	12.61	—	4	50.41
5111	6.7		24	17.19	3.533	—	4	113	58	31.83	12.60	—	3	50.63
	6.7		24	18.03		—	4	113	58	37.20		—	4	50.63
5113	7.8		24	36.44	1.905	—0.006	4	41	46	11.52	12.58	+0.04	4	50.39
5114	7.7		24	43.13	4.645	—	4	146	30	23.34	12.57	—	4	51.06
5115	5.3		24	53.11	1.176	0.000	4	28	48	39.89	12.56	—0.02	4	51.31

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
5127	7.2	15	26	12.30	+3.640	—	5	118	32	32.90	+12.47	—	4	50.96
5128	7.0		26	19.38	3.584	—	4	115	13	34.77	12.46	—	4	50.95
5129	5.6		26	21.07	3.230	—	4	98	40	28.12	12.46	—	4	50.97
5133	7.0		27	4.47	3.641	—	5	118	29	39.27	12.41	—	5	50.63
5137	6.4		27	42.97	4.851	—0.014	4	149	24	5.99	12.37	+0.16	4	50.93
5141	8.2		27	59.68	5.112	—	4					—	4	50.99
5142	7.3		28	7.06	3.585	—	5	152	41	51.81	12.35	—	4	50.73
5157	6.5		30	1.13	2.058	—	5	115	59	26.84	12.34	—	5	50.97
5164	7.4		30	44.58	1.794	—	4	46	20	1.73	12.21	—	5	50.33
5170	6.9		32	32.64	4.398	—0.006	4	39	48	6.44	12.16	—	4	50.26
5174	6.9		33	14.89	4.336	—0.014	4	141	8	37.56	12.03	—0.01	4	50.55
5175	7.2		33	17.40	2.032	—	4	139	43	52.62	11.98	—0.11	4	50.36
5179	6.3		34	0.25	4.366	—0.045?	4	45	54	16.63	11.98	—	4	50.50
5181	6.4		34	10.86	1.747	—0.015	4	140	18	14.22	11.93	+0.10	4	50.19
5182	6.3		34	16.16	5.374	—0.050?	4	39	5	10.31	11.92	+0.09	4	50.84
5183	7.1		34	19.02	4.748	—0.020	4	154	57	54.87	11.91	—0.06	4	50.98
5186	7.1		34	48.37	4.771	—0.045?	4	147	20	1.45	11.91	+0.10	3	51.01
5193	7.1		36	27.54	4.989	+0.006	4	147	38	47.50	11.87	+0.16	4	50.92
5195	6.8		36	31.92	3.685	—	4	149	53	55.90	11.76	—0.05	4	50.45
5197	7.3		36	54.77	3.559	—	4	119	33	52.09	11.75	—	4	50.77
5198	6.8		37	5.68	3.638	—	4	114	14	21.17	11.73	—	4	50.96
5200	7.8		37	17.39	4.561	—0.082	4	117	35	9.55	11.71	—	4	50.80
5201	7.9		37	24.52	4.563	—	4	143	55	32.04	11.70	0.00	3	50.80
5202	6.6		37	45.89	3.903	0.000	5	143	56	15.84	11.69	—	4	51.06
5208	7.1		38	38.57	3.139	—	4	127	26	9.72	11.66	+0.28	5	50.99
(5210)	6.3		38	45.78	1.631	—0.015	4	93	35	17.01	11.60	—	4	50.82
5209	6.2		38	45.97	4.505	0.000	4	37	9	50.56	11.59	—0.03	4	51.38
5211	7.0		38	55.00	3.592	—	3	142	44	31.81	11.59	—0.04	4	50.98
5212	7.1		39	5.32	3.574	—	4	115	31	1.50	11.58	—	4	50.78
5213	6.4		39	8.00	4.303	+0.015?	4	114	44	44.72	11.57	—	4	50.65
5217	6.9		39	17.67	5.381	—	4	138	26	46.35	11.57	—0.16	4	51.07
5218	6.4		39	29.27	4.609	—0.005	4	154	41	29.45	11.55	—	4	51.09
5220	6.7		39	33.66	3.543	—	4	144	35	30.69	11.54	—0.02	4	51.36
5221	7.3		39	38.10	3.677	—	4	113	21	57.84	11.53	—	4	51.07
5225	6.8		40	53.73	4.232	—0.046	3	119	0	58.54	11.53	—	4	50.79
5228	6.6		41	33.27	3.604	—0.023?	4	136	35	55.35	11.44	—0.11	3	50.41
5229	6.6		41	44.56	4.165	+0.015?	4	115	49	37.99	11.39	—	4	50.91
5231	6.8		41	47.74	4.391	—0.005	4	134	49	35.09	11.38	+0.05	4	50.80
5235	6.8		42	14.02	5.003	—0.022	4	140	9	28.67	11.37	—0.19	4	50.82
5239	7.3		42	46.85	4.543	—	4	150	17	21.62	11.34	—	3	50.97
5243	6.9		43	1.07	3.611	—	4	113	7	43.25	11.30	—	4	50.41
5247	6.7		43	30.12	4.990	—	8	116	3	58.17	11.29	—	3	50.51
5248	6.1		44	0.53	1.437	—	4	150	1	46.18	11.25	—	9	51.30
5256	6.6		45	15.81	5.413	—0.028	4	34	9	44.81	11.21	—	4	50.39
5258	6.6		45	22.88	3.635	—	4	154	35	42.00	11.12	+0.04	4	50.36
5261	6.6		46	8.02	3.731	+0.031?	4	116	53	17.73	11.11	—	4	50.50
5263	6.4		46	16.35	4.298	0.000	4	120	38	17.39	11.06	+0.05	4	50.46
5266	7.3		46	36.61	3.623	—	4	137	42	52.45	11.05	+0.03	4	50.40
5275	7.4		48	4.96	3.647	0.000	4	116	17	54.19	11.02	—	4	50.40
5276	7.0		48	8.89	3.104	—	3	117	11	58.68	10.92	—	4	50.91
								91	43	8.09	10.91	—	4	

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

15

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
5279	6.9	15	48	46.86	+1.387	-0.014	4	33	43	45.20	+10.86	-0.02	4	50.23
5281	6.2		48	55.04	3.492	—	4	110	32	34.73	10.83	—	4	50.95
5286	6.4		49	35.78	3.582	0.000	4	114	23	38.15	10.81	—	4	50.89
5288	7.0		49	44.41	5.198	+0.046?	4	152	6	38.09	10.80	—	4	50.57
5291	7.0		50	5.70	3.331	—	4	103	0	18.93	10.77	—	4	50.76
5294	6.8		50	19.85	3.635	0.000	4	116	34	53.53	10.75	—	4	50.78
5296	7.4		50	20.78	3.713	0.000	4	119	38	56.37	10.75	—	4	50.99
5297	7.3		50	21.64	3.701	0.000	4	119	11	50.05	10.75	—	4	50.87
5300	7.6		51	1.51	5.035	0.000	4	150	4	19.66	10.70	0.00	4	50.64
5301	5.5		51	21.87	4.837	-0.056?	4	147	20	46.01	10.68	+0.13	3	50.72
5305	5.7		52	12.83	4.367	+0.017	4	138	48	18.46	10.61	-0.04	4	50.52
5307	6.3		52	55.02	1.153	-0.012	4	30	39	16.68	10.56	+0.03	4	51.27
5308	6.5		53	22.80	3.694	+0.037?	4	118	42	41.32	10.53	+0.15	4	50.39
5312	6.8		54	8.88	3.634	—	3	116	17	14.59	10.47	—	4	50.46
5313	5.5		54	13.72	1.431	-0.030	4	34	49	30.27	10.46	-0.09	5	51.32
5316	6.1		54	48.69	1.694	-0.009	4	39	41	24.43	10.42	+0.09	4	50.79
5317	6.4		54	54.63	3.587	0.000	5	114	18	24.53	10.41	—	5	50.71
5326	7.5		56	23.03	3.562	—	3	113	15	11.67	10.30	—	2	50.45
5328	6.9		56	38.14	5.282	—	5	152	33	24.90	10.28	—	5	50.75
5334	7.6		57	6.11	5.280	-0.012	4	152	30	57.71	10.25	-0.38	4	50.98
5335	6.5		57	10.22	3.563	0.000	6	113	11	34.33	10.24	—	6	50.48
5341	6.2		58	15.78	1.522	-0.006	3	36	39	57.55	10.16	+0.07	3	50.31
5345	6.6		58	52.32	3.586	0.000	4	114	3	14.52	10.11	—	4	50.86
5350	7.9		59	14.71	5.202	—	8	151	31	39.16	10.08	—	8	51.22
5353	8.1		59	32.62	5.506	-0.046	4	154	35	16.07	10.06	0.00	4	51.05
5354	6.5		59	46.92	3.569	0.000	4	113	16	49.48	10.04	—	4	50.46
5356	7.1	16	0	2.00	3.757	0.000	4	120	38	51.46	10.03	—	4	50.98
5364	6.8		1	6.76	3.650	—	4	116	30	27.86	9.94	—	4	50.59
5365	6.9		1	9.55	3.592	0.000	4	114	10	51.70	9.94	—	4	50.67
5370	6.8		1	27.80	4.739	-0.012	4	145	8	42.87	9.92	+0.15	4	50.64
5372	7.3		1	37.44	4.629	—?	4	143	16	36.97	9.91	0.00	4	50.80
5378	7.2		2	23.21	3.658	0.000	3	116	45	15.16	9.85	—	3	50.40
5389	7.1		4	20.43	3.708	—	5	118	39	59.89	9.70	—	5	50.35
5391	7.2		4	27.53	3.737	—	4	119	49	19.55	9.69	—	4	51.05
5393	6.8		4	43.43	3.782	0.000	4	121	15	52.41	9.67	—	4	51.02
5394	6.6		4	45.02	3.593	0.000	4	114	1	59.01	9.67	—	4	50.98
5402	6.8		5	45.10	4.612	+0.011	4	142	42	12.46	9.59	+0.11	4	51.04
5406	6.0		5	55.37	0.133	-0.021	4	21	47	40.73	9.57	+0.04	4	51.37
5407	7.4		5	57.64	4.952	-0.016	4	148	0	35.67	9.57	+0.06	3	51.05
5408	6.6		6	0.34	3.456	—	4	108	8	44.76	9.57	—	4	50.80
5409	7.3		6	8.22	3.665	—	4	116	49	15.54	9.56	—	4	50.78
5416	7.6		6	38.24	3.756	—	5	120	14	20.34	9.52	—	4	51.10
5417	6.0		6	49.50	1.982	—	4	47	14	20.29	9.51	—	4	50.81
5418	6.9		7	26.29	3.593	0.000	4	113	54	7.66	9.46	—	4	50.78
5421	7.0		7	30.33	3.734	—	4	119	21	51.97	9.46	—	4	50.87
5424	6.5		8	23.03	4.744	+0.040?	3	144	46	2.77	9.38	-0.06	4	50.93
5430	7.0		9	0.48	3.691	—	4	117	39	58.96	9.34	—	4	50.78
5433	7.2		9	51.08	3.699	0.000	6	117	54	42.99	9.27	—	5	50.86
5441	7.6		11	11.74	3.734	—	4	119	8	52.05	9.17	—	4	50.42
5443	7.1		11	26.81	4.993	—	4	148	14	32.36	9.15	—	4	50.46

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
5449	6.9	16	12	19.90	+3.585	—	4	113	20	37.00	+9.08	—	4	50.40
5452	6.7	13	33.83	2.600	—	—	4	68	30	5.57	8.98	—	4	50.00
5454	6.4	14	3.71	5.493	—0.011	—	4	153	42	29.46	8.94	—0.15	4	50.38
5459	6.0	14	44.66	0.983	—0.015	—	4	29	52	48.64	8.89	—0.01	4	50.25
5460	5.6	14	46.50	2.062	—0.021	—	4	49	55	48.88	8.89	+0.01	4	50.44
5461	6.4	14	59.53	1.672	—0.011	—	4	40	36	2.77	8.87	—0.03	4	50.46
5468	6.8	15	33.25	3.794	—	—	4	121	4	7.77	8.83	—	4	50.46
5471	7.5	16	8.99	3.803	—	—	4	121	21	8.27	8.78	—	4	50.48
5476	7.5	16	23.26	+3.753	—	—	5	119	34	19.08	8.76	—	4	50.65
5483	6.4	17	3.39	—1.064	—0.013	—	4	16	14	23.25	8.71	—0.03	4	51.34
5485	6.5	17	16.27	+4.956	+0.006	—	4	147	24	51.00	8.69	+0.07	5	50.82
5486	5.9	17	31.65	5.272	+0.003	—	4	151	17	36.23	8.67	—0.09	4	50.56
5487	7.0	18	7.34	3.738	—0.029?	—	4	118	56	38.05	8.62	+0.06	3	50.84
5493	6.5	19	17.01	3.014	—	—	4	87	18	28.78	8.53	—	5	51.01
5494	5.6	19	38.85	3.225	+0.018	—	4	97	15	2.25	8.51	+0.22	4	50.89
5497	7.1	20	8.40	1.857	—0.010	—	5	44	57	56.82	8.46	+0.06	4	50.62
5499	6.8	20	42.68	1.482	—0.007	—	4	37	22	0.10	8.42	0.00	4	51.42
5500	6.6	20	58.36	3.705	0.000	—	4	117	34	52.35	8.40	—	4	50.44
5502	5.9	21	8.42	1.300	0.000	—	4	34	27	8.06	8.39	—0.01	4	50.41
5503	7.2	21	11.75	1.513	—0.015	—	3	37	56	30.15	8.38	+0.01	4	51.50
5504	6.9	21	15.27	2.729	—	—	5	74	18	41.60	8.38	—	4	50.90
5505	6.7	21	21.23	5.697	—0.002	—	4	155	10	8.19	8.37	+0.05	4	51.06
5507	7.2	21	34.35	2.727	—	—	4	74	13	54.26	8.35	—	5	51.09
5509	6.3	21	47.60	+0.780	—0.019	—	4	27	57	41.15	8.33	—0.01	4	51.54
5514	5.8	22	9.46	—0.177	—0.033	—	4	20	32	38.40	8.30	+0.01	4	51.54
5517	7.5	22	43.30	+4.949	—	—	4	147	1	42.14	8.26	—	4	50.84
5518	7.6	23	2.10	3.738	0.000	—	4	118	42	55.15	8.23	—	4	51.36
5522	7.2	23	28.74	3.811	—	—	5	121	13	36.26	8.20	—	5	51.39
5526	7.8	23	42.51	5.567	—0.054?	—	3	153	55	44.60	8.17	—	3	51.36
5527	6.1	24	2.74	2.606	+0.033?	—	4	69	11	22.94	8.16	—	4	50.43
5529	8.5	24	44.11	2.816	—	—	2	78	14	58.82	8.10	—	1	50.57
5530	6.6	24	48.16	2.563	—	—	4	67	28	41.42	8.09	—	4	50.16
5532	5.7	25	35.07	2.814	—	—	2	78	11	9.81	8.03	—	3	50.94
5537	7.2	26	27.17	2.839	—	—	4	79	18	36.92	7.96	—	4	49.81
5540	6.8	27	41.38	5.213	—?	—	4	150	8	14.75	7.87	—	4	50.32
5543	7.2	28	7.90	5.084	—0.013	—	4	148	33	46.39	7.83	+0.03	4	50.29
5549	7.0	28	59.41	1.577	+0.003	—	4	39	32	27.40	7.76	+0.06	4	50.43
5550	6.9	29	11.76	5.339	+0.072?	—	4	151	29	5.66	7.75	—	4	50.22
5554	9.0	29	41.72	5.263	—0.006	—	4	150	37	36.08	7.70	+0.75	2	50.74
5556	6.8	29	48.68	3.773	—	—	4	119	37	12.75	7.69	—	4	50.49
5557	7.7	29	50.58	3.788	0.000	—	4	120	9	39.31	7.69	—	4	50.83
5559	6.7	30	18.74	1.457	—0.014	—	4	37	27	0.05	7.65	+0.02	4	51.25
5564	7.0	30	54.25	3.668	—0.035?	—	4	115	45	33.51	7.60	—	4	50.82
5568	7.0	31	48.37	1.745	—0.011	—	4	43	4	53.45	7.53	+0.05	3	50.66
5569	6.9	32	18.48	3.716	—	—	4	117	30	42.40	7.49	—	4	50.06
5570	7.3	32	29.98	5.342	+0.058?	—	4	151	22	21.14	7.48	—	4	50.31
5571	6.6	32	31.18	3.628	0.000	—	5	114	10	17.80	7.47	—	4	50.69
5572	7.3	32	34.89	3.794	—	—	4	120	13	59.83	7.47	—	4	50.86
5576	7.8	32	42.32	3.753	—	—	4	118	49	33.17	7.45	—	4	50.84
5588	6.5	34	0.71	3.842	0.000	—	4	121	48	54.25	7.35	—	3	50.70

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

17

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>i</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
5589	7.2	16	33	59.79	+3.817	-0.020	4	120	56	10.34	+7.35	—	5	50.91
5595	6.8		34	36.18	3.692	0.000	4	116	30	56.54	7.30	—	4	51.05
5597	6.5		34	47.23	2.486	-0.012	4	64	50	54.87	7.29	+0.10	4	50.66
5599	5.9		34	58.36	1.202	-0.013	4	33	41	22.73	7.27	-0.09	4	51.32
5600	6.8		34	59.25	3.710	0.000	5	117	10	6.05	7.27	—	5	51.10
5601	6.1		35	24.41	0.583	-0.009	4	26	37	28.83	7.24	+0.06	4	51.34
5605	6.8		35	46.55	3.806	0.000	5	120	31	22.96	7.21	—	5	50.88
5608	7.2		36	33.90	3.690	—	4	116	21	58.13	7.14	—	4	50.06
5612	7.1		37	17.18	3.829	-0.045?	4	121	10	25.49	7.08	—	4	50.49
5613	7.0		37	21.87	5.767	-0.008	4	155	6	15.32	7.08	-0.09	4	50.87
5615	7.2		37	43.15	2.134	—	4	53	12	23.47	7.05	—	4	50.84
5620	6.1		38	34.78	2.711	—	4	73	58	25.40	6.98	—	4	50.71
5622	7.3		38	49.78	3.822	0.000	4	120	55	44.76	6.96	—	4	50.23
5626	8.1		39	33.67	5.532	—	4	152	58	10.52	6.90	—	4	50.88
5629	5.9		39	54.16	1.211	-0.003	4	34	1	57.85	6.87	-0.08	4	51.30
5630	7.0		39	56.54	3.837	—	5	121	22	52.76	6.86	—	4	50.45
5634	7.4		41	2.86	2.817	—	4	78	35	55.27	6.77	—	4	50.83
5636	7.1		41	26.71	5.543	-0.030	5	153	0	42.54	6.74	0.00	6	50.64
5641	7.3		42	12.80	3.647	0.000	4	114	34	16.51	6.68	—	4	51.06
5643	6.1		42	26.03	1.125	-0.007	4	32	56	54.88	6.66	-0.06	4	51.42
5644	6.2		42	31.43	1.914	-0.011	4	47	29	28.94	6.65	+0.02	4	51.04
5645	7.4		42	44.02	5.882	+0.060?	4	151	23	12.69	6.64	+0.43	4	50.90
5647	6.4		42	39.12	2.767	—	4	76	28	23.35	6.64	—	4	50.81
5650	6.9		43	4.36	3.669	—	4	115	20	25.64	6.61	—	4	50.10
5653	7.0		43	27.65	3.848	0.000	4	121	37	20.24	6.57	—	4	50.84
5657	7.2		43	43.26	5.775	0.000	4	154	57	13.33	6.55	+0.02	4	50.93
5669	7.2		44	59.01	3.860	—	3	121	56	13.68	6.45	—	3	51.09
(5671)	6.6		45	2.00	3.812	-0.003	4	120	20	5.34	6.44	-0.03	4	51.05
5670	7.4		45	5.33	5.400	+0.062	4	121	29	37.47	6.45	—	4	51.21
5672	6.6		15	11.40	3.825	—?	3	120	43	36.48	6.43	—	2	51.10
5673	{ 6.6 } { 7.4 }		45	{ 8.59 } { 19.55 }	3.676	—	{ 3 } { 2 }	115	{ 34 } { 33 }	29.88 } 34.41 }	6.43	—	{ 4 } { 3 }	51.16 } 51.39 }
5676	7.7		45	30.96	3.790	0.000	3	119	36	4.93	6.40	—	3	51.31
5678	7.1		45	31.78	3.837	—	4	121	9	2.06	6.40	—	2	51.20
5679	7.0		45	45.80	3.870	0.000	3	122	15	15.21	6.38	—	3	50.53
5681	5.6		45	50.07	4.156	-0.019	1	130	34	36.93	6.38	-0.11	4	51.30
5684	7.0		46	14.70	3.839	—	2	121	13	37.30	6.34	—	1	50.89
5686	7.0		46	32.99	2.715	0.000	3	74	20	25.59	6.32	—	3	51.11
5687	7.6		46	32.59	3.670	—	3	115	17	9.27	6.32	—	3	50.72
5690	7.1		46	40.67	3.836	-0.059?	3	121	4	52.54	6.30	—	1	51.46
5694	7.2		47	16.45	3.867	—	4	122	5	24.32	6.26	—	4	50.06
5699	6.6		47	56.44	4.844	-0.054?	4	144	21	24.40	6.20	0.00	4	50.28
5704	7.2		49	2.45	3.688	-0.038?	4	115	49	13.97	6.11	-1.22?	4	50.01
5715	6.2		51	39.62	5.076	+0.008	4	147	29	16.69	5.89	+0.02	4	50.50
5716	7.3		51	50.53	2.712	—	4	74	19	5.84	5.88	—	4	50.01
5717	6.6		51	58.98	0.801	-0.007	4	29	23	47.44	5.87	0.00	4	51.36
5722	9.0		52	50.41	4.964	+0.149?	3	145	55	7.33	5.80	-3.01?	3	50.90
5726	6.8		53	10.42	2.917	0.000	4	83	11	12.94	5.77	—	4	50.89
5728	6.9		53	16.35	0.627	-0.062	4	27	39	38.88	5.75	+0.01	4	51.37
5730	7.2		54	22.62	3.642	—	5	114	1	13.47	5.66	—	4	50.19
5732	6.8		54	43.90	2.723	—	4	74	49	37.86	5.64	—	4	50.42

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
5737	6.7	16	55	1.21	+3.763	—	3	118	21	14.94	+5.61	—	4	50.25
5739	7.1		55	7.71	3.847	—	4	121	8	45.33	5.60	—	4	50.85
5742	6.9		55	19.64	3.643	—	3	114	1	23.80	5.59	—	3	50.76
5743	6.8		55	23.78	3.620	—	4	113	10	23.88	5.58	—	4	50.92
5750	7.1		56	29.50	3.772	+0.051?	4	118	39	37.84	5.49	+1.29?	4	51.06
5751	6.7		56	26.15	5.437	—0.014	4	151	28	12.79	5.49	—0.08	4	51.14
5754	6.9		56	45.90	4.534	+0.015	4	138	40	29.04	5.46	+0.20	4	51.16
5756	7.0		56	56.99	3.812	—	4	119	56	17.85	5.45	—	4	51.19
5762	6.7		58	6.32	3.841	—	4	120	52	11.22	5.35	—	4	50.95
5764	6.7		58	17.73	5.119	—0.010	4	147	49	31.61	5.34	+0.10	4	51.12
5766	7.3		58	21.36	5.655	—	4	153	29	14.65	5.32	—	4	50.95
5767	6.9		58	45.12	3.666	—	4	114	47	37.03	5.30	—	4	50.94
5768	6.3		59	13.14	+3.821	0.000	4	120	11	56.45	5.26	+0.30?	4	51.07
5769	6.6		59	16.75	—1.245	—0.020	4	16	38	50.38	5.25	+0.01	4	51.02
5772	5.7		59	50.86	+4.333	—0.007	4	134	21	27.91	5.20	+0.18	4	50.31
5773	7.7	17	0	18.22	5.558	0.000	4	152	32	31.69	5.17	—0.26?	4	50.92
5777	6.8		1	18.54	2.147	—	4	54	28	26.82	5.08	—	4	50.48
5787	7.3		2	35.56	2.837	—	4	79	45	38.92	4.97	—	3	50.68
5790	6.8		2	52.82	1.956	—0.013	4	49	17	6.81	4.95	+0.01	4	50.85
5791	7.0		3	1.24	3.677	—	4	115	3	50.07	4.94	—	4	50.23
5792	6.2		3	2.02	3.747	—	4	117	34	16.02	4.93	—	4	50.10
5793	6.4		3	14.24	3.889	—	4	122	15	1.28	4.92	—	5	50.83
5796	7.0		4	38.60	3.750	—	4	117	36	46.32	4.80	—	4	50.85
5799	6.9		4	50.52	5.587	—	4	152	41	55.12	4.78	—	4	51.07
5805	6.2		5	38.29	4.247	+0.024	4	132	9	40.29	4.72	+0.15	4	51.28
5806	6.1		5	56.93	5.280	—0.004	4	149	31	19.89	4.69	+0.07	4	51.17
5809	6.3		6	16.89	3.822	—	5	120	1	54.66	4.66	—	5	50.96
5812	6.5		6	48.52	4.623	—	4	140	2	15.63	4.62	—	4	51.18
5814	7.1		6	58.46	5.672	—0.060?	3	153	24	53.35	4.59	—	3	51.17
5815	7.2		7	14.23	3.681	0.000	6	115	7	50.26	4.58	0.00	6	51.10
5818	8.1		7	19.02	3.827	0.000	3	120	10	37.79	4.57	—	3	51.13
5819	7.1		7	32.62	4.449	—?	3	136	37	44.36	4.54	+0.12	4	51.07
5820	7.0		7	46.33	3.822	—	3	119	59	30.46	4.53	—	3	51.04
5825	6.7		8	45.15	3.977	+0.107	4	124	48	55.49	4.45	+0.11	4	50.91
5826	7.2		8	50.12	3.814	—	3	119	42	18.19	4.44	—	4	51.39
5833	7.1		9	36.71	3.861	0.000	4	121	11	40.34	4.37	—	4	50.93
5835	6.3		9	56.84	5.600	—	4	152	42	23.49	4.34	—	3	51.11
5838	7.1		10	56.57	3.801	—	4	119	12	12.42	4.26	—	4	50.74
5848	7.4		12	32.73	3.837	—	4	120	20	46.05	4.12	—	4	50.04
5859	6.2		14	18.96	4.660	—0.011	4	140	29	20.31	3.97	—0.15	4	50.54
5861	7.7		14	55.11	3.783	—	4	118	30	23.80	3.92	—	3	50.09
5869	6.9		15	56.78	3.814	0.000	3	119	31	37.68	3.83	—	4	50.11
5870	6.2		16	1.71	4.760	—0.015	4	142	9	23.60	3.82	0.00	4	50.87
5872	6.7		16	14.47	4.948	—0.015	5	145	1	57.98	3.81	+0.02	4	50.91
5874	6.1		16	48.00	1.964	—0.005	4	49	52	32.23	3.76	+0.13	4	50.42
5875	7.0		16	48.80	3.777	0.000	4	118	16	32.25	3.76	+0.05	4	50.30
(5879)	7.0		17	32.39	3.713	—?	4	116	11	38.89	3.69	—?	4	50.92
5878	6.8		17	38.65	3.706	—	5	115	48	17.56	3.68	—	5	50.95
5882	7.1		17	47.30	3.788	—	4	118	37	56.33	3.67	—	3	51.10
(5898)	7.2		18	31.37	3.861	—?	4	121	4	25.89	3.61	—?	4	51.15

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

19

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
5887	6.6	17	18	33.16	—0.964	—0.009	4	18	3	10.80	+3.61	—0.03	4	51.35
5889	6.1		18	38.53	+5.080	—	4	146	47	34.90	3.60	—	4	51.06
5892	7.4		19	0.00	3.869	—	4	121	15	3.81	3.57	—	4	50.85
5894	6.6		19	4.53	2.892	—	4	82	16	8.00	3.56	—	4	50.96
5895	6.1		19	15.24	2.076	—	4	52	54	41.76	3.55	—	4	51.14
5897	6.5		19	31.10	3.873	—0.027?	8	121	24	15.15?	3.52	0.00	4	51.15
5908	7.9		22	17.45	3.886	—0.036?	4	121	42	26.18	3.28	—0.13	4	50.38
5910	5.6		22	40.73	3.092	—	4	90	56	1.32	3.25	—	4	50.44
5914	7.6		23	16.29	3.926	0.000	4	112	56	30.16	3.20	—	4	50.48
5916	6.8		23	30.03	3.819	—	4	119	32	8.30	3.18	—	4	50.54
5917	5.8		23	44.99	0.768	—	4	29	49	29.46	3.16	—	4	50.78
5924	7.5		24	55.09	3.889	+0.024?	4	121	45	41.83	3.06	—0.05	4	50.77
5929	6.2		25	39.18	2.000	—0.010	4	51	0	10.70	2.99	+0.03	4	50.86
5938	7.0		27	13.11	3.898	+0.055?	4	122	1	31.29	2.86	+0.05	4	50.10
5943	7.3		28	16.17	3.785	—	5	118	20	18.88	2.77	—	4	50.05
5944	5.8		28	21.43	1.905	—0.014	4	48	38	51.60	2.76	+0.07	4	50.99
5946	6.9		28	45.30	3.774	—	5	117	56	58.45	2.72	—	5	51.06
5952	6.8		29	33.17	3.785	—	5	118	18	58.77	2.66	—	4	51.21
5955	6.7		29	46.72	3.819	—	4	119	26	15.50	2.64	—	4	51.13
5956	7.5		29	51.49	3.832	—	4	119	52	1.70	2.63	—	4	51.01
5961	7.1		30	53.18	3.801	0.000	4	118	50	1.90	2.54	—	4	50.84
5965	7.5		31	14.39	5.821	+0.038	4	154	14	46.54	2.51	—0.12	4	50.89
5966	7.7		31	16.77	3.770	—	4	117	48	14.88	2.51	—	4	50.94
5969	6.4		32	1.55	5.151	—	4	147	27	59.88	2.44	—	4	50.27
5973	7.6		32	34.93	4.521	—	3	137	33	3.96	2.39	—	3	51.11
5977	6.3		33	16.41	3.931	+0.034?	4	122	58	18.24	2.34	+0.89?	4	50.33
5980	6.9		33	46.62	3.920	+0.015?	4	122	35	4.28	2.29	—0.11	4	50.54
5983	7.6		33	53.27	3.839	—0.045?	4	120	5	55.48	2.27	+1.40?	3	50.47
5989	7.6		35	9.18	3.651	—	4	113	36	15.90	2.17	—	3	50.02
5993	7.2		35	31.74	5.826	—0.011	4	154	14	33.74	2.14	—0.05	4	50.47
5997	6.8		36	4.78	1.807	0.000	4	46	27	13.24	2.09	—0.01	4	50.35
6000	7.2		36	31.15	5.559	—0.006	4	151	51	52.32	2.05	—0.48	4	50.44
6011	7.0		38	28.35	3.923	—0.067?	5	122	36	31.03	1.88	—1.52?	4	50.11
6013	6.7		38	38.61	1.778	—0.007	4	45	50	50.51	1.87	—0.07	4	49.61
6023	7.2		40	47.34	3.668	0.000	4	114	9	7.52	1.68	—0.20	4	49.99
6032	6.8		42	34.76	3.879	—0.062	4	121	16	53.61	1.51	+1.40	4	50.05
6035	6.8		43	3.25	2.838	—	4	80	6	3.51	1.48	—	4	50.48
6036	6.7		43	6.07	1.607	—	4	42	20	1.99	1.48	—	4	50.61
6037	6.1		43	19.77	3.994	+0.032	2	124	41	18.32	1.46	+0.08	4	50.31
6039	6.2		43	26.60	3.903	0.000	4	121	59	22.43	1.45	+0.30	4	50.53
6040	7.7		43	26.75	5.407	+0.073	4	150	17	17.23	1.45	+0.22	4	50.58
6042	6.0		43	45.19	3.996	—?	1	124	44	45.09	1.42	+0.13	1	50.52
6043	6.1		43	55.22	3.995	—?	3	124	42	42.42	1.41	+0.02	3	50.83
6044	7.0		44	10.12	3.757	—	4	117	14	32.50	1.38	—	4	50.90
6055	6.2		45	50.90	4.373	+0.008	4	134	17	34.51	1.24	0.00	4	50.70
6057	7.3		46	27.79	3.919	—	4	122	26	35.23	1.18	—	4	50.69
6058	6.7		47	0.62	3.926	0.000	3	122	39	32.66	1.14	—	4	50.67
6059	7.5		47	2.86	3.743	—	4	116	44	22.93	1.13	—	4	49.61
6063	5.7		47	13.80	3.782	—	4	118	2	6.05	1.12	—	4	50.69
6072	5.8		49	8.39	3.803	—	4	118	44	11.30	0.95	—	4	50.21

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
6075	7.0	17	49	41.43	+3.822	-0.045	4	119	22	9.78	+0.90	-0.04	4	1800+
6076	7.3		50	3.27	3.951	—	4	123	23	24.09	0.87	—	4	50.31
6090	7.1		53	6.72	5.879	-0.008	4	154	32	56.46	0.60	-0.16	4	50.45
6095	7.2		53	25.17	1.805	-0.005	4	46	34	1.19	0.58	-0.06	4	50.81
6100	5.4		54	8.36	5.771	0.000	4	153	39	53.48	0.51	+0.11	4	49.62
6108	7.2		55	31.66	3.712	—	4						4	50.35
6113	6.9		56	6.91	3.820	—	3	115	36	21.62	0.39	—	2	50.22
6129	6.4		59	13.44	1.562	-0.003	4	119	16	45.33	0.34	—	3	50.49
(6131)	7.5		59	17.19	3.879	-0.025?	4	41	32	26.64	0.07	+0.02	4	50.53
6130	7.0		59	18.08	3.843	—	4	121	10	26.53	0.06	+0.60?	4	50.61
								120	0	27.08	0.06	—	4	50.36
6132	6.8		59	37.66	3.708	—	4							
6136	7.0		59	50.13	5.777	-0.018	4	115	29	15.01	0.03	—	4	50.77
6137	6.7		59	48.69	3.013	—	4	153	42	44.03	0.02	+0.11	4	50.82
6139	6.8	18	0	10.11	3.930	+0.045?	4	87	31	56.53	0.02	—	4	50.79
6144	7.3		0	16.02	3.911	—	4	122	43	52.79	-0.01	+0.46?	4	50.88
								122	9	43.99	0.02	—	4	50.92
6148	6.7		1	25.73	5.704	—?	3							
6158	6.5		2	21.62	3.554	—	5	153	5	5.82	0.12	-0.03	4	50.85
6160	6.9		2	26.42	3.809	—	4	109	51	56.59	0.21	—	5	51.08
6162	6.2		2	57.19	1.804	-0.010	4	118	55	38.16	0.21	—	5	51.15
6163	7.0		3	8.79	3.790	—	4	46	33	16.86	0.26	+0.02	5	51.19
								118	15	54.41	0.28	—	4	51.08
(6166)	6.7		3	51.60	3.906	—	3							
6165	7.0		3	56.00	3.642	—	4	121	59	55.03	0.34	—	3	49.96
6170	7.1		5	9.68	5.802	—?	4	113	8	52.54	0.30	0.00	3	51.15
6173	6.7		5	29.58	3.836	-0.074?	3	153	55	11.65	0.45	+0.06	4	51.18
6175	7.4		5	49.30	3.918	—	4	119	51	33.96	0.49	+2.31?	4	50.90
								122	22	48.67	0.51	—	4	50.91
6181	7.7		6	28.84	3.880	—	4							
6182	7.1		6	35.70	3.885	—	3	121	11	59.08	0.57	—	4	49.78
6184	7.0		7	21.26	1.072	0.000	2	121	21	41.19	0.58	—	5	50.63
6185	6.4		7	26.70	1.215	-0.006	4	33	45	57.88	0.64	0.00	4	51.41
6187	6.5		7	31.46	3.774	—	3	35	45	23.29	0.65	-0.25	4	51.50
								117	45	19.33	0.66	—	3	50.89
6188	6.9		7	33.15	3.884	—	4							
6190	6.6		7	53.63	3.802	—	4	121	20	30.07	0.66	—	4	50.80
6192	6.9		7	57.98	3.953	—	3	118	41	50.43	0.69	—	4	51.24
6193	6.1		8	4.32	1.999	-0.008	4	123	26	34.43	0.70	—	3	49.89
6196	6.1		9	1.36	3.142	—	4	51	15	55.77	0.71	-0.02	4	51.31
								93	2	36.04	0.79	—	4	51.22
6197	5.9		9	8.73	3.301	—	4							
6199	7.0		9	24.87	3.712	—	4	99	48	15.10	0.80	—	4	51.10
6202	7.4		10	43.80	3.885	-0.025?	4	115	39	14.17	0.83	—	4	50.68
6203	6.0		10	58.45	1.863	-0.013	4	121	22	24.93	0.94	-0.31?	4	50.45
6204	7.2		11	3.22	3.951	—	4	47	53	22.42	0.96	+0.03	5	51.13
								123	23	28.83	0.97	—	4	49.61
6207	7.2		11	17.75	5.701	—?	3							
6212	6.9		11	33.06	3.914	-0.075?	3	153	5	2.84	0.99	+0.12	4	50.80
(6214)	7.0		11	53.70	3.726	—	5	122	14	26.92	1.02	-0.77?	4	50.84
6213	5.9		11	54.52	2.902	—	4	116	8	43.91	1.04	—	5	50.94
6216	7.0		12	3.07	1.051	+0.006	4	82	47	48.26	1.04	—	4	51.19
								33	27	42.21	1.05	-0.05	4	51.43
6218	6.5		12	20.99	1.915	-0.022	4							
6219	6.9		12	26.14	5.139	—?	4	49	7	10.37	1.08	-0.12	4	51.22
6220	6.2		12	30.85	3.795	0.000	4	147	9	48.73	1.09	+0.04	4	51.14
6222	7.3		12	57.45	3.637	—	4	118	29	32.79	1.09	-0.11	4	51.22
6236	7.1		14	49.61	3.914	—	4	112	59	6.79	1.13	—	5	50.94
								122	21	44.77	1.29	—	4	50.58

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

21

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
6244	7.1	18	16	10.31	+3.899	—	4	121	49	50.43	—1.41	—	4	50.51
6245	5.7		16	11.17	2.644	—	4	72	14	40.52	1.41	—	5	50.84
6246	6.9		16	24.97	1.407	0.000	4	38	42	58.67	1.44	0.00	4	51.26
6249	6.6		17	2.72	3.855	—	4	120	28	13.44	1.49	—	4	49.62
6252	6.4		17	21.10	1.501	—0.012	4	40	20	44.73	1.52	—0.03	4	50.65
6255	5.7		17	42.17	1.535	—0.004	3	40	57	7.81	1.55	—0.08	4	50.50
6256	8.4		17	52.36	3.891	+0.041?	4	121	36	48.90	1.56	—0.35?	5	50.31
6258	6.8		17	57.15	1.411	+0.006	4	38	46	9.82	1.57	—0.03	4	51.38
6260	6.0		18	13.96	3.837	—	4	119	54	2.80	1.59	—	4	50.87
6261	6.5		18	22.58	3.741	0.000	4	116	43	0.30	1.61	—	4	50.94
6264	6.1		18	44.55	3.745	—	4	116	50	26.79	1.64	—	4	50.92
6266	7.2		19	1.51	3.639	—	4	113	5	9.57	1.66	—	5	50.76
6270	7.1		19	36.61	3.740	—	3	116	40	10.69	1.72	—	4	51.11
6271	7.6		19	39.23	3.819	—	4	119	20	47.09	1.72	—	4	51.02
6280	7.7		20	36.97	2.918	—	5	83	29	16.29	1.81	—	4	51.33
6283	7.2		21	0.62	3.805	—	4	119	53	17.66	1.84	—	5	50.96
6286	7.1		21	22.42	+3.645	—	4	113	20	40.78	1.86	—	4	51.17
6288	6.7		21	24.72	—0.895	—	4	18	33	27.98	1.87	—	4	51.43
6295	6.7		22	41.54	+3.817	—	5	119	17	24.67	1.98	—	4	50.88
6303	7.0		23	15.37	3.434	—	4	105	16	56.69	2.03	—	3	50.61
6310	7.6		24	36.46	3.869	—	4	120	59	21.72	2.15	—	4	49.81
6311	7.2		24	37.52	0.804	—0.010	4	30	23	15.64	2.15	—0.01	5	51.40
6318	6.6		25	37.88	0.820	—0.002	5	30	32	57.29	2.24	—0.06	4	51.41
6319	7.2		26	8.27	3.839	—	4	120	2	59.09	2.28	—	3	49.62
6321	6.7		26	25.19	3.831	—	4	119	48	42.86	2.31	—	4	50.60
6327	7.0		27	34.40	3.795	—	4	118	37	28.99	2.41	—	4	50.58
6328	6.7		27	42.04	5.888	—0.036	5	154	46	7.99	2.42	+0.03	4	50.98
6331	7.1		27	54.57	3.711	—	4	115	46	33.83	2.44	—	4	50.55
6334	6.8		28	31.26	3.926	—	4	122	48	5.96	2.49	—	4	50.91
6335	6.3		28	44.89	1.873	—0.011	4	37	59	42.84	2.51	—0.04	3	51.41
6337	7.0		28	58.37	5.874	—?	3	154	40	51.74	2.53	0.00	4	51.00
6338	7.7		28	59.60	3.704	—0.028?	3	115	34	33.83	2.53	—	4	51.08
6339	7.1		29	6.12	3.841	0.000	4	120	9	1.18	2.54	—	4	51.23
6342	7.2		29	14.19	3.856	—0.035?	4	120	38	30.72	2.56	—	4	51.24
6344	7.5		29	40.76	3.936	—	4	123	7	9.45	2.59	—	4	51.04
6345	7.4		29	46.49	3.784	—	4	118	18	22.50	2.60	—	4	51.21
6346	6.7		29	55.83	3.642	0.000	3	113	18	26.64	2.61	—	3	51.11
6350	6.1		30	31.96	1.360	—0.002	4	37	45	49.44	2.66	—0.04	4	51.51
6351	8.0		30	36.00	3.707	—	2	115	37	55.84	2.67	—	3	50.97
6354	6.2		31	30.63	5.482	+0.063?	4	151	13	58.46	2.74	—	4	50.80
6364	6.9		34	42.73	1.930	0.000	4	49	11	58.69	3.03	—0.02	4	50.44
6368	7.1		35	34.99	1.176	+0.005	5	34	53	30.54	3.10	—0.09	4	51.31
6373	7.0		36	34.42	0.731	—0.008	4	29	25	37.56	3.19	—0.09	4	51.32
6374	6.9		36	39.87	3.761	—	4	117	39	0.79	3.19	—	5	49.80
6377	7.2		37	14.19	3.826	—	4	119	46	56.53	3.24	—	4	50.17
6382	7.2		38	9.92	3.785	0.000	4	118	26	7.53	3.32	—	4	49.98
6389	7.0		39	15.86	3.922	—	4	122	52	13.61	3.42	—	4	50.32
6393	6.3		39	36.89	0.530	—0.008	4	27	23	55.20	3.45	+0.05	2	50.45
6396	7.7		40	14.99	3.750	—	3	117	17	17.32	3.51	—	3	50.55
6400	7.2		41	7.87	3.630	—	4	113	0	47.67	3.58	—	4	50.65

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850			Annual Precession.	Proper Motion.	No of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
6403	8.1	18	41	19.03	+3.865	—	3	121	7	40.76	—3.60	—	3	50.41
6404	6.5		41	24.71	1.916	—0.012	3	48	43	0.32	3.61	—0.03	2	50.91
6408	7.1		42	4.38	3.750	—	4	117	19	55.78	3.67	—	4	50.55
6410	6.2		42	31.59	0.711	—0.005	4	29	6	35.99	3.70	—0.04	4	51.19
(6414)	6.5		43	3.68	3.857	—	4	120	54	20.67	3.75	—	4	50.87
6413	6.3		43	5.53	3.815	—	4	119	33	3.63	3.75	—	4	50.66
6416	6.4		43	8.86	3.735	—	4	116	49	15.42	3.75	—	4	50.81
6419	6.4		43	21.77	1.389	+0.005	4	37	10	29.91	3.77	0.00	4	51.39
6421	7.4		43	37.00	1.546	—0.003	4	40	43	58.31	3.79	0.00	4	51.00
6422	7.2		43	43.26	3.767	—	4	117	55	56.52	3.81	—	4	51.18
6424	6.8		43	57.37	3.896	—	6	122	10	6.06	3.82	—	5	50.17
6425	7.7		44	3.22	5.784	+0.026?	4	154	11	2.18	3.83	+0.05	3	51.18
6428	6.7		44	18.20	1.583	—0.004	3	41	24	6.29	3.85	—0.12	4	51.22
6437	7.4		45	17.78	3.741	—	4	117	4	13.82	3.94	—	4	49.90
6445	7.1		46	36.95	3.816	—	6	119	39	45.67	4.05	—	6	50.41
6446	7.0		46	45.34	3.885	—	4	121	52	29.40	4.06	—	4	50.52
6447	6.0		46	52.30	3.460	—	4	106	33	14.94	4.08	—	4	50.47
6452	5.9		48	12.88	1.349	—0.003	4	37	13	2.02	4.19	—0.22	4	51.34
6455	7.3		48	28.91	3.857	—0.004	4	121	0	59.24	4.21	+0.01	4	50.11
6459	6.8		48	43.29	3.863	—	4	121	13	37.16	4.23	—	4	50.48
6465	6.9		49	9.02	3.682	—	4	115	4	15.29	4.27	—	4	49.62
6468	6.7		49	22.51	+2.197	—	5	56	13	11.72	4.29	—	4	50.31
6469	6.2		49	29.45	—1.457	—	4	16	5	26.05	4.30	—	4	51.35
6470	5.6		49	30.22	+1.485	—0.005	5	39	28	35.75	4.30	+0.01	4	50.89
6472	7.5		49	48.60	5.747	+0.010?	4	153	59	21.45	4.32	0.00	4	50.57
6473	6.3		50	3.88	1.919	+0.003	4	48	35	11.58	4.35	—0.04	4	50.45
6477	6.2		51	9.58	1.040	+0.003	4	32	42	8.95	4.44	—0.02	4	51.30
6479	6.8		51	12.42	3.683	0.000	5	115	8	42.38	4.44	—0.23	4	50.15
6480	6.5		51	24.14	2.233	—	4	57	17	16.87	4.46	—	4	50.46
6481	8.9		51	42.37	5.738	—?	2	153	57	20.59	4.48	—0.06	4	50.20
6493	6.4		53	51.94	1.961	0.000	4	49	31	25.79	4.67	—0.04	4	49.63
6495	6.4		54	8.95	2.018	—0.008	5	50	59	14.89	4.70	0.00	5	50.26
6502	6.9		55	11.45	3.625	—	4	113	6	42.79	4.78	—	4	49.61
6504	7.3		55	22.01	3.588	—	4	111	44	44.44	4.80	—	4	50.34
6505	7.4		55	33.06	3.689	—	4	115	26	49.50	4.82	—	4	50.42
6508	6.2		55	46.23	0.610	+0.012	4	27	48	20.00	4.83	+0.01	5	50.39
6512	6.8		56	18.13	+3.798	—	4	119	18	2.51	4.88	—	4	50.17
6514	7.1		56	42.58	—1.416	+0.002	3	16	6	46.96	4.91	—0.06	5	51.42
6516	7.2		56	59.97	+1.640	—0.009	4	42	10	35.05	4.94	+0.02	4	50.47
6519	6.6		57	5.89	3.439	—	4	105	52	52.34	4.95	—	4	50.48
6530	6.8		58	34.92	1.412	—0.015	4	37	57	18.99	5.07	+0.03	4	51.47
6531	7.0		58	40.25	3.699	—	5	115	55	45.15	5.08	—	5	50.94
6532	7.0		58	48.90	3.731	—	4	117	3	45.77	5.09	—	4	51.08
6534	6.1		59	14.73	2.278	0.000	4	58	28	36.35	5.13	+0.22?	4	50.89
6537	8.1		59	32.87	3.843	—	4	120	51	25.53	5.15	—	4	49.61
6538	7.0		59	35.40	3.682	—	4	115	18	34.91	5.16	—	4	50.98
6539	7.8		59	38.97	3.572	—	3	111	13	11.75	5.16	—	2	51.11
6540	6.9		59	40.75	3.630	0.000	3	113	25	14.23	5.16	—	3	50.78
6544	6.7		59	56.78	3.520	—	4	109	11	3.04	5.19	—	4	50.65
6549	6.9	19	0	54.43	3.823	—	4	120	14	24.65	5.27	—	5	50.61

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
6554	7.0	19	1	48.68	+3.806	0.000	4	119	44	25.99	-5.34	—	3	49.85
6555	6.9		1	50.19	0.660	+0.013	4	28	7	49.96	5.35	-0.04	4	51.21
6565	7.2		4	38.02	3.728	—	4	117	7	14.82	5.58	—	4	50.32
6566	7.1		4	42.79	1.534	-0.011	4	39	52	33.28	5.59	+0.02	5	51.10
6567	7.3		5	1.54	2.287	—	5	58	36	27.65	5.62	—	5	50.64
6568	7.0		5	5.39	3.814	+0.022?	4	120	4	53.05	5.62	+0.67?	5	50.45
6569	7.1		5	11.64	3.796	—	4	119	29	33.79	5.63	—	3	50.60
6571	6.6		6	0.60	2.299	—	3	58	57	50.16	5.70	—	3	50.73
6574	6.0		6	10.61	2.571	—	4	68	41	40.65	5.71	—	4	50.95
6577	7.3		6	39.39	3.832	—	5	120	42	54.79	5.75	—	5	51.11
6578	7.3		7	58.41	3.692	—?	3	115	55	18.41	5.86	—	3	50.56
6579	{ 6.9 }		8	{ 11.64 12.43 }	{ 1.570 }	—	{ 4 }	40	25	{ 26.45 18.97 }	5.88	—	{ 3 1 }	{ 50.54 50.44 }
6591	6.4		10	34.12	3.440	—	4	106	10	34.05	6.08	—	6	49.62
6593	6.8		10	44.44	1.998	-0.005	4	49	54	2.56	6.09	+0.04	4	50.35
6594	6.8		10	47.21	3.869	—	4	122	5	17.53	6.10	—	3	49.87
6602	6.0		11	22.56	2.537	—	4	67	14	27.50	6.15	—	4	50.32
6603	7.0		11	24.18	1.564	0.000	4	40	11	32.08	6.15	0.00	4	50.65
6606	7.8		11	36.72	1.716	+0.008	3	43	12	7.19	6.17	+0.07	6	50.69
6609	7.3		12	9.23	3.801	—	3	119	52	47.22	6.21	—	3	50.68
6611	7.0		12	30.20	3.702	—	4	116	26	25.26	6.24	—	4	50.46
6613	6.9		12	34.08	3.798	—	4	119	47	56.88	6.24	—	3	50.57
6624	7.2		13	56.96	2.003	-0.005	4	49	54	47.71	6.36	-0.04	4	50.61
6626	6.6		14	37.39	1.598	-0.007	4	40	42	25.01	6.42	-0.02	5	50.32
6627	7.4		15	0.48	3.834	—	4	121	4	57.05	6.45	—	4	49.62
6631	6.2		15	37.26	3.789	—	4	119	35	37.44	6.50	—	4	49.66
6635	5.9		16	17.29	1.325	+0.001	4	35	54	5.06	6.55	+0.01	4	51.31
6640	6.2		17	30.56	1.101	-0.004	4	32	38	12.76	6.65	-0.07	4	50.73
6652	6.9		18	50.25	2.613	—	4	70	1	13.57	6.76	—	3	50.01
6656	6.0		19	11.69	1.894	-0.003	4	46	54	6.14	6.79	0.00	4	50.13
6665	7.0		20	7.98	3.828	0.000	4	121	5	21.74	6.87	—	4	49.62
6672	7.8		22	5.59	3.682	0.000	5	116	2	34.53	7.03	—	5	50.01
6677	7.7		22	41.74	3.750	0.000	4	118	31	23.15	7.08	—	4	50.17
6680	6.9		22	55.75	3.827	0.000	4	121	10	47.55	7.10	0.00	4	49.64
6684	6.9		23	32.65	3.812	—	4	120	40	32.34	7.15	—	4	50.27
6685	7.4		23	41.08	3.689	0.000	4	116	20	31.56	7.16	—	4	50.24
6693	7.5		25	30.23	3.846	—	4	121	55	39.74	7.31	—	4	49.61
6711	7.5		28	22.74	2.087	+0.002	4	51	38	43.88	7.54	-0.04	4	49.74
6712	7.0		28	38.03	1.067	-0.006	4	31	48	3.78	7.57	+0.42	3	50.60
(6717)	6.5		29	33.50	1.652	-0.005	4	41	3	44.25	7.64	-0.04	4	50.17
6716	6.8		29	34.54	3.754	—	4	118	56	28.70	7.64	—	4	49.64
6718	6.1		29	47.15	1.955	—	4	47	54	48.63	7.66	—	4	50.34
6720	6.8		29	58.91	1.894	-0.010	4	46	22	54.64	7.67	-0.03	4	50.42
6721	7.0		30	23.65	1.707	-0.007	3	42	9	38.23	7.71	+0.06	3	50.34
6728	6.9		31	45.91	1.907	0.000	4	46	37	38.24	7.82	-0.03	4	50.61
6731	6.6		31	58.79	1.867	-0.017	4	45	38	4.60	7.84	+0.07	4	50.68
6737	6.6		33	9.61	0.650	+0.005	4	26	53	56.36	7.93	-0.02	4	50.65
6738	6.4		33	16.50	3.649	0.000	4	115	12	13.65	7.94	—	4	49.63
6748	6.6		35	18.29	+1.348	—	5	35	22	34.26	8.10	—	4	50.77
6752	6.7		35	53.31	-0.533	—	4	18	43	34.45	8.15	—	4	51.05
6754	5.6		36	11.95	+1.842	-0.001	4	44	49	41.70	8.17	-0.08	5	50.19

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations.	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
6757	6.6	19	37	12.48	+5.308	+0.034	4	151	25	35.38	-8.25	-0.05	4	50.12
6765	6.4		37	53.64	2.109	-0.004	4	51	40	59.70	8.31	-0.01	4	50.16
6768	7.0		38	30.45	3.759	—	4	119	31	26.20	8.36	—	4	49.88
6769	7.2		38	44.11	1.999	-0.011	4	48	35	3.91	8.38	-0.04	4	50.39
6780	6.1		40	18.59	1.158	—	4	32	20	23.55	8.50	—	4	50.89
6786	7.1		41	10.03	3.689	—	4	117	5	17.08	8.57	—	4	50.25
6791	6.6		41	48.55	2.829	—	4	78	41	7.67	8.62	—	4	50.38
6792	7.4		41	55.13	3.708	0.000	4	117	50	47.18	8.63	—	4	50.44
6795	7.4		42	27.37	3.697	0.000	4	117	27	29.24	8.67	—	3	50.65
6799	6.3		43	8.63	+1.755	-0.004	4	42	27	40.49	8.72	-0.01	4	50.71
6808	6.4		44	29.68	-0.052	-0.005	4	21	1	46.07	8.83	-0.02	4	50.78
6813	6.2		45	14.67	+2.123	-0.007	4	51	39	39.74	8.89	-0.11	5	50.60
6814	6.6		45	18.75	3.612	0.000	4	114	18	32.16	8.90	—	4	49.67
6815	6.2		45	27.49	3.144	—	4	93	29	54.43	8.91	—	4	50.47
6817	6.3		45	27.91	2.058	-0.008	4	49	46	46.30	8.91	+0.03	4	50.24
6818	6.9		45	34.71	1.074	+0.001	3	30	57	17.27	8.92	-0.43	4	51.16
6829	6.8		47	22.36	3.786	—	4	120	57	43.77	9.06	—	4	50.19
6830	6.6		47	41.44	1.768	-0.016	4	42	27	11.27	9.08	-0.05	4	50.48
6831	7.4		47	43.36	3.588	—	4	113	27	26.09	9.08	—	4	50.39
6834	6.8		48	2.63	0.937	-0.007	4	29	10	32.97	9.11	-0.09	4	50.78
6841	6.4		49	30.12	3.782	—	4	120	56	5.20	9.22	—	3	49.62
6844	6.7		50	0.08	4.194	0.000	4	133	26	46.28	9.26	0.00	4	50.15
6852	6.8		50	53.58	1.076	—	4	30	41	11.53	9.33	—	4	50.71
6854	7.7		51	18.91	3.726	—	4	118	59	28.39	9.36	—	4	50.70
6855	7.1		51	24.47	2.730	—	4	73	54	26.13	9.37	—	5	50.14
6857	6.8		52	0.86	2.081	-0.008	5	50	1	59.12	9.42	+0.02	6	50.27
6861	6.9		52	15.98	0.992	+0.009	4	29	34	23.43	9.44	-0.04	4	51.07
6862	6.3		52	19.69	1.009	+0.013	4	29	46	57.58	9.44	+0.03	4	51.07
6863	6.4		52	23.11	1.194	0.000	4	32	8	42.02	9.45	+0.08	4	50.65
6865	6.8		52	38.46	1.641	-0.007	4	39	29	55.78	9.47	-0.04	4	50.59
6876	6.3		54	37.45	1.882	0.000	4	44	38	6.02	9.62	0.00	5	50.02
6887	7.2		56	1.18	3.732	—	4	119	29	42.54	9.72	—	4	49.62
6888	7.7		56	2.88	3.672	0.000	4	117	13	56.56	9.73	—	5	49.73
6899	7.3		58	3.81	3.747	—	4	120	8	54.15	9.88	—	4	49.70
6904	7.0		59	38.29	4.203	—	4	134	19	34.06	10.00	—	2	50.11
6906	7.1		59	58.60	3.652	—	4	116	39	10.44	10.03	—	5	49.98
6908	7.3	20	0	3.63	3.709	—	5	118	52	14.89	10.03	—	6	50.40
6918	6.6		1	2.40	1.623	+0.006	4	38	35	20.32	10.11	-0.09	4	50.74
6919	6.9		1	4.00	5.424	+0.005	8	153	51	32.32	10.11	-0.08	9	50.11
6920	7.1		1	4.33	3.627	0.000	4	115	43	7.88	10.11	—	4	49.61
6928	6.7		2	16.41	1.558	+0.020	4	37	16	33.44	10.20	-0.27	4	50.76
6930	6.5		2	50.82	0.769	+0.006	4	26	32	25.60	10.24	-0.12	4	51.21
6941	6.6		4	27.09	2.638	—	4	69	18	31.67	10.36	—	4	49.68
(6946)	7.2		5	44.68	5.249	—	3	152	21	37.67	10.46	—	4	50.53
6945	6.7		5	46.46	5.377	+0.035?	4	153	41	0.11	10.46	-0.06	3	50.39
6948	6.3		6	31.52	3.740	0.000	4	120	27	28.57	10.52	0.00	4	49.61
6954	7.5		7	57.92	4.140	—	4	133	18	57.44	10.62	—	5	49.72
6959	6.5		8	21.14	1.671	0.000	4	38	59	9.20	10.65	-0.02	4	51.08
6960	7.6		8	29.92	4.203	—	4	134	59	6.09	10.66	—	4	49.76
6961	6.4		8	30.00	4.330	+0.040	3	138	1	59.24	10.66	+0.18	4	50.70

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
6963	6.7	20	8	39.46	+2.018	-0.009	4	47	4	25.49	-10.68	+0.02	5	49.17
6966	5.6		8	54.22	2.540	—	4	64	51	47.68	10.70	—	5	50.72
6977	7.7		10	7.13	3.724	0.000	4	120	5	13.26	10.78	—	3	50.34
6982	7.1		10	46.51	3.612	—	4	115	41	14.07	10.83	—	4	50.49
6984	{ 7.4 7.1 }		11	{ 12.26 13.40 }	3.711	— ?	{ 4 4 }	119	39	{ 29.31 50.45 }	10.86	—	{ 1 4 }	50.76
6985	6.8		11	21.38	1.743	+0.002	4	40	13	37.90	10.88	-0.04	4	50.52
6986	6.0		11	34.66	2.132	-0.003	4	50	5	48.62	10.89	-0.01	4	50.79
6988	7.2		12	9.44	3.092	—	4	91	6	43.58	10.93	—	3	50.74
6996	6.9		12	47.82	2.123	-0.007	4	49	43	59.04	10.98	-0.02	3	50.91
7001	6.6		13	29.83	2.181	-0.004	3	51	27	47.51	11.03	-0.01	4	50.81
7003	7.7		13	51.48	4.079	—	1	132	8	47.25	11.05	—	2	50.68
7006	6.8		14	11.38	2.241	—	4	53	20	14.50	11.08	—	5	50.56
7008	6.9		14	48.86	2.172	0.000	4	51	4	2.67	11.13	-0.01	5	50.67
7011	6.6		15	29.80	3.700	—	6	119	33	18.15	11.18	—	4	49.64
7012	7.4		15	35.58	3.619	—	4	116	18	43.87	11.19	—	4	49.75
7014	6.2		15	44.43	2.976	—	4	85	7	56.54	11.20	—	3	50.46
7017	6.1		16	1.50	0.537	+0.092	4	23	37	40.05	11.21	-0.33	4	50.95
7021	7.7		16	44.95	3.635	—	4	117	2	20.31	11.27	—	4	49.70
7026	7.0		17	20.43	3.697	—	4	119	33	26.10	11.31	—	4	49.75
7027	6.7		17	25.49	2.126	-0.007	4	49	27	4.08	11.32	-0.01	3	50.31
7030	7.4		18	17.78	3.688	—	4	119	18	6.11	11.38	—	4	50.44
7032	7.4		18	46.38	3.674	—	4	118	45	1.97	11.41	—	5	50.65
7033	7.2		18	53.00	3.701	—	4	119	51	45.09	11.42	—	4	50.46
7034	7.0		19	1.64	3.609	—	4	116	5	48.52	11.43	—	4	49.76
7035	6.9		19	8.42	1.549	+0.004	5	35	48	33.32	11.44	0.00	4	51.24
7037	6.4		19	24.43	0.300	+0.015	3	21	35	57.67	11.46	-0.07	4	51.22
7039	7.4		19	34.57	3.574	0.000	4	114	39	0.37	11.47	—	4	50.51
7040	6.9		19	50.66	3.569	0.000	4	114	28	24.03	11.49	—	3	50.34
7041	7.0		20	12.48	2.081	—	4	47	53	2.15	11.52	—	4	50.75
7048	7.1		20	39.61	2.156	0.000	3	50	5	15.73	11.55	0.00	3	50.72
7055	7.0		21	38.80	1.560	0.000	4	35	47	55.82	11.62	-0.59	3	51.36
7056	8.1		21	41.13	5.287	-0.009	4	153	48	51.58	11.62	+0.17	4	49.76
7057	6.2		21	45.39	3.689	—	4	119	36	37.56	11.63	—	5	49.65
7060	6.4		21	57.76	1.251	-0.006	4	30	53	20.33	11.64	-0.04	5	51.13
7063	6.3		22	39.97	3.373	—	4	105	33	13.46	11.70	—	4	49.76
7064	6.7		22	45.57	1.452	-0.004	4	33	51	16.41	11.70	-0.02	3	51.04
7071	8.1		23	33.24	3.674	—	5	119	5	54.12	11.76	—	4	49.72
7074	6.7		23	40.04	5.255	-0.017	4	153	37	35.72	11.76	+0.13	4	50.40
7082	5.7		24	58.49	5.102	+0.041	5	152	2	18.68	11.86	-0.24	2	50.34
7083	6.8		25	1.66	1.977	+0.009	4	44	34	44.04	11.86	-0.20	5	50.53
7086	6.9		25	41.67	1.502	—	4	34	26	1.80	11.91	—	4	50.80
7092	7.1		26	47.65	5.090	—	4	152	3	7.77	11.98	—	4	50.45
7093	7.1		26	52.18	3.624	—	4	117	17	13.18	11.99	—	4	49.61
7095	6.9		26	59.56	5.212	—	4	153	25	21.99	12.00	—	4	49.76
7100	7.2		27	38.74	2.085	-0.007	4	47	19	3.86	12.05	-0.02	4	50.39
7101	7.1		27	39.16	2.148	-0.004	5	49	2	13.01	12.05	-0.07	5	49.78
7104	7.0		28	5.67	4.139	+0.030 ?	4	135	2	30.29	12.08	—	5	49.94
7108	6.6		28	56.29	3.581	—	4	115	37	35.90	12.13	—	4	50.44
7111	7.5		28	57.17	3.521	0.000	4	112	57	41.14	12.14	—	4	50.11
7112	6.1		28	59.70	1.962	-0.003	4	43	49	8.04	12.14	-0.01	3	50.68

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850			Annual Precession	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850			Annual Precession.	Proper Motion.	No of (Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
(7114)	6.9	20	29	11.33	+2.160	-0.005	4	49	24	58.63	-12.15	-0.02	3	50.76
7118	7.2		29	11.77	3.561	0.000	4	114	44	49.43	12.15	—	4	50.45
7119	6.6		29	56.65	2.136	0.000	4	48	37	35.31	12.21	-0.05	3	50.70
7123	7.0		30	35.09	3.396	+0.049	4	107	4	51.25	12.25	+0.14	4	50.68
7128	7.0		31	15.94	3.548	+0.043?	4	114	19	3.88	12.29	—	4	50.67
7133	7.5		31	28.96	3.554	—	4							
7135	7.3		31	32.48	3.634	—	4	114	37	53.71	12.31	—	4	50.60
7136	6.8		31	36.00	3.612	—	4	118	6	45.81	12.31	—	4	50.78
7139	6.5		31	45.90	3.657	—	4	117	10	11.67	12.32	—	4	51.08
7142	7.4		31	59.30	4.140	—?	4	119	4	38.24	12.33	—	4	51.07
							4	135	24	50.12	12.35	—	4	51.09
7147	6.7		32	27.90	3.596	—	3							
7148	8.0		32	28.99	3.642	—	4	116	31	36.97	12.38	—	5	51.00
7150	6.6		32	40.51	2.872	—	4	118	31	23.09	12.38	—	4	51.23
7153	6.8		32	56.87	1.705	-0.007	4	79	16	49.05	12.40	—	4	50.77
7157	6.8		33	36.19	2.788	—	4	37	32	56.60	12.41	0.00	4	51.37
							4	74	53	13.64	12.46	—	4	50.28
7158	6.6		34	3.78	2.191	-0.002	4							
7161	7.1		34	19.32	2.020	—	4	49	56	53.85	12.49	-0.02	4	50.63
7162	7.5		34	41.35	3.514	0.000	4	44	51	40.10	12.51	—	4	49.75
7166	7.0		35	6.84	1.555	-0.002	4	112	59	15.06	12.53	—	4	49.70
7167	6.7		35	23.44	2.241	0.000	4	34	31	20.35	12.56	+0.04	4	51.25
							4	51	26	59.10	12.58	0.00	4	50.69
7168	7.1		35	30.97	3.641	—	4							
7170	6.9		36	12.48	3.618	0.000	4	118	44	28.00	12.59	—	4	50.53
7172	6.8		36	20.56	3.151	0.000	5	117	47	13.01	12.64	—	4	50.53
7174	6.3		36	31.10	2.163	-0.004	4	94	27	11.48	12.64	—	3	50.86
(7183)	7.7		36	51.37	4.850	—	4	48	49	4.95	12.66	-0.02	4	50.76
							4	149	46	39.87	12.68	—	5	50.56
7176	6.5		37	6.17	1.281	-0.004	4							
7180	8.0		37	28.10	3.537	0.000	3	30	2	8.86	12.70	-0.18	3	51.39
7181	7.1		37	28.53	3.607	0.000	4	114	15	57.07	12.72	—?	4	51.20
7183	6.9		37	46.31	3.502	—	4	117	24	36.85	12.72	0.00	4	50.86
7187	7.1		38	22.84	3.595	—	4	112	42	18.01	12.74	—	4	49.79
							4	116	57	35.40	12.78	—	3	50.72
7193	6.4		39	26.91	1.289	-0.003	4							
7198	6.7		39	38.57	1.980	-0.009	4	29	56	15.85	12.85	+0.01	4	51.24
7210	7.1		41	5.66	3.611	+0.007	4	43	14	43.49	12.87	-0.03	4	49.76
7216	7.1		41	39.69	3.557	0.000	4	117	55	7.24	12.96	+0.08	4	49.74
7218	6.9		41	59.70	1.748	-0.018	5	115	31	54.41	13.00	—	4	49.41
							5	37	32	56.83	13.03	+0.16	5	50.81
7219	6.8		42	11.80	2.054	0.000	4							
7224	6.9		42	34.77	3.623	—	4	44	58	9.00	13.04	-0.02	4	49.78
7225	7.1		42	35.05	3.606	+0.004	5	118	33	6.06	13.06	—	4	50.00
7240	8.4		44	35.28	4.803	—	4	117	47	59.72	13.06	+0.08	4	50.48
7243	7.1		44	53.36	1.863	0.000	4	149	50	17.17	13.20	—	5	49.71
							4	39	46	22.26	13.22	-0.03	4	50.75
7244	7.2		45	12.61	3.536	0.000	4							
7245	7.0		45	38.39	4.078	+0.033?	3	114	50	33.56	13.24	—	3	50.37
7248	6.8		46	14.47	3.422	—	3	135	8	30.38	13.27	-0.05	4	49.75
7253	5.2		47	56.29	2.117	0.000	4	109	21	33.62	13.30	—	4	49.61
7254	6.3		48	3.73	2.091	0.000	4	46	10	43.51	13.42	0.00	4	49.78
							4	45	23	2.80	13.42	-0.06	4	50.40
7259	8.0		48	34.46	2.119	+0.006	3							
7260	7.0		48	46.06	2.235	-0.003	4	46	10	52.23	13.46	-0.05	3	49.82
7268	6.8		50	45.61	2.021	—	4	49	51	56.05	13.47	-0.01	3	50.36
7273	6.1		51	17.09	2.112	-0.008	4	43	9	18.50	13.60	—	5	49.72
7274	6.4		51	31.05	1.958	—	4	45	38	58.98	13.63	-0.05	4	49.80
							4	41	22	46.12	13.65	0.00	5	49.75

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s</i>		<i>o</i>	<i>i</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
7278	6.8	20	51	39.67	+1.897	+0.010	5	39	50	45.38	-13.66	-0.02	4	50.68
7290	6.4		52	56.99	2.134	—	3	46	6	37.45	13.74	—	3	50.62
7295	7.0		53	47.89	4.170	—	4	138	32	53.70	13.79	—	4	49.65
7297	6.9		54	11.29	2.267	+0.018	4	50	19	58.61	13.82	-0.22	4	49.78
7307	6.1		56	1.26	5.090	— ?	4	154	31	30.79	13.93	+0.10	4	49.78
7317	6.7		57	2.51	2.139	0.000	4	45	47	55.38	14.00	0.00	4	49.70
7327	6.8		58	21.01	3.490	—	6	113	44	50.00	14.08	—	5	49.72
7332	6.5		59	12.45	1.826	+0.004	4	37	18	34.80	14.13	-0.03	4	50.40
7340	7.2	21	0	29.96	3.495	—	4	114	13	48.61	14.21	—	4	49.76
7341	7.2		0	41.69	4.319	0.000	4	142	56	47.49	14.22	—	4	49.77
7347	7.1		1	51.88	3.469	-0.100 ?	5	113	5	5.15	14.31	—	5	50.42
7348	7.1		2	34.58	4.436	+0.010	4	145	35	57.41	14.34	— ?	4	50.22
7359	7.0		4	33.93	3.512	0.000	4	115	27	27.50	14.46	0.00	4	49.78
7363	6.5		5	27.12	0.417	-0.029	5	19	10	9.71	14.52	+0.12	5	50.91
7366	8.0		5	57.91	3.530	—	5	116	30	10.48	14.55	—	4	49.69
7369	6.9		6	45.82	4.792	—	4	151	57	26.29	14.59	—	4	49.78
7402	5.5		12	51.49	2.231	-0.007	4	46	41	0.52	14.95	+0.02	4	49.62
7410	5.7		14	17.12	2.691	—	4	66	46	25.39	15.04	—	4	49.74
7411	6.1		14	18.92	2.058	0.000	4	41	7	19.80	15.04	-0.04	4	49.75
7417	6.3		15	6.03	1.660	—	4	32	0	34.48	15.08	—	3	49.84
7430	6.9		16	41.88	1.549	—	4	29	52	45.59	15.18	—	4	50.41
7431	6.1		16	47.43	2.075	-0.005	4	41	15	7.53	15.18	-0.11	4	49.76
7436	6.8		17	10.32	3.467	0.000	4	114	27	52.35	15.20	0.00	4	49.68
7448	7.2		18	56.34	2.003	+0.004	4	38	59	10.27	15.30	0.00	4	50.72
7450	6.3		19	28.47	2.778	0.000	4	71	16	18.32	15.33	+0.06	4	49.79
7452	8.0		19	40.43	4.204	—	4	142	47	4.93	15.34	—	3	49.78
7466	7.3		21	45.89	3.483	+0.007	4	115	50	45.94	15.46	+0.02	4	49.66
7472	6.9		22	53.03	4.210	+0.020	4	143	23	45.27	15.52	+0.20	3	49.69
7477	7.6		23	33.69	2.265	-0.010	4	46	19	0.04	15.56	+0.01	4	49.75
7483	6.3		25	20.49	1.990	+0.005	4	37	42	0.92	15.66	-0.02	3	49.81
7488	7.2		26	12.89	2.024	-0.006	4	38	27	59.27	15.71	-0.08	4	50.41
7489	6.8		26	24.84	2.009	-0.004	4	38	2	25.64	15.72	-0.02	5	50.53
7495	6.4		26	51.82	1.647	-0.005	4	30	12	3.97	15.74	0.00	4	50.70
7496	6.5		26	52.31	2.158	—	4	42	13	2.18	15.74	—	4	49.77
7497	6.9		27	4.91	3.054	—	4	88	50	5.83	15.75	—	4	49.68
7501	6.3		27	40.59	2.241	—	4	44	48	34.09	15.79	—	4	49.81
7508	7.2		29	2.05	0.802	+0.011	4	19	50	25.75	15.86	+0.08	4	50.48
7512	6.7		29	17.36	2.060	-0.003	4	38	58	6.04	15.87	-0.02	3	49.79
7515	6.2		29	51.49	3.086	0.000	4	91	3	35.73	15.90	—	4	49.71
7523	7.4		30	22.18	3.451	0.000	4	115	7	15.63	15.93	—	4	49.76
7531	7.7		32	50.45	4.629	— ?	4	152	47	38.20	16.06	0.00	4	49.73
7548	7.1		34	46.26	2.160	-0.002	3	40	59	46.28	16.16	-0.02	4	49.73
7549	7.6		34	47.15	3.437	—	4	114	49	23.41	16.16	—	4	49.69
7552	7.9		34	54.51	4.639	+0.026	4	153	14	2.37	16.17	+0.40	4	50.18
7555	6.6		35	44.95	1.980	—	4	35	48	30.17	16.21	—	4	50.22
7564	7.2		37	2.83	0.849	0.000	6	19	22	6.36	16.28	+0.08	4	50.88
7589	7.2		39	55.47	2.103	-0.006	4	38	25	18.68	16.42	-0.02	4	50.60
7590	6.7		39	56.56	2.843	—	4	73	29	47.16	16.43	—	4	49.75
7593	6.6		40	19.12	2.373	—	4	47	37	49.80	16.44	—	4	49.75
7594	7.9		40	57.41	4.551	— ?	4	152	44	46.06	16.47	+0.20	4	49.71

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations.	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800 +
7602	7.1	21	42	6.12	+2.474	0.000	4	51	44	18.69	—16.53	—		
7609	6.3		44	4.92	4.512	— ?	4	152	35	9.26	16.63	—0.06	4	49.85
7610	6.8		44	21.30	1.080	+0.003	3	20	32	38.40	16.64	—0.04	4	49.65
7611	6.8		44	28.00	1.510	+0.006	4	25	31	37.34	16.65	+0.02	2	50.49
7612	6.9		44	43.29	2.118	—0.006	4	38	0	6.72	16.66	—0.03	4	50.74
												+0.02	4	50.24
7614	6.6		44	52.66	2.472	0.000	4	51	9	50.10	16.67	—		
7617	7.6		44	59.01	3.219	—	4	101	15	47.29	16.67	—0.05	4	49.83
7620	6.7		45	34.72	3.215	—	4	101	0	54.16	16.70	—	4	49.66
7621	6.8		45	38.78	1.402	+0.004	5	23	54	16.87	16.71	—	4	49.68
7624	8.1		45	53.31	4.492	—0.011	4	152	33	6.43	16.72	+0.05	5	50.74
												+0.07	4	49.68
7631	6.2		46	56.26	2.021	— ?	4	34	54	25.47	16.77	—		
7646	6.9		50	13.50	2.135	+0.004	4	37	28	0.25	16.93	—0.02	4	50.22
7651	6.4		50	50.74	1.791	—0.010	4	29	10	7.85	16.95	—0.05	4	49.86
7652	7.3		50	51.53	3.382	0.000	4	113	35	12.71	16.95	—0.01	4	50.38
7653	7.6		50	58.64	3.456	—	4	118	20	41.26	16.96	—	4	49.74
												—	4	49.69
7667	8.2		54	23.11	4.144	—0.048	4	147	1	15.72	17.12	—		
7677	6.5		56	22.71	0.631	—0.002	4	15	43	16.24	17.21	—	4	49.73
7679	7.1		56	34.89	2.451	0.000	4	47	54	29.68	17.22	—0.04	4	49.70
7681	5.0		56	53.62	2.412	+0.003	4	46	4	17.64	17.23	—0.04	4	49.76
7695	7.0		59	0.29	2.361	+0.015	4	43	29	36.25	17.32	—0.02	2	49.85
												—0.10	4	50.28
7697	7.1		59	18.68	3.203	0.000	4	101	10	33.30	17.34	—		
7699	6.5		59	23.06	1.786	+0.004	3	27	36	14.52	17.34	0.00	4	49.68
7703	6.9		59	47.61	3.198	—	4	100	48	26.68	17.36	—0.48	5	50.76
7709	7.0	22	0	42.35	3.237	—	4	104	1	54.91	17.40	—	4	49.84
7717	6.8		1	34.79	3.167	—	4	98	15	45.90	17.44	—	4	50.67
												—	4	49.79
7727	6.8		2	44.99	2.364	0.000	4	42	47	55.66	17.49	—		
7734	8.0		3	30.14	3.840	—0.025	4	139	47	30.86	17.52	—0.02	4	49.83
7743	7.2		4	49.58	2.485	—0.004	4	47	42	21.05	17.58	— ?	5	49.72
7746	6.1		5	20.06	2.304	+0.004	4	39	54	58.38	17.60	—0.01	4	49.69
7754	5.8		6	23.96	2.125	+0.019	4	33	54	18.65	17.64	—0.05	4	49.86
												—0.18	4	49.81
7759	5.9		7	4.11	1.974	—	5	29	58	52.17	17.67	—		
7760	6.6		7	12.50	1.391	—0.004	4	20	36	26.02	17.68	—	5	49.85
7769	6.5		8	24.02	3.943	+0.050	4	144	20	47.17	17.72	—0.09	4	50.42
7770	6.6		8	26.22	2.503	0.000	4	47	47	18.78	17.73	—	5	49.65
7780	7.6		10	35.26	4.064	0.000	4	148	15	34.64	17.81	0.00	4	49.78
												—	4	49.67
7786	7.7		12	46.99	1.755	—0.006	3	24	37	15.81	17.90	—		
7787	7.1		12	50.25	2.302	—0.002	4	38	5	39.11	17.90	+0.01	4	50.55
7797	7.8		14	12.25	3.719	—	4	137	25	28.89	17.96	—0.02	4	49.72
7803	7.3		15	38.22	2.523	—0.008	4	47	0	33.22	18.01	—	4	49.63
7810	7.0		17	16.91	1.772	+0.010	4	24	3	1.91	18.07	+0.02	4	50.16
												—0.02	4	50.82
7812	6.6		17	28.46	2.196	+0.004	4	33	28	22.16	18.08	—		
7822	7.2		18	51.37	4.094	+0.042	4	150	49	1.12	18.13	0.00	4	50.76
7834	7.3		21	43.84	3.624	+0.013	4	134	51	37.31	18.24	—	5	50.33
7841	5.0		22	48.91	4.139	— ?	4	152	44	59.40	18.28	0.00	4	50.45
7846	6.6		23	30.15	2.333	+0.004	5	36	31	14.30	18.30	—	3	49.77
												0.00	4	49.86
7858	6.5		25	48.62	2.638	0.000	4	50	59	24.69	18.39	—		
7866	5.7		27	21.22	3.313	—	4	114	45	51.67	18.44	0.00	4	49.76
7875	6.7		28	30.27	2.133	—0.015	4	28	59	45.83	18.48	—	4	49.69
7876	6.4		28	42.07	1.710	+0.021	5	20	51	42.50	18.49	—0.04	4	49.84
(7878)	6.4		29	2.47	1.681	+0.013	5	20	28	59.99	18.50	—0.16	5	49.86
												—0.08	4	49.89

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		1800+
7877	8.1	22	29	3.23	+3.634	— ?	4	137	29	0.80	—18.50	— ?	3	49.68
7882	6.9		29	39.55	2.474	—0.008	5	40	42	17.23	18.52	—0.04	4	49.78
7892	8.3		31	34.81	3.190	—	4	103	23	15.18	18.58	—	4	49.67
7907	6.7		33	59.11	1.292	+0.018	4	15	24	28.77	18.66	—0.05	4	50.75
7910	6.8		34	31.82	3.960	+0.042 ?	4	151	17	4.09	18.67	—	5	49.80
7917	6.1		34	53.95	2.652	+0.006	4	49	14	9.27	18.69	—0.08	4	49.80
7931	6.0		37	19.17	2.693	0.000	4	51	19	8.99	18.76	0.00	4	49.70
7939	7.2		38	35.39	3.963	—	4	152	28	22.46	18.80	—	3	49.76
7948	6.0		39	31.20	2.630	+0.010	4	46	14	38.11	18.83	—0.02	4	49.69
7953	6.6		41	26.09	2.360	+0.007	5	32	18	27.46	18.89	0.00	5	49.84
7956	6.6		42	22.87	3.981	—0.006	4	153	58	49.92	18.92	0.00	5	49.77
7961	6.2		43	35.27	2.443	+0.015	5	34	53	30.90	18.95	—0.01	4	50.21
7963	{ 6.7 }		43	{ 54.40 }	2.004	— ?	{ 4 }	22	13	29.80	18.96	—0.13 ?	4	49.86
	{ 6.7 }			{ 54.65 }			{ 4 }							
7964	7.5		43	56.11	2.969	0.000	4	76	49	55.45	18.96	0.00	4	49.78
7968	6.7		44	31.59	3.518	—	4	135	56	34.71	18.98	—	4	49.73
7977	6.6		46	12.64	3.063	0.000	4	88	57	10.04	19.02	—	4	49.80
7978	6.8		46	20.39	2.724	0.000	3	50	37	42.38	19.03	—0.02	4	49.79
7983	6.2		46	57.68	2.667	—0.011	4	46	2	49.82	19.05	—0.03	4	49.78
7984	6.5		47	14.51	2.726	+0.007	2	50	25	19.04	19.05	—0.03	3	49.89
7989	7.9		47	51.79	3.738	—	4	148	11	54.14	19.07	—	6	50.45
7991	5.9		48	1.80	3.541	—0.038	3	138	46	6.42	19.08	—	3	49.80
7995	5.9		49	51.93	2.608	0.000	4	41	3	58.95	19.12	0.00	4	49.81
7996	6.1		49	54.48	3.049	—	4	86	59	29.08	19.12	0.00	4	49.65
7999	6.3		50	27.33	2.629	0.000	4	42	6	59.64	19.14	—	4	50.25
8000	7.0		50	36.56	3.483	— ?	3	135	59	29.20	19.14	—	3	50.44
8001	6.9		50	58.73	3.011	—	4	81	26	18.65	19.15	—	4	49.78
8011	8.8		52	40.63	3.904	— ?	4	155	6	2.01	19.20	—0.17	3	49.80
8013	5.9		53	1.08	2.429	+0.004	3	30	59	16.28	19.20	—0.03	3	49.86
8015	6.8		53	6.88	1.863	0.000	3	17	40	4.42	19.21	+0.02	3	50.42
8018	7.2		53	52.31	3.466	— ?	4	136	6	81.73	19.23	—	4	49.77
8029	5.9		55	46.22	3.594	—	4	144	46	4.03	19.27	—	4	49.72
8056	7.2	23	0	26.62	2.724	+0.003	3	44	44	32.31	19.38	+0.02	3	49.71
8068	6.1		1	52.81	2.400	—0.003	6	26	35	18.22	19.41	—0.04	7	49.81
8077	6.7		4	1.10	2.330	+0.006	4	23	34	18.58	19.46	—0.02	4	49.76
8086	8.2		6	35.91	3.617	—0.033 ?	4	150	30	36.21	19.51	—	4	49.71
8091	7.5		7	38.66	2.915	0.000	4	62	44	41.13	19.53	—	4	49.69
8096	6.4		8	17.88	3.373	+0.020 ?	4	135	18	23.71	19.55	—	4	49.75
8101	7.5		9	5.26	3.621	+0.023 ?	4	151	49	4.66	19.56	—	3	49.79
8104	6.3		9	18.36	2.085	+0.040	5	16	35	9.40	19.57	—0.02	5	50.19
8106	6.4		9	51.85	2.270	+0.011	4	19	55	45.39	19.58	—0.02	5	49.89
8107	6.1		9	52.56	2.694	+0.006	4	37	35	40.30	19.58	+0.25	4	49.85
8110	7.1		10	13.87	2.789	0.000	4	45	39	4.29	19.58	+0.03	4	49.75
8115	6.2		10	54.00	2.790	—0.007	4	45	19	45.15	19.60	0.00	4	49.79
8120	7.2		11	58.71	2.799	0.000	4	45	40	56.31	19.62	0.00	3	49.71
8122	7.4		12	27.39	2.177	—0.010	4	17	7	50.68	19.63	+0.07	4	50.81
8123	6.4		12	29.31	3.093	—	4	94	44	5.36	19.63	—	4	49.73
8130	7.5		13	9.71	3.349	—	4	135	43	45.99	19.64	—	4	49.86
8134	6.8		13	37.70	3.096	0.000	4	95	29	33.61	19.65	0.00	3	49.77
8135	6.4		13	38.55	2.818	0.000	4	46	42	12.19	19.65	—	4	50.02
8139	7.5		14	5.20	2.865	—	5	52	14	17.09	19.65	—	4	49.93

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion	No. of Observations.	Mean Date of Observation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
8140	7.0	23	14	10.95	+3.547	+0.010	4	150	52	38.32	-19.66	-0.16	4	1800+
8147	6.9		15	17.31	2.978	+0.025	3	70	15	45.28	19.67	—	3	50.76
8153	6.5		15	51.60	2.640	-0.010	3	30	41	18.18	19.68	0.00	5	49.80
8158	6.7		17	19.56	2.694	+0.008	4	33	17	13.53	19.71	-0.05	7	49.72
8164	7.5		18	23.02	3.478	—?	4	149	14	44.17	19.72	—?	3	49.84
8165	7.2		18	24.91	3.556	-0.008	4	153	33	41.46	19.73	+0.02	4	49.78
8166	6.1		18	39.98	3.475	+0.024	5	149	18	11.36	19.73	-0.22	4	49.75
8173	6.8		19	59.34	2.437	+0.012	4	20	8	25.19	19.75	-0.07	4	49.76
8176	6.2		20	17.86	3.542	0.000	4	153	56	6.34	19.76	-0.11	4	49.73
8181	6.7		21	4.21	3.376	+0.020	5	143	30	16.32	19.77	—?	4	49.74
8187	6.6		23	6.12	2.303	-0.027	4	15	36	2.76	19.80	+0.08	4	49.74
8191	8.7		23	37.38	3.434	—	4	149	49	48.84	19.80	—	4	49.79
8207	7.3		26	37.06	3.497	+0.012	4	155	31	5.10	19.80	—	4	49.76
8226	7.1		30	17.83	3.421	+0.010?	4	153	42	54.80	19.84	-0.29	4	49.78
8235	7.9		32	40.09	3.318	+0.030?	4	147	14	59.12	19.89	-0.11	4	49.75
8244	8.1		34	25.49	3.317	—	4	148	47	34.31	19.91	0.00?	4	49.72
8245	6.6		34	52.34	2.929	0.000	4	45	50	20.05	19.93	—	3	49.72
8247	7.0		34	56.08	3.024	—	4	72	9	49.81	19.93	-0.02	4	49.76
8253	6.5		35	54.26	3.375	-0.029?	4	155	14	15.11	19.94	—	4	49.70
8254	6.5		35	58.31	3.215	—	4	135	54	55.06	19.94	-0.26	3	49.79
8260	8.2		38	35.11	3.186	—?	4	132	22	44.73	19.94	—	4	49.79
8269	7.1		40	4.94	3.064	0.000	4	86	36	9.91	19.97	—	3	49.71
8270	7.2		40	8.95	3.064	—	4	86	39	23.03	19.98	0.00	4	49.76
8272	6.6		40	32.83	3.056	0.000	4	82	35	11.11	19.98	—	2	49.86
8278	7.2		41	38.65	3.288	—?	3	153	40	18.07	19.98	—	4	49.78
8282	6.2		41	50.64	2.900	+0.003	4	31	52	11.04	19.99	0.00	3	49.79
8283	7.9		41	54.97	3.269	—	4	151	58	10.42	19.99	+0.01	4	49.78
8287	6.9		42	48.60	3.109	—	4	111	3	58.31	19.99	—	4	49.76
8294	6.8		43	52.99	3.154	—?	4	131	39	33.64	20.00	—	4	49.77
8306	8.0		45	47.45	3.170	+0.011?	5	140	16	0.68	20.01	—?	4	49.75
8315	7.0		47	57.56	3.062	0.000	3	82	36	39.90	20.02	—	3	49.82
8320	6.7		49	25.97	3.196	—	4	153	47	32.17	20.03	—	4	49.66
8325	7.4		50	31.76	3.183	—?	4	153	50	24.97	20.03	—	3	49.74
8340	7.1		53	34.06	3.105	—?	5	132	19	17.18	20.04	—	4	49.74
8345	6.5		54	4.22	3.040	0.000	4	48	28	4.85	20.05	—	5	49.80
8347	7.6		54	12.66	3.102	—	3	132	26	53.75	20.05	+0.03	4	49.66
8360	5.7		56	38.60	3.077	—	4	107	21	43.12	20.05	—	4	49.72
8366	6.2		57	22.66	3.044	0.000	4	29	31	16.69	20.05	—	4	49.70
8371	7.0		58	12.23	3.080	—?	5	132	35	4.92	20.05	-0.04	4	49.84
8376	8.4		59	45.14	3.072	—	4	131	18	54.39	20.06	0.00?	4	50.00
												—	4	49.90



NOTES ON THE FOREGOING CATALOGUE.

In the following Notes B. refers to Brisbane's Catalogue of 7385 Stars; G. to Groombridge's Catalogue of Circumpolar Stars; B.A.C. to the Catalogue of the British Association; L.C. to Lacaille's Catalogue of 9766 Stars as reduced by Baily;—P.M. means proper motion.

- No. 13 Another star of 7 magnitude precedes by $38^{\circ}3'$ & $10'$ S.
- 15 The A.R. differs from Lacaille by $-6^{\circ}3'$.
- 34 Comparison with B. reverses the P.M.
- 41 The P.M. is not confirmed either in A.R. or P.D.
- 76 The P.M. in A.R. is probably underrated, as the difference from Lacaille is $-1^{\circ}8'$; that in P.D. if any, is $-$.
- 98 The proper motion is not confirmed either in A.R. or P.D.
- 157 The P.M. appears to be much overrated both in A.R. and P.D., the differences from Brisbane being $+0^{\circ}46'$ and $-10^{\circ}49'$ respectively; there must be some error in Lacaille.
- 186 Is not found.
- 188 The P.M. in P.D. is not confirmed, that in A.R. is if any thing $+$, the difference from Brisbane being $+0^{\circ}5'$ but he has only one observation.
- 193 Lacaille is probably in error.
- 276 The P.M. in A.R. is almost exactly confirmed, while that in P.D. is $-$ instead of $+$.
- 277 The P.M. is not confirmed.
- 278 Not seen.
- 294 The P.M. in P.D. is confirmed, or is probably greater than that assigned in the B.A.C., that in A.R. appears $+$ instead of $-$, but its amount is uncertain as B. has but one observation with the mural; difference from B. $+1^{\circ}09'$; from L.C. $+0^{\circ}7'$.
- 306 The P.M. in A.R. appears underrated, that in P.D. is not confirmed.
- 407 The P.M. in A.R. not confirmed; that in P.D. rather overrated.
- 417 The P.M. in A.R. is nearly confirmed, that in P.D. if any is $+$ instead of $-$; difference from B $+0^{\circ}9'$.
- 434 Not seen.
- 450 Another star 7 magnitude precedes by $27^{\circ}6'$, and $95^{\circ}5'$ N.
- 455 The P.M. in A.R. appears underrated.
- 514 The P.M. not confirmed.
- 531 The P.M. in A.R. nearly confirmed, that in P.D. reversed.
- 534 Not seen.
- 543 P.M. not confirmed; diff. from B. $-0^{\circ}38'$ and $+0^{\circ}7'$, from L.C. $+2^{\circ}0'$.
- 575 The P.M. in P.D. appears underrated.
- 596 Observed by mistake for 601 which was not found; the P.M. in P.D. is nearly confirmed; that in A.R. appears underrated in B.A.C.
- 602 Differs from L.C. by $+3^{\circ}6'$ and $+26^{\circ}5'$.
- 642 Is not found; the nearest star 7 magnitude is in $1^{\text{h}} 57^{\text{m}} 35^{\text{s}}$ and $143^{\circ} 45' 34''$.
- 651 The P.M. in P.D. is not confirmed; difference from G. $+1^{\circ}2'$, but there is a sensible P.M. in A.R.

- No. 714 The P.M. is not confirmed either in A.R. or P.D.; difference from G. — $\overset{\circ}{0}^{\circ}33$ and + $\overset{\circ}{0}^{\circ}25$ respectively.
- 728 An error of 1 in A.R.
- 738 P.M. not confirmed.
- 779 Comparison with Brisbane would indicate that the signs of the proper motions both in A.R. and P.D. should be changed, the difference being + $\overset{\circ}{1}^{\circ}84$ and — $\overset{\circ}{3}^{\circ}93$.
- 795 P.M. not confirmed; difference from G. only — $\overset{\circ}{0}^{\circ}16$ and — $\overset{\circ}{1}^{\circ}35$.
- 802 The large P.M. in A.R. has its sign reversed by comparison with G.; that in P.D. appears rather underrated.
- 814 The P.M. in A.R. is doubtful, that in P.D. nearly confirmed; diff. from G. — $\overset{\circ}{0}^{\circ}06$ and + $\overset{\circ}{1}^{\circ}16$.
- 841 P.M. not confirmed; diff. of A.R. from B. + $\overset{\circ}{0}^{\circ}45$, from Lacaille + $\overset{\circ}{4}^{\circ}1$; of P.D. from B. + $\overset{\circ}{0}^{\circ}12$.
- 868 Comparison with B. does not confirm the P.M. in A.R. and greatly reduces that in P.D.; diff. + $\overset{\circ}{0}^{\circ}03$ and + $\overset{\circ}{2}^{\circ}85$.
- 876 The P.M. in A.R. appears over-estimated; that in P.D. is if any thing — instead of + : diff. in A.R. from B. + $\overset{\circ}{0}^{\circ}63$, from L.C. + $\overset{\circ}{4}^{\circ}9$; in P.D. from B. — $\overset{\circ}{1}^{\circ}48$.
- 906 Comparison with B. indicates a considerable P.M. in A.R., but in a direction opposite to that assigned in B.A.C. : diff. from B. + $\overset{\circ}{1}^{\circ}28$ and — $\overset{\circ}{2}^{\circ}18$.
- 911 The large P.M. is not confirmed; there may be a small P.M. in P.D. but little or none in A.R.; diff. from B. + $\overset{\circ}{0}^{\circ}19$ and — $\overset{\circ}{3}^{\circ}8$. There is probably an error in Lacaille.
- 931 } Are not found.
- 935 }
- 936 A star 8.5 magnitude follows by about $\overset{\circ}{0}^{\circ}1$ and $\overset{\circ}{8}^{\circ}5$ S.
- 956 Agrees exactly with B. in A.R. : diff. in P.D. — $\overset{\circ}{1}^{\circ}54$.
- 961 Comparison with B. shows a P.M. of an opposite sign to that in B.A.C. and no P.M. in P.D. : diff. + $\overset{\circ}{1}^{\circ}10$ and — $\overset{\circ}{0}^{\circ}11$.
- 969 Is not found.
- 988 The P.M. in P.D. appears overrated; diff. from G. + $\overset{\circ}{0}^{\circ}95$.
- 1018 The same remark applies; diff. from G. + $\overset{\circ}{0}^{\circ}59$.
- 1036 P.M. not confirmed; diff. from B. + $\overset{\circ}{0}^{\circ}24$ and — $\overset{\circ}{0}^{\circ}26$.
- 1048 The P.M. large as it is appears underrated in B.A.C. and unless there be a considerable error in L.C. that in A.R. is not uniform: diff. from B. + $\overset{\circ}{5}^{\circ}96$ and — $\overset{\circ}{20}^{\circ}0$; from L.C. + $\overset{\circ}{15}^{\circ}2$ and — $\overset{\circ}{74}^{\circ}4$.
- 1050 The P.M. assigned is not confirmed by comparison with G. diff. + $\overset{\circ}{0}^{\circ}42$ and — $\overset{\circ}{2}^{\circ}06$. A star $7\frac{1}{2}$ magnitude follows by $\overset{\circ}{7}^{\circ}5$ and $\overset{\circ}{3}^{\circ}$ S.
- 1067 The same remark applies regarding the P.M. : diff. + $\overset{\circ}{0}^{\circ}41$ and — $\overset{\circ}{0}^{\circ}82$.
- 1072 The same remark applies : diff. — $\overset{\circ}{0}^{\circ}24$ and — $\overset{\circ}{0}^{\circ}61$.
- 1101 The P.M. is not confirmed.
- 1131 The P.M. appears underrated in A.R. and overrated in P.D.; diff. from B. + $\overset{\circ}{0}^{\circ}92$ and — $\overset{\circ}{3}^{\circ}88$.
- 1297 The P.M. appears slightly overrated.
- 1412 Diff. from L.C. + $\overset{\circ}{2}^{\circ}1$ and — $\overset{\circ}{34}^{\circ}6$.
- 1427 P.M. not confirmed.
- 1466 The P.M. in B.A.C. appears much underrated in A.R. and overrated in P.D.; difference from B. + $\overset{\circ}{0}^{\circ}91$ and — $\overset{\circ}{2}^{\circ}0$.
- 1489 The direction of the P.M. is reversed by comparison with B.; diff. + $\overset{\circ}{1}^{\circ}14$ and — $\overset{\circ}{4}^{\circ}06$.
- 1589 The same remark applies. diff. from B. + $\overset{\circ}{1}^{\circ}70$ and — $\overset{\circ}{1}^{\circ}80$.
- 1612 The P.M. is over-estimated both in A.R. and P.D.; there is probably an error in L.C.; diff. from B. — $\overset{\circ}{0}^{\circ}54$ and + $\overset{\circ}{4}^{\circ}2$.
- 1621 The P.M. in A.R. is reversed; that in P.D. is nearly confirmed; diff. from B. — $\overset{\circ}{0}^{\circ}77$ and — $\overset{\circ}{3}^{\circ}7$.
- 1678 } The P.M. is not confirmed.
- 1696 }
- 1704 The P.M. in A.R. is underrated: the direction of that in P.D. is reversed; difference from B. + $\overset{\circ}{0}^{\circ}50$ and — $\overset{\circ}{5}^{\circ}8$.

- No. 1712 The P.M. if any appears to be in a direction opposite to that assigned in B.A.C.; diff. from B. — $0^{\circ}45'$ and — $0^{\circ}58'$.
Another star of about the same magnitude precedes by $4^{\circ}0'$ and 11° N.
- 1728 Both the stars were observed with the Mural circle but only the first with the Transit. The diff. of A.R. $0^{\circ}40'$ was derived from the Equatorial Observations.
- 1729 There is probably no P.M. in A.R. but that in P.D. is nearly confirmed; diff. from B. — $0^{\circ}29'$ and — $1^{\circ}84'$.
- 1752 The P.M. is not confirmed: another star of nearly the same mag. precedes by $1^{\circ}6'$, and 29° S; the pair are 10527 and 9 H.C.
- 1770 The P.M. in A.R. is uncertain; diff. from B. + $1^{\circ}04'$ and from L.C. — $0^{\circ}2'$: that in P.D. has been overrated: diff. from B. — $3^{\circ}24'$.
- 1790 P.M. in A.R. uncertain; diff. from B. + $2^{\circ}62'$; from L.C. — $0^{\circ}4'$; that in P.D. if any must have its sign reversed; diff. from B. + $1^{\circ}5'$.
- 1847 P.M. in A.R. not confirmed; that in P.D. has its sign changed: diff. from B. + $0^{\circ}27'$ and — $6^{\circ}36'$.
- 1907 This star must have a considerable P.M. unless there be an error in Bessel.
- 1909 The P.M. in A.R. is deduced from comparison with L.C.; that in P.D. is much reduced by comparison with B.; diff. — $5^{\circ}07'$.
- 1921 The P.M. in A.R. is nearly confirmed by comparison with G.; the P.D. differs from his by only + $1^{\circ}1'$.
- 1926 The P.M. in A.R. appears to have been slightly overrated; that in P.D. is exactly confirmed; diff. from B. + $0^{\circ}68'$ and — $18^{\circ}6'$.
- 1927 The P.M. in A.R. is uncertain, B. having but one observation; difference from B. — $1^{\circ}24'$; from L.C. + $0^{\circ}5'$: that in P.D. has been slightly underrated; diff. from B. — $4^{\circ}6'$.
- 1942 The P.M. in A.R. is not confirmed; that in P.D. is derived from comparison with G.
- 1954 The P.M. in A.R. is reversed; that in P.D. is nearly confirmed; diff. from B. = + $0^{\circ}46'$ and — $6^{\circ}44'$.
- 1999 A star 8 magnitude precedes $0^{\circ}6'$ and 10° S.
- 2013 } P.M. not confirmed.
2014 }
- 2018 Not found.
- 2021 The P.M. in A.R. is not confirmed, but that in P.D. is confirmed very nearly.
- 2031 Comparison with Brisbane shows a larger P.M. in A.R. than that assigned in B.A.C.; that in P.D. is also larger, but with the opposite sign; diff. — $1^{\circ}19'$ and — $7^{\circ}53'$.
- 2048 The place differs very widely from Brisbane's; L.C. 2242 should probably be referred to the following star, No. 2049.
- 2072 P.M. in A.R. not confirmed; that in P.D. has its sign changed; diff. from B. + $0^{\circ}34'$ and + $5^{\circ}17'$, from L.C. — $1^{\circ}8'$ and — $53'$. There is probably an error in L.C.
- 2076 The P.M. in A.R. is not confirmed; that in P.D. has been underrated.
- 2078 The P.M. is nearly confirmed; diff. from B. + $1^{\circ}11'$ and — $6^{\circ}78'$; from L.C. + $5^{\circ}2'$ and — $31^{\circ}4'$.
- 2093 P.M. not confirmed; diff. from B. + $0^{\circ}24'$ and — $0^{\circ}18'$.
- 2102 There must be an error in L.C. as his place is out by $4'$.
- 2106 The P.M. is reversed; diff. from B. — $1^{\circ}44'$ and — $4^{\circ}3'$.
- 2121 There is some uncertainty about this star, the differences being from B. — $2^{\circ}98'$ and — $3^{\circ}08'$; and from L.C. + $4^{\circ}1'$ and — $27^{\circ}3'$.
- 2137 The same remark applies; diff. from B. + $0^{\circ}88'$ and — $3^{\circ}22'$; from L.C. — $2^{\circ}5'$ and + $21^{\circ}8'$.
- 2142 The same remark as above; diff. from B. — $1^{\circ}76'$ and + $0^{\circ}8'$; from L.C. + $1^{\circ}0'$ and — $7^{\circ}2'$; P.M. in P.D. not confirmed.
- 2190 Differs from B. + $0^{\circ}56'$ and + $66^{\circ}1'$; but B. has only one observation.
- 2238 The A.R. in the B.A.C. is $0^{\circ}6'$ in excess. The position agrees almost exactly with Lalande's as given by Baily.

NOTES ON THE FOREGOING CATALOGUE.

- No. 2284 The A.R. differs $+ 8^{\circ}0$, and P.D. $- 49$ from L.C.
- 2288 The P.M. in A.R. is not confirmed; that in P.D. reversed; diff. from B. $- 0^{\circ}04$ and $- 6^{\circ}94$.
- 2315 The P.M. in A.R. not confirmed; that in P.D. if any is overrated; diff. from B. $= + 0^{\circ}03$ and $- 0^{\circ}95$.
- 2321 P.M. in A.R. doubtful; that in P.D. is very nearly confirmed; diff. from B. $- 0^{\circ}38$ and $5^{\circ}90$.
- 2360 There is some uncertainty about this star: difference from B. $+ 1^{\circ}04$ and $- 1^{\circ}58$; from L.C. $- 2^{\circ}8$ and $- 0^{\circ}8$; but there would appear to be little or no P.M. in P.D.
- 2363 P.M. not confirmed.
- 2386 The P.M. in A.R. appears rather overrated, that in P.D. is reversed; diff. from B. $- 0^{\circ}22$ and $+ 1^{\circ}6$.
- 2399 The P.M. in A.R. seems to have been rather overrated; that in P.D. is exactly confirmed; diff. from B. $- 0^{\circ}67$ and $- 1^{\circ}7$.
- 2408 The P.M. in A.R. has been overrated, that in P.D. is not confirmed; diff. from B. $- 0^{\circ}27$ and $+ 0^{\circ}7$.
- 2511 A double star in a wide cluster with a star $6\frac{1}{2}$ magnitude preceding; no nebula seen.
- 2528 The P.M. in A.R. is doubtful; that in P.D. nearly confirmed; diff. from B. $- 0^{\circ}62$ and $- 2^{\circ}4$; from L.C. $+ 2^{\circ}6$ and $- 12^{\circ}5$.
- 2610 The P.M. appears large, but B. has only one observation; diff. $- 2^{\circ}92$ and $- 7^{\circ}0$.
- 2615 Differs from L.C. by $- 1^{\circ}9$ and $- 9^{\circ}3$.
- 2656 P.M. in A.R. nearly confirmed; that in P.D. reversed; diff. from B. $+ 0^{\circ}37$ and $- 5^{\circ}8$.
- 2686 Not seen.
- 2687 This star is preceded by 3 others of 8th mag nearly in this form $\cdot \cdot \cdot$; diff of A.R. 41 , 38 and 27 .
- 2688 Is the double star 88 H. and S.
- 2709 There is some uncertainty about this star, from B. having but one observation of A.R. and with the mural — but the P.M. in P.D. appears over-estimated—diff. from B. $- 1^{\circ}22$ and $+ 2^{\circ}84$ and from L.C. $- 1^{\circ}0$ and $+ 27^{\circ}3$.
- 2713 The P.M. if any in A.R. should have its sign reversed; that in P.D. is not confirmed; diff. from B. $- 0^{\circ}48$ and $- 0^{\circ}48$.
- 2738 The P.M. is underrated; diff. from B. $+ 0^{\circ}98$ and $- 4^{\circ}4$. A star 9 magnitude precedes by $12^{\circ}3$ and $14^{\circ} S$.
- 2751 P.M. not confirmed.
- 2766 Is a cluster of small stars.
- 2768 The P.M. is greatly overrated; L.C. is probably in error, but B. has only one observation; diff. from B. $- 0^{\circ}46$ and $- 1^{\circ}44$; from L.C. $- 5^{\circ}6$ and $- 11^{\circ}6$.
- 2796 The P.M. in A.R. is not confirmed; that in P.D. is nearly so; diff. from B. $+ 0^{\circ}02$ and $- 2^{\circ}7$.
- 2820 Comparison with B. reverses the direction of P.M. diff. $- 0^{\circ}92$ and $- 3^{\circ}6$.
- 2823 Comparison with B. does not confirm the P.M. in A.R. but increases that in P.D.; diff. $- 0^{\circ}06$ and $- 5^{\circ}0$.
- 2843 Comparison with B. reverses the P.M. in A.R. and does not confirm that in P.D.; diff. $+ 0^{\circ}98$ and $- 0^{\circ}1$.
- 2857 P.M. greatly overrated; L.C. probably in error; diff. from B. $+ 0^{\circ}23$ and $- 3^{\circ}9$; from L.C. $+ 5^{\circ}3$ and $- 12^{\circ}6$.
- 2887 Is G. 1458 and the proper motions are derived from comparison with him.
- 2898 Comparison with B. increases the P.M. in A.R. and does not confirm that in P.D.; diff. from B. $+ 0^{\circ}83$ and $- 1^{\circ}1$; from L.C. $+ 0^{\circ}9$ and $+ 3^{\circ}5$.
- 2939 The P.M. in A.R. appears underrated; that in P.D. is not confirmed, diff. from B. $+ 0^{\circ}87$ and $- 1^{\circ}3$.
- 2949 P.M. not confirmed; diff. from B. $- 0^{\circ}39$ and $- 0^{\circ}8$.
- 3007 Comparison with B. reverses the P.M. both in A.R. and P.D. diff. $+ 0^{\circ}99$ and $+ 4^{\circ}7$.
- 3008 Comparison with B. nearly confirms the P.M. in P.D., but reverses that in A.R., but B. has only one observation; diff. $- 2^{\circ}4$ and $+ 6^{\circ}2$.
- 3028 The P.M. is derived from comparison with B. but he has only one observation.

- No. 3067 Comparison with B. reverses the proper motions, but he has only one observation; diff. — $1^{\circ}.22$ and $+ 15^{\circ}.5$, under the supposition that he observed the *following* star.
- 3082 P.M. not confirmed; diff. from B. $+ 0^{\circ}.12$ and $+ 0^{\circ}.7$.
- 3103 P.M. in A.R. not confirmed.
- 3128 The P.M. in A.R. has been underrated, and that in P.D. overrated; diff. from B. $+ 0^{\circ}.57$ and $- 2^{\circ}.4$.
- 3139 A.R. agrees exactly with B.; P.D. differs $+ 35^{\circ}.2$.
- 3154 Diff. from B. $+ 1^{\circ}.77$ and $- 8^{\circ}.2$, but he has only one observation.
- 3189 Diff. from B. $+ 10^{\circ}.08$ and $+ 7^{\circ}.0$, but he has only one observation, and has probably made a mistake of 10° .
- 3233 Is not found.
- 3247 Cluster, no nebula seen; nearest star 8 magnitude, $9^{\circ} 22' 42''$ and $95^{\circ} 20' 51''$.
- 3274 The P.M. appears overrated both in A.R. and P.D.; diff. from L.C. $+ 3^{\circ}.0$ and $- 2^{\circ}.3$.
- 3276 Comparison with B. slightly increases the P.M. in A.R. and doubles that in P.D.; diff. $+ 0^{\circ}.22$ and $- 4^{\circ}.6$.
- 3316 P.M. not confirmed; diff. from B. $+ 0^{\circ}.25$ and $- 0^{\circ}.9$.
- 3323 P.M. in A.R. underrated; that in P.D. is reversed; diff. from B. $+ 0^{\circ}.38$ and $- 8^{\circ}.2$.
- 3328 Appears to be a duplicate of 3323 with an error of 1 minute in A.R.
- 3351 The P.M. in A.R. is overrated; that in P.D. is not confirmed; diff. from B. $+ 0^{\circ}.78$ and $+ 0^{\circ}.4$.
- 3357 The P.M. not confirmed.
- 3401 Not seen.
- 3426 The P.M. in A.R. has been overrated; that in P.D. is not confirmed; diff. from B. $+ 0^{\circ}.25$ and $- 0^{\circ}.7$.
- 3454 } Not seen.
3461 }
- 3460 } P.M. not confirmed.
3479 }
- 3482 Not found.
- 3488 The P.M. in A.R. is reversed by comparison with B.; that in P.D. has been underrated; diff. $+ 1^{\circ}.14$ and $- 2^{\circ}.8$.
- 3513 The P.M. in A.R. not confirmed; that in P.D. reversed; diff. from B. $- 0^{\circ}.22$ and $- 4^{\circ}.6$.
- 3535 Not seen.
- 3541 P.M. both in A.R. and P.D. reversed by comparison with B.; diff. $+ 0^{\circ}.70$ and $- 5^{\circ}.2$.
- 3543 P.M. in A.R. not confirmed, that in P.D. confirmed.
- 3547 A cluster of small stars. The P.M. appears overrated both in A.R. and P.D.; probably different stars in the cluster have been observed.
- 3556 P.M. not confirmed.
- 3564 The P.M. in A.R. is reversed; that in P.D. nearly confirmed; diff. from B. $+ 0^{\circ}.43$ and $- 2^{\circ}.4$.
- 3586 Not found.
- 3595 P.M. in A.R. not confirmed; that in P.D. confirmed nearly.
- 3599 P.M. in A.R. not confirmed; that in P.D. reversed; diff. from B. $+ 0^{\circ}.19$ and $- 3^{\circ}.5$.
- 3605 The P.M. has been underrated; diff. from B. $+ 0^{\circ}.74$ and $- 4^{\circ}.0$.
- 3627 P.M. not confirmed; probably an error in Lalande.
- 3635 P.M. in A.R. not confirmed; in P.D. doubtful; diff. from B. $- 0^{\circ}.28$ and $- 0^{\circ}.7$.
- 3639 Diff. from Groombridge $- 30^{\circ}.44$ and $+ 3^{\circ}.0$; probably an error of 30° in G.
- 3656 P.M. not confirmed; diff. from B. $- 0^{\circ}.47$ and $- 1^{\circ}.0$. B. has only one observation.

NOTES ON THE FOREGOING CATALOGUE.

- No. 3659 B. has only one observation and his A.R. is probably erroneous; diff. $+ 3.56$ and $+ 0.9$; diff. in A.R. from L.C. $- 2.45$, there is probably little or no P.M.
- 3668 P.M. not confirmed; diff. from B. $+ 0.22$ and $- 0.1$.
- 3674 P.M. not confirmed.
- 3692 Cluster, no nebula seen.
- 3694 Diff. from B. $- 4.64$ and $- 1.2$; from L.C. $- 1.47$ and $+ 1.4$; an error of $5'$ in B.?
- 3706 P.M. in A.R. not confirmed; in P.D. nearly so; diff. from B. $+ 0.28$ and $- 1.9$.
- 3707 A duplicate of 3706, with an error of $5'$ in P.D.?
- 3716 The P.M. has been underrated in A.R., and overrated in P.D.; diff. from B. $- 1.4$ and $- 1.75$.
- 3717 The P.M. has been overrated in A.R., and slightly underrated in P.D.
- 3800 There may be a small + P.M. in A.R.: that in P.D. has been overrated; diff. from B. $+ 0.26$ and $+ 2.7$.
- 3806 Comparison with B. shews a large P.M.; but he has only one observation; diff. $- 1.16$ and $- 7.6$.
- 3839 P.M. not confirmed, or if any thing reversed; diff. from B. $+ 0.15$ and $- 1.7$.
- 3860 The large P.M. in A.R. is increased; that in P.D. reduced by comparison with B, but he has only one observation; diff. $- 1.94$ and $- 1.8$; diff. from L.C. $- 5.4$ and $- 11.6$.
- 3880 The P.M. in A.R. is not confirmed; that in P.D. is so, very nearly; diff. from B. $+ 0.21$ and $- 1.5$.
- 3895 Comparison with B. reduces the P.M. in A.R. and reverses that in P.D. if any; diff. $- 1.16$ and $- 1.2$.
- 3923 } The large P.M. assigned to these 2 stars are not confirmed, Lacaille's places of both must be wrong; the numbers
3924 } require to be interchanged; diff. of 3923 from B. $- 0.43$ and $- 2.7$; of 3924 $+ 0.11$ and $- 1.4$.
- 3944 Is a cluster of small stars; L.C. and B. appear to have taken different stars; the large P.M. in P.D. is not confirmed.
- 3960 The P.M. in A.R. appears underrated; that in P.D. is not confirmed; diff. from B. $+ 0.72$ and $+ 1.14$.
- 4010 This is G. 1830 and the large P.M. is almost exactly confirmed.
- 4011 The P.M. in A.R. seems rather underrated; that in P.D. is not confirmed; diff. from B. $- 0.95$ and $+ 0.7$.
- 4041 Diff. from B. $+ 0.90$ and $+ 10.14$, but he has only one observation, and has doubtless made a mistake of $10'$
- 4067 P.M. not confirmed; diff. from B. $+ 0.08$ and $- 0.2$.
- 4073 P.M. in A.R. not confirmed; that in P.D. is nearly so; diff. from B. $+ 0.45$ and $- 1.2$, but he has only one observation.
- 4075 P.M. in A.R. not confirmed; that in P.D. reversed; only one observation of B.; diff. $- 0.14$ and $+ 2.3$.
- 4105 Comparison with B. reverses the P.M.; but he has only one observation; diff. $+ 0.87$ and $+ 1.7$.
- 4133 The P.M. in A.R. appears underrated; that in P.D. not confirmed; diff. from B. $- 0.56$ and $- 1.2$.
- 4146 The P.M. in A.R. if any is overrated; that in P.D. not confirmed; diff. from B. $+ 0.20$ and $+ 1.2$.
- 4324 The P.M. not confirmed; diff. from B. $+ 0.31$ and $+ 0.6$.
- 4356 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. $- 1.21$ and $- 0.5$; probably L.C. is in error.
- 4370 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. $+ 0.80$ and $- 0.3$.
- 4381 P.M. in A.R. nearly confirmed; that in P.D. appears overrated; diff. from B. $+ 0.18$ and $+ 0.6$.
- 4399 Not seen.
- 4410 The large P.M. is not confirmed.
- 4469 P.M. in A.R. not confirmed; that in P.D. has been rather underrated; diff. from B. 0.00 and $- 2.9$.
- 4475 The P.M. has been underrated, and the sign of that in P.D. is changed; diff. from B. $- 0.95$ and $- 3.5$.
- 4485 Cluster; no nebula seen.
- 4491 P.M. not confirmed.
- 4512 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. $- 2.98$ and $- 1.3$.

- No. 4524 Comparison with B. does not confirm the P.M., but he has only one observation: diff. — $\overset{\circ}{0}.11$ and + $\overset{\circ}{1}.9$.
- 4557 P.M. not confirmed; diff. from B. — $\overset{\circ}{0}.02$ and + $\overset{\circ}{1}.6$.
- 4558 This is a double star, and Brisbane has noted it as such, and he must apparently have observed the L.C. star, though he does not state which: the P.M. in A.R. is overrated; that in P.D. is not confirmed; diff. from B. — $\overset{\circ}{0}.24$ and + $\overset{\circ}{1}.5$.
- 4569 Is not found.
- 4578 The middle star of 3 was observed. L.C. probably took the 1st, and B. appears to have observed the 2d with the mural, and 3d with the transit, there being a diff. of $\overset{\circ}{3}$ between the two; in this case there will be little or no P.M.; diff. from B. — $\overset{\circ}{0}.22$ and + $\overset{\circ}{1}.1$.
- 4644 P.M. not confirmed; if any, reversed; diff. from B. — $\overset{\circ}{0}.35$ and + $\overset{\circ}{1}.9$.
- 4703 P.M. in A.R. not confirmed, in P.D. reversed: diff. from B. — $\overset{\circ}{0}.28$ and — $\overset{\circ}{9}.0$.
- 4732 The P.M. in A.R. is reversed; that in P.D. has been underrated; diff. from G. — $\overset{\circ}{0}.58$ and + $\overset{\circ}{4}.7$.
- 4740 The P.M. in A.R. is nearly confirmed; that in P.D. has been rather underrated: diff. from B. — $\overset{\circ}{0}.55$ and — $\overset{\circ}{6}.4$; but B. has only one observation.
- 4844 P.M. in A.R. doubtful; that in P.D. not confirmed; diff. from B. — $\overset{\circ}{0}.57$ and — $\overset{\circ}{0}.1$.
- 4860 The large P.M. in A.R. is not confirmed.
- 4887 The P.M. in A.R. has been underrated; that in P.D. is reversed; diff. from B. — $\overset{\circ}{0}.88$ and — $\overset{\circ}{5}.6$.
- 4899 The P.M. appears to have been slightly underrated: diff. from B. — $\overset{\circ}{0}.76$ and — $\overset{\circ}{1}.2$.
- 4908 The P.M. in A.R. is reversed; that in P.D. nearly confirmed; diff. from B. — $\overset{\circ}{1}.20$ and — $\overset{\circ}{1}.5$.
- 4912 The P.M. in A.R. is not confirmed, in P.D. doubtful; diff. from B. + $\overset{\circ}{0}.01$ and — $\overset{\circ}{52}.1$; from L.C. + $\overset{\circ}{0}.4$ and — $\overset{\circ}{9}.0$; perhaps B. has made an error of $\overset{\circ}{1}$; he has only one observation.
- 4921 The P.M. in A.R. is confirmed; but not in P.D.
- 4938 The P.M. in A.R. is nearly confirmed: that in P.D. has been overrated: diff. from B. — $\overset{\circ}{0}.37$ and — $\overset{\circ}{1}.1$.
- 4968 The A.R. is $\overset{m}{1}$ in error.
- 4979 Differs from L.C. by — $\overset{\circ}{14}$ and — $\overset{\circ}{6}$.
- 4980 P.M. in A.R. somewhat overrated; in P.D. none: diff. from G. — $\overset{\circ}{0}.62$ and + $\overset{\circ}{0}.03$.
- 4983 Is not found.
- 5007 Comparison with B. increases the P.M. in A.R., and reverses that in P.D.; diff. — $\overset{\circ}{0}.64$ and — $\overset{\circ}{2}.1$.
- 5025 Is not found.
- 5040 Cluster of stars of 7 and 8 mag.; P.M. not confirmed; B. has but one observation; diff. + $\overset{\circ}{0}.23$ and — $\overset{\circ}{0}.8$.
- 5042 P.M. in A.R. overrated: in P.D. not confirmed; diff. from B. — $\overset{\circ}{0}.43$ and — $\overset{\circ}{1}.3$.
- 5045 Diff. from B. — $\overset{\circ}{1}.04$ and + $\overset{\circ}{4}.5$.
- 5049 The P.M. in A.R. is not confirmed; that in P.D. is nearly so.
- 5080 P.M. in A.R. not confirmed; in P.D. reversed; diff. from B. + $\overset{\circ}{0}.19$ and — $\overset{\circ}{3}.9$.
- 5081 P.M. in A.R. nearly confirmed; in P.D. not so; diff. from B. — $\overset{\circ}{0}.78$ and + $\overset{\circ}{1}.1$.
- 5101 P.M. in A.R. doubtful; that in P.D. is reversed; diff. from B. — $\overset{\circ}{0}.30$ and — $\overset{\circ}{5}.1$.
- 5106 Comparison with B. reverses the P.M. in A.R., and increases that in P.D.; diff. + $\overset{\circ}{0}.65$ and + $\overset{\circ}{3}.2$.
- 5111 A double star, components nearly equal. S. 673.
- 5114 The P.D. is in error $\overset{\circ}{5}$.
- 5117 The N.P.D. should be $114^{\circ}36'$. Taylor being right.
- 5137 The P.M. in A.R. is underrated, and in P.D. overrated: diff. from B. — $\overset{\circ}{0}.36$ and + $\overset{\circ}{4}.3$.
- 5162 Is not found.
- 5170 P.M. in A.R. (if any) has been overrated; that in P.D. is not confirmed; diff. from B. — $\overset{\circ}{0}.14$ and — $\overset{\circ}{0}.3$.

- No. 5174 The P.M. in A.R. is nearly confirmed; that in P.D. reversed; diff. from B. — 0.34 and — 2.9 ; but he has only one observation.
- 5179 There is probably little or no P.M.; B. has only one observation; diff. — 1.12 and + 2.7 .
- 5182 The same remark applies; diff. from B. — 1.26 and — 1.4 .
- 5183 The P.M. in A.R. has been overrated; that in P.D. is reversed; diff. from B. — 0.50 and + 2.6 .
- 5186 The P.M. in A.R. is nearly confirmed; that in P.D. reversed; diff. from B. — 1.13 and + 4.1 .
- 5193 The P.M. in A.R. (if any) has been overrated; that in P.D. is not confirmed; diff. from B. + 0.16 and — 1.2 .
- 5200 Comparison with Brisbane and Taylor gives nearly the same P.M. in A.R.; while the P.D. is intermediate between the two.
- 5202 P.M. in A.R. not confirmed; that in P.D. has been slightly overrated; diff. from B. + 0.07 and + 7.5 .
- 5209 P.M. not confirmed; diff. from B. + 0.02 and — 1.1 .
- 5213 P.M. reversed; diff. from B. + 0.37 and — 4.1 .
- 5217 } P.M. not confirmed.
5218 }
- 5225 The P.M. in A.R. has been underrated; that in P.D. is reversed. diff. from B. — 1.19 and — 3.0 .
- 5229 Probably no P.M.; diff. from B. + 0.37 and + 1.3 .
- 5231 P.M. in A.R. not confirmed; in P.D. reversed; diff. from B — 0.13 and — 4.9 .
- 5241 Is not found; probably a duplicate of 5247.
- 5247 P.M. in A.R. not confirmed.
- 5256 Comparison with B. reverses the P.M.; diff. — 0.72 and + 1.1 .
- 5261 P.M. in A.R. reversed; in P.D. confirmed; diff. + 0.81 and + 1.3 .
- 5263 P.M. not confirmed; diff. from B. + 0.08 and + 0.8 .
- 5288 Differs from L.C. + 4.6 and + 4.5 .
- 5300 A wide cluster of stars of 7 and 8 mag.; P. M. not confirmed; diff. from B. — 0.04 and — 0.2 ; B. and L.C. have probably observed different stars.
- 5301 P.M. perhaps underrated in A.R. and overrated in P.D.; but B. has only one observation diff. — 1.45 and + 3.4
- 5305 P.M. in A.R. exactly confirmed; that in P.D. (if any) reversed; diff. from B. + 0.43 and — 1.0 , but he has only one observation.
- 5308 The P.M. in A.R. has been underrated; that in P.D. is reversed; diff. from B. + 0.95 and + 3.8 .
- 5323 Comparison with B. reverses the P.M. (if any); but he has only one observation; diff. — 0.81 and — 1.7 .
- 5349 Not found; perhaps a duplicate of 5350.
- 5353 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. — 1.20 and + 0.1 ; L.C. is probably in error.
- 5370 P.M. in A.R. somewhat overrated, that in P.D. confirmed; diff. from B. + 0.30 and + 3.9 .
- 5372 B. has only one observation and his A.R. is probably in error. diff. + 3.51 and + 0.4 .
- 5389 Differs from L.C. + 6 in P.D.
- 5402 The P.M. in A.R. is not confirmed, and that in P.D. appears overrated; diff. from B. + 0.29 and + 2.8 .
- 5415 Not found; nearest star 6 mag. is in $16^h 6^m 59^s$ and $31^h 40^m 11^s$.
- 5424 P.M. reversed; diff. from B. + 1.03 and — 1.6 .
- 5454 The P.M. in A.R. is nearly confirmed; that in P.D. has been underrated; diff. from B. — 0.28 and — 3.9 .
- 5459 G. appears to have made an error of 1 in the P.D.
- 5470 Is a cluster of small stars, and B. and L.C. have probably taken different ones.
- 5482 Is not found.
- 5495 P.M. not confirmed; diff. from B. + 0.17 and + 1.8 .

- No. 5486 P.M. in A.R. not confirmed; in P.D. nearly so; diff. from B. $+ 0.09$ and $- 2.8$.
- 5487 Comparison with B. reverses the P.M. in A.R. and greatly increases that in P.D.; but he has only one observation.
- 5491 Not found.
- 5505 P.M. not confirmed: diff. from B. $- 0.06$ and $- 1.4$.
- 5524 Is not found.
- 5540 The P.M. in A.R. is not confirmed; the diff. from L.C. being only $- 0.76$: that in P.D. is overrated; diff. from B. $- 4.81$ and $+ 2.2$, but he has only one observation and has probably made a mistake of 5.
- 5543 The P.M. though small is nearly confirmed: diff. from B. $- 0.32$ and $+ 0.8$.
- 5564 Differs from L.C. $- 3.5$ and $- 9.4$.
- 5570 Differs from L.C. $+ 5.8$ and $+ 5.7$.
- 5612 Differs from L.C. $- 4.5$ and $- 123$.
- 5613 P.M. in P.D. (if any) reversed: diff. from B. $- 0.21$ and $- 2.4$.
- 5636 Comparison with B. increases the P.M. in A.R. and negatives that in P.D.; but he has only one observation; diff. $- 1.21$ and $- 0.2$.
- 5657 P.M. not confirmed: diff. from B. $- 0.03$ and $+ 0.5$.
- 5662 Not found.
- 5665 Not found. There is a star of 8 magnitude in $16^h 44^m 33^s$ and $120^\circ 29' 58''$.
- 5672 Not found.
- 5673 Two stars were observed, neither of which agrees well with Lacaille's place.
- 5685 Not found.
- 5699 P.M. in A.R. reversed; but B. has only one observation; that in P.D. not confirmed; diff. $- 1.36$ and $- 0.1$.
- 5707 Not found.
- 5715 The P.M. in A.R. is not confirmed, that in P.D. is nearly so, small as it is; diff. from B. $+ 0.19$ and $+ 0.66$.
- 5722 Differs from B $+ 3.87$ and $- 78.3$; but he has only one observation.
- 5725 }
5738 } Not found.
5741 }
- 5751 Comparison with B. reverses the P.M. (if any); diff. $- 0.34$ and $- 2.0$.
- 5754 The P.M. in A.R. is confirmed, that in P.D. appears somewhat overrated.
- 5764 The P.M. in A.R. has been overrated; that in P.D. is reversed; diff. from B. $- 0.25$ and $+ 2.6$.
- 5770 Is not found; it is perhaps a duplicate of 5772, the P.M. of which has been overrated.
- 5805 The P.M. in A.R. is reversed; that in P.D. has been overrated; diff. from B. $+ 0.60$. and $+ 3.8$, but he has only one observation.
- 5806 The P.M. in A.R. is doubtful, that in P. D. has been much overrated; diff. from B. $- 0.35$ and $+ 1.8$.
- 5812 }
5815 } The P.M. is not confirmed.
- 5816 Is not found; perhaps a duplicate of the preceding.
- 5819 Diff. from B. $- 6.20$ and $+ 3.1$; the large diff. in A.R. is unaccountable.
- 5825 The large P.M. in A.R. is almost exactly confirmed; that in P.D. has been overrated: diff. from B. $+ 2.79$ and $+ 2.9$.
- 5849 Not seen.
- 5859 The P.M. in A.R. is much overrated, that in P.D. is reversed; diff. from B. $- 0.27$ and $- 4.0$.
- 5870 The P.M. in A.R. is nearly confirmed; but not in P.D.; diff. from B. $- 0.38$ and $- 0.1$.
- 5872 The same remark applies; diff. from B. $- 0.38$ and $+ 0.5$.
- 5875 The P.M. is not confirmed: diff. from B. $+ 0.03$ and $+ 1.2$; but he has only one observation.

- No. 5879 Differs from L.C. by $-10''$ and $+4''$.
 5889 } P.M. not confirmed.
 5895 }
- 5897 The large P.M. in P.D. is not confirmed, the place agreeing very nearly with L.C.; B. has probably made a mistake of 1, he had but one observation: diff. from B. $-0.72''$ and $+58.9''$; from L.C. $-0.7''$ and $+9''$.
- 5898 Differs from L.C. $-66.0''$ and $+194''$.
- 5916 L.C. is probably in error; diff. $-8.0''$ and $+243''$.
- 5923 No star is found in the place assigned, but there are several stars of 8th magnitude in the neighbourhood.
- 5924 The P.M. (if any) is reversed; diff. from B. $+0.63''$ and $-1.4''$; but he has only one observation.
- 5928 Not found.
- 5938 Comparison with B. reverses the P.M. in A.R. and much reduces that in P.D.; but he has only one observation; diff. $+1.39''$ and $+1.4''$.
- 5965 The P.M. is reversed; diff. from B. $+0.98''$ and $-3.0''$.
- 5969 P.M. not confirmed.
- 5977 Differs from L.C. $+3.4''$ and $+8.8''$.
- 6000 The P.M. in A.R. is not confirmed; that in P.D. reversed; diff. from B. $-0.16''$ and $-12.3''$.
- 6011 Differs from L.C. $-6.7''$ and $-152''$.
- 6032 Differs from L.C. $-6.2''$ and $-140''$.
- 6055 P.M. not confirmed: diff. from B. $+0.22''$ and $0.0''$.
- 6090 P.M. in A.R. nearly confirmed; in P.D. reversed; diff. from B. $-0.21''$ and $-4.1''$.
- 6100 Comparison with B. negatives the P.M. in A.R. but doubles that in P.D.; diff. $+0.07''$ and $+3.0''$.
- 6132 A star 8 magnitude follows by about 1.
- 6136 Comparison with B. greatly reduces the P.M. in A.R. and reverses that in P.D.: diff. $-0.46''$ and $+2.9''$.
- 6148 Comparison with B. reverses the P.M.; diff. $+0.84''$ and $-0.9''$.
- 6163 A star 9 magnitude precedes by 6, and 6.N.
- 6165 There appears an error of 80 in Lalande's A.R.
- 6170 Comparison with B. reverses the P.M. in A.R.; and greatly reduces that in P.D.; diff. $+1.47''$ and $+1.7''$.
- 6173 Differs from L.C. $-7.4''$ and $+232''$.
- 6201 A wide cluster, no nebula seen.
- 6207 Comparison with B. reverses the P.M. but he has only one observation; diff. $+0.42''$ and $+3.1''$.
- 6212 Differs from L.C. $-7.6''$ and $-7.7''$.
- 6219 Differs from B. $+7.75''$ and $+1.0''$; but he has only one observation.
- 6288 The P.M. in A.R. appears underrated; that in P.D. is not confirmed.
- 6308 There appears to have been an error of 80 in the A.R.
- 6328 Comparison with B. increases the P.M. in A.R. and negatives that in P.D.; diff. $-0.92''$ and $+0.7''$.
- 6337 Comparison with B. reverses the P.M. in A.R. and negatives that in P.D.; diff. $-1.06''$ and $+0.1''$.
- 6374 Differs from L.C. $+2.4''$ and $+93''$.
- 6410 P.M. not confirmed; diff. from G. $+0.22''$ and $-1.7''$.
- 6425 Comparison with B. reverses the P.M. in A.R., and does not confirm that in P.D.; diff. $+1.09''$ and $+1.3''$.
- 6469 The P.M. in A.R. appears to have been underrated, and that in P.D. overrated.
- 6472 P.M. not confirmed: diff. from B. $+0.25''$ and $+0.1''$.
- 6481 Comparison with B. reverses the P.M. in A.R., and negatives that in P.D.; but he has only one observation: diff. $+0.74''$ and $+1.5''$.

- No. 6542 Is not found; nearest star 6 magnitude in $19^{\text{h}} 0^{\text{m}} 22.8^{\text{s}}$ and $65^{\circ} 58' 40.8''$.
- 6571 P.M. not confirmed. A star 7 magnitude, follows by 1.0 and 2.29^{N} .
- 6578 Lacaille's A.R. is 1^{m} wrong.
- 6579 This is a double star, H. and S. 290. The places of both are given. The pair appears to have a large P.M. but the exact amount cannot be assigned as it is not known which of the two was observed by G.
- 6725 Not seen.
- 6757 Comparison with B. somewhat reduces the P.M. in A.R. and negatives that in P.D.; but he has only one observation; diff. $+ 0.86$ and $- 1.8$.
- 6770 Not seen: nearest star $19^{\text{h}} 38^{\text{m}} 29^{\text{s}}$ and $118^{\circ} 51'$.
- 6775 Not found: there is a star of $6\frac{1}{2}$ mag. in $19^{\text{h}} 39^{\text{m}} 50^{\text{s}}$ and $119^{\circ} 9' 10''$, and one of $8\frac{1}{2}$ mag. in $19^{\text{h}} 39^{\text{m}} 19^{\text{s}}$ and $119^{\circ} 15' 58''$.
- 6813 Comparison with G. reverses (if any thing) the P.M. in A.R. and nearly confirms that in P.D.; diff. $- 0.30$ and $- 4.8$.
- 6835 This star is noted as double.
- 6855 P.M. not confirmed.
- 6898 } Not found.
6917 }
- 6941 P.M. not confirmed.
- 6945 Comparison with B. reverses the P.M. in A.R. and does not confirm that in P.D.; diff. $+ 0.88$ and $- 1.4$.
- 6954 P.M. in A.R. not confirmed; that in P.D. has been underrated.
- 6960 P.M. not confirmed.
- 6961 Comparison with B. increases the P.M.; diff. $+ 1.05$ and $+ 4.5$.
- 6984 Two nearly equal stars differing considerably from Lacaille's place.
- 6986 P.M. not confirmed; diff. from G. $- 0.13$ and $- 0.5$
- 6996 The P.M. in A.R. is not confirmed; that in P.D. though small is nearly confirmed; diff. from G. $- 0.28$ and $- 1.0$.
- 7006 P.M. not confirmed.
- 7037 Comparison with G. reverses the P.M. in P.D.
- 7056 The P.M. has been much overrated; diff. from B. $- 0.22$ and $+ 4.3$.
- 7074 The same remark applies; diff. from B. $- 0.43$ and $+ 3.4$.
- 7082 Comparison with B. increases the P.M. in A.R. and reverses that in P.D.; diff. $+ 1.05$ and $- 6.3$.
- 7095 The P.M. appears overrated.
- 7104 The P.M. is overrated in A.R., and underrated in P.D.
- 7142 The P.M. in A.R. appears underrated; that in P.D. is not confirmed.
- 7150 P.M. not confirmed.
- 7163 Rumker's A.R. must be 2^{m} in error.
- 7180 The P.D. differs $- 5' 40''$ from L.C. A star $8\frac{1}{2}$ magnitude precedes by $4'$ and $4' 20''$ N.
- 7203 Not found; probably a duplicate of 7210 with an error of 1^{m} .
- 7214 Not found; probably a duplicate of 7225 with an error of 1^{m} .
- 7259 Comparison with G. confirms the small P.M. in A.R.; diff. $+ 0.23$ and $- 2.1$.
- 7268 Lalande's A.R. appears to be erroneous.
- 7290 } P.M. not confirmed.
7295 }
- 7307 Comparison with B. reverses the P.M. in A.R.; and greatly reduces that in P.D.; + diff. $+ 2.39$ and $+ 2.5$.
- 7327 A star of $7\frac{1}{2}$ magnitude precedes by 11.7 and $8' 56''$ S.
- 7341 P.M. not confirmed.

- No. 7347 There is probably an error in L.C.; the nearest star differs $-9.8''$ and $+28.0''$ from his place.
- 7348 The P.M. in A.R. appears underrated; that in P.D. is not confirmed.
- 7417 A star $6\frac{1}{2}$ magnitude precedes by $114.9''$ and $26.3''$ S.
- 7457 A thin cluster of stars of 8th and 9th magnitude; B. and L.C. have observed different stars, and B. has probably observed different stars with the Transit and Mural.
- 7467 Is not found: no doubt it is identical with 7466.
- 7472 P.M. nearly confirmed.
- 7483 A star 7 magnitude precedes by $26.8''$ and $82''$ S.
- 7531 Comparison with B. reverses the P.M. in A.R., and negatives that in P.D.; diff. $+0.65''$ and $-0.3''$.
- 7532 Comparison with B. reverses the P.M.; diff. $+0.65''$ and $+10.1''$.
- 7564 Comparison with G. negatives the P.M. in A.R.; and reverses that in P.D.; diff. $-0.07''$ and $+3.2''$.
- 7576 Is not found; it is perhaps a duplicate of 7575 with an error of $2''$ in P.D.
- 7594 If there be no error in B. the large P.M. in A.R. must be increased, but that in P.D. is reversed; diff. $-4.69''$ and $+5.1''$.
- 7609 Comparison with B. reverses the P.M.; diff. $+0.91''$ and $-1.0''$.
- 7624 Comparison with B. reduces the P.M. in A.R. and reverses that in P.D.; but he has only one observation; diff. $-0.27''$ and $+1.7''$.
- 7631 G. has apparently made an error of $10''$ in A.R. The P.M. in P.D. is not confirmed; diff. $-10.18''$ and $-1.0''$.
Another star $6\frac{1}{2}$ magnitude precedes by $0.5''$ and $17.5''$ S.
- 7667 P.M. in A.R. doubtful; in P.D. not confirmed.
- 7699 Comparison with G. negatives the P.M. in A.R., but shews a large one in P.D.: it is noted as double; the companion 7 magnitude preceding about $1''$.
- 7717 The P.M. in A.R. is confirmed.
- 7734 The P.M. in A.R. is nearly confirmed, but not that in P.D.
- 7754 Comparison with G. confirms the P.M. nearly; diff. $+0.76''$ and $-7.5''$.
- 7760 Comparison with G. negatives the P.M. in A.R. but nearly confirms that in P.D.; diff. $-0.16''$ and $-3.6''$.
- 7769 Differs from L.C. $+5.0''$ and $+7.0''$.
- 7810 Another star follows by $0.93''$, nearly on the parallel; the pair form the double star H. and S. 848.
- 7834 The P.M. in A.R. is nearly confirmed, but not that in P.D.
- 7841 Comparison with B. reverses the P.M., diff. $+1.39''$ and $-2.2''$.
- 7876 The P.M. has been slightly overrated; diff. from G. $+0.83''$ and $-6.4''$.
- 7877 P.M. not confirmed.
- 7879 Comparison with G. considerably reduces the P.M.; diff. $+0.52''$ and $-3.4''$.
- 7953 P.M. not confirmed.
- 7956 The P.M. in A.R. (if any) is overrated, that in P.D. is not confirmed; diff. from B. $-0.14''$ and $+0.2''$.
- 7968 P.M. not confirmed.
- 8000 The P.M. appears underrated in A.R., and overrated in P.D.
- 8011 The A.R. agrees exactly with L.C. but differs $+2.09''$ from B. who may be in error, as he has but one observation with the Mural. The P.M. in P.D. is reversed; diff. from B. $-4.1''$.
- 8018 The P.M. is not confirmed.
- 8042 Is not found; nearest star 7 magnitude in $23^h 1^m 55.3^s$ and $154^\circ 0' 7''$.
- 8056 P.M. not confirmed.

- No. 8096 The P.M. in A.R. is perhaps overrated; that in P.D. is not confirmed.
- 8101 A star 9 magnitude precedes by $5''$ and $4.5''$ N.
- 8107 The P.M. is nearly confirmed; diff. from G. + $0.28''$ and + $9.9''$.
- 8140 P.M. in A.R. doubtful; that in P.D. is reversed: diff. from B. + $0.24''$ and — $4.2''$.
- 8147 The P.M. is nearly confirmed.
- 8158 The P.M. in P.D. is reversed; diff. from G. + $0.31''$ and — $2.1''$.
- 8164 Differs from L.C. — $12.5''$ and — $190''$. His place is probably erroneous.
- 8165 Comparison with B. greatly reduces (if any) the P.M. in A.R., and negatives that in P.D.; diff. — $0.21''$ and + $0.6''$.
- 8166 Comparison with B. reverses the P.M. in A.R. but nearly confirms that in P.D.; diff. + $0.61''$ and — $6.8''$.
- 8173 Comparison with G. reverses the P.M. in P.D.; diff. + $0.48''$ and — $2.8''$.
- 8176 Comparison with B. negatives the P.M. in A.R. and reverses that in P.D.; diff. + $0.12''$ and — $2.7''$.
- 8181 The P.M. appears underrated.
- 8207 Comparison with B. negatives the P.M. in A.R. and increases that in P.D.; diff. + $0.29''$ and — $7.4''$.
- 8226 Comparison with B. negatives the P.M. in A.R. and reverses that in P.D.; diff. + $0.24''$ and — $2.7''$.
- 8235 The P.M. in A.R. appears overrated; that in P.D. is not confirmed: the star is perhaps variable as the estimated magnitudes vary from $6\frac{1}{2}$ to 10.
- 8247 The P.M. is not confirmed.
- 8253 The P.M. in A.R. is nearly confirmed; that in P.D. is underrated; diff. from B. — $0.72''$ and — $6.7''$. A star $7\frac{1}{2}$ magnitude follows by $5.4''$ and $4''$ N.
- 8260 The P.M. in A.R. is not confirmed, the difference from L.C. being only + $1.3''$; that in P.D. is overrated. Rumker has probably made an error of $10''$.
- 8272 A star $7\frac{1}{2}$ magnitude follows by $6.4''$ and $3\frac{1}{2}''$ S.
- 8278 The P.M. is not confirmed; B. has only one observation, and has probably made an error of $5''$; diff. + $4.26''$ and + $0.4''$.
- 8294 The P.M. has been overrated in A.R.; and underrated in P.D.
- 8306 The P.M. appears rather underrated in A.R., and overrated in P.D.; diff. from L.C. + $1.1''$ and — $12.7''$.
- 8320 The P.M. is not confirmed.
- 8325 The P.M. is doubtful.
- 8340 P.M. not confirmed.
- 8347 The P.M. in P.D. has been overrated.
- 8371 The P.M. is not confirmed.

MEAN PLACES

OF

97 PRINCIPAL FIXED STARS,

FROM

OBSERVATIONS MADE AT THE MADRAS OBSERVATORY,

IN THE YEARS 1848—52,

REDUCED TO JANUARY 1ST, 1850.

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.					MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.						
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
α Cephei.....	18	21	14	59.44	59.30	59.78	19	28	2	56.95	56.38	55.58
	1			59.38			1			57.83		
	9			59.33			2			58.05		
	24			59.14			24			56.17		
	6			59.40			5			56.90		
η Draconis	—	16	21	—	57.70	58.29	—	28	8	—	42.77	42.39
	2			57.66			2			42.77		
	—			—			—			—		
	1			57.79			—			—		
	—			—			—			—		
α Cassiopeæ.	13	0	31	1.17	1.16	1.59	15	34	17	11.72	10.98	10.11
	1			1.43			1			9.54		
	35			1.11			33			10.29		
	50			1.09			36			11.52		
	31			0.98			15			10.58		
γ Ursæ Majoris....	36	11	45	54.75	54.70	55.07	37	35	28	15.75	15.96	16.71
	43			54.67			34			15.81		
	33			54.76			32			15.89		
	14			54.74			9			16.60		
	19			54.51			19			16.42		
β Draconis	8	17	27	2.48	2.36	2.73	9	37	35	8.45	8.71	8.20
	5			2.35			5			7.70		
	—			—			1			9.67		
	15			2.32			17			9.09		
	13			2.33			2			8.63		
θ Ursæ Majoris..	17	9	22	47.45	47.45	47.64	19	37	38	32.08	32.17	33.16
	20			47.40			20			32.63		
	14			47.47			15			31.48		
	5			47.68			5			31.77		
	5			47.35			6			32.94		
γ Draconis	17	17	53	7.19	7.05	7.46	17	38	28	29.16	29.49	29.30
	16			7.21			14			29.17		
	10			7.08			10			29.60		
	52			6.96			53			29.80		
	25			7.04			19			29.14		
η Ursæ Majoris	29	13	41	37.14	37.11	37.38	36	39	56	10.94	11.37	10.09
	35			37.10			36			11.19		
	12			37.16			13			11.73		
	23			37.08			16			11.49		
	21			37.08			20			12.13		
α Persei	36	3	13	38.10	38.03	38.38	34	40	40	39.76	39.58	39.19
	39			38.06			29			39.59		
	31			38.12			40			39.79		
	48			37.94			43			39.47		
	29			37.93			12			38.72		
ϵ Ursæ Majoris	47	8	48	54.50	54.50	54.69	48	41	22	24.72	24.77	24.44
	43			54.50			47			24.86		
	13			54.58			15			24.23		
	21			54.47			18			24.59		
	23			54.48			27			25.10		

MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.					MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.						
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Cata- logue, 1845.	No. of Observations	Observations in 1848-1852.		Mean.	Greenwich 12 yr. Cata- logue, 1845.	
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
α Aurigæ	29	5	5	36.75	36.72	36.98	28	44	9	39.91	39.55	39.60
	16			36.67			22			39.49		
	8			36.75			8			39.31		
	11			36.79			5			38.17		
	22			36.66			—			—		
α Cygni	37	20	36	18.94	18.82	19.15	40	45	15	12.90	12.75	12.29
	16			18.92			27			12.41		
	33			18.83			48			12.49		
	60			18.70			75			13.00		
	41			18.85			40			12.59		
12 Canum Venat.....	28	12	48	59.95	59.93	60.19	28	50	52	14.02	14.03	13.80
	31			59.90			30			14.01		
	26			59.96			23			13.92		
	6			59.98			2			14.63		
	21			59.89			26			14.21		
α Lyræ	27	18	31	51.41	51.30	51.58	30	51	21	11.87	11.73	10.90
	23			51.30			29			11.24		
	46			51.35			60			11.65		
	77			51.25			90			11.90		
	46			51.27			37			11.72		
61 ¹ Cygni.....	18	21	0	10.38	10.31	10.61	19	51	59	8.99	8.50	7.28
	11			10.34			12			8.24		
	14			10.25			14			8.20		
	15			10.25			19			8.27		
	8			10.30			10			8.72		
β Lyræ	13	18	44	32.33	32.31	32.52	14	56	48	30.99	30.45	30.35
	13			32.34			14			30.24		
	5			32.25			—			—		
	42			32.29			37			30.34		
	18			32.36			9			30.39		
α^2 Geminorum.....	59	7	25	1.07	1.06	1.31	58	57	47	17.41	17.28	16.79
	53			1.09			59			17.30		
	56			1.08			58			17.07		
	46			1.04			46			17.20		
	63			1.04			46			17.39		
ζ Cygni	19	21	6	33.04	33.02	33.25	19	60	23	10.27	9.58	9.34
	12			33.02			12			8.96		
	29			32.93			27			9.38		
	28			33.04			26			9.64		
	18			33.11			14			9.46		
β Tauri	59	5	16	48.54	48.58	48.81	62	61	31	29.03	28.85	29.65
	37			48.55			41			28.81		
	38			48.64			34			28.35		
	66			48.57			47			28.99		
	42			48.62			14			28.87		
β Geminorum	63	7	36	7.55	7.61	7.82	58	61	36	58.86	58.71	58.90
	57			7.58			65			58.85		
	68			7.63			70			58.67		
	64			7.62			52			58.67		
	96			7.63			65			58.52		

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
α Andromedæ.....	11	0	0	38.43	38.42	38.59	10	61	44	15.83	15.56	16.51
	28			38.41			26			15.64		
	47			38.38			53			15.43		
	60			38.42			34			15.55		
	54			38.45			20			15.66		
δ Bootis.....	25	14	38	25.91	25.95	26.16	22	62	17	26.93	26.73	27.35
	26			25.90			27			26.40		
	26			25.95			23			26.76		
	18			26.01			10			27.20		
	25			26.00			16			26.65		
α Cor. Bor.....	24	15	28	20.00	20.04	20.29	22	62	46	38.83	38.44	39.05
	26			20.03			27			37.82		
	36			20.07			29			38.71		
	52			20.03			46			38.52		
	35			20.06			28			38.34		
δ Leonis.....	54	9	37	19.43	19.50	19.71	51	65	32	15.22	15.09	16.36
	49			19.47			46			14.78		
	36			19.55			36			15.10		
	26			19.54			11			15.22		
	42			19.57			31			15.27		
η Tauri.....	38	3	38	34.40	34.42	34.56	35	66	21	45.93	45.98	46.94
	26			34.41			29			45.74		
	32			34.46			32			46.02		
	47			34.39			42			46.21		
	34			34.47			12			45.56		
α Arietis.....	40	1	58	43.45	43.49	43.69	34	67	14	57.54	57.28	58.08
	27			43.42			27			57.55		
	39			43.49			34			57.28		
	57			43.51			29			57.06		
	40			43.57			20			56.81		
μ Geminorum.....	53	6	13	52.93	52.93	53.15	56	67	24	52.70	52.64	53.23
	48			52.91			54			52.61		
	32			52.89			38			52.58		
	54			52.95			43			53.04		
	14			52.95			21			51.86		
δ Geminorum.....	54	7	11	9.43	9.47	9.69	50	67	44	47.18	47.00	47.52
	39			9.41			43			46.85		
	27			9.48			27			47.44		
	43			9.50			38			46.64		
	48			9.51			38			47.00		
δ Leonis.....	47	11	6	7.25	7.31	7.47	45	68	39	18.05	18.08	19.36
	45			7.27			39			18.19		
	34			7.34			29			17.74		
	12			7.36			4			18.35		
	33			7.39			23			18.35		
α Bootis.....	35	14	8	49.00	49.08	49.27	34	70	2	4.36	4.14	4.00
	52			49.05			62			3.75		
	41			49.10			45			4.15		
	55			49.11			50			4.19		
	45			49.14			37			4.51		

MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean	Greenwich 12 yr Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
η Bootis	33 33 10 28 25	13	47	32.31 32.34 32.38 32.53 32.46	32.40	32.55	30 37 10 17 22	70	50	54.37 53.73 54.02 54.03 54.34	54.08	54.32
α Tauri.....	59 52 65 64 61	4	27	18.97 18.98 19.00 18.97 19.02	18.99	19.14	64 58 62 55 35	73	47	48.50 48.32 48.49 48.37 48.89	48.48	49.46
β Leonis.. ..	39 53 43 23 40	11	41	24.16 24.12 24.21 24.31 24.27	24.20	24.29	43 59 39 9 29	74	35	22.09 21.69 22.35 22.43 21.91	22.00	22.46
α Herculis	12 22 38 55 38	17	7	48.42 48.42 48.41 48.42 48.54	48.45	48.54	14 23 27 39 15	75	26	4.71 4.02 4.07 4.81 4.21	4.40	4.64
α Pegasi	16 10 45 49 21	22	57	17.40 17.42 17.46 17.47 17.48	17.46	17.52	17 9 34 26 7	75	36	1.60 1.17 1.05 1.24 0.84	1.20	3.12
γ Pegasi	13 11 24 54 44	0	5	30.84 30.91 30.89 30.96 31.01	30.95	31.00	11 15 20 26 6	75	39	0.63 0.38 0.43 0.47 0.86	0.50	2.02
ϵ Aquilæ.....	14 6 15 44 16	18	58	30.88 30.80 30.86 30.84 30.90	30.86	30.91	15 8 12 28 11	76	21	20.34 19.69 20.03 20.26 19.96	20.10	19.89
α Leonis	63 66 29 39 61	10	0	22.58 22.61 22.67 22.73 22.76	22.66	22.74	58 59 30 17 53	77	18	5.51 5.11 5.03 5.40 5.21	5.25	6.85
α Ophiuchi.....	10 13 42 55 30	17	27	58.24 58.23 58.26 58.33 58.31	58.29	58.37	16 12 32 43 26	77	19	35.18 34.50 34.75 34.57 34.77	34.75	35.88
γ Aquilæ.....	15 8 39 79 49	19	39	7.60 7.57 7.59 7.60 7.57	7.59	7.69	17 7 22 62 25	79	44	54.99 54.12 54.94 54.28 53.98	54.43	54.50

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850					MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.						
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>i</i>	<i>"</i>	<i>"</i>	<i>"</i>
ζ Pegasi.....	19	22	33	58.86	58.88	58.90	18	79	57	0.80	0.52	0.53
	15			58.88			15			0.40		
	20			58.90			17			0.34		
	16			58.87			3			1.04		
	16			58.87			8			0.26		
σ Pegasi.....	20	21	36	49.06	49.05	49.12	22	80	48	37.95	37.46	35.99
	11			49.13			12			37.21		
	22			49.07			21			37.08		
	24			49.05			18			37.62		
	20			48.99			16			37.29		
α Aquilæ.....	40	19	43	27.83	27.79	27.81	43	81	31	26.50	26.28	26.30
	22			27.75			26			26.03		
	47			27.81			47			26.26		
	110			27.77			110			26.25		
	58			27.79			20			26.30		
α Orionis.....	63	5	47	3.05	3.06	3.15	60	82	37	31.11	31.25	32.78
	49			3.04			52			30.94		
	54			3.08			60			31.20		
	79			3.11			59			31.79		
	63			3.02			88			31.14		
σ Hydræ.....	46	8	38	49.72	49.75	49.79	51	83	2	1.96	2.38	3.68
	44			49.73			42			2.48		
	33			49.81			34			2.40		
	24			49.73			23			2.72		
	31			49.77			34			2.61		
α Serpentis.....	23	15	36	52.85	52.88	52.96	19	88	5	55.70	55.37	55.75
	22			52.87			17			55.35		
	28			52.92			27			55.07		
	40			52.90			33			55.52		
	37			52.87			28			55.25		
β Aquilæ.....	14	19	47	56.64	56.68	56.68	15	83	57	50.88	50.50	51.30
	5			56.62			6			50.25		
	9			56.59			3			50.37		
	59			56.71			44			50.55		
	19			56.70			12			49.98		
α Canis Minoris.....	67	7	31	26.87	26.89	26.85	66	84	23	39.03	39.05	39.36
	51			26.87			58			39.42		
	59			26.89			55			38.93		
	69			26.90			55			39.07		
	97			26.91			72			38.85		
ϵ Piscium.....	6	23	32	14.08	14.18	14.37	7	85	11	10.11	9.13	10.66
	20			14.15			20			9.30		
	25			14.27			21			8.81		
	20			14.16			13			9.33		
	24			14.16			19			8.81		
α Ceti.....	42	2	54	26.59	26.60	26.58	35	86	30	6.34	5.85	7.56
	23			26.63			23			6.03		
	26			26.63			23			6.09		
	63			26.61			47			5.56		
	42			26.58			22			5.22		

MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr Catalogue, 1845.	No. of Observations	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
δ Aquilæ.....	16	19	17	56.16	56.10	56.09	17	87	10	47.92	47.72	48.28
	11			56.12			11			47.19		
	9			56.06			11			47.39		
	47			56.06			46			47.92		
	17			56.16			8			47.29		
γ Ceti.....	33	2	35	31.93	32.01	31.94	24	87	23	55.93	56.02	57.87
	15			32.01			26			56.09		
	24			32.03			25			56.31		
	52			32.06			29			55.63		
	23			31.99			10			56.36		
δ Orionis.....	28	5	24	20.77	20.75	20.72	30	90	24	52.42	51.76	53.10
	25			20.73			24			51.82		
	20			20.75			19			51.62		
	46			20.75			33			51.43		
	38			20.75			11			51.07		
α Aquarii.....	12	21	58	4.73	4.73	4.67	12	91	2	45.69	45.88	47.12
	15			4.72			15			45.67		
	39			4.73			25			45.85		
	24			4.77			9			46.51		
	21			4.72			11			45.91		
ϵ Orionis.....	27	5	28	36.29	36.30	36.25	30	91	18	6.71	6.19	8.24
	14			36.26			15			5.96		
	18			36.33			20			5.99		
	41			36.30			32			6.19		
	40			36.31			12			6.08		
δ Ophiuchi.....	14	16	6	29.32	29.34	29.35	13	93	18	14.04	13.83	14.32
	10			29.34			11			13.65		
	19			29.34			16			13.51		
	25			29.36			22			14.28		
	7			29.34			6			13.37		
β Aquarii.....	11	21	23	39.75	39.71	39.53	11	96	13	41.73	41.45	41.60
	1			39.77			2			41.34		
	27			39.70			21			41.62		
	17			39.64			18			41.45		
	18			39.75			12			40.94		
α Hydræ.....	34	9	20	13.12	13.17	12.97	31	98	0	38.48	38.45	40.28
	33			13.12			38			38.13		
	22			13.21			22			38.32		
	36			13.15			13			38.45		
	37			13.27			30			38.92		
γ Orionis.....	25	5	7	20.00	20.02	19.88	28	98	22	43.70	43.54	44.91
	34			20.07			33			43.45		
	40			20.04			39			43.67		
	66			20.01			59			43.36		
	35			19.96			21			43.70		
β Libræ.....	22	15	8	56.56	56.58	56.49	17	98	49	32.99	31.95	33.17
	21			56.60			20			31.99		
	21			56.49			15			32.05		
	23			56.66			20			31.31		
	15			56.60			10			31.24		

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.					MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.						
	No of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
θ^1 Ceti.....	23	1	16	31.75	31.74	31.60	23	98	57	32.52	31.49	32.48
	23			31.70			27			30.94		
	23			31.77			23			31.25		
	26			31.74			21			31.38		
	11			31.74			9			31.36		
α Virginis.....	37	13	17	17.97	17.94	17.80	33	100	22	35.01	34.50	36.28
	45			17.91			50			34.19		
	30			17.92			42			34.63		
	32			17.99			30			34.34		
	28			17.91			35			34.46		
α^2 Capricorni.....	13	20	9	43.91	43.87	43.71	12	103	0	20.86	20.06	20.58
	—			—			2			20.68		
	19			43.83			19			19.70		
	25			43.89			20			19.70		
	9			43.83			8			20.42		
γ^1 Eridani.....	44	3	51	2.18	2.20	1.91	40	103	56	18.59	18.74	19.76
	24			2.22			26			18.55		
	34			2.24			38			18.93		
	34			2.20			40			18.85		
	9			2.12			2			18.66		
δ Hyd. et Crat.....	48	11	11	50.88	50.92	50.66	46	103	58	1.75	1.83	3.04
	47			50.90			36			1.79		
	30			50.93			28			2.05		
	11			50.95			2			2.41		
	27			51.01			24			1.73		
α^3 Libræ.....	30	14	42	35.48	35.47	35.32	23	105	24	54.92	54.17	54.21
	23			35.47			22			54.19		
	12			35.42			11			54.11		
	22			35.47			12			53.97		
	15			35.47			15			53.19		
α Canis Majoris.....	72	6	38	32.57	32.50	32.43	70	106	30	49.16	48.71	49.47
	69			32.50			79			48.75		
	70			32.53			83			48.67		
	80			32.45			63			48.80		
	47			32.44			47			48.16		
α Leporis.....	25	5	26	7.11	7.12	6.98	24	107	55	60.17	60.00	60.66
	18			7.14			23			59.85		
	11			7.17			10			60.39		
	12			7.08			12			60.01		
	4			7.00			3			59.39		
β Ceti.....	17	0	36	3.62	3.68	3.44	19	108	48	38.05	37.83	38.77
	11			3.54			12			37.58		
	37			3.75			35			37.71		
	35			3.64			22			37.99		
	30			3.72			14			37.77		
β^1 Scorpii.....	15	15	56	43.42	43.42	43.35	12	109	23	25.96	25.00	24.93
	9			43.49			10			25.51		
	24			43.47			16			24.92		
	37			43.38			31			24.54		
	11			43.40			7			24.85		

MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.			
	No. of Observations.	Observations in 1848-1852.	Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.	Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h. m. s.</i>	<i>s.</i>	<i>s.</i>		<i>° ' "</i>	<i>"</i>	<i>"</i>
μ^1 Sagittarii.....	19 8 17 28 7	18 4 47 85 47 84 47 79 47 67 47 80	47 77	47 62	22 7 15 26 8	111 5 33 59 32 55 32 52 32 33 32 14	32 72	33 35
β Corvi.....	27 36 36 11 17	12 26 31 14 31 17 31 19 31 26 31 17	31 18	31 00	26 29 37 3 27	112 33 58 36 58 20 58 52 59 01 57 70	58 24	59 84
15 Argus.....	54 51 21 34 34	8 1 9 65 9 59 9 69 9 60 9 65	9 63	9 43	51 56 24 32 29	113 52 29 99 29 28 29 73 29 26 28 58	29 33	29 94
α Scorpii.....	18 28 47 57 46	16 20 13 18 13 27 13 17 13 13 13 12	13 16	13 09	17 24 46 54 28	116 5 38 73 37 52 37 55 36 83 37 49	37 74	38 88
ϵ Canis Majoris.....	40 50 37 66 55	6 52 44 09 44 09 44 10 44 09 44 03	44 08	43 92	39 57 39 50 48	118 46 16 31 15 83 15 97 15 66 14 94	15 71	16 95
α Piscis Aust.....	17 2 34 55 25	22 49 21 34 21 35 21 37 21 29 21 34	21 33	21 09	16 5 37 39 13	120 24 56 21 56 40 56 20 55 84 56 12	56 07	56 76
α Columbæ.....	53 34 35 44 23	5 34 13 56 13 39 13 38 13 31 13 30	13 40	13 13	54 37 37 35 4	124 9 24 87 25 51 25 06 25 22 24 39	25 12	27 27
α Gruis.....	10 1 1 5	21 58 45 70 45 91 45 78 45 46	45 65	45 36*	9 5 1 5 1	137 41 4 76 4 65 3 43 3 03 3 48	4 19	3 20*
α Argus.....	20 15 2 30 15	6 20 37 65 37 69 37 67 37 41 37 53	37 55	37 48	29 15 5 9 5	142 36 56 54 55 06 55 48 54 99 53 86	55 67	55 63
α Pavonis.....	7 2 4 11 5	20 13 45 18 45 35 44 87 45 05 45 03	45 08	45 16	7 2 1 12 7	147 12 35 33 35 38 34 27 33 94 34 96	34 63	35 18

* The places of this and the following Stars, are taken from the Nautical Almanac for 1850.

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.					MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.						
	No. of Observations.	Observations in 1848-1852.			Mean.	Nautical Almanac.	No. of Observations.	Observations in 1848-1852.			Mean.	Nautical Almanac.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
α Eridani.....	27	1	32	7.43	7.50	7.30	28	147	59	59.92	59.92	60.17
	10			7.76			3			59.73		
	14			7.75			18			60.25		
	45			7.43			24			59.78		
	24			7.47			14			59.75		
ϵ Argus.....	44	9	13	4.84	4.79	4.51	44	148	38	49.74	49.38	48.80
	36			4.81			40			49.05		
	32			4.87			35			49.32		
	27			4.55			15			48.84		
	23			4.83			23			49.70		
η Argus.....	40	10	39	15.55	15.51	15.22	36	148	53	48.51	48.20	47.87
	58			15.56			47			47.85		
	20			15.45			20			48.08		
	17			15.27			6			49.79		
	42			15.53			33			48.15		
β Centauri.....	27	13	53	17.53	17.46	17.20	23	149	38	45.20	44.37	45.69
	30			17.58			32			44.34		
	10			17.43			9			44.24		
	21			17.27			17			43.78		
	15			17.39			13			43.86		
α^2 Centauri.....	21	14	29	27.87	27.62	27.78	16	150	12	43.81	43.80	37.85
	35			27.87			29			43.61		
	24			27.58			29			43.74		
	42			27.41			29			43.15		
	20			27.39			12			45.70		
α^1 Crucis.....	28	12	18	17.98	17.91	17.54	27	152	15	61.33	61.02	59.44
	37			18.08			29			60.98		
	36			17.90			28			59.93		
	13			17.50			6			61.74		
	25			17.82			21			61.91		
α Trianguli Aust.....	3	16	32	50.16	50.24	50.11	4	158	44	32.27	33.89	35.28
	8			50.32			9			34.73		
	—			—			—			—		
	2			50.05			2			33.36		
	—			—			—			—		

OBSERVATIONS
OF
144 DOUBLE OR MULTIPLE STARS,
MADE AT THE
MADRAS OBSERVATORY,
WITH THE
LEREBOURS EQUATORIAL,
IN
1850—52.

N. B.—The references in the column of Synonyms are as follow:—S refers to the Observations by Sir J. South, and H & S to those by Herschel and South, published in the Phil. Trans. for 1824 and 26; B to the Brisbane Catalogue of Southern Stars; Δ to Dunlop's Catalogue of 253 double Stars, Mem. Ast. Soc. Vol III., h to the various Catalogues of Observations by Sir J. Herschel published in Mem. Ast. Soc., and in his "Results of Observations at the Cape of Good Hope," Σ to the second or great Dorpat Catalogue; j to the Poona Catalogue, published in 17th Vol. Mem. Ast. Soc. In the columns of weights and magnitudes an accent signifies an additional half.

DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
1	h 1957	h. m. 0 14	° ' 113 50	° ' 21 37	3	5	200	" 6.24	2	6	200	7'—9'	1850.970	Both yellowish.
2	—	—	—	20 14	3	5	123	6.01	2	6	123	—	— .984	
3	β Tucani	25	153 47	171 10	4	5	123	27.32	2'	6	123	5—5	1850.957	Both white.
4	—	—	—	171 20	4	5	200	27.33	2	6	200	—	— .960	
5	h 3375	26.4	125 48	165 21	6	5	200	6.11	3'	6	200	7—9	1850.951	A yellow, B bluish.
6	—	—	—	165 42	4'	5	—	6.31	2'	6	—	—	— .957	
7	γ Cassiopeæ	40	32 59	103 59	6'	6	200	8.36	5	*12	200	4—9	1850.617	A yellow, B purple.
8	—	—	—	104 27	5'	5	—	7.85	3	6	—	—	— .637	
9	—	—	—	105 29	6	5	—	8.15	2'	6	—	—	— .957	
10	—	—	—	106 50	5'	5	123	8.30	2'	6	123	—	1851.091	
11	—	—	—	107 10	6	5	—	8.05	3	6	—	—	— .096	
12	—	—	—	104 50	4	5	200	8.20	2'	6	200	—	— .738	
13	—	—	—	107 18	6	5	—	8.04	3'	6	—	—	— .899	
14	—	—	—	106 33	5'	5	—	7.95	4	6	—	—	— .980	
15	j 6	50	109 49	239 18	2	5	200	3.09	1'	6	200	8'—10'	1850.984	Nearly equal.
16	—	—	—	239 42	2'	5	—	3.37	1	6	—	—	1851.000	
17	S 390	51	106 28	34 14	4'	5	200	6.36	2'	6	200	7'—7'	1850.960	
18	—	—	—	35 41	4'	5	—	6.37	3	6	—	—	1851.000	
19	S 391	52	90 0	305 45	3'	5	200	18.69	2	6	200	8—10	1851.732	
20	—	—	—	306 2	5	5	—	19.06	2	6	—	—	— .815	
21	S 392	57	96 16	166 43	4	5	123	11.96	2'	6	123	8'—9	1851.104	
22	—	—	—	166 55	3	5	—	11.67	2	6	—	—	— .124	
23	h 3416	57	150 54	130 29	3'	5	200	4.68	2	6	200	8'—8'	1850.970	A white, B blue.
24	—	—	—	127 32	3	5	—	4.79	2	6	—	8—8	— .984	
25	ζ Phœnicis	1 2	146 4	242 15	3	5	200	6.21	2'	6	200	5'—9'	1851.000	
26	—	—	—	242 14	3	5	123	6.60	2'	6	123	—	— .003	
27	S 396	6	98 25	339 47	3	5	123	20.81	1'	6	123	7—10'	1851.005	
28	—	—	—	338 54	3	5	—	21.20	1'	6	—	—	— .025	
29	h 2036	12	106 36	40 0	3'	5	200	1.82	1'	6	200	7—7'	1851.828	
30	—	—	—	41 19	3'	5	—	1.95	2	6	—	—	— .973	
31	h 3447	29	120 43	82 29	3	5	200	2.41	2'	6	200	5'—7'	1851.025	A white, B blue.
32	—	—	—	82 33	3'	5	—	2.84	2	6	—	—	— .033	
33	p Eridani	34	146 58	268 44	3	5	200	4.29	2'	6	200	6'—6'	1850.637	Heavy dew.
34	—	—	—	267 38	3	5	—	4.16	2'	6	—	—	— .651	
35	—	—	—	269 59	2'	5	—	4.27	2'	6	—	—	— .826	
36	—	—	—	268 45	5'	5	—	4.48	4	6	—	—	— .951	
37	—	—	—	266 23	4'	5	—	4.30	3	6	—	—	1851.792	
38	h 3475	1 51	151 4	45 17	2	3	200	2.5	estimated.			7—7'	1851.025	Both yellow.
39	—	—	—	42 5	2'	4	—	—	—	—	—	7'—8	— .033	
40	H & S 24 ?	53	113 40	124 28	6	6	123	7.83	3	6	123	7—7	1851.044	
41	—	—	—	123 54	4	5	—	7.79	3	6	—	—	— .063	
42	α Piscium	54.3	87 58	329 26	4	5	200	3.61	2'	6	200	5'—5'	1850.957	

4 Stars flaring.

7 Definition excellent—Wind Light S.W.

15 Difficult, B seen only by fits—sky hazy.

17 Position may be 214°.

24 Stars crawling.

38 Stars moulding.

39 Crawling and faint.

* Distance measured by repetition.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
43	α Piscium	h. m. 1 54.3	° ' 87 58	° ' 329 32	4	5	200	" 3.81	2'	6	200	5'—5'	1850-960	
44	<i>Continued</i>	—	—	329 22	6	6	—	3.57	3	6	—	—	— 967	
45	—	—	—	329 7	4'	5	—	3.43	3'	6	—	5'—6	1851-732	
46	—	—	—	329 20	4	5	—	3.55	3	6	—	—	— 793	
47	j 21 AB	2 7	123 0	281 23	3	5	123	6.16	2	6	123	7—10'	1851-044	A orange, B blue.
48	—	—	—	279 59	3	5	—	6.23	2	6	—	—	— 071	
49	AC	—	—	182 22	3	2	—	180	estimated.		—	7—	1851-071	
50	S 412	19	106 3	293 8	4'	5	123	11.67	2	6	123	6—10	1851-101	
51	—	—	—	292 19	3	5	200	11.11	2	6	200	—	— 104	
52	h 3504	23	121 3	269 22	3'	5	123	6.42	2'	6	123	7'—8	1851-074	
53	—	—	—	269 5	3'	5	200	5.87	2	6	200	8'—9	— 080	
54	h 3527	37	131 9	45 48	3	5	200	1.6	estimated.		—	7'—7'	1851-033	Nearly equal.
55	—	—	—	44 13	3	5	—	1.4	estimated.		—	—	— 044	
56	δ 8	51	115 35	220 57	6	5	200	27.43	2	6	200	7'—7'	1851-033	
57	—	—	—	221 59	4'	5	—	27.97	2	4	—	7—7'	— 044	
58	θ Eridani	52	130 52	81 40	3	3	200	8.20	3'	6	200	3—4	1851-722	
59	—	—	—	81 13	4	4	—	8.16	3	6	—	—	— 724	
60	—	—	—	—	—	—	—	8.00	3'	6	—	—	— 725	
61	—	—	—	81 42	2	2	200	7.87	3'	6	—	—	— 740	} Day light.
62	—	—	—	83 22	3	3	—	8.11	3	6	—	—	— 751	
63	—	—	—	82 46	4'	5	—	8.40	3'	6	—	3'—4'	— 793	Both yellow.
64	—	—	—	83 5	4'	5	—	8.08	2'	6	—	—	— 815	
65	12 Eridani	3 6	119 35	310 3	3	5	200	3.35	3	6	200	4'—7	1851-080	
66	—	—	—	307 1	4	5	—	3.46	2	6	—	—	— 096	
67	h 3556	7	134 59	232 56	3	5	200	2.48	1'	6	200	6—10	1851-101	A white, B reddish.
68	—	—	—	228 49	3	5	123	2.40	1'	6	123	—	— 115	
69	—	—	—	229 22	2	3	200	—	—	—	—	—	— 115	
70	S 431	29	89 54	236 25	4	5	123	6.06	2'	6	123	6'—8'	1851-041	
71	—	—	—	238 43	4	5	—	6.40	1'	6	—	6—8'	— 071	
72	h 3596	43	122 15	135 47	4	5	123	8.63	2'	6	123	8—8	1851-044	
73	—	—	—	136 29	5	5	—	8.62	3	6	—	—	— 074	
74	32 Eridani	46	93 20	347 56	4'	5	123	6.83	2'	6	123	6—7	1851-041	
75	—	—	—	347 4	4	5	200	6.69	3	6	200	—	— 080	
76	h 3622	59	126 17	112 3	3'	5	123	9.87	2	6	123	9—10	1851-115	
77	—	—	—	111 44	3	5	—	9.62	1'	6	—	—	— 124	
78	h 3632	4 9	120 28	165 22	3	5	123	10.90	2'	6	123	7'—10	1850-998	A white, B blue.
79	—	—	—	163 2	3	5	—	10.62	2	6	—	—	1851-000	
80	—	—	—	165 9	3	5	—	10.41	2'	6	—	7—10'	— 074	
81	h 3634	11	135 1	329 35	1'	5	123	10	estimated.		—	10—10'	1851-151	
82	—	—	—	331 0	3	5	—	11.20	2	6	123	—	— 157	

43 Taken with diagonal prism.

54 Barely separated.

55 In contact.

56 Sky hazy.

58 Definition excellent.

68 B. seen plainly with 123, but, with 200, only by glimpses.

78 Rather difficult, B. being frequently obscured by light clouds.

81 The stars will not bear illumination; the observation was taken on the thick wire.

82 Tolerably distinct, the full aperture being used.

DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0	N.P.D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes	Data.	REMARKS.
83	h 3642	<i>h. m.</i> 4 14	<i>° ' "</i> 124 16	<i>° ' "</i> 160 47	4	5	200	6.06	3	6	200	6—9'	1851.083	
84	—	—	—	158 30	2'	5	—	5.86	2	6	—	—	— .101	
85	♂ Tauri	20	74 22	166 2	2'	3	200	839.32*	1'	4	200	5—5'	1851.722	
86	—	—	—	— 7	2	2	—	838.23*	2	4	—	—	— .722	Day light.
87	—	—	—	— 6	4	3	—	338.78	2'	5	—	—	— .725	
88	—	—	—	— 4	3'	3	123	338.69	2	4	123	—	— .739	Day light.
89	—	21.3	147 25	231 38	4'	5	123	6.59	3	6	123	6—6'	1851.074	
90	—	—	—	231 25	4'	5	—	6.51	3	6	—	6'—7'	— .083	
91	♂ 570	28	100 4	258 59	5	5	200	13.05	2	6	200	6'—7'	1851.101	Both white.
92	—	—	—	259 16	6	5	123	12.89	2'	6	123	6—6'	— .121	
93	—	—	—	259 12	4	5	—	13.17	2	6	—	—	— .124	
94	55 Eridani	36.4	99 5	316 28	5	5	200	9.22	4	6	200	6—6	1851.121	Both white, nearly equal.
95	—	—	—	316 6	4'	5	—	9.10	3	6	—	—	— .143	
96	B. A. C. 1573	59	125 41	315 40	3'	5	—	3.08	1'	6	200	5—9	1850.998	
97	—	—	—	315 17	3	5	—	3.22	1'	6	—	—	1851.001	
98	h 3745	5 13	124 11	166 3	3'	5	200	13.22	2	6	123	7—10'	1851.033	
99	—	—	—	168 0	2'	5	123	13.62	1	4	—	7'—11	— .080	
100	h 3752 AB	16	114 55	107 43	3	5	200	3.11	2	6	200	6—8	1851.074	
101	—	—	—	107 29	4'	5	—	2.85	2	6	—	—	— .083	
102	— AC	—	—	106 0	2	2	—	60. estimated.				6—9	1851.074	
103	—	—	—	105 58	2	2	—	59.31	1	2	200	—	— .083	
104	h 3760	21	125 30	221 51	3	5	200	7.50	2'	6	200	8—8'	1851.102	
105	—	—	—	220 6	3	5	—	7.50	2	6	—	8'—9	— .143	Hazy.
106	♂ Orionis	27	80 10	42 26	4	5	200	4.80	2	6	200	4'—7	1851.042	
107	—	—	—	42 34	3	5	—	4.56	2'	6	—	—	— .104	
108	h 3777	30.8	145 1	349 10	3	5	123	50.56	2	6	123	6'—12	1851.162	
109	—	—	—	349 59	3	5	—	50.43	2	6	—	—	— .170	
110	np. σ Orionis	31	92 40	267 18	5	5	200	8.59	2	6	200	8—8	1851.170	
111	—	—	—	268 10	4	5	123	8.02	2	6	123	—	— .173	
112	ζ Orionis	33	92 2	152 4	4'	5	200	2.90	2	6	200	2—7	1851.178	
113	—	—	—	152 14	3'	5	—	2.38	2	6	—	—	— .187	
114	h 3789	35.5	140 14	1 39	4	5	123	9.11	3'	6	123	7'—8	1851.034	
115	—	—	—	359 42	3	5	200	8.74	3	6	200	8—9	— .083	
116	S 497	38	94 19	89 7	3'	5	200	7.23	2'	6	200	6'—9'	1851.195	A yellow, B blue.
117	—	—	—	87 2	3	5	—	6.96	2	6	—	—	— .197	
118	S 499	40	83 36	199 38	3	5	200	1.5 estimated.				6'—6'	1851.039	Both orange.
119	—	—	—	202 18	4	5	—	1.78	1	4	200	—	— .042	
120	S 504	52	110 10	255 0	3	5	200	3.48	1'	6	200	9'—9'	1851.156	
121	—	—	—	253 11	3'	5	—	3.67	2	6	—	9—9	— .186	
122	—	—	—	252 56	3	5	—	—	—	—	—	—	— .192	

85 *Observed diff. decn. 329"24.

86 *Observed diff. decn. 328"18.

99 B. seen by glimpses.

108 Taken with full aperture; will scarcely bear illumination.

110 This is the pair marked D.E. in Smith's Cycle.

112 Taken with triangular aperture.

113 do. do.

118 Barely divided, nearly equal.

120 Taken with full aperture; blazy.

121 Triangular aperture.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS
123	h 3823	h. m. 5 55	o ' 121 4	o ' 130 26	3	5	200	" 4.13	2	6	200	8'—8'	1851.102	Both yellow.
124	—	—	—	130 38	3	5	—	3.82	1'	4	—	8—8	— .151	
125	Δ 23	6 1	138 28	352 5	3	5	200	2.51	1'	6	200	7—7'	1851.080	
126	—	—	—	354 4	3	5	—	2.48	2	6	—	—	— .102	
127	j 60	14	119 33	207 51	4'	5	200	13.07	2	6	200	7'—10	1851.167	
128	—	—	—	207 27	4'	5	—	13.23	2'	6	—	—	— .187	
129	AB	20	124 59	47 50	3'	3	200	127.84	1'	4	200	6'—8'	1851.121	
130	—	—	—	47 51	3'	3	—	—	—	—	—	6—8	— .157	
131	h 3858? BC	—	—	316 27	3'	5	—	3.66	2'	6	200	8'—9	— .121	
132	—	—	—	317 13	4	5	—	3.69	2	6	—	8—9	— .157	
133	h 3860	21	130 53	225 46	3	5	200	8.73	2	6	200	7'—9	1851.167	
134	—	—	—	227 27	3	5	—	8.18	2	6	—	—	— .187	
135	11 Monoc. AB	21	96 56	129 39	5'	5	200	7.32	3	6	200	5'—6'	1851.195	
136	—	—	—	130 36	5	5	—	7.35	3'	6	—	6—6'	— .197	
137	BC	—	—	102 51	4	5	—	2.71	3	6	—	6'—7	— .195	
138	—	—	—	103 19	4	5	—	2.84	2	6	—	6'—6'	— .197	
139	B.A.C. 2168	30	108 32	262 13	6	5	200	17.73	2'	6	200	6'—8'	1851.200	Both orange, nearly equal.
140	—	—	—	262 3	6	5	—	17.56	2'	6	—	—	— .209	
141	B.A.C. 2207	37	128 15	277 38	4	5	200	7.71	2'	6	200	6'—7'	1851.080	
142	—	—	—	276 48	4	5	—	8.24	2'	6	—	—	— .102	
143	38 Gemin.	46	76 38	166 47	4	5	123	5.99	2'	6	123	6—8'	1851.041	
144	—	—	—	169 21	4	5	200	6.01	2'	6	200	—	— .162	
145	ζ Gemin.	55	69 13	352 56	6	4	123	92.27	3'	6	123	4—7	1851.042	
146	—	—	—	352 26	5	5	—	92.73	2'	6	—	—	— .104	
147	Δ 39	7 1	148 57	76 18	3	5	123	2.69	2	6	123	6'—7	1850.294	
148	—	—	—	75 53	2	5	—	—	—	—	—	—	1851.080	
149	h 3950	13	111 46	346 21	4	5	200	4.09	3	6	200	8—8	1851.211	
150	—	—	—	346 48	5	5	—	3.99	2'	6	—	—	— .220	
151	{ B.A.C. 2422 }	13	126 28	96 35	3	2	200	240.	estimated.			5—5'	1851.206	
152	{ & 2425; AB }	—	—	96 44	3	2	—	239.35	1	1	200	5'—6	— .211	
153	BC	—	—	215 19	2	2	—	117.96	$\frac{1}{2}$	1	—	5'—10	— .206	
154	—	—	—	215 32	4	3	—	117.50	$\frac{1}{2}$	1	—	6—9'	— .211	
155	CD	—	—	212 20	2'	5	—	3.0	estimated.			10—11	— .206	
156	—	—	—	213 39	3	5	—	2.98	2	6	200	9'—10	— .211	
157	h 3966	20	127 1	321 51	4'	5	200	7.28	3	6	200	6'—6'	1851.080	} Day light.
158	—	—	—	323 35	5	5	—	7.02	3	6	—	—	— .167	
159	Castor.	25	57 47	248 55	4'	5	95	5.03	1'	4	95	2—3	1850.280	
160	—	—	—	248 1	3	5	123	—	—	—	—	—	— .280	
161	—	—	—	248 15	5'	5	200	* 4.88	4	12	200	2—2'	— .750	
162	—	—	—	248 0	5	5	123	5.14	2	6	123	—	1851.162	

131 If this be h 3858, of which there can be little doubt, there would seem to be an error of 1° in Herschel's P. D.

133 Sky hazy, and the measures rather wild.

145 Observed just before occultation by the Moon.

148 Sadly blurred, no measure of distance could be taken.

DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0	N. P. D. 1850-0.	Position Angle.	Weight.	No of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS
163	Castor	<i>h. m.</i> 7 25	<i>o /</i> 57 47	<i>o /</i> 249 51	3	5	200	"	3	6	200	2'—2	1851·703	} Day light.
164	<i>Continued.</i>	—	—	247 36	8	7	—	5·07	3	6	—	—	—·703	
165	—	—	—	247 37	4	4	—	5·17	4	6	—	—	—·722	
166	—	—	—	247 48	4	4	—	4·81	3'	6	—	—	—·725	
167	—	—	—	247 26	5'	5	—	4·94	3'	6	—	—	—·739	
168	—	—	—	248 19	5	5	—	5·05	3	6	—	—	—·786	} Day light.
169	B.A.C. 2511	30	104 9	302 30	3	5	200	7·11	2	6	200	7—7	1851·220	
170	—	—	—	304 6	4	5	—	7·07	2'	6	—	—	—·228	
171	h 4009	44	121 47	310 0	3	5	200	8·50	2	6	200	9—9	1851·195	
172	—	—	—	310 17	4	5	—	8·65	1'	6	—	9—9'	—·206	
173	—	—	—	310 52	1'	3	—	8·76	2	6	—	9'—10	—·209	
174	h 4031	56	150 27	356 25	4	5	123	5·58	2	6	123	7—7'	—·160	With full aperture. 4 inch do.
175	—	—	—	357 14	3'	5	200	5·30	2	6	200	7'—8	—·167	
176	Δ 63	8 5	132 11	81 21	3'	5	200	5·96	2	6	200	7—8'	1850·971	Both white.
177	—	—	—	81 41	3'	5	—	5·99	2'	6	—	—	1851·025	
178	γ Argus; AB	5	136 54	219 40	4	3	200	41·32	1'	4	200	2—5'	1851·187	
179	—	—	—	219 25	3	3	—	40·97	1	4	—	2—5	—·206	
180	AC	—	—	151 15	4	3	—	61·93	2	4	—	5'—9	—·187	
181	—	—	—	151 37	2'	3	—	61·53	1	2	—	5—9	—·206	
182	CD	—	—	122 20	2	3	—	34·43	1	4	—	9—11	—·187	
183	—	—	—	121 43	2	3	—	34·32	1	4	—	—	—·206	
184	h 4069	10	135 23	253 24	6	5	200	33·06	3	6	200	5'—9	1851·025	
185	—	—	—	— 14	7	5	123	33·81	2'	6	123	—	—·160	
186	—	—	—	— 41	4'	5	169	33·25	2	6	169	—	1852·391	
187	B 1974; AB	14	134 34	326 5	3	5	200	5·28	2	6	200	9'—9'	1851·195	
188	—	—	—	— 30	3	5	—	5·55	2	6	—	9—9'	—·198	With Dollond's Micromr.
189	BC	—	—	143 10	1	1	—	—	—	—	—	9'—10	—·195	
190	—	—	—	— 30	1	1	—	—	—	—	—	0—0	—·198	
191	AC	—	—	142 50	1	1	—	77·61	½	1	200	9—10	—·198	
192	h 4093	21	128 34	122 26	5	5	200	8·18	3	6	200	6—6'	1851·026	
193	—	—	—	123 26	4	5	123	8·02	3	6	123	6'—7	—·162	
194	Δ 70	24	134 14	348 40	3	5	200	4·74	2'	6	200	6'—8'	1851·195	
195	—	—	—	350 45	3'	5	—	4·54	2'	6	—	—	—·209	
196	h 4107; AB	26	128 33	332 58	4	5	200	4·31	2	6	200	6'—8	1851·026	
197	—	—	—	327 39	4'	5	—	4·66	2	6	—	6'—8'	—·162	Full aperture, blazy. Triangular aperture.
198	—	—	—	330 10	3'	5	—	4·38	2	6	—	—	—·198	
199	AC	—	—	100 59	1	2	—	30·	estimated.	—	—	8—10	—·026	Full aperture.
200	—	—	—	101 30	3	3	—	31·65	1	2	200	8'—10	—·162	
201	h 4128	36	149 47	218 40	2'	4	123	1·6	estimated.	—	—	7'—8	1850·294	A orange, B greenish.
202	—	—	—	221 43	2'	5	200	—	—	—	—	7'—8'	—·336	
203	—	—	—	221 21	2	4	188	—	—	—	—	—	—·338	With Troughton's Micromr.
204	B.A.C. 2986	42	148 10	293 5	3	5	200	3·69	2	6	200	7'—8	1851·187	
205	—	—	—	288 19	2'	5	—	4·38	1'	6	—	8—8'	—·209	With Dollond's Micromr
206	—	—	—	293 16	2'	4	169	4·	estimated.	—	—	8—8	1852·394	

169 In a loose cluster.

174 On S. edge of a large loose cluster; a bright star follows: viz. 2687 B.A.C.

Reference Number.	Synonym.	A. R. 1850-0	N P D 1850-0	Position Angle.	Weight	No. of Observations.	Magnifying Power	Distance.	Weight.	No. of Observations	Magnifying Power.	Magnitudes	Date.	REMARKS.
207	<i>sf</i> 3009 B.A.C.	<i>h. m.</i> 8 44	129 50	25 15	3	5	200	3.42	1'	4	200	10—10	1851.195	
208	—	—	—	26 25	3	5	—	3.75	2	6	—	—	— .198	
209	<i>h</i> 4172	9 0	114 45	215 6	3	5	200	6.37	2	6	200	9'—10	1851.214	
210	—	—	—	— 32	2'	5	—	6.29	2	6	—	—	— .228	
211	<i>h</i> 4188	7	133 0	285 20	5	5	200	2.79	2	6	200	6'—7'	1850.335	
212	—	—	—	286 3	3'	4	188	2.70	2'	6	188	—	— .338	With Troughton's Micromr.
213	<i>h</i> 4220	28	138 20	203 32	3	5	200	2.45	1	4	200	7'—7'	1851.209	
214	—	—	—	— 17	3	5	—	2.48	2	6	—	—	— .214	
215	B.A.C. 3365	44	154 22	128 55	2'	5	200	5.30	1'	6	200	4'—8'	1851.198	
216	—	—	—	124 2	3	5	—	4.51	1'	6	—	—	— .209	
217	—	—	—	127 11	3'	5	—	5.34	2	6	—	5—9	— .214	
218	<i>S</i> 607	59	108 34	143 22	3	5	200	9.78	2	6	200	9'—9'	1851.209	Full aperture.
219	—	—	—	— 51	3'	5	—	10.08	2'	6	—	—	— .214	4 in. do.
220	<i>h</i> 4329	10 26	142 57	37 0	2	5	200	—	—	—	—	5—10'	1850.971	
221	—	—	—	35 15	4	5	123	16.72	2'	6	123	5—10	— .983	Flying clouds.
222	—	—	—	37 11	4'	5	200	17.30	2'	6	200	5'—9	1851.026	
223	—	—	—	36 56	4'	5	123	18.25	1'	6	123	—	— .255	
224	—	—	—	37 30	5	5	200	17.55	3	6	200	—	1852.198	
225	—	—	—	38 39	3	5	—	17.14	2	6	200	—	— .234	
226	—	—	—	39 15	7'	6	—	17.87	4'	8	—	—	— .242	
227	—	—	—	38 36	8	6	—	17.56	8	6	—	—	— .247	
228	<i>h</i> 4330	26.7	136 15	161 27	3'	5	123	40.41	1'	4	123	7—10	1851.214	A yellow, B blue.
229	—	—	—	160 3	4	5	200	41.15	2	6	200	—	— .228	
230	<i>A</i> 89	27	144 35	29 42	4'	5	123	25.84	2	6	123	7'—8'	1851.214	
231	—	—	—	— 17	4	5	—	25.93	2	6	—	—	— .228	
232	B.A.C. 3655	33	148 25	20 22	5	6	123	15.22	2	6	123	6—8'	1851.255	A orange, B green.
233	—	—	—	— 46	3	5	—	14.74	2	6	—	6—9'	— .264	
234	<i>h</i> 4409	11 0	131 50	272 57	3'	5	200	2.66	2	6	200	5'—9	1851.270	A orange, B bluish.
235	—	—	—	277 54	3	5	—	2.47	2'	6	—	—	— .272	
236	—	—	—	276 29	2'	5	—	—	—	—	—	—	— .278	A yellow, B reddish.
237	<i>h</i> 4423	10	135 2	277 20	2'	5	288	1.7	estimated.	—	—	8—8	1850.338	With Troughton's Micromr
238	—	—	—	274 27	3	5	200	1.73	1	6	200	7'—8	— .359	
239	<i>ξ</i> Urs. Maj.	10	57 37	123 32	4'	5	123	3.51	3	6	123	3'—5	1850.297	
240	—	—	—	125 0	4'	5	200	3.24	3	6	200	—	— .305	
241	—	—	—	120 57	5	5	—	3.01	3	6	—	—	1852.293	
242	<i>B</i> 3574	18	150 48	305 20	3'	5	123	4.88	2	6	123	7—8	1851.270	A yellow, B greenish.
243	—	—	—	304 19	4	5	200	4.54	2	6	200	—	— .273	
244	B.A.C. 3907	21.4	131 51	167 24	4'	5	200	13.33	2'	6	200	6—9	1850.300	
245	—	—	—	166 57	4'	5	—	13.61	2'	6	—	—	— .305	
246	—	—	—	169 2	5	5	—	13.19	3	6	—	5'—8'	— .359	
247	<i>j</i> 143; AB	22	113 39	77 10	3	5	123	7.55	2	6	123	7—9'	1851.215	
248	—	—	—	76 37	3	5	—	7.37	1	4	—	—	— .255	
249	AC	—	—	114 47	1	1	123	120	estimated.	—	—	7—9	— .215	
250	B.A.C. 3921, 2	24.5	118 27	212 25	4	5	200	8.67	3	6	200	6—6	1851.286	Both orange.
251	—	24.5	118 27	211 43	5'	5	200	8.58	3	6	200	5'—5'	1851.294	

216 Set the circle at 129° which was pronounced quite intolerable.

219 Stars nearly equal.

220 *A* flaring and moulding, *B* seen by glimpses, the distance could not be taken.

235 Position set to 272° and pronounced intolerable.

250 Fine star, components nearly equal.

Reference Number.	Synonym.	A. R. 1850-0.	N P D 1850-0	Position Angle	Weight	No. of Observations	Magnifying Power.	Distance.	Weight	No. of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS.
252	B.A.C. 4015	h. m. 11 45	o / 123 4	o / 345 19	4	5	200	2.54	2'	6	200	6—8'	1850.305	A yellow, B red.
253	—	—	—	340 25	2'	4	190	1.70	2	6	190	6—8	— .313	
254	—	—	—	338 57	3'	5	200	1.94	1'	6	200	—	1852.198	
255	h 4495	58	122 7	315 45	4	5	200	7.02	3	6	200	7—8'	1852.234	
256	—	—	—	315 42	5	5	—	6.65	3	6	—	—	— .242	
257	B.A.C. 4095	12 2	123 53	21 17	3	5	200	3.01	2'	6	200	6—9	1850.323	
258	—	—	—	22 13	3	5	—	3.08	3	6	—	—	— .332	
259	γ Virginis	34	90 38	177 29	2'	4	123	2.84	2'	6	123	3'—3'	1850.297	
260	—	—	—	178 21	3'	5	—	2.95	2'	6	—	—	— .305	
261	—	—	—	177 27	3'	5	200	3.09	2	6	200	—	1851.122	
262	—	—	—	178 0	3'	5	—	3.14	2'	6	—	—	— .264	A yellow, B blue.
263	—	—	—	175 0	7	5	—	3.17	4	6	—	—	1852.198	
264	—	—	—	175 43	4'	5	—	3.06	5	8	—	—	— .247	
265	—	—	—	175 53	5	5	—	3.14	4	6	—	—	— .291	
266	h 4556	46	117 9	80 19	3	5	200	6.06	2	6	200	7—8'	1851.272	
267	—	—	—	82 0	3	5	—	5.58	1	4	—	—	— .278	
268	—	—	—	83 59	4'	5	—	5.54	3	6	—	8'—9'	1852.247	
269	—	—	—	82 20	4	5	—	5.54	2	6	—	8—10	— .250	
270	h 4563	53	122 50	237 51	4'	5	200	6.36	2'	6	200	7—8'	1851.270	
271	—	—	—	238 25	4'	5	—	6.11	2'	6	—	—	— .272	Both yellow.
272	—	—	—	236 50	4	5	—	5.78	2	6	—	—	— .286	
273	B.A.C. 4379	58	139 7	99 57	4	5	200	24.85	2	6	200	5—11	1852.247	
274	—	—	—	100 13	4	5	169	25.80	1/2	2	—	6—11	— .351	
275	B.A.C. 4558	13 32	143 48	165 33	4	5	123	5.32	3	6	123	5'—6'	1851.073	
276	—	—	—	163 56	3	5	—	5.67	2	6	—	—	— .075	
277	h 4608	34	123 16	174 5	4'	5	200	4.46	2	6	200	8—8	1851.102	
278	—	—	—	175 0	3	5	—	4.37	2'	6	—	—	— .285	
279	B.A.C. 4623	43	122 16	111 18	4	5	123	8.60	3	6	123	5—7	1851.043	
280	—	—	—	110 56	4'	5	200	8.25	2'	6	200	—	— .065	
281	B.A.C. 4629	44.6	121 12	187 17	5	5	200	15.00	2'	6	200	5'—9	1851.102	} Day light.
282	—	—	—	—	—	—	200	15.22	3'	6	—	—	— .294	
283	Σ 1837	14 16.6	101 00	315 45	3	5	270	1.3	estimated.			7'—9	1852.421	
284	α Centauri	30	150 13	246 51	4	5	200	6.57	3'	8	200	1—2	1850.278	
285				247 41	4'	5	123	6.57	3	6	123	—	— .296	
286				— 10	4'	5	200	6.63	3	6	200	—	— .299	
287				— 35	4	5	200	6.44	3'	6	—	—	— .359	
288				— 38	3'	5	123	6.71	2'	6	123	—	— .471	
289				— 9	2'	5	—	6.46	2	6	—	—	— .496	
290				248 52	3	5	200	6.26	2'	6	200	—	— .499	
291				— 22	4	5	—	* 6.67	3	10	—	—	— .598	
292				— 29	3	5	—	* 6.22	5	12	—	—	— .601	
293				— 36	4	5	—	6.20	2'	6	—	—	— .603	
294				249 44	4	5	—	* 6.22	4	12	—	—	— .611	
295				— 3	4'	5	—	* 6.05	4	12	—	—	— .636	} Day light.
296				— 19	4	5	—	5.98	2	6	—	—	— .655	
297				— 45	4'	5	—	* 6.02	4	12	—	—	— .655	

252 } Unsatisfactory.
253 }

274 Measured with Dollond's Micrometer.
283 Do. do.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
		<i>h. m.</i>	<i>o ' "</i>	<i>o ' "</i>				<i>"</i>						
298	<i>α Centauri continued.</i>	14 30	150 13	249 10	6	6	200	*6.24	2'	8	200	1—2	1850.690	Day light.
299				250 10	3'	5	—	5.88	3	6	—	—	— .882	
300				249 27	3	5	—	5.66	2'	6	—	—	— .884	
301				250 21	6	7	123	6.09	4	12	123	—	— .889	
302								5.94	1	2	—	—	— .889	
303				250 9	5	5	123	*5.94	4'	12	—	—	— .933	
304				— 30	5'	5	200	5.76	3	6	200	—	— .944	
305								*5.79	6	12	—	—	— .944	
306				250 36	5'	5	123	5.96	5	8	123	—	— .947	
307				— 47	3'	5	200	5.84	2'	6	200	—	— .971	
308				251 13	5	5	—	5.84	4	8	—	—	— .999	Night, flaring.
309				250 53	6'	6	—	5.99	3	6	—	—	1851.001	
310				— 50	7	6	123	6.04	2'	6	123	—	— .004	
311				251 11	4'	5	—	5.89	2'	6	—	—	— .035	
312				— 2	3	5	—	6.08	1'	6	—	—	— .043	
313				— 14	4	5	200	*5.70	3'	12	200	—	— .056	
314				— 20	3'	5	—	5.84	2'	6	—	—	— .059	
315				250 51	3	5	—	6.24	2	6	—	—	— .102	
316				— 54	3	5	—	5.97	2'	6	—	—	— .122	
317				252 32	4	5	—	6.16	2'	6	—	—	— .136	
318				251 54	4	5	—	*5.98	4	12	—	—	— .155	
319				— 55	3'	5	—	6.07	2	6	—	—	— .174	
320				252 29	4'	5	—	5.81	2'	6	—	—	— .215	
321				251 53	5	6	—	5.91	4	8	—	—	— .234	Day light.
322				252 22	4	5	—	5.83	2'	6	—	—	— .264	
323				— 22	4	5	—	5.72	2'	6	—	—	— .286	
324				253 26	4'	5	—	5.86	3	6	—	—	— .294	
325				255 27	3'	5	123	4.94	1'	6	123	—	— .668	
326				— 48	4	5	—	5.09	2	6	—	—	— .668	
327								*5.56	3	12	—	—	— .668	
328				256 5	6'	6	200	5.85	3	6	200	—	— .671	
329				— 16	6	6	—	5.36	3'	6	—	—	— .685	
330				— 28	5	6	—	5.26	2'	6	—	—	— .699	
331				— 32	4	5	—	4.98	1'	6	—	—	— .707	Day light.
332				— 29	4	6	—	5.33	2	6	—	—	— .709	
333				257 22	3	5	—	5.20	2	6	—	—	— .759	
334				256 57	5	6	—	5.28	2'	6	—	—	— .775	
335				257 8	3	5	—					—	— .816	
336				258 8	4	5	—	4.98	2'	6	200	—	— .884	
337				— 14	6	6	—	5.16	2'	6	—	—	— .889	
338				257 50	4'	5	—	5.10	3	6	—	—	— .892	
339				258 1	3'	5	—	5.06	3	6	—	—	— .906	
340				— 53	3	5	—	5.13	2'	6	—	—	— .909	
341				— 34	4	5	—	5.16	2'	6	—	—	— .909	Taken at 22h.
342				— 17	5'	6	—	5.12	2'	6	—	—	— .914	
343				— 38	4	4	—	5.17	2'	6	—	—	— .917	
344				— 9	4'	5	—	5.19	2'	6	—	—	— .958	
345				— 8	5	5	—	5.15	2	6	—	—	— .963	
346				— 47	6	6	—	5.13	3	6	—	—	— .969	
347				— 36	5'	6	—	5.06	3'	6	—	—	— .972	
348				259 21	4	5	123	5.08	2'	6	123	—	— .993	
349				— 49	5	5	200					—	1852.015	
350				258 41	5	5	123	4.93	2'	6	123	—	— .018	

301 During the first three measures the stars were moulding, but became gradually more steady.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
399	α Herculis	<i>h. m.</i> 17 8	<i>o ' "</i> 75 26	<i>o ' "</i> 117 39	4'	5	200	4.46	2'	6	200	3'—7	1852.242	Day light.
400	<i>continued.</i>	—	—	118 31	5	5	—	4.72	2'	6	—	—	— .269	Night.
401	—	—	—	119 7	5'	5	—	4.44	3	6	—	—	— .291	Day light.
402	39 Ophiuchi	9	114 7	353 12	5	5	123	9.78	2	6	123	6—8	1851.228	do.
403	—	—	—	353 19	5'	5	—	10.79	3'	6	—	—	— .231	Night.
404	h 5000	48	126 55	108 20	3	5	200	6.	estimated.			8—11	1850.756	
405	—	—	—	107 52	3'	5	—	6.92	1'	6	200	8—10'	1851.231	
406	τ Ophiuchi	55	98 10	234 53	3'	5	200	1.	estimated.			5—6	1850.642	
407	—	—	—	236 15	2	5	—					—	— .740	
408	—	—	—	230 36	5'	6	—					—	— .833	Day light.
409	—	—	—	237 51	3	5	—					—	— .836	
410	70 Ophiuchi	58	87 27	115 30	6	5	176	7.13	3'	6	176	6—6'	1850.311	With Troughton's Micromr.
411	—	—	—	114 54	6'	5	200	*6.66	4'	12	200	—	— .636	
412	h 5041	18 12	143 43	265 14	2	5	200	2.0	estimated.			7'—10	1850.768	
413	—	—	—	263 48	1	3	—					—	— .786	
414	BAC 6247	16	110 37	297 44	3	5	200	2.04	1'	6	200	6—9	1850.643	
415	—	—	—	— 33	3	5	—	2.06	1	4	—	6—9'	— .786	
416	59 Serpentis	20	89 54	315 12	4	5	200	3.65	2'	6	200	6'—8'	1851.812	
417	—	—	—	313 13	4'	5	—	4.16	2'	6	—	—	1852.266	
418	—	—	—	314 11	4'	5	—	3.57	2'	6	—	—	— .269	
419	—	—	—	315 16	4'	5	—	3.77	3'	6	—	—	— .290	
420	h 5055	30	143 1	80 9	2	4	200	8.0	estimated.			9—9'	1850.757	
421	—	—	—	79 2	2'	5	—	6.48	1	4	200	—	— .759	
422	B 6556	51	127 16	281 52	6	5	200	*13.31	4	10	200	7'—8	1850.604	
423	—	—	—	283 9	5	5	—	12.77	4	6	—	—	— .643	
424	γ Cor. Aust.	56	127 16	6 0	4'	5	176	2.55	2	6	196	5'—5'	1850.313	Both yellow.
425	—	—	—	5 18	3	5	200	2.18	2	6	200	—	— .322	
426	—	—	—	6 17	3	5	—	*2.88	4'	12	—	—	— .601	
427	—	—	—	5 52	4	5	—	*2.14	4'	12	—	—	— .604	
428	—	—	—	3 49	3	5	—	*2.04	2'	12	—	—	1851.155	
429	—	—	—	4 45	3	5	—	2.21	2	6	—	—	— .174	
430	—	—	—	6 28	3	5	—	2.69	2	6	—	—	— .668	
431	—	—	—	4 40	3	5	—	2.56	1	4	—	—	— .671	
432	—	—	—	4 10	4	5	—	2.33	1'	4	—	—	— .685	
433	—	—	—	3 14	3'	5	—	2.10	2	6	—	—	— .792	
434	—	—	—	3 37	4	5	—	1.83	2	6	—	—	1852.242	Twilight.
435	—	—	—	4 2	4'	5	—	2.00	2	6	—	—	— .261	do.
436	—	—	—	2 43	4'	5	340	1.85	2'	6	340	—	— .304	do.
437	β Sagittarii	19 11	134 44	78 15	6	5	123	28.14	2'	6	123	3'—7	1850.653	
438	—	—	—	— 2	7	5	200	28.21	2'	6	200	—	— .672	
439	h 5117	17	134 11	266 10	3	5	200	8.0	estimated.				1850.760	
440	—	—	—	264 23	3	5	—	6.31	1	4	200	7'—9'	1851.680	

406 A wedge.

407 Notched.

408 Well notched.

409 Do.

411 Definition superb.

413 Indistinct.

424 Taken with Troughton's Micrometer.

437 Sky hazy. Definition good.

438 Do. do.

DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

69

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
		<i>h. m.</i>	<i>o /</i>	<i>o /</i>				<i>''</i>						
485	h 5392	23 10	149 7	0 39	3	5	200	10.00	1'	6	200	8'—11	1850.825	A yellow, B blue.
486	—	—	—	1 48	2'	5	—	—	—	—	—	—	— .882	
487	94 Aquarii	10	104 18	345 39	4	5	200	13.72	3	6	200	6—8'	1851.812	Both yellow.
488	—	—	—	347 16	4	5	—	13.76	3	6	—	—	— .815	
489	—	—	—	345 20	6	5	—	13.92	3	6	—	—	— .885	
490	—	—	—	345 26	6	5	—	13.89	3	6	—	—	— .899	
491	—	—	—	345 35	5'	5	169	13.69	3	6	169	6—8	1852.398	} Dollond's Micrometer.
492	—	—	—	— 50	4'	5	—	13.84	2'	6	—	—	— .417	
493	—	—	—	— 10	6	5	270	14.10	2'	6	270	—	— .419	
494	—	—	—	344 38	5	5	—	13.92	2'	6	—	—	— .425	
495	θ Phœnicis	31	137 25	269 10	5	5	200	4.19	3	6	200	6'—7	1851.792	
496	—	—	—	269 31	3	5	—	3.97	2	6	—	—	— .809	
497	—	—	—	269 55	3'	5	—	4.02	2	6	—	—	— .811	
498	B 7342	47	117 53	269 15	4'	5	200	6.73	2	6	200	7—7'	1851.820	
499	—	—	—	269 0	5'	5	—	6.61	3	6	—	—	— .921	
500	h 5440	55	117 58	286 32	3'	5	200	3.60	2	6	200	8'—9	1851.820	
501	—	—	—	287 28	3'	5	—	3.56	2	6	—	—	— .921	
485 Colour of B very conspicuous for so faint a star.														
486 Difficult, measured on the thick wire.														

MEAN RESULTS

OF THE FOREGOING MEASURES

OF

144 DOUBLE OR MULTIPLE STARS,

WITH THE

LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R.	N P. D.	Position Angle.	Weight	No. of Observations.	Epoch 1850. +	Distance.	Weight	No. of Observations.	Epoch 1850. +	Magnitudes.
		<i>h. m.</i>	<i>° ' "</i>	<i>° ' "</i>			<i>yr.</i>	<i>"</i>			<i>yr.</i>	
*245	h 1957	0 14	113 50	20 56	6	10	0·977	6·13	4	12	0·977	7·5 — 9·5
246	β Tucani	25	153 47	171 15	8	10	0·958	27·32	4'	12	0·958	5 — 5·5
247	h 3375	26	125 48	165 30	10'	10	0·954	6·19	6	12	0·954	7 — 9
248	γ Cassiopeæ	40	32 59	105 33 106 24	30 15	26 15	0·876 1·886	8·16 8·04	16 10	36 18	0·888 1·891	4 — 9 —
249	h 2004	50	109 49	239 31	4'	10	0·993	3·20	2'	12	0·990	6·5 — 10·5
250	S 390	51	106 28	34 58	9	10	0·980	6·37	5'	12	0·982	7·5 — 7·5
251	S 391	52	90 0	305 55	8'	10	1·781	18·88	4	12	1·778	8 — 10
252	S 392	57	96 16	166 48	7	10	1·118	11·83	4'	12	1·118	8·5 — 9
253	h 3416	57	150 54	129 7	6'	10	0·976	4·735	4	12	0·977	8 — 8
254	ζ Phœnicis	1 2	146 4	242 15	6	10	1·001	6·39	5	12	1·001	5·5 — 9·5
255	S 396	6	98 25	339 20	6	10	1·015	21·01	3	12	1·015	7 — 10·5
256	h 2036	12	106 36	40 45	7	10	1·901	1·89	3'	12	1·911	7 — 7·5
257	h 3447	29	120 43	82 31	6'	10	1·029	2·62	4	12	1·029	5·5 — 7·5
258	p Eridani	34	146 57	268 44 266 23	14 4'	20 5	0·797 1·792	4·32 4·30	11' 3	24 6	0·790 1·792	6·5 — 6·5 —
259	h 3475	51	151 4	43 30	4'	7	1·029	2·5	estimated.			7 — 7·5
260	H. & S. 24?	53	113 40	124 14	10	11	1·052	7·81	5'	12	1·053	7 — 7
261	α Piscium	54	87 58	329 26 329 13	14 8'	16 10	0·962 1·761	3·66 8·49	8 6'	18 12	0·962 1·760	5·5 — 5·7 —
262	{ J 21 AB AC }	2 7	123 0	280 41 182 22	6 3	10 2	1·058 1·071	6·19 180·	4 estimated.	12	1·058	7 — 10·5 7 — 7
263	S 412	19	106 3	292 48	7'	10	1·103	11·39	4	12	1·103	6 — 10
264	h 3504	23	121 3	269 14	7	10	1·077	6·18	4'	12	1·077	8 — 9
265	h 3527	37	131 9	45 0	6	10	1·039	1·5	estimated.			7·5 — 7·5
266	\angle 8	51	115 35	221 24	10'	10	1·038	27·70	4	10	1·038	7·3 — 7·5
267	θ Eridani	52	130 52	82 22	21	22	1·763	8·11 a 7·99 b 8·22	22' 10 12'	42 18 24	1·750 1·736 1·761	3·5 — 4·2
268	12 Eridani	3 6	119 35	308 19	7	10	1·089	3·39	5	12	1·086	4·5 — 7
269	h 3556	7	134 59	230 30	8	13	1·110	2·44	3	12	1·115	6 — 10·5

251 The angle is progressing steadily at the rate of $0^{\circ}36$ per annum, distance constant

252 The retrograde motion is confirmed and the distance continues to decrease.

254 Perhaps a small retrogression in position.

255 Little or no change, distance perhaps increased.

257 This star presents some anomalies; my observations show no change in 5 years, while they differ from Herschell's by 7° .

258 Position retrograding about 2° per annum, distance steady.

259 Position seems to have advanced.

261 The angle is decidedly though slowly receding, and the distance decreasing; the orbit (apparent) must be highly elongated.

263 Unchanged

267 a , daylight observations; b , night do.

269 The stars would seem to have opened a little since Herschell's Cape Observations, but the angle can have changed little if any thing.

* The Numbers are carried on from the Poona Catalogue published in 17th Volume of Memoirs of Royal Astronomical Society.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
		<i>h. m.</i>	<i>° ' "</i>	<i>° ' "</i>			<i>yr.</i>	<i>"</i>			<i>yr.</i>	
270	S 431	3 29	89 54	237 34	8	10	1.056	6.19	4	12	1.052	6.3 — 8.5
271	h 3596	43	122 15	136 10	9	10	1.061	8.62	5'	12	1.060	8 — 8
272	32 Eridani	46	93 20	347 32	8'	10	1.059	6.75	5'	12	1.062	6 — 7
273	h 3622	59	126 17	111 54	6'	10	1.119	9.76	3'	12	1.119	9 — 10
274	h 3632	4 9	120 28	164 31	9	15	1.024	10.645	7	18	1.026	7 — 10.5
275	h 3634	11	135 1	330 32	4'	10	1.155	11.20	2	6	1.157	10 — 10.5
276	h 3642	14	124 16	159 54	6'	10	1.090	5.98	5	12	1.090	6 — 9.5
277	θ Tauri	20	74 22	166 5	12	11	1.728	338.72	8	17	1.727	5 — 5.5
278	BAC 1387	21	147 25	231 31	9	10	1.079	6.55	6	12	1.078	6.2 — 6.7
279	Σ 570	28	100 4	259 9	15	15	1.115	13.025	6'	18	1.116	6.2 — 6.7
280	55 Eridani	36	99 5	316 18	9'	10	1.131	9.17	7	12	1.130	6 — 6
281	BAC 1573	59	125 41	315 29	6'	10	0.999	3.15	3	12	0.999	5 — 9
282	h 3745	5 13	124 11	166 52	6	10	1.053	13.35	3	10	1.049	7.2 — 10.7
283	{ h 3752 AB } AC }	16	114 55	{ 107 35 105 59 }	7' 4	10 4	1.079 1.079	2.98 59.31	4 1	12 1	1.079 1.083	6 — 8 6 — 9
284	h 3760	21	125 30	220 59	6	10	1.122	7.50	4'	12	1.122	8.2 — 8.7
285	λ Orionis	27	80 10	42 30	7	10	1.069	4.67	4'	10	1.076	4.5 — 7
286	h 3777	31	145 1	349 35	6	10	1.166	50.50	4	12	1.166	6.5 — 12
287	η 6 Orionis	31	92 40	267 41	9	10	1.171	8.30	4	12	1.172	8 — 8
288	ζ Orionis	32	92 2	152 9	8	10	1.182	2.64	4	12	1.182	2 — 7
289	h 3789	35.5	140 14	0 49	7	10	1.055	8.94	6'	12	1.057	7.7 — 8.5
290	S 497	38	94 19	88 9	6'	10	1.196	7.11	4'	12	1.196	6.5 — 9.5
291	52 Orionis	40	83 36	201 9	7	10	1.041	1.78	1	4	1.042	6.5 — 6.5
292	S 504	52	110 10	253 41	9'	15	1.178	3.59	3'	12	1.173	9.2 — 9.2
293	h 3823	55	121 4	130 32	6	10	1.126	4.00	3'	10	1.123	8.2 — 8.2
294	BAC 1972 \angle 23	6 1	138 28	353 4	6	10	1.091	2.49	3'	12	1.093	7 — 7.5
295	j 60	14	119 33	207 39	9	10	1.177	13.16	4'	12	1.178	7.5 — 10
296	{ j 63 AB } BC }	20	124 59	{ 47 51 316 52 }	7 7'	6 10	1.139 1.138	127.84 3.67	1' 4'	4 12	1.121 1.137	6.2 — 8.2 8.2 — 9

270 The position appears to have advanced about 0.5 per annum and the distance to have slightly increased.

271 Position unchanged; distance perhaps decreased.

272 No apparent change.

273 Do.

274 Perhaps a small advance.

275 Distance perhaps decreased.

279 Little or no change.

281 Position advancing nearly 0.8 per annum.

282 The distance seems to have increased.

283 Perhaps a small change in position.

284 Unchanged.

292 Position and distance seem both to have decreased.

293 Little or no change; distance perhaps decreased.

294 An evident advance of nearly 0.7 per annum, though the differences are not so regular as might be desired, diff. from Dunlop + 2.4, from Herschell + 10.

296 In the Poona Memoir (Ast. Soc. Vol. XVII.) the distance of AB is given at 95.80, but if an error of 1 rev. of the micrometer be admitted it will be 127.16.

MEAN RESULTS OF THE MEASURES OF 144 DOUBLE STARS.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850 +	Magnitudes.
297	h 3860	<i>h. m.</i> 6 21	<i>o ' "</i> 130 53	<i>o ' "</i> 226 36	6	10	<i>yr.</i> 1.177	<i>"</i> 8.46	4	12	<i>yr.</i> 1.177	7.5 — 9
298	{ 11 Monoc. AB } BC	21	96 56	{ 130 6 103 5	10' 8	10 10	1.196 1.196	7.34 2.76	6' 5	12 12	1.196 1.196	5.7 — 6.5 6.5 — 6.7
299	γ Can. Maj.	30	108 32	262 8	12	10	1.204	17.64	5	12	1.205	6.5 — 8.5
300	BAC 2207	37	128 15	277 13	8	10	1.091	7.97	5	12	1.091	6.5 — 7.5
301	38 Gemin.	46	76 38	168 4	8	10	1.102	6.00	5	12	1.102	6.2 — 8.7
302	ζ Gemin.	55	69 13	352 43	11	9	1.070	92.46	6	12	1.068	4 — 7
303	BAC 2326	7 1	148 57	76 8	5	10	0.608	2.69	2	6	0.294	6.5 — 7
304	h 3950	13	111 46	346 36	9	10	1.216	4.04	5'	12	1.215	8 — 8
305	{ BAC {2422 } AB } BC CD	13	126 28	{ 96 40 215 27 213 3	6 5 5'	4 5 10	1.209 1.209 1.209	239.35 117.73 2.98	1 1 2	1 2 6	1.211 1.209 1.211	5.2 — 5.7 5.7 — 9.7 9.7 — 10.5
306	h 3966	20	127 1	322 46	9'	11	1.126	7.15	6	12	1.124	6.5 — 6.5
307	Castor	25	57 47	{ 248 18 247 57	18 29'	20 30	0.668 1.733	{ 4.98 5.05 4.96 5.23	7' 20 13 7	22 36 24 12	0.909 1.730 1.738 1.724	2 — 2.5 2 — 2.5
308	BAC 2511	30	104 9	303 27	7	10	1.225	7.09	4'	12	1.224	7 — 7
309	h 4009	44	121 47	310 17	8'	13	1.203	8.67	5'	18	1.203	9.2 — 9.5
310	h 4031	56	150 27	356 48	7'	10	1.163	5.44	4	12	1.163	7.2 — 7.7
311	Δ 68	8 5	132 11	81 31	7	10	0.998	5.98	4'	12	1.001	7 — 8.5
312	{ γ Argus AB } AC CD	5	136 54	{ 219 34 151 24 122 1	7 6' 4	6 6 6	1.195 1.194 1.196	41.18 61.80 34.88	2' 3 2	8 6 8	1.195 1.193 1.196	2 — 5.2 5.2 — 9 9 — 11
313	h 4069	10	135 23	253 25	17'	15	1.428	33.36	7'	18	1.434	5.5 — 9.5
314	{ B. 1974 AB } BC AC	14	134 34	{ 326 18 143 20 142 50	6 2 1	10 2 1	1.196 1.196 1.198	5.42 — 77.61	4 — 1	12 — 1	1.197 — 1.198	9.2 — 9.5 9.5 — 10 9.2 — 10
315	h 4093	21	128 34	122 53	9	10	1.086	8.10	6	12	1.094	6.2 — 6.7
316	Δ 70	24	134 14	349 47	6'	10	1.202	4.64	5	12	1.202	6.5 — 8.5
317	{ h 4107 AB } AC	26	128 33	{ 330 9 101 22	12 4	15 5	1.127 1.128	4.45 31.65	6 1	18 2	1.129 1.162	6.5 — 8.2 8.2 — 10
318	h 4128	36	149 47	220 31	7	13	0.322	1.6	estimated.			7.5 — 8.2
319	BAC 2986 (j 111)	42	148 10	291 38	8	14	1.567	3.99	3'	12	1.196	7.8 — 8.2
320	J 113	44	129 50	25 48	6	10	1.196	3.61	3'	10	1.196	10 — 10

303 The supposed advance is not confirmed.

307 *a* daylight observations; *b* night do.

310 Perhaps a small change.

314 There is a 4th Star of 12th mag. position 350°, distance 80 from B, as estimated from diagram.

318 The stars seem to have closed a little since Herschell's Cape Observations.

320 Little or no change in five years.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
		<i>h. m.</i>	<i>° '</i>	<i>° '</i>			<i>yr.</i>	<i>"</i>			<i>yr.</i>	
321	h 4172	9 0	114 45	215 18	5'	10	1·220	6·33	4	12	1·221	9·5—10
322	h 4188	7	113 0	285 38	8'	9	0·336	2·74	4'	12	0·337	6·5 — 7·5
323	h 4220	28	138 20	203 24	6	10	1·212	2·47	3	10	1·212	7 — 7·5
324	BAC 3365	44	154 22	126 37	9	15	1·208	5·08	5	18	1·208	5 — 9
325	S 607	59	108 34	143 37	6'	10	1·212	9·95	4'	12	1·212	9·5 — 9·5
326	h 4329	10 26	142 57	{ 36 32 38 35	15 23	20 22	1·071 2·234	17·30 17·60	6' 12'	18 26	1·062 2·235	5·2—10' —
327	h 4330	26·7	136 15	160 42	7'	10	1·221	40·83	3'	10	1·222	7 — 10
328	∠ 89	27	144 35	29 30	8'	10	1·221	25·89	4	12	1·221	7·5 — 8·5
329	BAC 3655	33	148 25	20 31	8	11	1·258	14·98	4	12	1·259	6 — 9
330	h 4409	11 0	131 50	275 42	9	15	1·273	2·55	4'	12	1·271	5·5 — 9
331	h 4423	10	135 2	275 46	5'	10	0·349	1·73	1	6	0·359	7·7 — 8·2
332	ξ Urs. Maj.	10	57 37	{ 124 15 120 57	9 5	10 5	0·301 2·293	3·37 3·01	6 3	12 6	0·301 2·293	3·5 — 5 —
333	B 3574	18	150 48	304 48	7'	10	1·271	4·71	4	12	1·271	7 — 8
334	BAC 3907	21·4	131 51	167 50	14	15	0·322	13·36	8	18	0·324	5·7 — 8·7
335	{ j 143 AB AC }	22	113 39	{ 76 54 114 47	6 1	10 1	1·235 1·215	7·49 120·	3 estimated.	10	1·228	7 — 9·5 7 — 9
336	BAC 3921,2	24·5	118 27	212 1	9'	10	1·291	8·62	6	12	1·290	5·7 — 5·7
337	BAC 4015	45	123 4	341 42	10	14	0·970	2·07	5'	18	0·824	6 — 8·2
338	h 4495	58	122 7	315 43	9	10	2·238	6·84	6	12	2·238	7 — 8·5
339	BAC 4095	12·2	123 53	21 45	6	10	0·328	3·05	5'	12	0·328	6 — 9
340	γ Virginis	34	90 38	{ 178 0 177 43 175 28	6 7 16	9 10 15	0·302 1·193 2·239	2·90 3·12 3·12	5 4' 13	12 12 20	0·301 1·201 2·245	3·5 — 3·5 — —
341	h 4556	12 46	117 9	{ 81 9 83 12	6 8'	10 10	1·275 2·248	5·90 5·54	3 5	10 12	1·274 2·248	7 — 8·5 8·2 — 9·7
342	h 4563	53	122 50	237 44	13	15	1·276	6·105	7	18	1·275	7 — 8·5
343	BAC 4379	58	139 7	100 5	8	10	2·299	25·04	2'	8	2·268	5·5—11
344	BAC 4558	13 32	143 48	164 51	7	10	1·074	5·46	5	12	1·074	5·5 — 6·5

321 On the whole there appears to be no change, though the differences are large, for so easy a star.

322 Unchanged.

323 Probably no change, though the distance may have decreased a little.

324 Unchanged.

326 This pair has advanced in position more than 20° since 1837, with very little change of distance; but the change is probably due to the proper motion of A.

330 These stars seem to be opening, but the angle is little altered.

331 The angle has advanced and the distance increased.

333 The angle has advanced and the distance decreased.

334 Remarkably coincident with the observations in 1847.

337 The observations present considerable anomalies for so easy a star, but on the whole, it appears to have undergone little or no change: the magnitude of B is probably underrated, though it would seem to be somewhat variable.

341 Perhaps a small advance in position, and the distance apparently decreased.

342 }
343 } Little or no change.
344 }

MEAN RESULTS OF THE MEASURES OF 144 DOUBLE STARS.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
345	h 4608	<i>h. m.</i> 13 34	<i>° '</i> 123 16	<i>° '</i> 174 27	7'	10	<i>yr.</i> 1.175	" 4.41	4'	12	<i>yr.</i> 1.204	8 — 8
346	BAC 4623	43	122 16	111 7	8'	10	1.054	8.44	5'	12	1.053	5 — 7
347	BAC 4629	44.6	121 12	186 45	10	10	1.198	15.13	6	12	1.214	5.5 — 9
348	ε 1837	14 16.6	101 0	313 45	3	5	2.421	1.3	estimated.			7.5 — 9
349	α Centauri	30	150 13	247 31	26	35	0.370	6.524	20	44	0.372	1 — 2
				249 6	34	41	0.636	6.200	27	78	0.636	—
				250 16	28'	32	0.917	5.884	33	64	0.922	—
				251 3	37	42	1.018	5.880	22	56	1.020	—
				252 8	39'	51	1.205	5.937	27'	68	1.202	—
				256 23	41	50	1.702	5.270	23'	66	1.700	—
				258 12	37'	46	1.895	5.108	21	48	1.899	—
				258 51	39'	42	1.988	5.078	19	42	1.988	—
				261 4	30	35	2.232	5.030	19	42	2.266	—
				261 53	27'	32	2.381	4.944	19	36	2.382	—
				264 7	17'	20	2.535	5.000	12'	24	2.535	—
350	h 4715	45	137 15	281 4	6	10	0.838	2.41	4	12	0.838	7.5 — 8
351	ω Lupi	55	136 28	288 38	4'	8	1.278	1.2	estimated.			5.5 — 5.5
352	{ μ Lupi AB AC }	15 8	137 19	{ 350 5 128 30	12 9	20 10	1.486 1.177	1.5 22.65	estimated.			5 — 5.5
353	h 4788	25.6	134 27	353 30	10'	15	1.955	2.62	6'	18	1.931	6 — 8
354	ν Scorpii BC	16 3	109 4	41 3	10	15	0.626	2.13	5	16	0.638	7 — 8
355	h 4850	15	119 20	347 49	8'	10	1.497	7.09	5'	10	1.386	6.5 — 7
356	Δ 213	59	136 32	166 47	5'	9	1.433	7.72	2	6	1.792	8 — 10.5
357	36 Ophiuchi	17 6	116 22	214 56	11	11	0.623	4.49	7	18	0.619	5.5 — 6
358	α Herculis	8	75 26	117 44	16	20	1.753	a 4.570	8'	18	1.758	3.5 — 5.5
				118 26	27	25	2.252	b 4.806	5	12	1.724	—
								a 4.450	11'	24	2.253	—
								b 4.720	2'	6	2.269	—
359	39 Ophiuchi	9	114 7	353 16	10	10	1.230	10.43	5'	12	1.230	6 — 8
360	h 5000	48	126 55	108 5	6'	10	1.011	6.92	1'	6	1.231	8 — 10.7
361	τ Ophiuchi	55	98 10	234 0	13'	21	0.777	1.0	estimated.			5 — 6
362	70 „	58	87 27	115 11	12'	10	0.483	6.86	8	18	0.494	6 — 6.5
363	h 5041	18 12	143 43	264 45	3	8	1.107	2.0	estimated.			7.5 — 10

345 }
346 } Little or no change.
347 }

349 The advance in position continues with accelerated speed, but the rate of approach in distance appears to be slackening, so that the stars will probably come to a minimum (but not the minimum) of distance in the course of another year or two, the true periastron will not be arrived at before 1858 or 60.

350 There is perhaps a small advance in position and decrease of distance.

351 Position may be 108;—there appears little or no change.

353 The same remark as 350.

354 Little or no change since the discovery in 1847.

355 Little or no change.

357 The slow recess in position continues, and the distance is decreasing.

358 There is a trace of parallax shewn here which subsequent observations confirm.

360 Little or no change.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
364	BAC 6247	<i>R.</i> 18 <i>m.</i> 16	110 37	297 39	6	10	<i>yr.</i> 1.214	2.05	2'	10	1.100	6 — 9.2
365	59 Serpentis	20	89 54	314 28	18	20	2.158	3.79	6	12	2.171	6.5 — 8.5
366	h 5055	30	143 1	79 32	4'	9	0.758	6.48	1	4	0.759	9 — 9.5
367	Prec. γ Cor. Aust.	51	127 16	282 27	11	10	0.625	13.04	8	16	0.623	7.5 — 8
368	γ Cor. Aust.	56	127 16	$\left\{ \begin{array}{l} 5 \ 52 \\ 4 \ 28 \\ 3 \ 27 \end{array} \right.$	$\left\{ \begin{array}{l} 14 \\ 19' \\ 13 \end{array} \right.$	$\left\{ \begin{array}{l} 20 \\ 30 \\ 15 \end{array} \right.$	$\left\{ \begin{array}{l} 0.455 \\ 1.539 \\ 2.270 \end{array} \right.$	$\left\{ \begin{array}{l} 2.29 \\ 2.26 \\ 1.89 \end{array} \right.$	$\left\{ \begin{array}{l} 13 \\ 10' \\ 6' \end{array} \right.$	$\left\{ \begin{array}{l} 36 \\ 38 \\ 18 \end{array} \right.$	$\left\{ \begin{array}{l} 0.515 \\ 1.477 \\ 2.272 \end{array} \right.$	$\left\{ \begin{array}{l} 5.5 — 5.5 \\ — \\ — \end{array} \right.$
369	β Sagittarii	19 11	134 44	78 8	13	10	0.663	28.17	5	12	0.663	3.5 — 7
370	h 5117	17	184 11	265 0	13	20	1.547	6.32	5	16	1.798	7.5 — 9.2
371	j 217	20 23	181 6	226 36	10'	15	0.654	4.21	9'	18	0.663	8.5 — 9.5
372	BAC 7207	41	124 20	167 56	8'	11	0.716	20.60	5	12	0.720	5.5 — 10.7
373	12 Aquarii	56	96 25	$\left\{ \begin{array}{l} 191 \ 7 \\ 191 \ 34 \end{array} \right.$	$\left\{ \begin{array}{l} 7' \\ 13' \end{array} \right.$	$\left\{ \begin{array}{l} 10 \\ 15 \end{array} \right.$	$\left\{ \begin{array}{l} 1.876 \\ 2.412 \end{array} \right.$	$\left\{ \begin{array}{l} 2.90 \\ 2.67 \end{array} \right.$	$\left\{ \begin{array}{l} 5' \\ 9 \end{array} \right.$	$\left\{ \begin{array}{l} 12 \\ 18 \end{array} \right.$	$\left\{ \begin{array}{l} 1.899 \\ 2.415 \end{array} \right.$	$\left\{ \begin{array}{l} 6 — 8.5 \\ — \end{array} \right.$
374	61 Cygni	21 0	51 59	$\left\{ \begin{array}{l} 102 \ 58 \\ 103 \ 21 \end{array} \right.$	$\left\{ \begin{array}{l} 15 \\ 24 \end{array} \right.$	$\left\{ \begin{array}{l} 11 \\ 20 \end{array} \right.$	$\left\{ \begin{array}{l} 0.626 \\ 1.773 \end{array} \right.$	$\left\{ \begin{array}{l} 17.43 \\ 17.48 \end{array} \right.$	$\left\{ \begin{array}{l} 10 \\ 13' \end{array} \right.$	$\left\{ \begin{array}{l} 24 \\ 24 \end{array} \right.$	$\left\{ \begin{array}{l} 0.627 \\ 1.760 \end{array} \right.$	$\left\{ \begin{array}{l} 5.5 — 6 \\ — \end{array} \right.$
375	ϕ Indi	9	144 4	$\left\{ \begin{array}{l} 300 \ 29 \\ 297 \ 31 \end{array} \right.$	$\left\{ \begin{array}{l} 7 \\ 12' \end{array} \right.$	$\left\{ \begin{array}{l} 10 \\ 15 \end{array} \right.$	$\left\{ \begin{array}{l} 0.646 \\ 2.050 \end{array} \right.$	$\left\{ \begin{array}{l} 3.53 \\ 3.66 \end{array} \right.$	$\left\{ \begin{array}{l} 5 \\ 9 \end{array} \right.$	$\left\{ \begin{array}{l} 12 \\ 18 \end{array} \right.$	$\left\{ \begin{array}{l} 0.645 \\ 2.034 \end{array} \right.$	$\left\{ \begin{array}{l} 5.5 — 9.5 \\ — \end{array} \right.$
376	β Cephei	26	20 6	250 29	10'	10	1.817	13.75	5	12	1.817	3 — 9
377	BAC 7578	38	137 59	9 28	12'	10	0.700	32.22	6'	12	0.697	6 — 9.5
378	h 5319	22 3	129 2	116 22	8'	10	1.873	2.30	4'	12	1.876	8 — 8
379	ζ Aquarii	21	90 49	347 2	9	10	1.735	3.59	8	12	1.734	4.5 — 4.5
380	β Pis. Aust.	23	123 6	172 4	14	11	0.859	30.12	8'	12	0.858	4.5 — 8.5
381	γ do. do.	43	123 39	275 18	8	10	0.853	4.18	5'	12	0.857	4.5 — 9
382	$\left\{ \begin{array}{l} \theta \text{ Gruis AB} \\ \text{AC} \end{array} \right\}$	58	134 21	$\left\{ \begin{array}{l} 10 \ 35 \\ 292 \ 49 \end{array} \right.$	$\left\{ \begin{array}{l} 13 \\ 12' \end{array} \right.$	$\left\{ \begin{array}{l} 20 \\ 9 \end{array} \right.$	$\left\{ \begin{array}{l} 1.851 \\ 1.859 \end{array} \right.$	$\left\{ \begin{array}{l} 2.91 \\ 160.20 \end{array} \right.$	$\left\{ \begin{array}{l} 10 \\ 1' \end{array} \right.$	$\left\{ \begin{array}{l} 24 \\ 3 \end{array} \right.$	$\left\{ \begin{array}{l} 1.839 \\ 1.814 \end{array} \right.$	$\left\{ \begin{array}{l} 4 — 9 \\ 4 — 8.5 \end{array} \right.$
383	S 824	23 3	102 44	101 15	7'	10	1.863	3.59	4	12	1.861	7.5 — 7.5
384	h 5392	10	149 7	1 10	5'	10	0.851	10.00	1'	6	0.825	8.5 — 11
385	94 Aquarii	10	104 18	$\left\{ \begin{array}{l} 345 \ 49 \\ 345 \ 14 \end{array} \right.$	$\left\{ \begin{array}{l} 20 \\ 21 \end{array} \right.$	$\left\{ \begin{array}{l} 20 \\ 20 \end{array} \right.$	$\left\{ \begin{array}{l} 1.861 \\ 2.415 \end{array} \right.$	$\left\{ \begin{array}{l} 13.82 \\ 13.854 \end{array} \right.$	$\left\{ \begin{array}{l} 12 \\ 10' \end{array} \right.$	$\left\{ \begin{array}{l} 24 \\ 24 \end{array} \right.$	$\left\{ \begin{array}{l} 1.853 \\ 2.414 \end{array} \right.$	$\left\{ \begin{array}{l} 6 — 8.5 \\ 6 — 8 \end{array} \right.$
386	θ Phoenicis	31	137 25	269 29	11'	15	1.802	4.08	7	18	1.802	6.5 — 7
387	B 7342	47	117 53	269 7	10	10	1.875	6.66	5	12	1.881	7 — 7.5
388	h 5440	55	117 58	287 0	7	10	1.870	3.58	4	12	1.870	8.5 — 9

366 The position has apparently advanced: the distance perhaps decreased.

367 Unchanged.

368 A steady advance of about 1 s per annum, distance slightly decreasing.

$\left. \begin{array}{l} 370 \\ 371 \\ 372 \\ 376 \end{array} \right\} \text{Unchanged.}$

NORTH POLAR, DISTANCES
OF
THE PLANET MARS
AND OF
STARS SITUATED NEAR TO HIS PATH
AT THE SEVERAL OPPOSITIONS
BETWEEN 1847 AND 1852.
OBSERVED AT THE MADRAS OBSERVATORY.

N. P. D. OF THE PLANET MARS, AND OF STARS SITUATED NEAR TO HIS PATH

Madras Mean Time.	NAMES.	Barometer.	THERMO-METER.		Observed N. P. D.	Madras Mean Time.	NAMES.	Barometer.	THERMO-METER.		Observed N. P. D.
			In.	Out.					In.	Out.	
d. h. m.		Inches.	°	°	° ' "	d. h. m.		Inches.	°	°	° ' "
1847. Oct. 4 14 0·7	σ Arietis ♂ Centre * (a)	29·982	82·3	81·7	$\begin{cases} 75 & 31 & 59\cdot8 \\ 76 & 2 & 35\cdot2 \\ 75 & 59 & 36\cdot9 \end{cases}$	1849. Nov. 19 14 28·1	$\begin{cases} \text{B.A.C. 2058} \\ \text{♂ Centre} \\ \text{♂ Gemin.} \end{cases}$	30·080	77·1	76·4	$\begin{cases} 64 & 50 & 47\cdot8 \\ 64 & 48 & 12\cdot6 \\ 64 & 41 & 40\cdot4 \end{cases}$
5 13 56·1	σ Arietis ♂ Centre * (b)	29·958	82·2	80·4	$\begin{cases} 75 & 32 & 0\cdot2 \\ 76 & 3 & 5\cdot2 \\ 76 & 6 & 48\cdot9 \end{cases}$	20 14 23·4	$\begin{cases} \text{B.A.C. 2058} \\ \text{♂ Centre} \\ \text{♂ Gemin.} \end{cases}$	30·068	76·1	74·3	$\begin{cases} 64 & 50 & 47\cdot1 \\ 64 & 44 & 49\cdot9 \\ 64 & 41 & 40\cdot2 \end{cases}$
18 12 52·3	ν Arietis ♂ Centre * (c)	29·964	80·8	80·2	$\begin{cases} 78 & 11 & 56\cdot5 \\ 76 & 24 & 41\cdot2 \\ 76 & 23 & 25\cdot6 \end{cases}$	21 14 18·7	$\begin{cases} \text{B.A.C. 2058} \\ \text{♂ Centre} \\ \text{♂ Gemin.} \end{cases}$	30·039	76·0	74·9	$\begin{cases} 64 & 50 & 50\cdot5 \\ 64 & 41 & 24\cdot9 \\ 64 & 41 & 39\cdot4 \end{cases}$
19 12 47·1	ν Arietis ♂ Centre * (e)	29·968	80·3	78·7	$\begin{cases} 78 & 11 & 45\cdot3 \\ 76 & 27 & 21\cdot3 \\ 76 & 23 & 25\cdot3 \end{cases}$	22 14 14·0	$\begin{cases} \text{♂ Centre} \\ \text{♂ Gemin.} \end{cases}$	30·008	75·9	74·6	$\begin{cases} 64 & 38 & 0\cdot4 \\ 64 & 41 & 41\cdot8 \end{cases}$
22 12 31·3	ν Arietis ♂ Centre * (f)	30·048	80·6	79·8	$\begin{cases} 78 & 11 & 53\cdot8 \\ 76 & 35 & 59\cdot2 \\ 76 & 41 & 50\cdot1 \end{cases}$	23 14 9·2	$\begin{cases} \text{Hist. Cel. 11854} \\ \text{♂ Centre} \\ \text{♂ Gemin.} \end{cases}$	30·035	79·1	79·1	$\begin{cases} 64 & 35 & 43\cdot3 \\ 64 & 34 & 34\cdot1 \\ 64 & 41 & 39\cdot7 \end{cases}$
25 12 15·3	ω Arietis ♂ Centre * (h)	30·020	77·8	77·2	$\begin{cases} 75 & 38 & 32\cdot1 \\ 76 & 53 & 44\cdot3 \\ 76 & 45 & 20\cdot1 \end{cases}$	28 13 44·1	$\begin{cases} 5 \text{ Gemin.} \\ \text{♂ Centre} \end{cases}$	30·090	77·7	76·5	$\begin{cases} 65 & 31 & 11\cdot8 \\ 64 & 17 & 34\cdot1 \end{cases}$
26 12 10·0	19 Arietis ♂ Centre * (h)	30·026	78·3	77·3	$\begin{cases} 75 & 25 & 10\cdot0 \\ 76 & 50 & 6\cdot6 \\ 76 & 48 & 35\cdot6 \end{cases}$	29 13 39·0	$\begin{cases} 5 \text{ Gemin.} \\ \text{♂ Centre} \\ \text{Hist. Cel. 12336} \end{cases}$	30·082	78·0	77·5	$\begin{cases} 65 & 31 & 13\cdot0 \\ 64 & 14 & 13\cdot7 \\ 64 & 15 & 36\cdot1 \end{cases}$
Nov. 5 11 16·7	19 Arietis ♂ Centre * (l)	30·084	80·0	79·9	$\begin{cases} 75 & 25 & 1\cdot8 \\ 77 & 21 & 2\cdot8 \\ 77 & 19 & 36\cdot7 \end{cases}$	Dec. 2 13 23·1	$\begin{cases} \text{♂ Centre} \\ \text{B.A.C. 2058} \\ \text{Hist. Cel. 12395} \end{cases}$	30·030	75·9	76·1	$\begin{cases} 64 & 4 & 40\cdot7 \\ 64 & 50 & 48\cdot2 \\ 64 & 11 & 31\cdot7 \end{cases}$
6 11 11·5	19 Arietis ♂ Centre	30·017	79·5	78·3	$\begin{cases} 75 & 24 & 56\cdot8 \\ 77 & 24 & 2\cdot2 \end{cases}$	10 12 39·0	$\begin{cases} \text{Hist. Cel. 11108} \dagger \\ 139 \text{ Tauri} \\ \text{♂ Centre} \end{cases}$	29·959	71·3	71·0	$\begin{cases} 63 & 33 & 55\cdot9 \\ 64 & 2 & 21\cdot8 \\ 64 & 43 & 0\cdot4 \end{cases}$
9 10 55·9	♂ Centre * (m)	30·076	79·2	77·6	$\begin{cases} 77 & 32 & 22\cdot2 \\ 77 & 29 & 46\cdot6 \end{cases}$	11 12 33·4	$\begin{cases} \text{Hist. Cel. 11108} \\ \text{—} \\ 139 \text{ Tauri} \\ \text{♂ Centre} \end{cases}$	30·016	74·1	72·7	$\begin{cases} 63 & 33 & 55\cdot6 \\ 63 & 35 & 5\cdot2 \\ 64 & 2 & 21\cdot3 \\ 63 & 40 & 49\cdot5 \end{cases}$
10 10 50·8	A.S.C. 212 ♂ Centre	30·102	78·4	78·0	$\begin{cases} 78 & 25 & 34\cdot9 \\ 77 & 34 & 54\cdot9 \end{cases}$	12 12 27·8	$\begin{cases} \text{Hist. Cel. 11108} \dagger \\ 139 \text{ Tauri} \\ \text{♂ Centre} \end{cases}$	30·024	76·1	75·0	$\begin{cases} 63 & 35 & 6\cdot0 \\ 64 & 2 & 21\cdot1 \\ 63 & 38 & 50\cdot3 \end{cases}$
11 10 45·7	♂ Centre * (n)	30·112	79·2	79·5	$\begin{cases} 77 & 37 & 15\cdot2 \\ 77 & 45 & 5\cdot3 \end{cases}$	13 12 22·1	$\begin{cases} \text{Hist. Cel. 11108} \dagger \\ \text{♂ Centre} \\ \text{Taylor III 671} \end{cases}$	30·044	75·8	74·3	$\begin{cases} 63 & 35 & 8\cdot2 \\ 63 & 36 & 58\cdot5 \\ 63 & 17 & 22\cdot3 \end{cases}$
13 10 35·7	A.S.C. 212 ♂ Centre	30·110	77·6	76·7	$\begin{cases} 78 & 25 & 33\cdot2 \\ 77 & 41 & 33\cdot2 \end{cases}$	17 11 59·4	$\begin{cases} 125 \text{ Tauri} \\ \text{Hist. Cel. 11108} \dagger \\ \text{♂ Centre} \end{cases}$	30·136	78·2	77·9	$\begin{cases} 64 & 9 & 40\cdot8 \\ 63 & 33 & 55\cdot4 \\ 63 & 31 & 3\cdot0 \end{cases}$
15 10 25·8	A.S.C. 212 ♂ Centre * (n)	30·082	75·2	73·0	$\begin{cases} 78 & 25 & 33\cdot9 \\ 77 & 45 & 10\cdot3 \\ 77 & 44 & 58\cdot3 \end{cases}$	18 11 53·7	$\begin{cases} 125 \text{ Tauri} \\ \text{♂ Centre} \\ \text{Hist. Cel. 11108} \dagger \end{cases}$	30·181	77·8	77·6	$\begin{cases} 64 & 9 & 40\cdot4 \\ 63 & 29 & 59\cdot1 \\ 63 & 33 & 56\cdot7 \end{cases}$
16 10 21·0	♂ Centre * (n)	30·048	74·5	73·2	$\begin{cases} 77 & 46 & 40\cdot2 \\ 77 & 41 & 44\cdot2 \end{cases}$	19 11 48·0	$\begin{cases} 125 \text{ Tauri} \\ \text{♂ Centre} \\ \text{Hist. Cel. 11108} \dagger \end{cases}$	30·152	76·8	76·3	$\begin{cases} 64 & 9 & 41\cdot8 \\ 63 & 29 & 3\cdot9 \\ 63 & 33 & 56\cdot0 \end{cases}$
23 9 48·4	* (o) ♂ Centre * (n)	30·090	77·3	76·6	$\begin{cases} 77 & 47 & 1\cdot1 \\ 77 & 51 & 31\cdot4 \\ 77 & 41 & 43\cdot4 \end{cases}$						

* Three Stars, the 1st and 3rd observed and the 2d omitted.

† 3d Star.

‡ 1st Star.

Madras Mean Time.	NAMES.	Barometer.	THERMO-METER.		Observed N. P. D.	Madras Mean Time.	NAMES.	Barometer.	THERMO-METER.		Observed N. P. D.
			In.	Out.					In.	Out.	
d. h. m.		Inches.	°	°	° ' "	d. h. m.		Inches.	°	°	° ' "
1849.						1852.					
Dec. 20 11 42.4	{ 125 Tauri Hist. Cel. 10689 ♂ Centre }	30.087	76.9	76.8	{ 64 9 40.9 63 36 34.5 63 28 16.6 }	Jan. 10 13 33.8	{ γ Cancri G. 480 ♂ S.L. }	30.037	77.8	77.7	{ 67 58 1.7 68 2 52.6 67 59 22.8 }
21 11 36.7	{ 125 Tauri Hist. Cel. 10689 ♂ Centre }	30.094	77.7	77.8	{ 64 9 40.9 63 36 35.0 63 27 39.6 }	15 13 6.9	{ 32 Cancri γ — ♂ N.L. }	30.065	73.9	73.7	{ 65 22 50.1 67 58 0.5 67 22 55.5 }
27 11 3.5	{ *118 Tauri ♂ Centre Hist. Cel. 10689 }	30.097	76.0	78.0	{ 64 56 39.5 63 26 50.8 63 26 10.7 }	16 13 1.4	{ 32 Cancri ♂ S.L. H.C. 17528 }	30.030	75.6	75.5	{ 65 22 48.7 67 16 4.2 67 11 14.9 }
29 10 52.7	{ *118 Tauri ♂ Centre Hist. Cel. 10689 }	30.043	74.0	77.0	{ 64 56 39.7 63 27 32.5 63 26 11.4 }	17 12 55.9	{ 32 Cancri ♂ N.L. }	30.086	76.9	76.4	{ 65 22 50.3 67 8 37.9 }
1850.						19 12 44.8	{ λ Cancri 32 — ♂ N.L. }	30.076	75.1	74.8	{ 65 28 50.0 65 22 49.9 66 54 36.3 }
Jan. 2 10 31.6	{ B.A.C. 1648 ♂ Centre Hist. Cel. 10689 }	30.134	79.1	79.0	{ 62 10 7.7 63 30 1.2 63 26 12.1 }	20 12 39.3	{ λ Cancri 32 — ♂ S.L. }	30.084	77.5	77.5	{ 65 28 49.1 65 22 49.9 66 48 7.2 }
3 10 26.4	{ ♂ Centre Hist. Cel. 10689 }	30.120	78.0	78.0	{ 63 30 50.2 63 26 10.8 }	21 12 33.7	{ λ Cancri v ^s — ♂ S.L. }	30.102	78.7	78.7	{ 65 28 49.8 65 23 18.5 66 41 19.4 }
5 10 16.3	{ B.A.C. 1648 ♂ Centre B.A.C. 1754 }	30.112	78.4	78.4	{ 62 10 9.4 63 32 38.6 63 8 36.8 }	22 12 28.1	{ v ^s Cancri ♂ S.L. }	30.119	78.8	78.9	{ 65 23 18.9 66 34 44.6 }
9 9 56.7	{ ♂ Centre B.A.C. 1754 }	29.998	79.7	79.7	{ 63 36 40.6 63 8 35.9 }	23 12 22.5	{ λ Cancri v ^s — ♂ N.L. }	30.139	79.6	79.6	{ 65 28 49.1 65 23 17.0 66 27 53.5 }
10 9 51.9	{ B.A.C. 1562 ♂ Centre }	30.032	78.3	78.0	{ 63 44 58.6 63 37 44.2 }	24 12 16.9	{ λ Cancri v ¹ — ♂ S.L. }	30.186	79.2	79.2	{ 65 28 47.8 64 56 54.0 66 21 54.4 }
11 9 47.2	{ ♂ Centre *118 Tauri }	30.048	77.8	76.5	{ 63 38 51.0 64 56 40.5 }	26 12 5.7	{ λ Cancri v ¹ — ♂ S.L. }	30.178	78.3	78.3	{ 65 28 46.1 64 56 52.7 66 9 48.8 }
14 9 33.5	{ ♂ Centre *118 Tauri }	30.023	78.7	76.8	{ 63 42 0.5 64 56 41.8 }	27 12 0.1	{ λ Cancri ♂ N.L. }	30.176	78.3	78.3	{ 65 28 47.1 66 3 43.0 }
15 9 29.1	{ B.A.C. 1562 ♂ Centre *118 Tauri }	30.030	79.1	78.8	{ 63 44 58.9 63 43 3.2 64 56 41.1 }	28 11 54.5	{ B.A.C. 2703 λ Cancri ♂ S.L. }	30.180	78.0	77.5	{ 67 6 9.9 65 28 47.5 65 58 33.3 }
16 9 24.7	{ B.A.C. 1562 ♂ Centre *118 Tauri }	30.050	78.4	77.9	{ 63 44 59.4 63 44 4.3 64 56 42.2 }	29 11 48.9	{ B.A.C. 2703 λ Cancri ♂ N.L. }	30.134	76.6	76.1	{ 67 6 10.2 65 28 47.1 65 52 46.2 }
17 9 20.4	{ B.A.C. 1562 ♂ Centre *118 Tauri }	30.060	77.9	77.6	{ 63 44 59.7 63 45 4.1 64 56 41.2 }	30 11 43.3	{ B.A.C. 2703 λ Cancri ♂ S.L. }	30.115	75.9	75.6	{ 67 6 10.8 65 28 49.8 65 48 4.6 }
1852.						31 11 37.8	{ B.A.C. 2703 λ Cancri ♂ N.L. }	30.146	76.6	76.6	{ 67 6 11.2 65 28 49.3 65 42 49.0 }
Jan. 2 14 14.5	{ γ Cancri ♂ Centre H.C. 18105 }	30.142	77.7	77.6	{ 67 57 57.2 68 54 3.8 68 56 3.3 }						
8 13 44.3	{ γ Cancri G. 485 ♂ Centre }	30.046	76.4	76.3	{ 67 58 0.3 68 13 34.6 68 13 27.9 }						

* 2d Star observed.

Madras Mean Time.	NAMES.	Barome- ter.	THERMO- METER.		Observed N. P. D.	Madras Mean Time.	NAMES.	Barome- ter.	THERMO- METER.		Observed N. P. D.
			In.	Out.					In.	Out.	
<i>d. h. m.</i>		Inches.	°	°	° ' "	<i>d. h. m.</i>		Inches.	°	°	° ' "
1852. Feb. 2 11 26.8	{ λ Cancri ♂ S.L. }	30.103	74.7	74.4	{ 65 28 47.3 65 34 2.7 }	1852. Feb. 14 10 23.7	{ H.C. 15707 ♂ S.L. λ Cancri }	30.121	78.5	78.7	{ 65 3 31.3 64 59 52.2 65 28 45.8 }
3 11 21.3	{ λ Cancri ♂ N.L. ♂ Cancri }	30.110	76.3	76.2	{ 65 28 46.5 65 29 30.7 65 19 55.1 }	16 10 13.8	{ ♂ S.L. λ Cancri }	30.097	79.5	79.7	{ 64 57 27.1 65 28 46.0 }
4 11 15.9	{ ♂ S.L. ♂ Cancri }	30.138	77.8	77.7	{ 65 25 54.9 65 19 54.3 }	17 10 8.9	{ ♂ N.L. λ Cancri }	30.088	79.9	80.0	{ 64 56 15.2 65 28 45.1 }
5 11 10.5	{ ♂ N.L. ♂ Cancri 32 — }	30.182	79.0	78.8	{ 65 21 51.0 65 19 53.2 65 22 46.3 }	19 9 59.3	{ ♂ N.L. λ Cancri }	30.111	80.2	80.3	{ 64 55 9.9 65 28 45.5 }
6 11 5.1	{ ♂ S.L. ♂ Cancri 32 — }	30.180	79.2	79.3	{ 65 18 45.5 65 19 53.8 65 22 48.4 }	21 9 50.0	{ ♂ N.L. λ Cancri }	30.078	79.0	79.5	{ 64 54 51.3 65 28 41.6 }
7 10 59.8	{ ♂ N.L. ♂ Cancri 32 — }	30.115	79.3	79.5	{ 65 15 14.9 65 19 53.0 65 22 45.6 }	23 9 40.9	{ 82 Gemin. ♂ N.L. }	30.150	80.2	80.3	{ 66 27 36.7 64 55 20.9 }
9 10 49.3	{ B.A.C. 2703 ♂ N.L. λ Cancri }	30.126	76.9	76.8	{ 67 5 10.5 65 9 32.7 65 28 46.8 }	24 9 36.4	{ 82 Gemin. ♂ S.L. λ Cancri }	30.124	80.2	80.2	{ 66 27 37.6 64 56 8.7 65 28 44.7 }
10 10 44.1	{ 84 Gemin. ♂ S.L. λ Cancri }	30.119	77.3	76.5	{ 67 15 9.7 65 7 23.2 65 28 47.0 }	25 9 32.0	{ 82 Gemin. ♂ N.L. B.A.C. 2703 }	30.099	79.3	79.7	{ 66 27 36.3 64 56 32.5 67 5 5.8 }
11 10 38.9	{ H.C. 15707 ♂ N.L. λ Cancri }	30.120	77.4	77.2	{ 65 3 39.4 65 4 50.5 65 28 46.0 }	26 9 27.6	{ 82 Gemin. ♂ S.L. B.A.C. 2703 }	30.064	80.6	80.8	{ 66 27 6.7 64 58 32.8 67 5 7.1 }
12 10 33.7	{ H.C. 15707 ♂ S.L. λ Cancri }	30.112	78.0	78.0	{ 65 3 48.2 65 3 8.5 65 28 46.1 }	27 9 23.3	{ 82 Gemin. ♂ S.L. }	30.078	80.5	80.3	{ 66 27 34.9 64 58 44.9 }
13 10 28.7	{ ♂ N.L. λ Cancri }	30.119	78.3	78.4	{ 65 1 3.5 65 28 45.5 }	28 9 19.0	{ 82 Gemin. ♂ S.L. B.A.C. 2703 }	30.080	80.3	79.9	{ 66 27 35.8 64 59 58.1 67 5 6.5 }

N. B.—The time given in the 1st column is that of the Observation of the Planet.

ECLIPSES

OF THE

SUN AND MOON

AND OF THE

SATELLITES OF THE PLANET JUPITER

TOGETHER WITH

OCCULTATIONS OF FIXED STARS BY THE MOON

IN THE YEARS 1848—1852,

AS OBSERVED AT THE MADRAS OBSERVATORY.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 19TH MARCH, 1848.

	Madras Mean Time.	Observer.		Madras Mean Time.	Observer.
	<i>h. m. s.</i>			<i>h. m. s.</i>	
Beginning of the Eclipse	12 37 11.3	A	First Total Immersion.....	{ 13 41 49.6 13 41 49.6	A S
Touches Mare Humorum.....	{ 12 50 19.1 12 50 20.1	S A	Last Total Immersion*.....	{ 15 23 14.9 15 23 18.9	A S
Touches Keplerus.....	{ 12 52 9.6 12 52 10.8	A S	Discovers Mare Humorum.....	{ 15 31 38.5 15 31 41.5	A S
Touches Plato	{ 12 59 6.7 12 59 8.7	A S	Discovers Aristarchus.....	{ 15 32 49.3 15 32 53.3	A S
Touches Mare Serenitatis.....	{ 13 6 37.5 13 6 39.5	A S	Leaves Aristarchus.....	{ 15 34 13.1 15 34 16.1	A S
Touches Tycho.....	13 11 36.6	S	Leaves Keplerus.....	{ 15 36 28.7 15 36 34.7	A S
Covers Tycho.....	13 13 0.4	S	Leaves Mare Humorum.....	{ 15 38 2.5 15 38 5.5	A S
Touches a bright spot.....	{ 13 19 55.3 13 19 56.3	A S	Discovers Tycho.....	{ 15 46 31.1 15 46 33.1	A S
Covers do.	13 21 10.1	A	Leaves Tycho.....	{ 15 48 0.8 15 48 0.8	A S
Touches Mare Crisium....	{ 13 28 45.8 13 28 47.8	A S	Discovers Plato.....	{ 15 50 14.5 15 50 16.5	A S
Covers Mare Crisium	{ 13 34 40.8 13 34 42.8	A S	Leaves Mare Vaporum.....	{ 16 1 12.7 16 1 12.7	A S
Touches Langrenus.....	{ 13 35 52.6 13 35 53.6	A S	Flying clouds prevented further observation.....	{	
Covers Langrenus.....	13 37 32.4	A	End of the Eclipse*.....	{ 16 30 33.8 16 30 38.8	A S

A. with 5 feet Achromatic power 60 — S. with 45 inch Telescope power 55.

I lost the commencement of the Eclipse owing to dew condensing on the object glass; Mr. R. Allan at the 5 feet remarks the same "as well as on account of the shadow being ill defined and confused." I resigned the Telescope to C. Sashoo Iyengar. The object glasses of both Telescopes were repeatedly wiped. Observations generally very unsatisfactory.

W. K. WORSTER, Captain, *Acting Astronomer.*

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 8TH MARCH, 1849.

	Madras Mean Time	Observer.		Madras Mean Time.	Observer.
	<i>h. m. s.</i>			<i>h. m. s.</i>	
Covers of a bright spot.....	17 22 33.8	A	Touches Mare Vaporum.....	17 33 46.0	A
Covers Keplerus.....	17 23 33.7	"	Touches Palus Somni	17 39 30.7	"
Touches Mare Nectaris.....	17 32 2.3	"	Touches Mare Serenitatis.	17 47 9.3	"

Observed with the 5 feet Achromatic, power 60.

Flying clouds prevented the commencement of the Eclipse being observed and during the whole time rendered the observations unsatisfactory. The above are the only ones worthy of record, but are still of doubtful value.

* Flying clouds.

OBSERVATION OF THE ECLIPSE OF THE MOON ON THE 2ND SEPTEMBER, 1849.

	Madras Mean Time.	Observer.		Madras Mean Time.	Observer.
	<i>h.</i> <i>m.</i> <i>s.</i>			<i>h.</i> <i>m.</i> <i>s.</i>	
Leaves Eudoxus.....	11 43 46.7	A	End of the Eclipse.....	11 55 5.8	A
Do. Lacus Somniorum	11 45 32.4	,,			

Observed with the 5 feet Achromatic, power 60.

The time of beginning could not be noted, or the spots observed, as it was cloudy throughout the Eclipse, except for a short time when the clouds having moved away a little, the above observations were made. The Umbra not being very well defined, but somewhat confused with the Penumbra, the observations are unsatisfactory and cannot be depended upon.

OBSERVATION OF THE ECLIPSE OF THE SUN, ON THE 11TH AND 12TH FEBRUARY, 1850.

	Madras Mean Time.	Observer.	Telescope.	Power.
	<i>d.</i> <i>h.</i> <i>m.</i> <i>s.</i>			
Beginning of the Eclipse	11 22 39 23.9	J	45 inch	60

At this time the Eclipse had already commenced, the sun having just emerged from the clouds; true time of contact probably 15 seconds earlier.

At greatest obscuration (about 0 9) the distance of the cusps measured 29.32 of Troughton's Micrometer: value of 1 rev. = 44.20 .

	Madras Mean Time.	Observer.		
	<i>d.</i> <i>h.</i> <i>m.</i> <i>s.</i>			
End of the Eclipse..... {	12 1 39 17.1	S	45 inch	55
	1 39 18.1	V	5 foot	60
	1 39 31.8	J	45 inch	60

My observation of the last contact was good, the indentation being clearly seen 3 seconds before; the differences in the time are therefore unaccountable, as S. and V. both considered their observations satisfactory.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 17TH JANUARY, 1851.

	Madras Mean Time.	Observer.		Madras Mean Time.	Observer.
	<i>h.</i> <i>m.</i> <i>s.</i>			<i>h.</i> <i>m.</i> <i>s.</i>	
Beginning of the Eclipse.*.....	9 0 26.8	S	Touches Mare Srenitatis.....	9 27 41.4	B
Do.....*	9 0 28.8	B		9 27 44.4	V
Do.....*	9 0 36.8	V			
Touches Mare Frigoris..	9 8 16.6	V	Touches Lacus.....	9 32 49.5	B
				9 32 51.5	V
Covers Mare Frigoris.....	9 11 13.1	V	Touches Mare Imbrium.....	9 37 40.7	V
Touches Plato.....	9 13 34.7	V	Covers Lacus.....	9 39 42.4	V
	9 13 35.7	B			
Covers Plato.....	9 15 4.5	V			
	9 15 5.5	S			
	9 15 6.4	B			

* Flying clouds.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 17TH JANUARY 1851, (Continued.)										
	Madras Mean Time.			Observer.		Madras Mean Time.			Observer.	
	<i>h.</i>	<i>m.</i>	<i>s.</i>			<i>h.</i>	<i>m.</i>	<i>s.</i>		
Covers Copernicus.....	9	39	55.4	B	Beginning of the Eclipse*.....	9	2	12.3	J	
Covers Mare Serenitatis.....	9	49	18.8	V	Touches Mare Imbrium.....	9	9	41.0	„	
Touches Mare Crisium.....	{	9	50	B	Touches } Plato.....	{	9	13	40.4	„
		9	50	V	Covers }		9	15	55.0	„
Covers Mare-Crisium.....	{	10	5	B	Touches } Aristarchus.....	{	9	19	16.4	„
		10	5	V	Covers }		9	20	19.2	„
		10	5	R	Touches Mare Serenitatis.....		9	27	48.0	„
Leaves Keplerus.....	10	13	4.9	R	Touches } Eratosthenes.....	{	9	29	22.7	„
Leaves Copernicus.....	{	10	22	R	Covers }		9	29	45.7	„
		10	24	B	Touches } Aristoteles.....	{	9	35	44.6	„
Leaves a small spot.....	{	10	32	V	Covers }		9	37	6.4	„
		10	32	B	Covers Mare Imbrium.....		9	38	28.2	„
Leaves Archimedes.....	10	48	4.1	R	Touches Copernicus.....		9	40	55.7	„
Leaves Mare Imbrium.....	{	10	59	R	Touches } Archimedes.....	{	9	45	49.9	„
		10	59	B	Covers }		9	47	54.6	„
		10	59	V	Touches } Keplerus.....	{	9	48	34.5	„
Leaves Mare Serenitatis	{	11	6	R	Covers }		9	52	23.8	„
		11	6	B	Covers Copernicus.....		9	50	39.1	„
		11	6	V	Touches Mare Crisium.....		9	52	33.9	„
Leaves Posidonius.....	{	11	8	R	Uncovers } Keplerus.....	{	9	57	33.0	„
		11	9	V	Leaves }		10	0	32.4	„
Leaves Mare Crisium.....	{	11	15	R	Touches Menelaus.....		10	10	0.9	„
		11	15	V	Uncovers Copernicus.....		10	12	54.4	„
		11	15	B	Covers Menelaus.†.....		10	16	29.8	„
End of the Eclipse.....	{	11	21	R	Leaves Copernicus.....		10	21	48.9	„
		11	21	V	Leaves Aristarchus.....		10	23	48.5	„
		11	23	B	Leaves Menelaus.....		10	27	27.9	„
V. with 5 feet Achromatic, power 60										
B. with 45 inch Telescope, power about 55.										
S. and R. with 45 inch Telescope, power 100										
J with 7 feet Equatorial, power 75.										

* Flying clouds, uncertain.

† Uncertain, this being about the limit of the Eclipse.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 26TH DECEMBER, 1852.

	Madras Mean Time.	Observer.		Madras Mean Time.	Observer.
	<i>h. m. s.</i>			<i>h. m. s.</i>	
Touches Mare Serenitatis.....	{ 6 15 36.0	S	Touches Aristarchus.....	6 14 48.0	J
	{ 6 15 41.0	R	Covers do.....	6 20 48.0	"
Touches Mare Crisium.....	{ 6 28 3.6	S	Covers Menelaus.....	6 23 48.0	"
	{ 6 28 13.7	R	Touches Mare Crisium.....	6 29 0.0	"
Leaves Mare Serenitatis.....	6 47 54.9	S	Covers Eratosthenes.....	6 33 48.0	"
Leaves Grimaldus.....	6 50 19.5	S	Leaves do.....	6 46 18.0	"
Leaves Mare Vaporum.....	7 3 7.0	S	Leaves Menelaus.....	6 47 48.0	"
Leaves Mare Crisium.....	{ 7 9 35.9	S	Leaves Copernicus.....	6 51 58.0	"
	{ 7 10 0.8	R	Leaves Mare Crisium.....	7 9 28.0	"
Leaves Mare Humorur.....	7 24 38.0	S	Leaves Grimaldus.....	7 10 38.0	"
Leaves Tycho.....	{ 7 31 31.7	R	Leaves Mare Nectaris.....	7 39 38.0	"
	{ 7 31 41.8	S	Leaves Petavius.....	7 47 58.0	"
Leaves Petavius.....	7 43 4.6	S	End of the Eclipse.....	7 52 48.0	"
End of the Eclipse.....	{ 7 53 57.6	S			
	{ 7 54 37.6	R			
S. with 5 feet Achromatic, power 60.			J. with the 45 inch Dollond, power 40.		
R. with 45 inch Telescope, power 55			Frequently obscured by clouds.		
Flying clouds at intervals, but the Observations are satisfactory					

The letters set against the above Observations refer to the following observers.

J. to W. S. Jacob.

S. to C. Sashoo Iyengar.

A. to Mr. R. Allan.

B. to P. Baboo Naidoo.

V. to C. Veerasawmy Pillay.

R. to C. Ragoonatha Chary.

ECLIPSES OF THE SATELLITES OF JUPITER, (*Continued.*)

Date.	Satellites.	Im. or Em.	Telescope.	Power.	Madras Mean Time.			REMARKS.	Observer.
1849.					<i>h.</i>	<i>m.</i>	<i>s.</i>		
Feb. 15	III	Emersion ..	5 feet	110	8	58	48.7	Thin haze around the planet, otherwise satisfactory.	A
" 20	I	Emersion ..	5 feet	110	7	57	15.6	Good.	A
" "	II	Emersion ..	5 feet	110	11	27	17.8	Good.	B
" 27	I	Emersion ..	5 feet	110	9	51	14.9	Observation very good.	B
March 6	I	Emersion ..	5 feet	110	11	45	40.6	Planet very high—D near, good.	A
" 17	II	Emersion ..	5 feet	60	8	36	18.8	Good observation.	B
" 24	II	Emersion ..	5 feet	110	11	13	9.2	Thin haze, otherwise satisfactory.	A
" 30	III	Emersion ..	5 feet	110	8	52	47.9	Planet in the zenith—D light, otherwise satisfactory.	S
" 31	I	Emersion ..	5 feet	110	6	27	10.2	Faint, haze.	S
April 18	II	Emersion ..	5 feet	110	8	22	19.7	Planet in the zenith—satisfactory, notwithstanding thin haze.	A
" 21	I	Emersion ..	5 feet	110	12	11	41.9	Thin haze.	A
" 23	I	Emersion ..	5 feet	110	6	40	12.8	Planet in the zenith, good.	A
" 25	II	Emersion ..	5 feet	110	10	58	53.4	Observation satisfactory.	S
" 30	I	Emersion ..	5 feet	110	8	35	18.8	Moon near the planet—pretty good.	A
May 7	I	Emersion ..	5 feet	110	10	30	19.5	Convenient altitude—bright D light—observation satisfactory.	A
" 12	III	Emersion ..	5 feet	110	8	48	39.3	Haze—otherwise satisfactory.	S
Nov. 21	I	Immersion ..	5 feet	60	13	39	16.5	Planet low and distorted—time uncertain to several seconds.	J
1850.									
Jan. 13	I	Immersion ..	5 feet	110	15	48	33.6	Pretty good.	J
" 15	I	Immersion ..	5 feet	110	10	16	40.8	Planet in the horizon—tremulous observation unsatisfactory.	V
Feb. 23	I	Immersion ..	5 feet	110	8	40	18.6	Convenient altitude—clear; bright D light good observation.	V
March 9	IV	Emersion ..	5 feet	110	7	9	9.9	Definition bad, Satellite nearly in contact.	J
" 11	II	Emersion ..	5 feet	110	6	54	26.3	Satellite in contact with disk, limb violently agitated; not good.	J
" "	I	Emersion ..	5 feet	110	9	9	56.1	Satellite near the body—good.	V
" 18	II	Emersion ..	5 feet	110	9	29	21.0	Satisfactory.	V
" "	I	Emersion ..	5 feet	110	11	2	45.7		V
" 25	II	Emersion ..	5 feet	110	12	5	15.3	Unsatisfactory.	A
" 27	I	Emersion ..	5 feet	110	7	25	4.4	Good.	S
April 10	I	Emersion ..	5 feet	110	11	13	6.9		S
" 19	I	Emersion ..	5 feet	110	7	36	18.4	Haze—pretty good.	A
" 26	I	Emersion ..	5 feet	110	9	30	40.3	Good observation.	V
May 3	I	Emersion ..	5 feet	110	11	25	3.1	Good.	V
" 21	II	Emersion ..	5 feet	60	9	2	4.7	Unsatisfactory observation—haze.	B
June 4	I	Emersion ..	5 feet	110	8	0	41.0	Good observation.	B
" 11	I	Emersion ..	5 feet	110	9	55	36.6	Observation good.	B

ECLIPSES OF THE SATELLITES OF JUPITER, (<i>Continued.</i>)							
Date.	Satellites	Im. or Em.	Telescope.	Power	Madras Mean Time.	REMARKS.	Observer.
1851.					<i>h. m. s.</i>		
Feb. 24	I	Immersion ..	5 feet	110	17 6 46.1	Satisfactory.	S
March 19	I	Immersion ..	5 feet	60	17 15 32.8	Haze.	R
April 4	I	Immersion ..	5 feet	110	15 31 3.6		V
" 27	II	Emersion ..	5 feet	60	12 36 55.7	Haze—observation unsatisfactory.	R
May 20	III	Immersion ..	5 feet	60	6 37 16.9	Haze—good.	M
" 22	I	Emersion ..	5 feet	110	12 31 7.0		V
" 27	III	Emersion ..	5 feet	110	12 57 9.7		S
June 16	II	Emersion ..	5 feet	110	7 11 0.4	Planet in the zenith—strong breeze.	M
" 23	II	Emersion ..	5 feet	110	9 33 10.0	Haze.	S
July 2	III	Emersion ..	5 feet	110	8 49 9.0		V
1852.							
April 1	I	Immersion ..	7 feet	200	10 58 10.9	Planet steady—diminution of light observed for about 40s. before disappearance.	J
" 17	I {	Immersion ..	5 feet	110	9 14 11.8		S
		Immersion ..	7 feet	200	9 14 14.7		J
" 20	II {	Immersion ..	45 inch	55	8 31 37.5		M
		Immersion ..	5 feet	110	8 31 48.5		S
" 24	I	Immersion ..	5 feet	110	11 7 48.6	Good observation.	S
" 27	II	Immersion ..	5 feet	110	11 6 31.3		S
May 26	I {	Emersion ..	5 feet	60	9 49 35.6		B
		Emersion ..	45 inch	55	9 49 43.6		R
June 11	I	Emersion ..	5 feet	110	8 6 30.2	Haze.	S
Sept. 27	I	Emersion ..	5 feet	60	7 15 29.1	Tremulous, observation unsatisfactory.	R

OCCULTATION OF STARS AND PLANETS BY THE MOON.			Madras Mean Time.	Observer.
			<i>h. m. s.</i>	
1848.				
Jan. 10	Disappearance of a very bright star, 3d magnitude,* behind the Moon's dark limb, observed with the 5 feet Achromatic, power 110 : Very good observation.	at	7 30 14.6	B
" 12	Disappearance of a star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Very good observation.	at	7 0 25.4	B
" 17	Disappearance of a small star, 6½ magnitude, behind the Moon's dark limb, observed with the 5 feet Achromatic, power 110 : Satisfactory observation.	at	7 21 58.2	B
" "	Disappearance of a star, 6th magnitude (120 Tauri?), behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Satisfactory observation.	at	10 23 8.2	B
Mar. 16	Disappearance of α Leonis behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at		6 48 19.5	W
Apr. 7	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at		8 8 6.6	V
" "	Disappearance of a bright star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at		8 11 49.0	V
May 6	Disappearance of a very faint star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Observation unsatisfactory.	at	7 29 47.1	B
" "	Disappearance of a small star, 6½ magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Observation satisfactory.	at	7 53 47.1	B
" "	Disappearance of a bright star, 5th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Observation good.	at	8 12 1.6	B
" "	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Good observation.	at	8 22 19.4	B
Sept. 8	Disappearance of ϵ Sagittarii behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Good observation.	at	7 38 10.0	B
1849.				
Feb. 26	Disappearance of a star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Very good.	at	7 35 32.1	A
Mar. 1	Disappearance of a bright star, (75 Tauri?), behind the Moon's dark limb, observed with 5 feet Achromatic, power 60 : Very good.	at	9 6 29.1	V
" "	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 60 : Very good.	at	9 11 12.3	W
" 2	Disappearance of a star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Very satisfactory observation.	at	11 11 54.0	A
" 28	Disappearance of a bright star behind the Moon's dark limb, observed with 5 feet Achromatic, power 60 : Good	at	8 12 44.1	S
" 30	Disappearance of a bright star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Observation very satisfactory.	at	9 28 19.1	A

* The star was probably B.A.C. 7986, though the magnitude must have been greatly overrated. The magnitudes are given as entered in the Observation book, but are generally too high.

OCCULTATION OF STARS AND PLANETS BY THE MOON.				Mean Time.	Observer.
				h. m. s.	
1849.					
Apr. 26	Disappearance of a bright star, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Very satisfactory.	at		7 32 1.3	A
" 27	Disappearance of a bright star, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Very satisfactory.	at		7 58 48.8	A
" 30	Disappearance of a bright star, (B. A. C. 3344 ?), behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Very satisfactory.	at		8 36 28.2	A
June 25	Disappearance of a small star, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Unsatisfactory.	at		7 58 37.4	V
Augt. 23	Disappearance of B.A.C. 4794, behind the Moon's dark limb, observed with 5 feet Achromatic, power 60 : Instantaneous.	at		6 54 33.4	J
Oct. 1	Occultation of Saturn observed with 5 feet Achromatic, power 110 : Very hazy, Planet scarcely visible.				
	External contact of ring,	at		15 44 17.2	"
	Do. of Planet,	at		15 45 15.3	"
	Internal contact lost by clouds				
	At Emersion 1st appearance of Planet,	at		16 48 1.9	"
	External contact; Rather dim but no distortion,	at		16 48 30.9	"
	Do. of ring,	at		16 49 28.2	"
12	Occultation of Jupiter observed with 5 feet Achromatic, power 60 :				
	Immersion. 1st contact.	at		22 8 48.2	"
	At bright limb. total immersion.*	at		22 10 43.2	"
	Emersion. 1st appearance.†	at		23 16 51.0	"
	At dark limb. external contact.	at		23 18 27.1	"
	The Moon's limb appeared sharp and well defined upon Jupiter, but the Planet's limb was not very well defined.				
" 20	Disappearance of a bright star behind the Moon's dark limb (NE), observed with 5 feet Achromatic, power 110 : Observation very satisfactory.	at		6 25 18.2	V
" "	Disappearance of a faint star behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 110 :	at		6 28 37.7	V
" "	Disappearance of a bright star behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110 : Observation very satisfactory.	at		7 46 46.7	V
" 23	Disappearance of a star behind the Moon's dark limb (N), observed with 5 feet Achromatic, power 110 : Good observation.	at		8 29 40.5	V
" 24	Disappearance of a star, 5th magnitude (B.A.C. 7097 ?), behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 100 :	at		9 45 34.0	B
Nov. 19	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 240 : Observation good.	at		7 28 24.6	B

* Uncertain to some seconds there being a thick haze.

† At first appearance Jupiter seemed to be spread out along the C's limb, but when partially emerged there was no perceptible distortion

		OCCULTATION OF STARS AND PLANETS BY THE MOON	Madras Mean Time			Observer.
1849.			<i>h.</i>	<i>m.</i>	<i>s.</i>	
Nov. 20		Disappearance of a star, 5th magnitude, behind the Moon's dark limb, apparently to the (N.E.) observed with 5 feet Achromatic, power 110: Observation good.	6	17	47.9	B
" 21		Disappearance of a star, $7\frac{1}{2}$ magnitude, at Moon's northern cusp; observed with 5 feet Achro- matic, power 110.	6	25	4.8	J
		The star seemed to hang on the limb, for near a minute before disappearing, without any diminution or distortion, but the disappearance was decidedly gradual, occupying perhaps 0.2.				
Dec. 20		Disappearance of a star, $8\frac{1}{2}$ magnitude, at Moon's dark limb, near centre, observed with 5 feet Achromatic, power 110: pretty good, star's light slightly reduced for 2 or 3 seconds before immersion.	6	47	42.0	J
1850.						
Jan. 21		Disappearance of a star, 5th magnitude, at Moon's (N.E.) limb, observed with 5 feet Achro- matic, power 110. The star appeared to hang on the limb, for near $\frac{1}{2}$ minute before disappearing. Observation very good.	8	38	6.8	B
" 25		Disappearance of a star, 4th magnitude, (B.A.C. 2004?), behind the Moon's eastern limb, ob- served with 5 feet Achromatic, power 110: Observation very good.	7	0	11.0	B
Feb. 15		Disappearance of a bright star behind the Moon's dark limb near south, observed with 5 feet Achromatic, power 110: Good observation.	7	32	36.8	V
" 16		Disappearance of a bright star, (B.A.C. 388,) behind the Moon's dark limb (South East), observed with 5 feet Achromatic, power 110: Instantaneous—very good observation.	8	40	44.9	V
Mar. 19		Disappearance of a star, 5th magnitude, in Taurus behind the Moon's dark limb, observed with 5 feet Achromatic, power 110:	6	55	39.4	B
" "		Disappearance of a star, 5th magnitude, in Taurus behind the Moon's dark limb, observed with 5 feet Achromatic, power 110:	7	10	12.1	B
" 20		Disappearance of a star, 7th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110:	8	39	52.1	R
" "		Disappearance of a star, 5th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110:	8	41	34.3	R
" 21		Disappearance of a star, 5th magnitude, behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 110:	7	9	33.7	S
" "		Disappearance of a star, 6th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110:	8	7	11.2	S
" "		Disappearance of a star behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110:	9	12	13.6	V
" 22		Disappearance of B.A.C. 2505 behind the Moon's dark limb (NE), observed with 5 feet Achro- matic, power 110: Very satisfactory observation.	8	19	1.0	A
" 23		Disappearance of a star, 7th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110: Very satisfactory observation.	11	29	53.8	A
May 17		Disappearance of a star, 6th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60: Satisfactory observation.	8	3	23.5	S
" 18		Disappearance of a star, of about 5th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60: (Immersion gradual)	10	49	27.0	A
" "		Disappearance of Regulus behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60: Did not at all lose its brilliancy, but when very near the limb it appeared distorted or rather elongated; the immersion was instantaneous—Clear, very good observation.	10	54	41.4	A

OCCULTATION OF STARS AND PLANETS BY THE MOON.		Madras Mean Time.			Obser- ver.
1850.		h.	m.	s.	
May 18	Reappearance of Regulus behind the Moon's bright limb (W), observed with 5 feet Achromatic, power 60: at No distortion whatever now, but the image was perfectly round; Emersion instantaneous—Clear, very good observation.	11	52	33.6	A
Oct. 8	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: at	6	33	56.6	B
" "	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: at	6	35	8.4	B
Dec. '6	Disappearance of a star, 7th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Good observation. at	6	41	4.8	B
" "	Disappearance of a star, 6½ magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Good observation. at	6	43	43.4	B
" "	Disappearance of a star, 4th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Good observation. at	6	48	58.0	B
1851.					
Jan. 8	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Observation good. at	9	44	6.9	B
" 10	Disappearance of a star, 5th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110: at	8	6	48.4	V
" "	Disappearance of a star, 4th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: at	9	48	41.1	B
" 15	Disappearance of α^1 Orionis, behind the Moon's dark limb (NE), observed with 5 feet Achromatic, power 60: Good observation. at	7	28	10.2	V
" "	Reappearance of α^1 Orionis, behind the Moon's bright limb (W), observed with 5 feet Achromatic, power 60: Good observation. at	8	40	45.2	V
" 16	Disappearance of a star, 7th mag. 90° N. of ζ Geminorum, behind the Moon's dark limb, observed with 7 feet Equatorial, power 125 at Not very certain.	10	53	34.8	J
" "	Do. of ζ Geminorum with do. Instantaneous. at	10	56	30.8	J
" "	Do. do. with 5 feet Achromatic, power 60. Good observation. at	10	56	32.1	B
" "	Do. do. with 45 inch. at	10	56	32.8	R
" "	Reappearance of ζ Geminorum behind the Moon's enlightened limb, observed with 7 feet Equatorial.—No projection or distortion; star seen suddenly in contact with the limb, at	12	13	25.9	J
" "	Do. do. with 45 inch Telescope. at	12	13	40.6	R
" "	Do. do. with 5 feet Achromatic, power 60. at	12	13	43.6	B
" 24	Disappearance of ξ^2 Libræ, behind the Moon's bright limb, observed with 5 feet Achromatic, power 60:—Instantaneous. at	17	5	47.9	J
" "	Reappearance of ξ^2 Libræ behind the Moon's dark limb (near the Northern Cusp), observed with 45 inch Telescope. at Very good observation, the limb well defined, and the star appeared to stay at the same point for about 2 minutes, or to move along the Moon's border.	17	52	42.2	R
Feb. 3	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 45 inch Telescope. at Very good observation.	7	7	59.0	R
" "	Do. do. do. with 5 feet Achromatic, power 60. at Good observation.	7	7	59.2	B

OCCULTATION OF STARS BY THE MOON.				Madras Mean Time.	Observer.
				<i>h. m. s.</i>	
1851.					
Feb.	5	Disappearance of a star (5th magnitude B.A.C. 81?) behind the Moon's dark limb, observed with 45 inch Telescope. Very good observation.	at	7 36 34.5	R
"	"	Do. do. do. with 5 feet Achromatic, power 60: Very good observation.	at	7 36 34.6	B
"	6	Disappearance of a star, 5th magnitude, (B.A.C. 344?) behind the Moon's dark limb, observed with 5 feet Achromatic, power 60: Very good observation.	at	8 29 3.7	B
"	"	Do. do. do. with 45 inch Telescope.	at	8 29 3.8	R
"	7	Disappearance of a star (6th magnitude) behind the Moon's dark limb, observed with 45 inch Telescope. Good observation.	at	7 5 55.4	R
"	"	Do. do. with 5 feet Achromatic, power 60: Very good observation.	at	7 5 55.6	B
"	10	Disappearance of a star of about 6th magnitude behind the Moon's dark limb, observed with 5 feet Achromatic, power 60: Good observation, but the limb was not well defined.	at	7 54 12.6	R
"	12	Disappearance of a star of 5½ magnitude (B.A.C. 2080?) behind the Moon's dark limb, observed with 45 inch Telescope. The dark limb was invisible. Good observation.	at	7 27 36.0	R
"	"	Do. do. with 5 feet Achromatic, power 60: do. do. Good observation.	at	7 27 36.2	B
"	14	Disappearance of δ Cancrī at Moon's dark limb (E), with 5 feet Achromatic, power 60: Clear, observation very satisfactory.	at	13 17 51.4	V
Mar.	6	Disappearance of a star, 6½ magnitude, behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 60:	at	7 8 58.8	V
"	"	Disappearance of a star, 6th magnitude.	at	7 9 28.7	V
"	8	Disappearance of a star (5th magnitude) at Moon's dark limb (NE), with 5 feet Achromatic, power 60:	at	7 18 23.1	V
"	12	Disappearance of a star (6th magnitude) at Moon's dark limb (SE), with 5 feet Achromatic, power 60:	at	7 52 22.5	S
"	20	Reappearance of ξ^3 Libræ behind the Moon's dark limb (NW), with 5 feet Telescope, power 60:	at	9 42 17.0	V
April	7	Disappearance of χ^1 Orionis (of 4½ magnitude,) behind the Moon's dark limb (SE), observed with 7 feet Equatorial, power 125. Instantaneous, dark limb barely visible; the star made a sudden move or wriggle about ½ second before disappearing.	at	10 24 8.0	J
"	"	Do. do. with 5 feet Achromatic, power 60: Good observation.	at	10 24 8.7	V
"	17	Disappearance of γ Libræ at Moon's bright limb, with 5 feet Achromatic, power 60: Very good observation.	at	11 59 33.1	R
June	24	Disappearance of B.A.C. 845 behind the Moon's bright limb, observed with 5 feet Achromatic, power 110:	at	16 33 44.9	R
"	"	The star disappeared instantaneously. Observation good.			
"	"	Reappearance of Do. behind the Moon's dark limb, observed with 5 feet Achromatic, power 60:	at	17 36 32.2	R
"	"	The limb and star extremely faint by day light, the time doubtful to 4 or 5 seconds, haze.			
Oct.	7	Reappearance of ψ^2 Aquarii behind the Moon's bright limb (W), with 5 feet Achromatic, power 60: Rather hazy—Not satisfactory.	at	7 47 3.9	S
"	21	Disappearance of ν Virginis behind the Moon's bright limb (E), with 5 feet Achromatic, power 60: Good observation.	at	17 7 38.5	S
Nov.	27	Disappearance of a star (of about 7½ magnitude) behind the Moon's dark limb, with 5 feet Achromatic, power 60:	at	7 37 8.5	R

ECLIPSES OF THE SUN AND MOON, ETC.

OCCULTATION OF STARS BY THE MOON.				Madras Mean Time.	Observer.
1851.					
Nov. 27	Disappearance of a star, 6th magnitude, doubtful.	at	h. m. s.	7 37 51.4	R
" "	Disappearance of a star (of about 7th magnitude), behind the Moon's dark limb, with 5 feet Achromatic, power 60:	at		8 24 53.6	V
Dec. 19	Disappearance of η Libræ, behind the Moon's bright limb (E), with 5 feet Achromatic, power 60: Good observation.	at		17 55 6.1	S
1852.					
Jan. 28	Disappearance of a star of about $4\frac{1}{2}$ magnitude behind the Moon's dark limb, with 5 feet Achromatic, power 60:	at		7 34 6.4	S
Feb. 2	Disappearance of a star of about 5th magnitude behind the Moon's dark limb, with 5 feet Achromatic, power 60: Good observation.	at		7 36 23.6	R
" 25	Disappearance of a star of about 6th magnitude behind the Moon's dark limb, (about 15° from N. Point) with 5 feet Achromatic, power 60:	at		7 45 4.0	R
" 26	Disappearance of a star of about 6th magnitude behind the Moon's dark limb, (about 75° from N. Point) with 5 feet Achromatic, power 60: Good observation.	at		7 5 18.5	R
" "	Disappearance of a star of $5\frac{1}{2}$ magnitude behind the Moon's dark limb, with 5 feet Achromatic, power 110: Good.	at		8 10 41.2	S
Mar. 6	Disappearance of ν Virginis behind the Moon's bright limb (E), observed with 5 feet Achromatic, power 60: Moon in the horizon—haze. Observation unsatisfactory.	at		6 49 58.3	M
" "	Reappearance of do.	at		7 24 15.7	R
" 27	Disappearance of a star, (6th magnitude) behind the Moon's dark limb, observed with 5 feet Achromatic, power 60: Good observation.	at		9 4 34.2	B
" 28	Disappearance of μ Geminorum behind the Moon's dark limb, observed with 7 feet Equatorial, power 125:	at		2 59 8.7	J
	The star suffered a small diminution of light and was slightly agitated for about two seconds before disappearance, which was also not quite instantaneous.				
" "	Reappearance of do. observed with 7 feet Equatorial: Instantaneous, no projection, but the star seemed to hang on the limb for about 2.	at		4 27 36.7	J
Apr. 3	Disappearance of ϵ Virginis behind the Moon's dark limb (E), observed with 7 feet Equatorial, aperture 4 inches, power 200: Instantaneous, no distortion.	at		9 1 38.4	J
" "	Do. do. with 5 feet Achromatic, power 60: Observation very satisfactory.	at		9 1 38.7	B
" "	Reappearance of do. behind the Moon's enlightened limb (W), observed with 7 feet Equatorial, at Star seen nearly $\frac{1}{2}$ from limb, rather faint but no distortion.	at		10 8 35.0	J
" "	Do. do. with 5 feet Achromatic, power 60:	at		10 9 5.1	B
" 24	Disappearance of red star $6\frac{1}{2}$ magnitude (B.A.C. 1987) observed with 7 feet Equatorial, power 169:	at		6 53 42.0	J
	No projection or distortion, but the star seemed to slide behind the limb, occupying nearly 0.1 in disappearing.				
" "	Do. do. with 5 feet Telescope, power 60:	at		6 53 42.4	R
" "	Reappearance of do. observed with 7 feet Equatorial, power 169: Instantaneous.	at		7 38 8.7	J
" "	Disappearance of η Geminorum behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 60:	at		8 16 35.8	S

OCCULTATION OF STARS BY THE MOON.			Madras Mean Time.	Observer.
1852.			<i>h. m. s.</i>	
April 24	Disappearance of γ Geminorum behind the Moon's dark limb (SE), observed with 45 inch.	at	8 16 36.3	M
" "	Do. do. with 7 feet Equatorial, power 169 : Hazy—instantaneous.	at	8 16 36.4	J
" "	Reappearance of do. behind the Moon's bright limb observed with 5 feet Achromatic, power 60 : Haze.	at	9 15 54.0	S
" 26	Disappearance of a star about $5\frac{1}{2}$ magnitude (B.A.C. 2714 ?) behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 60 : Rather hazy.	at	8 31 40.3	S
" 27	Disappearance of a star about $6\frac{1}{2}$ magnitude behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60 : Good.	at	8 39 55.0	S
May 13	Disappearance of 33 Piscium behind the Moon's bright limb, observed with 5 feet Achromatic, power 60 : Instantaneous, satisfactory, hazy.	at	15 48 42.5	R
" "	Reappearance of do. with do. behind the Moon's dark limb. Very good observation—hazy.	at	16 20 24.0	R
Sept. 22	Reappearance of No. 6864 B.A.C. observed with 5 feet Achromatic, power 60 : Very good observation.	at	11 23 51.1	R
Oct. 30	Reappearance of α Tauri behind the Moon's dark limb (SW), observed with 5 feet Achromatic, power 60 : Haze, not satisfactory.	at	7 59 13.8	S

W. refers to Captain W. K. Worster.

M. „ to T. Moottoosawmy Pillay.

TRANSITS
OF
THE MOON
AND OF
STARS CULMINATING NEAR THERETO,
BETWEEN 1848 AND 1852,
OBSERVED AT THE MADRAS OBSERVATORY.

TRANSITS OF THE MOON, AND OF STARS CULMINATING NEAR THERETO,

Date.	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.
1848. Jan. 13	μ Piscium Moon I. L. ξ^2 Ceti	<i>h. m. s.</i> 1 22 30.48 1 26 47.90 2 20 22.29	B " "	1848. Feb. 16	δ Cancr α^2 —	<i>h. m. s.</i> 8 36 50.28 8 50 58.16	B "	1848 Mar. 19	β Virginis Moon I. L. η Virginis	<i>h. m. s.</i> 11 43 16.78 11 52 25.29 12 12 38.13	A " "
" 14	ξ^2 Ceti Moon I. L. δ Arietis	2 20 23.03 2 23 53.43 3 3 15.14	B " "	" 17	Moon I. L. ξ Leonis	8 51 39.36 9 24 34.02	B "	" 20	μ Virginis γ^1 — Moon II. L. θ Virginis α —	12 12 39.09 12 35 28.87 12 41 27.03 13 2 36.39 13 17 42.87	A " " " "
" 17	ι Tauri Moon I. L. ζ Tauri η Geminor. μ —	4 54 21.76 5 22 20.59 5 28 54.66 6 6 3.24 6 14 6.90	A " " " "	" 18	\circ Leonis Moon I. L.	9 33 52.56 9 43 48.86	B "	" 21	θ Virginis α — Moon II. L. π Virginis λ —	13 2 37.54 13 17 44.00 13 28 26.82 14 5 20.02 14 11 26.20	A " " " "
" 18	η Geminor. μ — Moon I. L. ζ Geminor. δ —	6 6 4.17 6 14 7.87 6 22 28.81 6 55 27.38 7 11 24.37	A " " " "	" 22	γ^1 Virginis Moon II. L. θ Virginis α —	12 34 53.94 12 58 59.60 13 3 1.29 13 18 7.85	B " " "	" 22	π Virginis λ — Moon II. L. α^2 Libræ β —	14 5 21.23 14 11 27.25 14 15 56.06 14 43 2.19 15 9 23.88	A " " " "
" 19	ζ Geminor. δ — Moon I. L. ζ Cancr	6 55 28.55 7 11 25.43 7 20 20.85 8 3 52.32	A " " "	" 23	α Virginis ζ — Moon II. L. π Virginis λ —	13 18 9.46 13 27 54.65 13 46 3.83 14 5 45.31 14 11 51.46	B " " " "	" 23	α^2 Libræ Moon II. L. β Libræ	14 42 3.54 15 4 21.69 15 9 24.83	A " "
" 20	ζ Cancr (α) Moon I. L. Moon II. L. θ Cancr	8 3 53.94 8 18 7.26 8 19 21.04 8 23 19.82	B " " "	Mar. 18	μ Geminor. γ — Moon I. L. δ Geminor. π —	6 14 9.22 6 29 19.22 6 43 8.04 7 11 26.12 7 35 39.76	B " " " "	" 24	Moon II. L. χ Ophiuchi m Scorpii	15 54 2.85 16 18 49.10 16 33 23.01	A " "
" 21	π Cancr Moon II. L. π Leonis α —	8 59 55.84 9 14 30.66 9 52 35.96 10 0 41.68	A " " "	" 14	δ Geminor. π — Moon I. L. θ Cancr	7 11 27.00 7 35 40.54 7 39 41.07 8 23 20.27	B " " "	" 25	χ Ophiuchi m Scorpi Moon II. L. ν Serpentis \circ —	16 18 50.36 16 33 24.05 16 45 12.63 17 12 53.64 17 33 29.17	A " " " "
" 22	π Leonis α — Moon II. L. d Leonis χ —	9 52 37.28 10 0 43.00 10 6 9.00 10 53 9.21 10 57 37.22	A " " " "	" 15	Moon I. L. δ Cancr \circ Leonis	8 34 1.33 8 36 27.68 9 33 27.66	A " "	Apr. 11	δ Cancr Moon I. L. 29 Cancr α^2 —	7 57 34.26 8 17 52.24 8 21 6.58 8 51 8.88	A " " "
" 25	Moon II. L. γ^1 Virginis θ — α —	12 30 25.60 12 34 28.59 13 2 36.16 13 17 42.62	A " " "	" 16	ξ Leonis Moon I. L. \circ Leonis π — α —	9 24 11.75 9 26 9.45 9 33 28.61 9 52 37.45 10 0 42.96	A " " " "	" 12	α^2 Cancr α^3 — Moon I. L. \circ Leonis α —	8 39 36.06 8 51 10.30 9 10 53.56 9 34 2.62 10 1 16.80	A " " " "
" 27	Moon II. L. λ Virginis α^2 Libræ δ —	14 4 24.98 14 11 27.18 14 42 2.29 14 53 24.89	A " " "	" 17	π Leonis α — Moon I. L. d Leonis χ —	9 52 38.39 10 0 43.94 10 16 18.60 10 53 10.58 10 57 38.47	A " " " "	" 13	\circ Leonis Moon I. L. ϕ Leonis	9 34 4.09 10 1 30.35 10 25 50.56	A " "
Feb. 12	λ Tauri Moon I. L. γ Tauri α — ι —	3 53 7.38 4 4 33.76 4 12 0.50 4 28 3.86 4 54 52.60	A " " " "	" 18	d Leonis χ — Moon I. L. ν Leonis β Virginis	10 53 11.62 10 57 39.42 11 4 53.98 11 29 39.15 11 43 15.75	A " " " "	" 14	Moon I. L. σ Leonis τ —	10 50 14.74 11 14 22.22 11 21 11.80	B " "
" 16	λ Geminor. π — Moon I. L.	7 25 43.50 7 36 4.20 7 57 18.86	B " "	" 19	ν Leonis	11 29 40.13	A	" 15	Moon I. L. π Virginis η —	11 37 42.26 11 54 11.11 12 13 14.26	S " "
				" 19				" 17	θ Virginis	13 3 14.87	S

(a) Not very distinct.

Date.	Names.	Observed Transitt.	Obs- ver.	Date.	Names.	Observed Transitt.	Obs- ver.	Date.	Names.	Observed Transitt.	Obs- ver.
1848.		<i>h. m. s.</i>		1848.		<i>h. m. s.</i>		1849.		<i>h. m. s.</i>	
Apr. 17	Moon I. L.	13 11 15.59	S	May 20	4 Sagittarii	17 51 10.68	A	Jan. 3	Moon I. L.	1 54 18.51	B
	α Virginis	13 18 21.72	"		Moon II. L.	17 56 30.81	"		ξ ² Ceti	2 21 16.74	"
	m —	13 34 18.34	"		γ ¹ Sagittarii	18 45 39.36	"		B.A.C. 845	2 37 55.67	"
" 18	m Virginis	13 34 49.94	S		o —	18 56 14.11	"	" 4	ξ ² Ceti	2 21 16.96	B
	Moon II. L.	14 0 31.88	"	June 19	α ² Capricorni	20 9 13.98	B		Moon I. L.	2 52 28.56	"
	α Virginis	14 6 59.30	"		ρ —	20 19 48.06	"	" 8	ζ Geminor.	6 56 19.18	A
	α ² Libræ	14 43 40.59	"		Moon II. L.	20 21 39.21	"		Moon I. L.	7 7 15.76	"
	ξ ² —	14 49 43.44	"	" 20	s Capricorni	21 6 57.78	B		δ Geminor.	7 12 16.80	"
" 19	α ² Libræ	14 43 42.13	S		Moon II. L.	21 16 15.80	"	"	α —	7 36 29.70	"
	Moon II. L.	14 48 39.62	"		α Aquarii	21 57 51.05	"	Feb. 1	δ Arietis	3 3 21.71	A
	β Libræ	15 10 3.16	"	Aug. 10	ξ Serpentis	17 28 59.86	A		ξ Tauri	3 19 21.03	"
" 20	β Libræ	15 10 4.34	B		D Ophiuchi	17 34 26.23	"		Moon I. L.	3 30 40.47	"
	γ —	15 27 7.24	"		Moon I. L.	17 46 30.26	"		γ Tauri	4 11 34.27	"
	Moon II. L.	15 37 59.73	"		A.S.C. 2125	18 20 38.92	"		α —	4 27 37.65	"
May 10	Moon I. L.	9 44 6.83	B	" 15	Moon II. L.	22 28 0.37	B	" 2	γ Tauri	4 11 35.11	A
	δ ¹ Leonis	10 17 36.48	"		φ Aquarii	23 6 34.23	"		α —	4 27 38.62	"
	ρ —	10 25 10.19	"		ψ ² —	23 11 10.52	"		Moon I. L.	4 31 9.26	"
" 11	δ ¹ Leonis	10 17 37.61	B	Sept. 7	μ ¹ Sagittarii	18 4 55.64	B		ε Tauri	4 54 27.38	"
	ρ —	10 25 11.49	"		Moon I. L.	18 16 55.46	"		ζ —	5 29 0.46	"
	Moon I. L.	10 38 56.04	"	" 8	π Sagittarii	19 0 59.55	B	" 3	ε Tauri	4 54 28.35	A
	σ Leonis	11 13 41.50	"		Moon I. L.	19 11 24.48	"		ζ —	5 29 1.49	"
" 12	σ Leonis	11 13 43.26	B	" 9	ε ² Sagittarii	19 34 6.43	B		Moon I. L.	5 33 30.47	"
	Moon I. L.	11 21 55.63	"		Moon I. L.	20 6 52.17	"		μ Geminor.	6 14 3.60	B
	β Virginis	11 42 12.37	"		α ² Capricorni	20 9 54.36	"	" 5	δ Geminor.	7 11 31.16	B
	η —	12 12 33.85	"	" 13	ρ Piscium	23 51 13.99	A		κ —	7 35 44.63	"
" 13	Moon I. L.	12 8 50.51	B		Moon II. L.	23 55 52.96	"		Moon I. L.	7 39 31.66	"
	η Virginis	12 12 35.35	"		s Piscium	23 57 53.71	"	" 6	θ Cancri	8 23 24.20	"
	γ ¹ —	12 34 25.27	"		m Ceti	0 45 34.85	"		δ —	8 23 24.59	B
" 15	α Virginis	13 17 42.70	A		e Piscium	1 0 52.91	"		Moon I. L.	8 36 31.69	"
	m —	13 34 9.71	"	" 14	Moon II. L.	0 53 45.49	A		8 40 35.23	"	"
	Moon I. L.	13 42 15.89	"		e Piscium	1 0 53.57	"	Mar. 2	11 Orionis	4 55 52.63	B
	α Virginis	14 5 19.04	"	Dec. 4	φ Aquarii	23 7 7.75	A		15 —	4 59 59.53	"
	λ —	14 11 25.14	"		ψ ² —	23 11 43.93	"		Moon I. L.	5 13 12.83	"
" 16	α Virginis	14 5 20.70	A		Moon I. L.	23 28 39.35	"		ν Orionis	5 58 53.31	"
	λ —	14 11 26.78	"		s Piscium	23 57 14.43	"	" 3	μ Geminor.	6 13 46.63	B
	Moon I. L.	14 29 58.64	"	" 6	s Piscium	0 55 48.93	A		Moon I. L.	6 14 50.87	"
	β Libræ	15 9 23.31	"		Moon I. L.	1 19 15.63	"		ξ Geminor.	6 35 45.91	"
" 17	β Libræ	15 9 25.14	A		ξ Ceti	2 5 42.68	"		ζ —	6 55 6.34	"
	Moon I. L.	15 18 56.29	"	" 8	Moon I. L.	3 19 59.84	B	" 5	12 Cancri	8 0 14.33	A
" 18	δ Scorpii	15 51 58.25	A		γ Tauri	4 11 58.79	"		Moon I. L.	8 16 7.24	"
	ρ ¹ —	15 57 13.40	"	" 9	α —	4 28 2.30	"		δ Cancri	8 36 4.41	"
	Moon II. L.	16 11 29.71	"		Moon I. L.	4 24 34.40	B	" 6	α —	8 50 12.09	"
	m Scorpii	16 33 24.16	"		α Tauri	4 28 3.72	"		δ Cancri	8 36 4.97	A
	η Ophiuchi	17 2 16.75	"		ε —	4 54 52.56	"		α —	8 50 12.63	"
" 19	m Scorpii	16 33 25.73	A	1849.	ν Piscium	1 34 42.89	B		Moon I. L.	9 14 22.66	"
	Moon II. L.	17 3 23.78	"	Jan. 3					π Leonis	9 54 13.23	"
	D Ophiuchi	17 34 58.08	"						α —	10 0 18.93	"

TRANSITS OF THE MOON, AND OF STARS CULMINATING NEAR THERETO,

Date.	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.
1849.		<i>h. m. s.</i>		1849.		<i>h. m. s.</i>		1849.		<i>h. m. s.</i>	
Mar. 7	π Leonis	9 52 13.81	A	May 3	β Virginis	11 42 57.14	B	Aug. 13	ϵ Tauri	5 29 46.54	A
	α —	10 0 19.55	"		Moon I. L.	12 9 55.77	A		Moon II. L.	5 42 22.33	"
	Moon I. L.	10 10 7.93	"		γ Virginis	12 12 18.13	"	" 31	ϵ Aquarii	20 40 0.15	B
	d Leonis	10 52 45.98	"		γ —	12 34 8.13	"	"	μ —	20 45 0.71	"
	χ —	10 57 13.69	"		θ —	13 2 15.71	"	"	Moon I. L.	21 5 31.27	"
" 8	d Leonis	10 52 46.76	A	" 4	γ Virginis	12 34 8.70	A	Sept. 2	Moon I. L.	22 49 45.76	A
	χ —	10 57 14.38	"		Moon I. L.	12 58 37.32	"		Moon II. L.	22 51 54.92	"
	Moon I. L.	11 3 37.15	"		θ Virginis	13 2 16.30	"	"	96 Aquarii	23 12 7.72	"
	v Leonis	11 29 13.99	"		α —	13 17 22.95	"	" 26	g Sagittarii	19 49 30.86	B
	β Virginis	11 42 50.70	"		m —	13 33 49.86	"	"	Moon I. L.	19 50 39.87	"
" 12	π Virginis	14 4 58.44	A	" 5	α Virginis	13 17 23.81	A	"	v Capricorni	20 31 35.12	"
	λ —	14 11 4.80	"		m —	13 33 50.66	"	" 7	v Capricorni	20 31 36.14	B
	Moon II. L.	14 25 42.80	"		Moon I. L.	13 46 59.10	"	"	Moon I. L.	20 42 43.02	"
	δ Libræ	14 53 2.08	"		ϵ Virginis	14 8 15.23	"	" 29	θ Aquarii	22 9 3.68	S
	β —	15 9 0.66	"		μ —	14 35 15.69	"	"	Moon I. L.	22 26 49.38	"
" 13	δ Libræ	14 53 3.73	A	" 7	β Libræ	15 9 4.17	A	Oct. 1	33 Piscium	23 57 50.45	B
	β —	15 9 2.41	"		Moon II. L.	15 26 46.11	"	"	Moon I. L.	0 12 3.18	"
	Moon II. L.	15 14 50.16	"		δ Scorpii	15 51 36.01	"	"	(a) Moon II. L.	0 14 14.44	"
	β^1 Scorpii	15 56 49.25	"		β^1 —	15 56 51.02	"	"	20 Ceti	0 45 31.62	"
	ν —	16 3 22.74	"	" 8	δ Scorpii	15 51 36.76	A	" 2	δ Piscium	0 41 6.23	B
" 14	ν Scorpii	16 3 23.98	A		β^1 —	15 56 51.72	"	"	20 Ceti	0 45 32.74	"
	Moon II. L.	16 4 28.10	"		Moon II. L.	16 16 41.66	"	"	Moon II. L.	1 8 15.19	"
	B.A.C. 5579.	16 33 0.88	"	" 9	η Ophiuchi	17 1 55.89	A	" 8	Moon II. L.	7 7 2.80	J
	20 Ophiuchi.	16 41 39.23	"		ξ Ophiuchi	17 7 24.88	"	"	δ Geminor.	7 11 28.05	"
" 31	Moon I. L.	6 58 33.17	S		ξ Ophiuchi	17 12 10.08	"	" 24	α^2 Capricorni	20 10 26.13	J
	68 Geminor.	7 25 30.97	"	June 5	ϕ Ophiuchi	16 22 23.45	B	"	Moon I. L.	20 21 14.41	"
	π —	7 35 51.25	"		20 —	16 41 22.12	"	" 25	29 Capricorni	21 8 10.81	A
April 2	δ Cancer	8 36 39.61	A		Moon I. L.	16 48 9.24	"	"	Moon I. L.	21 12 30.75	"
	α —	8 50 47.26	"	" 6	ν Serpentis	17 12 14.44	B	"	δ Capricorni	21 39 29.89	"
	Moon I. L.	8 56 31.66	"		ϕ —	17 32 50.14	"	"	ϵ Aquarii	21 59 4.83	"
	ϕ Leonis	9 33 39.21	"		Moon II. L.	17 41 30.07	"	" 26	δ Capricorni	21 39 31.51	A
" 3	ϕ Leonis	9 33 40.35	A	July 3	Moon I. L.	17 22 59.69	A	"	ϵ Aquarii	21 59 6.17	"
	Moon I. L.	9 51 59.32	S		4 Sagittarii	77 50 55.16	"	"	Moon I. L.	22 3 42.28	"
	η Leonis	9 59 41.41	"	" 6	ϵ^2 Sagittarii	19 34 16.22	A	"	σ Aquarii	22 23 28.84	"
	45 Leonis	10 20 16.21	"		57 —	19 43 48.88	"	"	λ —	22 45 33.91	"
	ρ —	10 25 27.01	"		Moon II. L.	20 1 10.00	"	" 27	λ Aquarii	22 45 35.85	A
" 30	ξ Leonis	9 23 52.05	A	Aug. 8	20 Ceti	0 46 21.73	J	" 29	(b) Moon I. L.	22 55 7.38	"
	ϕ —	9 33 9.25	"		Moon II. L.	0 53 57.75	"	"	Moon I. L.	0 40 32.40	B
	Moon I. L.	9 35 17.83	"	" 10	ϕ Aquarii	23 6 55.47	A	"	20 Ceti	0 45 13.29	"
	α Leonis	10 0 23.61	"		ψ^2 —	23 11 31.70	"	"	(c) μ Piscium	1 23 12.39	"
	ρ —	10 24 55.65	"	" 12	δ Piscium	0 41 18.47	A	" 30	μ Piscium	1 23 14.13	B
May 1	α Leonis	10 0 24.64	B		ϵ —	1 1 2.93	"	"	Moon I. L.	1 35 42.57	"
	ρ —	10 24 56.72	"		Moon II. L.	1 9 11.15	"	" 31	ϵ^2 Ceti	2 21 5.70	"
	Moon I. L.	10 28 57.30	"				"				
	χ Leonis	10 57 19.10	"				"				
	σ —	11 13 26.54	"				"				
" 2	χ Leonis	10 57 19.74	B				"				
	σ —	11 13 27.38	"				"				
	Moon I. L.	11 20 16.69	"				"				
	β Virginis	11 42 56.48	"				"				

(a) Not distinct. (b) Very faint (c) Faint.

Date.	Names.	Observed Transit.	Obs.- ver.	Date.	Names.	Observed Transit.	Obs.- ver.	Date.	Names.	Observed Transit.	Obs.- ver.
1849.		<i>h. m. s.</i>		1849.		<i>h. m. s.</i>		1850.		<i>h. m. s.</i>	
Oct. 31	Moon I. L.	2 33 16.71	B	Dec. 29	μ Geminor.	6 14 39.68	J	Feb. 28	(<i>e</i>) γ Virginis	12 33 59.24	J
	Moon II. L.	2 35 34.83	"		γ —	6 29 49.41	"		Moon II. L.	12 48 22.85	"
	B.A.C. 845	2 37 46.53	"		(<i>b</i>) Moon I. L.	6 45 52.41	"		α Virginis	13 17 13.44	"
					Moon II. L.	6 48 21.37	"				
Nov. 4	γ Geminor.	6 30 4.39	J	1850.				Mar. 3	β Libræ	15 8 52.98	J
	(<i>a</i>) Moon II. L.	6 47 12.75	"	Jan. 25	Moon I. L.	6 9 31.98	A		Moon II. L.	15 24 53.60	"
	λ Geminor.	7 10 29.79	"		μ Geminor.	6 14 1.78	"		δ Scorpii	15 51 24.58	"
					ζ —	6 55 21.18	"		β^1 —	15 56 39.60	"
" 5	λ Geminor.	7 10 31.53	J	" 26	ζ Geminor.	6 55 18.00	A	" 5	η Ophiuchi	17 1 43.55	R
	68 —	7 26 5.93	"		Moon I. L.	7 15 17.36	"		Moon II. L.	17 7 51.56	"
	Moon II. L.	7 50 21.59	"		β Geminor.	7 36 13.18	"		ν Serpentis	17 12 20.30	"
	δ Cancri	8 37 12.19	"		ϕ —	7 44 24.03	"				
" 8	Moon II. L.	10 43 48.05	A	Feb. 4	Moon II. L.	15 46 2.99	B	" 6	Moon II. L.	17 59 34.84	B
	σ Leonis	11 14 31.81	"		α Scorpii	16 20 11.70	"		μ^1 Sagittarii	18 4 44.16	"
" 9	σ Leonis	11 14 33.66	A	" 5	α Scorpii	16 20 11.48	B	" 7	ξ^2 Sagittarii	18 48 42.66	B
	Moon II. L.	11 36 24.03	"		Moon II. L.	16 36 35.24	"		Moon II. L.	18 51 22.06	"
" 22	γ Capricorni	21 32 18.80	J		η Ophiuchi	17 1 44.71	"	" 22	ζ Geminor.	6 55 3.94	A
	δ —	21 39 17.81	"	" 6	η Ophiuchi	17 1 44.28	B		δ —	7 11 1.06	"
	Moon I. L.	21 42 28.00	"		Moon II. L.	17 27 37.81	"		Moon I. L.	7 25 2.08	"
" 23	θ Aquarii	22 9 29.93	B	" 18	Moon I. L.	2 43 33.51	J		θ Cancri	8 22 53.97	"
	Moon I. L.	22 32 33.94	"		ξ Tauri	3 18 55.54	"		δ —	8 36 1.06	"
	ϕ Aquarii	23 7 8.50	"	" 19	Moon I. L.	3 40 9.55	J	" 23	θ Cancri	8 22 54.40	S
	ψ^2 —	23 11 44.74	"		α Tauri	4 27 11.76	A		Moon I. L.	8 27 23.92	"
" 24	ϕ Aquarii	23 7 10.22	B	" 21	β Tauri	5 16 40.96	A		δ Cancri	8 36 1.22	"
	ψ^1 —	23 11 16.40	"		ζ —	5 28 33.24	"		α —	8 50 8.60	"
	Moon I. L.	23 23 55.60	"		Moon I. L.	5 40 18.81	"	" 25	π Leonis	9 52 7.84	A
	33 Piscium	23 58 16.72	"		μ Geminor.	6 18 45.61	"		α —	10 0 13.54	"
" 26	20 Ceti	0 46 1.62	B		γ —	6 28 55.23	"		Moon I. L.	10 27 24.94	"
	Moon I. L.	1 7 12.07	"	" 22	μ Geminor.	6 13 46.03	A	" 26	σ Leonis	11 13 14.42	A
" 28	Moon I. L.	3 1 20.37	A		γ —	6 28 55.65	"		τ —	11 20 3.86	"
	δ Arietis	3 3 48.38	"		Moon I. L.	6 44 6.17	"		Moon I. L.	11 24 21.58	"
	ϵ Tauri	3 40 48.11	"		δ Geminor.	7 11 2.83	"	" 27	π Virginis	11 53 1.16	A
	λ —	3 53 7.43	"	" 23	δ Geminor.	7 11 3.05	A		η —	12 12 3.88	"
" 29	λ Tauri	3 53 9.41	A		Moon I. L.	7 48 48.02	B		Moon I. L.	12 19 27.91	"
	Moon I. L.	4 3 25.47	"	" 25	σ Leonis	9 33 3.15	B	Apr. 19	Moon I. L.	8 8 38.23	A
	α Tauri	4 28 5.83	"		Moon I. L.	9 54 59.89	"		δ Cancri	8 35 59.65	"
	ϵ —	4 54 55.07	J		α Leonis	10 0 17.58	"		α —	8 50 7.22	"
Dec. 2	ζ Geminor.	6 56 5.11	J	" 26	ρ Leonis	10 24 49.66	B	" 20	δ Cancri	8 35 59.67	A
	δ —	7 12 2.14	"		(<i>c</i>) Moon I. L.	10 54 33.18	J		α —	8 50 7.34	"
	Moon II. L.	7 24 7.37	"		(<i>d</i>) Moon II. L.	10 56 50.32	"		Moon I. L.	9 9 3.79	"
	θ Cancri	8 23 54.51	"	" 27	χ Leonis	10 57 11.38	"		σ Leonis	9 32 59.39	"
	δ Cancri	8 37 1.85	"		ζ —	11 20 8.43	"	" 22	α —	10 0 13.76	"
" 21	λ Aquarii	22 45 15.05	J		β Virginis	11 42 48.42	R	" 22	d Leonis	10 52 41.25	A
	Moon I. L.	23 3 43.03	"		Moon II. L.	11 53 44.05	"		χ —	10 57 9.20	"
	27 Piscium	23 51 28.06	"	" 27	γ Virginis	12 33 59.18	"	" 23	Moon I. L.	11 3 35.24	"
" 27	α Tauri	4 28 1.20	J		δ —	12 47 59.32	"		β Virginis	11 42 46.90	S
	Moon I. L.	4 32 14.22	"						Moon I. L.	11 57 55.84	"
	ϵ Tauri	4 54 50.27	"								

(a) Greatly agitated. (b) Uneven. (c) Imperfect. (d) Agitated. (e) N. Star

TRANSITS OF THE MOON, AND OF STARS CULMINATING NEAR THERETO,

Date.	Names.	Observed Transit.	Obs.- var.	Date.	Names.	Observed Transit	Obs.- var.	Date	Names.	Observed Transit	Obs.- var.	
1850.		<i>h. m. s.</i>		1850.		<i>h. m. s.</i>		1850.		<i>h. m. s.</i>		
Apr. 23	δ Virginis	12 47 57.31	S	Oct. 18	Moon I. L.	23 51 51.68	S	Dec. 14	ξ^1 Ceti	2 6 4.42	B	
" 30	δ Sagittarii	17 50 33.36	S	"	(a) 30 Piscium	23 55 6.54	"	"	ξ^2 —	2 21 12.59	"	
"	μ^1 —	18 4 43.14	"	"	δ —	0 41 45.03	"	"	" 16	α Tauri	3 17 47.60	S
"	Moon II. L.	18 8 30.38	"	"	20 Ceti	0 46 11.41	"	"	"	Moon I. L.	3 19 51.23	"
"	α Sagittarii	18 55 36.76	"	" 28	Moon II. L.	9 18 16.26	V	"	"	γ Tauri	4 12 19.01	"
"	π —	19 0 45.66	"	"	α Leonis	10 1 11.18	"	"	"	δ —	4 20 54.89	"
May 20	ν Virginis	11 38 2.78	B	"	γ —	10 12 30.15	"	"	" 17	γ Tauri	4 12 19.51	S
"	Moon I. L.	11 41 26.55	"	" 29	α Leonis	10 1 11.38	V	"	"	Moon I. L.	4 17 39.61	"
"	η Virginis	12 12 8.03	"	"	(b) Moon II. L.	10 17 13.88	"	"	"	α^1 Orionis	4 45 6.51	"
"	γ —	12 33 57.83	"	Nov. 11	Moon I. L.	21 5 50.49	S	"	"	δ Tauri	4 55 11.85	"
" 21	η Virginis	12 12 9.01	B	"	γ Capricorni	21 32 37.88	"	1851.				
"	Moon I. L.	12 33 54.17	"	"	δ —	21 39 36.94	"	Jan. 10	α Piscium	0 55 21.91	M	
"	α Virginis	13 17 13.33	"	"	" 13	Moon I. L.	22 43 32.63	S	"	Moon I. L.	1 13 2.92	S
" 22	θ Virginis	13 2 7.76	B	"	λ Aquarii	22 45 39.35	"	"	α Piscium	1 54 30.02	"	
"	α —	13 17 14.43	"	"	φ —	23 7 25.33	"	"	ξ^1 Ceti	2 5 16.53	"	
"	Moon I. L.	13 25 23.57	"	" 14	φ Aquarii	23 7 25.59	S	"	" 11	Moon I. L.	2 1 34.65	S
" 25	δ Scorpii	15 41 29.00	A	"	ψ^8 —	23 12 1.98	"	"	"	ξ^1 Ceti	2 5 16.73	"
"	β^1 —	15 56 44.07	"	"	(c) Moon I. L.	23 31 19.69	"	"	"	B.A.C. 845	2 37 4.27	"
"	Moon I. L.	16 0 6.30	"	"	27 Piscium	23 51 52.43	"	"	"	π Arctis	2 41 9.74	"
"	φ Ophiuchi	16 22 34.32	"	"	33 —	23 58 32.11	"	"	" 13	α Tauri	3 40 18.07	S
"	20 —	16 41 33.01	"	"	" 15	27 Piscium	23 51 52.47	S	"	Moon I. L.	3 47 2.79	"
June 19	Moon I. L.	14 1 35.74	B	"	33 —	23 58 32.09	"	"	"	λ Tauri	3 52 37.59	"
"	(a) α^2 Libræ	14 43 4.47	"	"	Moon I. L.	0 19 16.11	"	"	"	α —	4 27 34.26	"
" 22	α Scorpii	16 20 45.11	S	" 18	ν Ceti	2 28 53.53	B	"	" 14	α Tauri	4 27 34.44	S
"	Moon I. L.	16 35 17.32	"	"	B.A.C. 845	2 37 43.52	"	"	"	Moon I. L.	4 45 31.41	"
July 18	Moon I. L.	15 28 12.41	S	"	Moon I. L.	2 51 42.32	"	"	" 15	α Tauri	5 18 52.87	B
"	δ Scorpii	15 52 27.10	"	"	α Tauri	3 17 38.01	"	"	"	ξ —	5 28 56.23	"
"	β^1 —	15 57 42.12	"	"	ξ —	3 19 55.94	"	"	"	Moon I. L.	5 48 1.86	"
Aug. 21	29 Capricorni	21 7 48.52	S	" 19	α Tauri	3 17 38.27	B	"	"	μ Geminor.	6 14 8.51	"
"	Moon I. L.	21 12 35.46	"	"	ξ —	3 19 56.28	"	"	"	ν —	6 20 18.81	"
"	α Capricorni	21 14 15.44	"	"	Moon I. L.	3 47 46.09	"	"	" 16	μ Geminor.	6 14 8.65	B
"	δ —	21 39 7.50	"	"	Moon II. L.	3 50 3.41	"	"	"	ν —	6 20 18.81	"
"	μ —	21 45 28.67	"	"	α Tauri	4 20 45.50	"	"	"	Moon I. L.	6 54 39.65	"
Oct. 12	ξ^2 Sagittarii	18 49 35.02	J	Dec. 11	φ Aquarii	23 7 32.02	R	"	"	68 Geminor.	7 25 18.10	"
"	Moon I. L.	18 52 0.90	"	"	Moon I. L.	23 11 34.30	"	"	" 24	α^2 Libræ	14 43 53.23	R
"	α Sagittarii	18 56 29.84	"	"	27 Piscium	23 51 58.43	"	"	"	Moon II. L.	14 51 47.77	"
" 14	Moon I. L.	20 35 52.28	B	" 12	33 —	23 58 38.29	"	"	Feb. 10	λ Tauri	3 52 49.72	R
"	ν Aquarii	21 2 14.84	"	"	27 Piscium	23 51 59.08	B	"	"	γ —	4 11 43.31	"
"	α Capricorni	21 14 43.05	"	"	Moon I. L.	23 58 36.44	"	"	"	Moon I. L.	4 18 19.50	"
" 15	ν Aquarii	21 2 14.82	B	"	δ Piscium	0 41 54.05	"	"	"	11 Orionis	4 56 27.82	"
"	α Capricorni	21 14 42.89	"	" 13	20 Ceti	0 46 20.60	"	"	"	11 Orionis	4 56 28.28	R
"	Moon I. L.	21 26 2.24	"	"	δ Piscium	0 41 54.45	B	"	"	15 —	5 1 35.36	"
"	α Aquarii	21 59 9.86	"	"	Moon I. L.	0 46 2.71	"	"	"	Moon I. L.	5 16 53.55	"
"	θ —	22 9 44.82	"	"	ν Piscium	1 34 38.31	"	"	"	η Geminor.	6 6 18.07	"
" 17	Moon I. L.	23 3 37.67	S	" 14	α —	1 38 29.38	"	"	"	μ —	6 14 21.97	"
"	φ Aquarii	23 7 23.85	"	"	Moon I. L.	1 34 46.89	B	"	" 12	η Geminor.	6 6 18.69	B
				"	α Piscium	1 38 29.70	"	"	"	μ —	6 14 22.43	"

(a) Faint. (b) Haze. (c) Flying clouds.

Date.	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.
1851. Feb. 12	Moon I. L.	<i>h. m. s.</i> 6 19 11.08	B	1851. Apr. 21	o Sagittarii Moon II. L. e ^a Sagittarii	<i>h. m. s.</i> 18 56 38.69 19 14 17.67 19 34 48.00	S	1851. Sept. 3	θ Ophiuchi Moon I. L. μ ¹ Sagittarii	<i>h. m. s.</i> 17 12 35.60 17 25 3.73 18 4 35.24	S
" 19	o Virginis Moon II. L. * Virginis λ —	13 2 46.36 13 35 46.07 14 5 28.69 14 11 34.76	S	" 22	e ^a Sagittarii Moon II. L.	19 34 48.50 20 8 0.42	S	" 5	o Sagittarii π — Moon I. L. α ^a Capricorni β —	18 55 30.04 19 0 39.04 19 17 30.46 20 9 32.08 20 12 23.34	R
" 20	* Virginis λ — Moon II. L. β Libræ	14 5 29.85 14 11 35.77 14 30 36.47 15 9 31.79	S	May 8	Moon I. L. π Leonis α —	9 19 11.72 9 52 6.54 10 1 12.35	M	" 6	Moon I. L. β Capricorni v — ψ —	20 10 26.09 20 12 24.06 20 31 19.61 20 37 1.97	R
" 21	β Libræ Moon II. L. ν Scorpæ	15 9 32.91 15 24 51.56 16 3 53.43	S	" 15	γ Libræ δ — (a) Moon I. L. Moon II. L. B.A.C. 5579.	15 36 30.55 15 46 9.43 15 55 22.69 15 57 40.15 16 33 46.50	S	" 18	Moon II. L. μ Geminor.	6 6 34.76 6 13 49.34	S
" 24	Moon II. L. π Sagittarii	18 7 6.09 19 1 29.33	S	" 16	B.A.C. 5579. Moon II. L. o ^a Ophiuchi 58 —	16 33 46.48 16 55 11.77 17 23 8.48 17 35 18.96	S	" 19	Moon II. L. δ Geminor.	7 7 9.72 7 11 6.34	S
Mar. 12	μ Geminor. ν — Moon I. L. 68 Geminor. * —	6 14 33.35 6 20 43.67 6 54 51.65 7 25 43.41 7 36 3.96	S	" 18	Moon II. L. o Sagittarii	18 49 51.36 18 56 33.80	S	" 30	η Ophiuchi Moon I. L. μ ¹ Sagittarii	17 1 48.94 17 3 45.29 18 4 50.40	J
" 13	68 Geminor. * — Moon I. L.	7 25 42.85 7 36 3.88 7 58 21.02	S	" 19	λ ^a Sagittarii e ^a — Moon II. L. ψ Capricorni	19 28 26.37 19 35 47.82 19 45 20.79 20 38 3.71	B	Oct. 1	(b) Moon I. L. o Sagittarii π —	18 1 30.94 18 55 45.66 19 0 54.68	B
" 23	o Ophiuchi 58 — Moon II. L. λ Sagittarii	17 13 25.24 17 35 3.66 17 46 55.88 18 19 19.66	R	" 20	Moon II. L. ζ Capricorni s —	20 38 44.43 21 18 56.87 21 29 31.37	B	" 2	b Sagittarii Moon I. L. π Sagittarii	18 55 46.32 18 58 18.64 19 0 55.24	R
" 24	λ Sagittarii Moon II. L.	18 19 20.00 18 41 42.65	R	June 12	ψ Ophiuchi Moon I. L.	16 16 11.75 16 28 35.04	S	" 3	λ ^a Sagittarii e ^a — Moon I. L. β Capricorni ψ —	19 27 40.21 19 34 1.60 19 58 16.30 20 12 40.50 20 37 18.77	J
April 7	Moon I. L. s Geminor.	5 34 14.31 6 35 24.19	M	" 15	Moon II. L. β Capricorni e —	19 20 53.11 20 12 34.02 20 20 17.06	B	" 4	ψ Capricorni Moon I. L.	20 37 19.87 20 46 18.85	M
" 8	Moon I. L. ζ Geminor. δ —	6 34 0.90 6 55 55.85 7 11 53.10	M	July 8	(b) α ^a Libræ (b) Moon I. L.	14 41 21.62 15 12 16.18	S	" 31	β Capricorni (b) Moon I. L. v Capricorni	20 12 59.53 20 27 11.79 20 31 55.29	B
" 9	ζ Geminor. δ — Moon I. L. θ Cancri δ —	6 55 56.79 7 11 54.02 7 35 22.71 8 23 46.48 8 36 53.68	M	" 9	(b) θ Libræ Moon I. L.	15 44 4.68 16 7 10.36	S	Nov. 28	Moon I. L. (b) μ Capricorni	20 58 17.07 21 45 55.69	S
" 10	o Cancri Moon I. L. * Cancri ξ Leonis	8 23 47.44 8 37 14.26 9 0 22.56 9 24 36.94	B	" 10	Moon I. L. ξ Ophiuchi	17 3 1.97 17 10 47.63	R	Dec. 1	φ Aquarii ψ ^a — Moon I. L. 27 Piscium 33 —	23 7 22.55 23 11 58.72 23 25 30.51 23 51 49.32 23 58 29.06	R
" 11	* Cancri ξ Leonis Moon I. L. α Leonis e —	9 0 23.60 9 24 37.92 9 38 32.85 10 1 9.34 10 25 41.41	B	Aug. 8	Moon I. L. π Sagittarii e ¹ —	18 38 4.65 19 0 19.61 19 12 27.43	S	" 2	27 Piscium 33 — Moon I. L. B.A.C. 205 20 Ceti	23 51 50.28 23 58 30.00 0 11 7.74 0 38 37.60 0 46 12.15	R
" 11	29 Capricorni λ — Moon I. L. Moon II. L. e Aquarii	21 6 57.00 21 13 23.95 21 18 39.59 21 20 48.45 21 57 50.40	"	" 11	29 Capricorni λ — Moon I. L. Moon II. L. e Aquarii	21 6 57.00 21 13 23.95 21 18 39.59 21 20 48.45 21 57 50.40	"	"			"

(a) Imperfect. (b) Exact.

Date.	Names.	Observed Transit.	Obs. ver.	Date.	Names.	Observed Transit.	Obs. ver.	Date.	Names.	Observed Transit.	Obs. ver.
1851. Dec. 3	B.A.C. 205 20 Ceti Moon I. L. μ Piscium o —	<i>h. m. s.</i> 0 38 38.36 0 46 13.01 0 56 24.61 1 23 12.21 1 38 21.14	S " " " "	1852. Feb. 3	β Geminor. o —	<i>h. m. s.</i> 7 36 32.29 7 44 43.39	S "	1852. Apr. 28	Moon I. L. η Leonis γ —	<i>h. m. s.</i> 9 51 15.70 10 0 13.70 10 12 46.70	R " "
" 4	Moon I. L. ξ^2 Ceti r —	1 42 15.23 2 21 5.02 2 28 54.28	S " "	" 4	β Geminor. Moon I. L.	7 36 34.65 8 13 51.53	S "	" 29	Moon I. L. δ Leonis ξ Virginis	10 49 5.51 11 17 12.87 11 38 39.75	S " "
" 6	α Tauri Moon I. L. f Tauri	3 17 39.67 3 19 9.94 3 23 31.00	S " "	" 27	Moon I. L. (α) δ Tauri α —	3 53 14.90 4 20 12.59 4 27 39.86	R " "	" 30	δ Leonis ξ Virginis Moon I. L. η Virginis γ —	11 17 13.73 11 38 40.41 11 46 18.46 12 13 21.54 12 35 11.10	S " " " "
" 30	12 Ceti 13 — Moon I. L. ϵ Piscium	0 23 21.56 0 28 30.36 0 37 41.45 1 1 27.48	J " " "	Mar. 2	51 Geminor. δ — Moon I. L. δ Canceri α —	7 5 15.45 7 11 40.10 7 41 20.29 8 36 39.81 8 50 47.08	B " " " "	May 25	Moon I. L. α Leonis ρ —	9 32 58.07 10 1 45.40 10 26 17.25	M " "
1852. Jan. 2	π Arietis Moon I. L. ϵ Tauri l —	2 41 54.49 2 55 51.09 3 40 1.86 3 52 21.49	J " " "	" 3	δ Canceri Moon I. L. α Canceri ξ Leonis o —	8 36 41.89 8 43 53.73 8 50 49.10 9 24 23.90 9 33 40.95	B " " " "	" 26	α Leonis ρ — Moon I. L. δ Leonis χ —	10 1 45.12 10 26 17.13 10 29 35.23 10 54 11.57 10 58 39.35	M " " " "
" 6	Moon I. L. δ Geminor. x —	6 39 12.23 7 11 11.95 7 35 25.91	S " "	" 4	ξ Leonis o — Moon I. L.	9 24 25.48 9 33 42.45 9 46 19.61	B " "	" 27	δ Leonis χ — Moon I. L.	10 54 11.39 10 58 39.19 11 25 13.63	M " "
" 8	δ Canceri δ — Moon II. L.	8 23 4.80 8 36 11.38 8 48 49.47	S " "	" 28	μ Geminor. Moon I. L. v Geminor.	6 14 40.44 6 16 22.96 6 20 50.54	J " "	" 29	δ Virginis θ — Moon I. L. x Virginis	12 49 25.55 13 3 34.33 13 15 43.97 14 6 17.63	B " " "
" 15	Moon II. L. β^1 Scorpii v —	15 27 27.44 15 56 46.40 16 3 20.24	B " "	" 30	3 Canceri Moon I. L.	7 52 0.55 8 15 9.98	M "	" 31	δ Libræ β — Moon I. L.	14 54 21.27 15 10 19.76 15 10 54.91	B " "
" 16	β^1 Scorpii Moon II. L.	15 56 46.94 16 19 5.15	B "	" 31	δ Canceri δ^2 — Moon I. L. α Leonis γ —	8 36 59.37 8 50 2.33 9 15 51.37 10 1 13.06 10 12 32.10	B " " " "	June 28	(α) η Libræ (α) Moon I. L. B.A.C. 5579	15 36 40.69 15 45 14.77 16 33 56.59	S " "
" 28	α Piscium Moon I. L. ξ^2 Ceti B.A.C. 845	1 37 38.78 1 48 31.31 2 20 21.58 2 37 0.74	S " " "	Apr. 1	α Leonis γ — Moon I. L. χ Leonis x —	10 1 13.42 10 12 32.58 10 16 12.48 10 58 7.36 11 16 56.96	B " " " "	Aug. 24	4 Sagittarii Moon I. L. o Sagittarii π —	17 51 48.22 18 6 22.08 18 56 51.66 19 2 0.72	S " " "
" 31	γ Tauri Moon I. L. α^1 Orionis	4 11 30.65 4 15 0.06 4 44 18.32	M " "	" 2	χ Leonis Moon I. L. β Virginis	10 58 8.02 11 15 47.34 11 43 44.58	B " "	" 25	o Sagittarii π — Moon I. L. λ^3 Sagittarii e^2 —	18 56 50.56 19 1 59.74 19 6 45.42 19 28 44.12 19 35 5.41	S " " " "
Feb. 2	v Orionis Moon I. L. 51 Geminor. δ —	5 59 21.81 6 8 50.17 7 5 7.30 7 11 31.67	S " " "	" 26	Moon I. L. δ Canceri α —	7 53 51.04 8 37 12.48 8 51 19.97	R " "	" 26	e^2 Sagittarii Moon I. L. η Capricorni 29 —	19 35 3.65 20 5 45.93 20 56 59.16 21 8 33.85	S " " "
" 3	51 Geminor. Moon I. L.	7 5 9.38 7 10 32.17	S "	" 27	δ Canceri Moon I. L. v Leonis	8 37 13.18 8 52 48.82 9 50 12.95	R " "	" 27	η Capricorni	20 56 57.50	S

(a) Faint.

Names.	Observed Transit.	Observer.	Date.	Names.	Observed Transit.	Observer.	Date.	Names.	Observed Transit	Observer
	<i>h. m. s.</i>		1852.		<i>h. m. s.</i>		1852.		<i>h. m. s.</i>	
α I. L.	21 2 19.58	S	Oct. 23	Moon I. L.	23 3 33.56	S	Nov. 23	γ Piscium	1 33 51.04	B
apricorni	21 8 32.01	"		ϕ Aquarii	23 7 35.26	"		Moon I. L.	1 49 15.87	"
				20 Piscium	23 41 16.25	"				
pricorni	21 46 10.52	S		27 ———	23 52 1.23	"	24	ξ^2 Ceti	2 20 23.64	B
α I. L.	21 55 54.57	"				"		Moon II. L.	2 34 44.86	"
λ arii	21 59 28.32	"	" 25	12 Ceti	0 23 28.59	S		δ Arietis	3 3 16.35	"
				13 ———	0 28 37.25	"				"
gittarii	18 45 42.25	S		Moon I. L.	0 35 27.12	"	Dec. 20	Moon I. L.	1 32 34.82	S
α I. L.	18 48 12.01	"				"		ξ^1 Ceti	2 4 48.79	"
			" 26	ϵ Piscium	0 56 17.70	S				
gittarii	19 34 31.11	B		ϵ ———	1 1 46.90	"	21	ξ^1 Ceti	2 4 47.15	S
α I. L.	19 47 39.77	"		Moon I. L.	1 20 11.88	"		Moon I. L.	2 17 36.14	"
						"		λ Ceti	2 51 25.25	"
α I. L.	21 38 38.16	B	Nov. 19	Moon I. L.	22 47 42.90	M				
λ arii.	21 58 55.97	"		ϕ Aquarii	23 7 35.98	"	23	Moon I. L.	3 52 27.19	S
—	22 23 18.01	"				"		A ¹ Tauri	3 55 34.73	"
			" 20	ϕ Aquarii	23 7 34.86	M		ϵ ———	4 19 36.41	"
λ arii	21 58 56.35	B		Moon I. L.	23 35 13.36	B		α ———	4 27 3.53	"
α I. L.	22 29 30.53	"				"				
			" 22	20 Ceti	0 46 21.06	B	24	ϵ Tauri	4 19 36.61	S
pricorni	21 39 45.81	S		ϵ Piscium	1 1 39.31	"		α ———	4 27 3.53	"
α I. L.	22 14 41.71	"		Moon I. L.	1 4 24.47	"		Moon I. L.	4 43 31.85	"

APPENDIX

CONTAINING

OBSERVATIONS

MADE AT THE MADRAS OBSERVATORY,

WITH THE

LEREBOURS EQUATORIAL,

SUBSEQUENT TO THE ARRIVAL OF THE NEW OBJECT GLASS IN 1862

ALSO

A DISCUSSION OF THE PARALLAX

OF α HERCULIS.

105 DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R.	N P. D.	Position Angle.	Weight.	No of Observations.	Magnifying Power.	Distance.	Weight.	No of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
546	α Piscium	<i>h. m.</i>	<i>° ' "</i>	<i>°</i>				<i>"</i>						
547	(Continued.)	1 54	87 57	827.78	5'	5	365	3.20	4'	8	365	5'—5'	1853.959	
548	γ Androm. BC	—	—	828.44	5'	5	—	3.19	3'	6	—	—	— .973	
549	—	55	48 24	112.92	1'	3	365	*0.5	—	—	—	6'—7'	1852.644	A wedge.
550	—	—	—	108.90	1	3	320	—	—	—	—	—	— .995	
551	—	—	—	102.95	3	5	365	0.4	—	—	—	—	1853.921	Blurred.
552	—	—	—	107.15	3'	5	—	—	—	—	—	—	— .937	
553	—	—	—	110.72	2	3	—	—	—	—	—	—	— .940	
554	—	—	—	107.60	4	4	—	—	—	—	—	—	— .959	
555	—	—	—	62.10	2	2	365	10.87	2	4	365	3—6'	— .915	
556	—	—	—	61.04	3	3	—	10.05	3	6	—	—	— .921	
556	h 3485	2 6	140 2	139.35	3	5	277	4.49	1	4	277	10—10'	1852.820	
557	—	—	—	138.50	2'	4	—	4.34	1	4	—	10'—11	1853.066	
558	—	—	—	139.72	4'	5	—	4.63	1'	4	—	—	— .072	
559	h 3494	13.5	126 8	110.35	3'	5	277	*1.6	—	—	—	9—9	1852.820	
560	—	—	—	109.69	3	4	—	1.96	1'	4	277	—	— .825	
561	γ Ceti	36	87 26	290.12	4'	5	293	2.77	3	6	293	3'—7'	1853.058	A orange, B blue.
562	—	—	—	291.82	4'	5	277	2.63	2'	6	277	—	—	
563	α Arietus	50	69 16	197.04	4	3	277	*0.8	—	—	—	5'—6	1852.971	
564	—	—	—	193.92	3	4	365	1.08	1	4	365	—	1853.033	
565	—	—	—	194.68	4'	5	—	1.06	1	4	—	—	— .036	
566	—	—	—	198.83	4	5	—	1.07	2'	6	—	—	— .959	
567	—	—	—	196.58	4'	5	—	1.10	2	6	—	—	— .973	
568	θ Eridani	52	130 49	83.33	7	5	277	8.03	5	8	277	3'—4	1852.755	
569	—	—	—	83.96	6	5	—	8.09	3'	6	—	—	— .758	
570	—	—	—	82.72	5'	5	—	7.92	3	6	—	3'—4'	— .814	
571	—	—	—	82.92	5'	5	—	8.05	2'	6	—	—	— .820	
572	—	—	—	82.98	5	5	—	7.72	3'	6	—	—	1853.151	Daylight.
573	—	—	—	82.79	5'	5	—	7.94	3'	6	—	—	— .165	Twilight.
574	B.A.C 936	52	58 11	187.84	4'	5	174	8.48	2'	6	174	7—8'	1853.121	
575	—	—	—	187.72	5'	5	277	8.59	3'	6	277	—	— .123	
576	12 Eridani	3 6	119 34	308.40	4'	5	282	—	—	—	—	4—7	1852.968	
577	—	—	—	309.78	5	5	277	3.17	3	6	277	—	— .970	
578	—	—	—	310.60	5	5	320	3.41	3'	6	320	—	— .995	
579	—	—	—	310.33	5'	5	277	3.27	3'	6	277	—	— .998	
580	h 3565	12	109 4	109.40	6	5	277	5.60	4	6	277	6—9	1853.072	
581	—	—	—	111.66	5	6	—	5.51	3'	6	—	—	— .088	
582	S 421	29	89 54	237.42	5'	5	365	6.36	3'	6	365	7—9	1853.973	
583	—	—	—	238.88	6'	6	277	6.30	4	6	277	—	— .992	
584	f Eridani	43	128 5	203.23	6	5	277	6.97	4	6	277	5'—6	1852.758	
585	—	—	—	201.51	4'	5	—	—	—	—	—	5—5'	1853.063	
586	—	—	—	201.91	5	5	—	7.15	3'	6	277	—	— .066	
587	—	—	—	203.20	6	5	—	7.14	3'	6	—	5'—5'	— .178	
588	—	—	—	202.88	5'	5	—	7.19	3	6	—	—	— .181	
589	—	—	—	202.60	7'	6	—	6.91	3	6	—	—	— .184	
590	39 Eridani	4 7	100 38	151.25	8	6	277	6.52	3	6	277	5'—9	1853.072	A orange, B blue.
591	—	—	—	152.56	5'	5	—	6.56	3	6	—	—	— .088	
592	—	—	—	149.55	4'	5	—	6.42	3	6	—	—	— .091	

549 Taken with Troughton's Micrometer and Barlow lens.

561 Taken with Lerebours' Micrometer. B has rather a greenish tinge.

563 Barely divided.

564 } Well divided.

565 }

576 Taken with Troughton's Micrometer.

578 Do. and Barlow lens.

585 Frequently obscured by clouds, which prevented the distance being taken.

589 Exactly at sunset.

* Estimated.

106 DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

(5)

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
593	h 3632	h. m.	° ' "	°				"					1853-978	
594	—	4 9	120 28	164-47	4'	4	365	10-99	3	6	365	8-11	— '992	
595	—	—	—	164-78	4'	5	277	10-83	3	6	277	—	— '992	
596	AB	18	99 5	266-46	2'	2	277	126-32	1	1	277	8-9	1853-088	
597	—	—	—	266-60	2'	2	—	127-58	1	1	—	—	— '091	
598	—	—	—	266-80	2	2	—	—	—	—	—	—	— '093	
599	—	—	—	353-33	3	5	277	2-26	3	6	277	9-10	— '088	
600	—	—	—	351-73	3	5	—	—	—	—	—	—	— '091	
601	80 Tauri	22	74 44	355-65	2'	4	—	2-39	3'	6	—	—	— '093	
602	—	—	—	355-65	2'	4	—	—	—	—	—	—	— '093	
603	—	28	36 50	303-51	3'	5	365	1-62	2'	6	277	6-9	1853-134	
604	—	—	—	303-93	3'	5	365	1-38	2'	6	365	6-9'	— '143	
605	—	59	125 41	303-51	3'	5	365	2-05	3	6	365	6'-8'	1853-192	
606	—	—	—	303-93	3	5	—	1-81	2'	6	—	—	— '197	
607	B.A.C. 1573	—	—	316-02	3	5	277	2-68	2	6	277	6-9'	1852-755	
608	—	—	—	316-35	4'	5	—	2-87	3'	6	—	5'-9'	— '758	
609	—	—	—	316-53	3'	5	365	2-70	2'	6	365	6-10	1853-978	
610	—	—	—	314-80	3'	5	277	2-99	2'	6	277	5-10	1854-006	
611	—	—	—	314-86	4	5	—	2-89	2'	6	—	5'-10'	— '017	
612	h 3728	5 4	131 25	260-65	4	5	277	9-83	2'	6	277	7-11	1853-072	
613	—	—	—	260-36	2'	4	—	9-68	2	6	—	7-12	— '094	
614	* Leporis	6	103 7	353-80	4'	5	277	2-56	4	6	277	4'-8'	1853-090	A yellow, B blue.
615	—	—	—	353-83	4'	5	—	2-57	4	6	—	—	— '128	
616	—	—	—	58-85	1	1	—	*210	—	—	—	4'-8	— '090	
617	—	—	—	—	—	—	—	—	—	—	—	—	—	
618	h 3752	16	114 55	108-42	5	5	293	2-90	3'	6	293	6'-7'	1853-058	
619	—	—	—	106-58	5'	5	277	2-88	3'	6	277	5'-6'	— '090	
620	—	—	—	105-97	6	4	293	58-33	2'	6	293	6'-9'	— '058	
621	—	—	—	105-75	5	3	277	59-21	1'	4	277	5'-9'	— '090	
622	—	—	—	—	—	—	—	—	—	—	—	—	—	
623	—	—	—	—	—	—	—	—	—	—	—	—	—	
624	32 Orionis	23	84 10	87-16	3	4	365	1-22	2	6	365	4-6'	1853-121	A pale yellow.
625	—	—	—	87-03	4	5	—	1-01	3	8	—	—	— '123	B ochre yellow.
626	—	—	—	86-93	3	5	—	1-03	2'	6	—	—	— '126	
627	—	—	—	84-38	3	5	—	*0-7	—	—	—	3'-5	— '978	
628	—	—	—	83-22	3'	5	—	*0-8	—	—	—	—	1854-006	Notched.
629	—	—	—	—	—	—	—	—	—	—	—	—	—	
630	—	—	—	—	—	—	—	—	—	—	—	—	—	
631	—	—	—	—	—	—	—	—	—	—	—	—	—	
632	—	—	—	—	—	—	—	—	—	—	—	—	—	
633	—	—	—	—	—	—	—	—	—	—	—	—	—	
634	—	—	—	—	—	—	—	—	—	—	—	—	—	
635	—	—	—	—	—	—	—	—	—	—	—	—	—	
636	—	—	—	—	—	—	—	—	—	—	—	—	—	
637	—	—	—	—	—	—	—	—	—	—	—	—	—	
638	—	—	—	—	—	—	—	—	—	—	—	—	—	
639	—	—	—	—	—	—	—	—	—	—	—	—	—	
640	—	—	—	—	—	—	—	—	—	—	—	—	—	
641	—	—	—	—	—	—	—	—	—	—	—	—	—	
642	—	—	—	—	—	—	—	—	—	—	—	—	—	
643	—	—	—	—	—	—	—	—	—	—	—	—	—	
644	—	—	—	—	—	—	—	—	—	—	—	—	—	
645	—	—	—	—	—	—	—	—	—	—	—	—	—	
646	—	—	—	—	—	—	—	—	—	—	—	—	—	
647	—	—	—	—	—	—	—	—	—	—	—	—	—	
648	—	—	—	—	—	—	—	—	—	—	—	—	—	
649	—	—	—	—	—	—	—	—	—	—	—	—	—	
650	—	—	—	—	—	—	—	—	—	—	—	—	—	
651	—	—	—	—	—	—	—	—	—	—	—	—	—	
652	—	—	—	—	—	—	—	—	—	—	—	—	—	
653	—	—	—	—	—	—	—	—	—	—	—	—	—	
654	—	—	—	—	—	—	—	—	—	—	—	—	—	
655	—	—	—	—	—	—	—	—	—	—	—	—	—	
656	—	—	—	—	—	—	—	—	—	—	—	—	—	
657	—	—	—	—	—	—	—	—	—	—	—	—	—	
658	—	—	—	—	—	—	—	—	—	—	—	—	—	
659	—	—	—	—	—	—	—	—	—	—	—	—	—	
660	—	—	—	—	—	—	—	—	—	—	—	—	—	
661	—	—	—	—	—	—	—	—	—	—	—	—	—	
662	—	—	—	—	—	—	—	—	—	—	—	—	—	
663	—	—	—	—	—	—	—	—	—	—	—	—	—	
664	—	—	—	—	—	—	—	—	—	—	—	—	—	
665	—	—	—	—	—	—	—	—	—	—	—	—	—	
666	—	—	—	—	—	—	—	—	—	—	—	—	—	
667	—	—	—	—	—	—	—	—	—	—	—	—	—	
668	—	—	—	—	—	—	—	—	—	—	—	—	—	
669	—	—	—	—	—	—	—	—	—	—	—	—	—	
670	—	—	—	—	—	—	—	—	—	—	—	—	—	
671	—	—	—	—	—	—	—	—	—	—	—	—	—	
672	—	—	—	—	—	—	—	—	—	—	—	—	—	
673	—	—	—	—	—	—	—	—	—	—	—	—	—	
674	—	—	—	—	—	—	—	—	—	—	—	—	—	
675	—	—	—	—	—	—	—	—	—	—	—	—	—	
676	—	—	—	—	—	—	—	—	—	—	—	—	—	
677	—	—	—	—	—	—	—	—	—	—	—	—	—	
678	—	—	—	—	—	—	—	—	—	—	—	—	—	
679	—	—	—	—	—	—	—	—	—	—	—	—	—	
680	—	—	—	—	—	—	—	—	—	—	—	—	—	
681	—	—	—	—	—	—	—	—	—	—	—	—	—	
682	—	—	—	—	—	—	—	—	—	—	—	—	—	
683	—	—	—	—	—	—	—	—	—	—	—	—	—	
684	—	—	—	—	—	—	—	—	—	—	—	—	—	
685	—	—	—	—	—	—	—	—	—	—	—	—	—	
686	—	—	—	—	—	—	—	—	—	—	—	—	—	
687	—	—	—	—	—	—	—	—	—	—	—	—	—	
688	—	—	—	—	—	—	—	—	—	—	—	—	—	
689	—	—	—	—	—	—	—	—	—	—	—	—	—	
690	—	—	—	—	—	—	—	—	—	—	—	—	—	
691	—	—	—	—	—	—	—	—	—	—	—	—	—	
692	—	—	—	—	—	—	—	—	—	—	—	—	—	
693	—	—	—	—	—	—	—	—	—	—	—	—	—	
694	—	—	—	—	—	—	—	—	—	—	—	—	—	
695	—	—	—	—	—	—	—	—	—	—	—	—	—	
696	—	—	—	—	—	—	—	—	—	—	—	—	—	
697	—	—	—	—	—	—	—	—	—	—	—	—	—	
698	—	—	—	—	—	—	—	—	—	—	—	—	—	
699	—	—	—	—	—	—	—	—	—	—	—	—	—	
700	—	—	—	—	—	—	—	—	—	—	—	—	—	
701	—	—	—	—	—	—	—	—	—	—	—	—	—	
702	—	—	—	—	—	—	—	—	—	—	—	—	—	
703	—	—	—	—	—	—	—	—	—	—	—	—	—	
704	—	—	—	—	—	—	—	—	—	—	—	—	—	
705	—	—	—	—	—	—	—	—	—	—	—	—	—	
706	—	—	—	—	—	—	—	—	—	—	—	—	—	
707	—	—	—	—	—	—	—	—	—	—	—	—	—	
708	—	—	—	—	—	—	—	—	—	—	—	—	—	
709	—	—	—	—	—	—	—	—	—	—	—	—	—	
710	—	—	—	—	—	—	—	—	—	—	—	—	—	
711	—	—	—	—	—	—	—	—	—	—	—	—	—	
712	—	—	—	—	—	—	—	—	—	—	—	—	—	
713	—	—	—											

106 DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
640	42 Orionis	<i>h. m.</i> 5 28	<i>° ' "</i> 94 54	<i>°</i> 216.08	1'	3	365	" *1.6	—	—	—	5—11	1853.124	Daylight.
641	—	—	—	219.25	3	4	—	1.65	1'	4	365	5—10	— .145	
642	—	—	—	221.14	2	4	—	—	—	—	—	5—10'	— .173	
643	26 Aurigæ	29	59 56	267.60	4'	5	365	12.57	1'	4	365	5—10	1853.192	
644	—	—	—	267.28	5	5	—	12.32	2	6	—	—	— .197	
645	ζ Orionis	AB	33	92 2	4	5	277	2.44	2'	6	277	2—5'	1853.181	
646	—	—	—	149.85	4'	5	—	2.13	3'	6	—	—	— .184	
647	—	—	—	149.85	6	6	365	2.25	5'	8	365	—	— .186	
648	—	—	—	150.03	5'	6	—	2.42	3'	6	—	—	— .189	
649	—	—	—	149.41	4	5	—	2.30	2'	6	—	—	— .766	
650	—	—	—	151.81	5'	5	—	2.25	3'	6	—	—	— .769	Daylight.
651	—	—	—	153.66	5	5	—	2.48	3	6	—	—	— .772	
652	—	—	—	150.72	5	5	—	2.27	4	6	—	—	— .774	
653	—	—	—	148.63	6'	7	277	2.25	3'	6	277	—	1854.063	Twilight.
654	—	—	—	149.23	5	6	—	2.40	3	6	—	—	— .066	
655	—	AC	—	9.30	3	3	—	59.02	1	1	—	2—11	1853.181	
656	—	—	—	9.21	2	2	—	—	—	—	—	—	1854.066	Both orange.
657	h 3830	59	118 40	182.34	4	5	365	6.55	3'	6	365	9'—9'	1854.042	
658	—	—	—	181.71	4	5	277	6.33	3	6	277	—	— .063	
659	h 3831	59	131 9	135.71	3	5	365	2.71	2	6	365	10—10	1854.042	
660	—	—	—	136.62	3	5	277	2.68	2	6	277	—	— .063	
661	h 3834	Aa	6 0	135 5	4	5	365	2.58	2'	6	365	6—11	1854.042	
662	—	—	—	237.83	2'	4	277	—	—	—	—	—	— .063	
663	—	AB	—	—	2	1	365	173.76	1	1	365	6—6'	— .042	
664	—	—	—	320.10	2'	2	277	—	—	—	—	—	— .063	
665	Δ 23	1	138 28	350.32	4'	5	277	2.91	3'	6	277	7—7	1852.727	
666	—	—	—	350.55	4	5	—	2.56	2	6	—	—	— .733	
667	—	—	—	351.18	4'	5	—	2.86	2'	6	—	7'—7'	— .741	1853.979
668	—	—	—	352.16	4	5	365	2.72	3	6	365	—	1854.006	
669	—	—	—	350.85	4'	5	277	2.40	2'	6	277	—	1853.148	
670	B.A.C. 2048	14	149 7	225.28	3	3	277	†40.55	2'	4	277	7—8'	1853.126	— .143
671	B.A.C. 2080	19	69 7	205.44	6	5	174	31.62	3	6	174	6—7'	1853.145	
672	—	—	—	205.25	7	5	—	31.31	4	6	—	—	— .148	
673	Cyc. 248	AB	19	89 28	1	1	365	67.13	1	1	365	6'—10	1853.145	— .200
674	—	—	—	151.21	2	2	277	—	—	—	—	6'—9	— .148	
675	—	—	—	151.32	2	2	365	66.32	1	1	365	7'—8'	— .200	
676	Σ 910	BC	—	—	2'	4	365	*0.6	—	—	—	10—10	— .145	— .148
677	—	—	—	165.20	2'	5	277	*0.8	—	—	—	9—9.3	— .148	
678	—	—	—	162.68	3'	4	365	*0.6	—	—	—	8'—8'	— .200	
679	38 Gemin.	46	76 38	170.13	4'	5	277	6.01	3	6	277	5'—8	1852.775	— .783
680	—	—	—	169.03	5	5	365	5.96	4	6	365	—	— .783	
681	μ Can. Maj.	49	103 51	337.27	5	5	293	2.87	3'	6	293	5'—9	1853.058	
682	—	—	—	338.00	5'	6	277	2.91	3'	6	277	—	— .072	1852.782
683	δ Gemin.	7 11	67 45	203.16	5'	5	277	7.10	3'	6	277	3'—9	1852.782	
684	—	—	—	201.20	5	5	365	7.02	3'	6	365	—	— .785	

640 B seen only by glimpses, doubtful.

641 Still only glimpses of B, but rather more certain.

642 Very difficult.

657 Nearly equal.

675 The components would appear to be variable.

678 Just divided.

681 Taken with Lerebours' Micrometer.

* Estimated.

† Diff. Declination.

106 DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

(7)

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.	
685	π Argus	<i>h. m.</i>	<i>° ' "</i>	<i>°</i>				<i>"</i>					1852-853	} Daylight.	
686	—	7 12	126 50	212-35	6	5	174	68-71	2	4	174	5-9	1853-173		
687	Castor	AB	25	57 47	212-03	7	5	68-70	2	4	—	—	1852-750		
688	—	—	—	247-63	6	5	277	5-28	2	6	277	2-2	1853-170		
689	—	—	—	247-26	7	5	—	4-91	3	6	—	—	— 173		
690	—	—	—	247-10	7	5	365	5-09	4	6	365	—	1854-017		
691	—	—	—	247-21	6	5	277	5-41	3	6	277	—	— 067		
692	—	—	—	247-45	4	5	—	5-09	3	6	—	—	— 067		
693	S 552	AC	28	113 9	163-38	8	3	277	72-92	1	2	277	2-11	1853-217	
694	—	—	—	287-63	4	5	365	8-63	3	6	365	6'-6'	— 219		
695	Cyc. 299	—	32	84 26	288-20	6	5	—	8-71	4	6	—	1853-217	} Both yellow.	
696	—	—	—	138-63	5	6	365	1-50	3	6	365	7'-7'	— 219		
697	Cyc. 301	—	33	116 28	137-90	3	5	—	1-45	3	6	—	1853-217		
698	—	—	—	319-00	6	5	365	9-77	3	6	365	5'-5'	— 219		
699	ϵ Cancri	AB	8 4	71 54	319-15	7	5	—	9-66	4	6	—	1853-192		
700	—	—	—	323-80	4	5	365	1-30	2	6	365	6'-7'	— 197		
701	—	—	—	320-27	4	5	—	1-26	3	6	—	—	— 200		
702	—	—	—	322-05	4	5	—	1-09	2	6	—	—	— 917		
703	—	—	—	317-55	4	5	277	1-31	2	6	277	—	— 978		
704	—	—	—	316-92	4	5	365	0-96	2	6	365	—	— 192		
705	—	AC	—	143-01	5	5	365	4-95	2	4	365	6'-7'	— 197		
706	—	—	—	141-15	4	5	—	4-91	2	4	—	—	— 200		
707	—	—	—	142-02	5	5	—	4-82	2	4	—	—	— 917		
708	—	—	—	141-18	3	3	277	4-75	2	6	277	—	— 978		
709	h 4128	—	36	149 47	139-34	5	5	365	5-10	3	6	365	—	} A yellow, B greenish.	
710	—	—	—	220-63	4	5	277	2-21	2	6	277	7'-8'	1853-947		
711	—	—	—	221-81	3	5	—	1-91	2	6	—	8'-9'	1854-020		
712	s Hydræ	—	39	83 3	220-81	3	4	—	—	—	—	—	— 042		
713	—	—	—	209-97	4	4	277	3-27	4	6	277	4'-7'	1853-225		
714	—	—	—	208-17	4	5	—	3-39	4	6	—	—	— 258		
715	—	—	—	209-16	4	5	365	3-29	2	6	365	—	— 969		
716	B.A.C. 3118	—	9 0	27 42	210-05	4	5	277	3-25	4	8	277	—		1854-017
717	—	—	—	25-61	6	5	174	24-77	3	6	174	7'-7'	1853-126		
718	ω Leonis	—	20	80 18	25-15	4	5	—	24-90	2	6	—	—		— 143
719	—	—	—	346-67	2	5	365	*0-5	—	—	—	6'-7'	1853-170		
720	—	—	—	341-45	3	6	650	*0-4	—	—	—	—	— 189		
721	—	—	—	5-30	1	3	365	*0-4	—	—	—	—	— 947		
722	γ Leonis	—	10 12	79 24	351-54	2	3	650	—	—	—	—	— 969		
723	—	—	—	107-97	5	5	365	2-88	3	6	365	2-3	1853-192		
724	—	—	—	107-64	6	5	277	2-94	4	6	277	—	— 247		
725	—	—	—	107-92	4	5	—	3-03	2	6	—	—	— 963		
726	Σ 1517	—	11 6	69 57	108-71	5	5	—	3-11	3	6	—	—	— 966	
727	—	—	—	283-93	3	5	365	*0-8	—	—	—	8-8	1853-192		
728	h 4423	—	10	135 2	288-32	4	5	—	*0-7	—	—	—	— 247		
729	—	—	—	273-63	4	5	277	1-82	3	6	277	7'-7'	1853-900		
730	—	—	—	272-80	4	5	—	2-06	3	6	—	—	— 947		
730	—	—	—	276-60	3	5	—	2-09	1	4	—	—	— 963		

687 Slightly tremulous.

696 A follows Procyon by 42-6, at an angle of 100-5.

699 The 3 are almost exactly in line.

701 Exactly in line.

718 Doubtful.

719 Definition much better: small end of egg plainly directed π doubtful if any advantage from using the higher power

720 Very doubtful.

721 Rather better.

726 In contact, very difficult; closer than ϵ Arietis.

* Estimated.

106 DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
731	ξ Urs. Maj.	h. m.	° ' "	°				"						
732	—	11 10	57 38	119.77	5'	5	365	2.99	3'	6	365	4'—5'	1853.192	
733	—	—	—	119.19	6	5	—	3.03	3'	6	—	—	— .203	
734	—	—	—	119.09	4	5	277	3.01	2'	6	277	—	— .914	
735	—	—	—	117.05	4'	5	—	3.21	2	6	—	—	— .947	
736	• Leonis	16	78 39	79.37	4'	5	365	2.47	3	6	365	4'—8	1853.192	A yellow, B lt. blue.
737	—	—	—	80.00	4'	5	277	2.42	3'	6	277	—	— .225	
738	—	—	—	78.85	4	5	—	2.62	3	6	—	—	— .947	
739	—	—	—	78.65	6	6	—	2.64	3	6	—	—	— .971	
740	B 3574	18	150 48	303.40	4'	5	277	4.39	2'	6	277	7'—9	1853.947	
741	—	—	—	304.17	3	5	—	4.67	1	4	—	—	— .969	
742	57 Urs. Maj.	21	49 49	6.67	5	5	277	5.24	4	6	277	6'—9'	1853.225	A white, B purple?
743	—	—	—	7.02	3'	5	—	5.30	2'	6	—	6'—10	— .260	
744	γ Virginis	12 34	90 38	172.92	5	5	277	3.10	3'	6	277	4—4	1853.225	
745	—	—	—	173.68	4'	5	365	3.18	5	6	365	—	— .247	
746	—	—	—	172.63	5'	5	277	3.05	4	6	277	—	— .900	
747	—	—	—	173.45	4'	5	—	3.08	2'	6	—	—	— .914	
748	h 4556	46	117 9	82.98	5	5	365	5.72	3	6	365	7'—10'	1854.004	
749	—	—	—	84.20	3	4	277	5.86	2	6	277	—	— .010	
750	Σ 1757	13 27	89 33	44.68	4	5	365	2.07	3	6	365	8—9	1853.267	
751	—	—	—	50.76	4	5	—	1.95	2	6	—	8—9'	— .925	
752	—	—	—	48.58	4	5	—	2.34	3	6	—	—	1854.004	
753	Σ 1837	14 17	100 59	320.81	4	5	277	1.52	2'	6	277	7—9	1853.149	
754	—	—	—	319.74	3'	5	365	1.40	2'	6	365	7—9'	— .171	
755	—	—	—	318.12	4	5	277	1.75	2	6	277	7—9	— .993	
756	—	—	—	315.67	4'	5	365	1.64	2	6	365	—	1854.007	
757	—	—	—	316.73	3	4	277	1.57	2	6	277	—	— .010	
758	—	—	—	264.46	3'	5	174	4.74	2'	6	174	1—2	1852.645	
759	—	—	—	263.76	3'	5	—	4.74	2'	6	—	—	— .648	
760	—	—	—	265.10	5	5	277	5.86	2	6	277	—	— .650	
761	—	—	—	264.42	4	5	—	5.50	2	6	—	—	— .653	
762	—	—	—	265.66	3	5	174	4.60	2'	6	174	—	— .705	
763	—	—	—	265.61	3	5	365	4.91	2	6	365	—	— .708	
764	—	—	—	264.95	3'	5	174	4.31	2'	6	174	—	— .721	
765	—	—	—	265.33	3	5	—	4.40	2	6	—	—	— .724	
766	—	—	—	266.97	3	5	—	4.43	2	6	—	—	— .857	
767	—	—	—	265.87	3'	5	—	4.74	2	6	—	—	— .859	
768	—	—	—	266.21	3	5	—	4.41	2	6	—	—	— .873	
769	α Centauri	30	150 13	.77	5'	6	—	4.51	3	6	—	—	— .890	
770	—	—	—	.69	7	6	277	4.65	5'	8	277	—	— .933	Daylight.
771	—	—	—	.47	4	5	—	4.55	3	6	—	—	— .941	
772	—	—	—	267.10	2'	5	—	4.53	2	6	—	—	— .958	
773	—	—	—	267.47	3	5	174	4.46	2'	6	174	—	— .971	
774	—	—	—	266.71	3	5	277	4.38	2'	6	277	—	— .974	
775	—	—	—	267.27	4'	5	214	4.50	2	6	214	—	— .993	
776	—	—	—	266.93	4'	5	365	4.43	5	8	365	—	1853.002	
777	—	—	—	267.12	6	6	277	4.52	4'	8	277	—	— .013	
778	—	—	—	.21	6'	6	—	4.41	3'	6	—	—	— .021	
779	—	—	—	.38	6'	6	—	4.44	4'	8	—	—	— .024	
780	—	—	—	.19	4'	5	365	4.65	3'	6	365	—	— .034	

758 Slightly flaring.

759 Flaring.

760 The distances are probably erroneous as the wire *fiddles* slightly.

765 Taken at 11½ A. M.

774 Taken with Troughton's Micrometer and Barlow lens.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angla.	Weight.	No. of Observations	Magnifying Power	Distance.	Weight.	No. of Observations	Magnifying Power.	Magnitudes.	Date.	REMARKS.
780	α Centauri	h. m.	° ' "	°				"						
781	(Continued.)	14 30	150 13	267.85	4'	5	365	4.56	4	6	365	1—2	1853.053	
782	—	—	—	.77	6	5	293	4.53	5	8	293	—	— .056	Daylight.
783	—	—	—	.75	6'	6	277	4.69	4'	8	277	—	— .070	
784	—	—	—	.49	5	5	—	4.58	3	6	—	—	— .089	Twilight.
785	—	—	—	268.98	4	5	—	4.61	2'	6	—	—	— .092	
786	—	—	—	268.12	3'	5	—	4.73	2	6	—	—	— .103	
787	—	—	—	267.85	4	5	—	4.77	2'	6	—	—	— .119	
788	—	—	—	267.75	4	5	277	4.57	3'	6	277	1—1'	— .180	Flaring.
789	—	—	—	268.06	5	6	—	4.52	3'	6	—	—	— .182	
790	—	—	—	268.65	2'	4	—	—	—	—	—	—	— .220	
791	—	—	—	269.59	4	5	—	4.64	3'	6	—	—	— .247	
792	—	—	—	269.47	5	5	365	4.64	3'	6	365	—	— .267	Flaring.
793	—	—	—	269.24	5'	5	—	4.43	3'	6	—	—	— .272	
794	—	—	—	273.85	3	5	277	3.96	2	6	277	—	— .870	
795	—	—	—	274.78	4	5	—	4.37	2'	6	—	—	— .881	
796	—	—	—	275.14	4'	5	174	4.23	3	6	174	—	— .887	Daylight.
797	—	—	—	275.46	5'	6	—	4.45	3'	6	—	—	— .903	
798	—	—	—	273.68	4'	5	—	4.42	2'	6	—	—	— .944	
799	—	—	—	274.96	5'	6	277	4.46	3	6	277	—	— .980	
800	—	—	—	276.05	6	6	—	4.23	3	6	—	—	— .991	Daylight.
801	—	—	—	276.78	6'	6	—	4.41	2'	6	—	—	— .993	
802	—	—	—	276.79	4	5	—	4.04	2'	6	—	—	1854.026	
803	—	—	—	277.26	5'	5	365	4.22	3'	6	365	—	— .040	
804	—	—	—	277.58	4	5	—	3.97	3	6	—	—	— .042	A orange, B green.
805	—	—	—	276.56	4'	5	277	4.09	3'	6	277	—	— .070	
806	—	—	—	276.96	4'	5	—	4.02	2	4	—	—	— .097	
807	—	—	—	278.39	6	6	—	4.09	4'	8	—	—	— .160	
808	ϵ Bootis	34	75 38	126.29	3	4	365	*1.2	—	—	—	4—4	1852.603	A orange, B green.
809	—	—	—	126.11	4	5	—	1.18	2'	6	365	—	1853.196	
810	—	—	—	125.70	4'	5	—	1.13	2'	6	—	—	— .202	
811	—	—	—	126.89	3	5	277	1.31	1'	4	277	—	— .944	
812	—	—	—	126.81	4'	5	365	1.36	2'	6	365	—	1854.040	A orange, B green.
813	δ Bootis	38	62 18	824.02	5	5	365	2.65	3'	6	365	3—6'	1853.196	
814	—	—	—	822.23	5'	5	—	2.62	3'	6	—	—	— .202	
815	h 4715	46	137 16	279.41	5	5	365	2.54	3	6	365	7—7'	1854.040	
816	—	—	—	277.25	4	5	—	—	—	—	—	—	— .042	Furry. In contact. Nearly equal.
817	π Lupi	55	136 28	281.62	3'	5	277	1.33	1'	6	277	5—6	1853.125	
818	—	—	—	281.15	3'	5	365	1.31	2	6	365	—	— .139	
819	—	—	—	286.80	3	5	277	*0.9	—	—	—	5—5	— .993	
820	—	—	—	288.05	4	6	365	1.13	2'	6	365	—	1854.040	Furry. In contact. Nearly equal.
821	44 Bootis	59	41 46	238.27	4	4	365	4.53	3'	6	365	5—6	1853.267	
822	—	—	—	238.70	5'	5	—	4.41	3'	6	—	—	— .272	
823	η Cor. Bor.	15 17	59 10	256.97	1'	4	650	*0.4	—	—	—	6—?	1853.196	
824	—	—	—	79.20	1	3	—	—	—	—	—	—	— .201	Furry. In contact. Nearly equal.
825	—	—	—	296.42	1	4	—	*0.5	—	—	—	6—6'	1854.040	
826	—	—	—	282.79	2	5	—	—	—	—	—	—	— .043	
827	—	—	—	281.32	1'	4	—	—	—	—	—	—	— .045	

781 Taken with Lerebours' Micrometer.

783 At sunrise.

784 Just before sunrise.

788 Taken with triangular aperture, not much improved.

808 Clearly divided; nearly equal.

809 The preceding star seems now the smaller if any thing.

817 The measure of distance is too great, wires fiddle.

823 Very doubtful; at times it appears almost round.

824 Even more doubtful than before. Angle may be 259.

825 Well elongated with 365. little improvement with 650.

826 Seen better than yesterday, definition excellent.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
828	μ^3 Bootis	h. m.	° ' "	°				"						
829	—	15 19	52 8	269.90	1'	4	365	*0.5	—	—	—	8'—8'	1853.196	Nearly equal.
830	—	—	—	262.76	3	5	—	*0.4	—	—	—	—	— .247	
831	—	—	—	254.00	1'	4	—	*0.5	—	—	—	8—8	1854.048	
832	—	—	—	256.79	2'	5	650	—	—	—	—	—	— .051	
833	γ Lupi	25	130 39	274.62	3	5	365	1.14	1'	6	365	3'—4	1853.125	
834	—	—	—	272.41	3'	5	—	0.98	2'	6	—	4—4.2	— .130	
835	γ Cor. Bor.	36	63 14	294.55	2'	5	650	*0.5	—	—	—	5—7	1853.196	
836	—	—	—	298.86	1'	5	365	—	—	—	—	—	— .199	
837	51 Libræ AB	56	100 57	43.13	3	5	365	*0.7	—	—	—	4'—5	1852.650	
838	—	—	—	50.29	3	5	—	0.97	2	6	365	—	1853.125	
839	—	—	—	46.25	4	5	—	0.90	2'	6	—	—	— .130	
840	—	—	—	49.00	3	5	—	*0.9	—	—	—	5—5'	1854.059	Daylight.
841	—	—	—	47.32	2	5	—	—	—	—	—	—	— .064	
842	—	—	—	67.90	3	3	365	7.51	2	4	365	4'—7'	1853.125	
843	—	—	—	68.60	2	2	—	—	—	—	—	—	— .130	
844	—	—	—	68.90	4	5	—	7.73	2'	6	365	5—8	1854.059	
845	—	—	—	69.88	2'	4	—	—	—	—	—	—	— .064	
846	β Scorpii	57	109 23	25.58	5'	5	277	—	—	—	—	2'—5	1852.653	
847	—	—	—	25.29	5	5	365	13.59	2'	6	365	—	— .705	
848	—	—	—	25.41	5'	5	—	13.81	2'	6	—	—	— .708	
849	σ Cor. Bor.	16 9	55 46	177.62	4'	5	277	2.29	4'	8	277	6—6'	1853.141	Nearly equal.
850	—	—	—	178.17	4'	5	365	2.04	3'	6	365	—	— .144	
851	—	—	—	178.18	3	4	—	2.21	2	4	—	—	1854.045	
852	—	—	—	176.82	7	6	—	2.21	4	6	—	—	— .048	
853	—	—	—	178.86	6'	5	—	2.32	3	6	—	—	— .051	
854	λ Ophiuchi	23	87 41	13.35	3'	5	277	1.32	2	6	277	4'—6	1852.648	
855	—	—	—	12.79	3'	5	365	1.19	2	6	365	—	— .651	
856	—	—	—	11.49	3	5	—	1.12	2	6	—	—	— .724	
857	—	—	—	13.32	3	5	—	1.22	1'	4	—	4'—6'	1854.059	
858	—	—	—	15.60	3	5	—	1.41	1'	6	—	—	— .065	
859	—	—	—	16.83	3	5	—	1.40	2	6	—	—	— .067	Daylight.
860	ζ Herculis	36	58 8	81.68	3'	5	365	1.73	2'	6	365	4—8	1853.147	
861	—	—	—	80.56	3	5	277	1.44	2'	6	277	—	— .149	
862	—	—	—	78.14	3	5	365	1.52	2	6	365	4—8'	1854.059	
863	—	—	—	78.29	2'	4	—	1.53	1	4	—	—	— .065	
864	—	—	—	77.69	2'	5	—	1.52	1	4	—	—	— .067	
865	36 Ophiuchi AB	17 6	116 22	34.32	4'	5	277	4.07	5'	8	277	5—5	1854.070	Nearly equal.
866	—	—	—	34.41	5'	5	—	4.19	5	8	—	—	— .073	
867	—	—	—	298.30	3	2	—	*150	—	—	—	5—8'	— .070	
868	—	—	—	298.37	3	2	—	—	—	—	—	—	— .073	
869	—	—	—	296.85	3	2	—	—	—	—	—	5—8'	— .073	

828 Very difficult. Tried 650 but with no improvement.

829 Very difficult, position from $\mu = 171.7$.

832 Discs in contact; measured distance too great, wires fiddle.

833 Separated by fits; the preceding star certainly the least, but the difference is scarcely $\frac{1}{2}$ a magnitude.

834 Elongation plainly seen with 365; doubtful if any advantage from the higher power; this star is now much easier than γ .

835 Elongation less decided than yesterday, the definition being not quite so perfect.

836 Daylight; notched.

837 Discs in contact.

840 Hazy and flying clouds; definition blurred.

845 Distance rejected as the wires fiddle.

857 Hazy with cir-strat., clouds; def. blurred.

864 Position may be 214

865 The stars are still almost exactly equal, the *sp.* the larger if any thing.

Reference Number	Synonym.	A. R.	N. P. D.	Position Angle.	Weight	No. of Observations.	Magnifying Power.	Distance.	Weight	No. of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS.
		<i>h. m.</i>	<i>° ' "</i>	<i>°</i>				<i>"</i>						
869	—	—	—	117.25	4	5	365	4.62	3'	6	365	3'—5'	1852.716	Daylight.
870	—	—	—	116.64	5	5	—	4.81	3	6	—	—	—727	
871	—	—	—	117.53	5'	5	—	4.24	3	6	—	—	—738	
872	—	—	—	117.97	5	5	—	4.49	2'	6	—	—	—740	
873	—	—	—	117.75	5	5	—	—	—	—	—	—	—763	
874	—	—	—	117.92	5	5	—	4.52	3'	6	365	—	—782	
875	—	—	—	117.41	5	5	—	4.49	3	6	—	—	—784	
876	—	—	—	117.03	4'	5	—	4.84	3	6	—	—	—790	
877	—	—	—	117.39	5'	5	—	4.63	3'	6	—	—	—795	
878	—	—	—	117.69	5'	5	—	4.70	3	6	—	—	—817	
879	—	—	—	117.99	4'	5	—	4.61	2'	6	—	—	—820	Daylight.
880	—	—	—	117.73	4	6	277	4.35	2	6	277	—	—825	
881	—	—	—	117.90	5	5	—	—	—	—	—	—	1853.024	
882	—	—	—	117.86	6'	6	365	4.54	3'	6	365	—	—034	
883	—	—	—	117.74	6	5	—	4.49	3'	6	—	—	—037	
884	—	—	—	118.50	7	6	—	4.57	3'	6	—	—	—056	
885	—	—	—	118.06	4'	5	277	4.59	2'	6	277	—	—108	
886	—	—	—	.16	6	6	365	4.61	3'	6	365	—	—122	
887	α Herculis	17 8	75 26	.20	6	6	277	4.64	3	6	277	—	—133	
888	—	—	—	.25	6	6	—	4.66	3	6	—	—	—141	
889	—	—	—	.55	5	5	—	4.34	3'	6	—	—	—254	Daylight.
890	—	—	—	.41	5	5	—	4.53	3'	6	—	—	—262	
891	—	—	—	.62	4	5	365	—	—	—	—	—	—267	
892	—	—	—	.45	6	6	—	4.36	3'	6	365	—	—273	
893	—	—	—	.58	7	6	—	4.57	5	8	—	—	—278	
894	—	—	—	117.34	4'	5	277	4.41	2'	6	277	—	—762	
895	—	—	—	.08	7	5	365	4.64	4	6	365	—	—776	
896	—	—	—	.65	7	5	277	4.51	3'	6	277	—	—778	
897	—	—	—	.49	5'	5	—	4.49	2'	6	—	—	—786	
898	—	—	—	.99	5	5	365	4.61	2'	6	365	—	1854.034	
899	—	—	—	.87	7	6	—	4.89	4'	8	—	—	—040	A white, B green. Daylight.
900	—	—	—	.63	3	5	—	4.24	3	6	—	—	—048	
901	—	—	—	.35	4	5	—	4.32	4'	8	—	—	—051	
902	—	—	—	.84	7	6	—	4.46	4'	8	—	—	—086	
903	—	—	—	118.10	7	6	—	4.50	3	6	—	—	—097	
904	—	—	—	118.17	7	6	—	4.39	3'	8	—	—	—100	
905	δ Herculis	9	64 59	176.80	5	5	365	22.47	3'	6	365	4—9'	1852.724	
906	—	—	—	177.26	7	6	277	22.21	5'	8	277	—	—738	
907	—	—	—	177.47	5'	5	365	22.00	3'	6	365	—	1853.144	
908	—	—	—	177.83	5'	5	277	21.98	3'	6	277	—	—166	
909	—	—	—	176.38	6	6	365	21.92	4	6	365	4—10	1854.073	
910	—	—	—	177.74	7'	6	277	21.88	3	6	277	—	—078	
911	—	—	—	177.31	6'	6	—	21.78	4	6	—	—	—086	
912	φ Herculis	18.5	52 43	309.35	4'	5	365	3.83	3	6	365	4'—6	1852.779	A white, B green. Daylight.
913	—	—	—	308.59	5'	5	—	3.57	4	6	—	—	—782	
914	—	—	—	308.80	6	5	—	3.73	3'	6	—	—	—784	
915	—	—	—	309.55	5	5	277	3.80	3'	6	—	—	—770	
916	τ Ophiuchi	55	98 10	239.88	4'	6	365	1.14	2'	6	365	5—6	1852.648	
917	—	—	—	238.95	3	5	—	1.06	2	6	—	—	—651	

874 Definition excellent.

881 By the time the measures of position were taken, B was too faint for distance.

884 Definition superb

888 Fog; some dew on the object glass, in spite of the cap.

904 Sky hazy, definition excellent.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS
918	70 Ophiuchi	h. m.	° ' "	°				"						
919	—	17 58	87 27	113.79	5'	5	365	6.61	3	6	365	6—7	1852.724	
920	—	—	—	114.49	6'	5	277	6.90	3'	6	277	—	— .752	
921	—	—	—	113.78	5'	5	—	6.66	3'	6	—	—	— .757	
922	—	—	—	113.86	4'	5	—	6.16	3	6	365	—	1854.067	
923	—	—	—	113.80	4'	5	—	6.44	3'	6	277	—	— .073	
924	—	—	—	113.96	6	5	—	6.33	3'	6	—	—	— .081	
925	59 Serpentis	18 20	89 54	113.06	6	5	365	6.47	4'	8	365	—	— .097	
926	—	—	—	814.82	5	5	365	3.18	3	6	365	6'—8'	1852.738	
927	—	—	—	814.60	6	5	277	3.68	3'	6	277	—	— .749	
928	—	—	—	814.77	5'	5	—	3.80	3	6	—	—	— .752	
929	—	—	—	814.42	5	5	365	3.91	3	6	365	—	— .776	
930	γ Cor. Aust.	56	127 16	818.44	4'	5	—	3.71	3	6	—	—	— .814	
931	—	—	—	2.00	3	5	365	2.10	2'	6	365	5'—5'	1852.672	
932	—	—	—	0.15	5	6	—	1.72	3	6	—	—	— .707	
933	—	—	—	0.21	3'	5	—	2.04	2	6	—	5—5	— .709	
934	—	—	—	1.87	4	5	—	1.83	4	6	—	—	— .779	
935	—	—	—	358.17	3	5	—	1.98	2	4	—	5'—5'	1853.196	
936	—	—	—	359.77	3'	4	277	1.75	5	8	277	—	— .262	
937	—	—	—	0.80	5	6	365	1.86	5'	8	365	—	— .264	Sunrise.
938	—	—	—	358.21	4	5	—	1.87	2'	6	—	5—5	— .776	
939	—	—	—	358.69	4'	5	277	1.79	3'	6	277	—	— .778	Daylight.
940	—	—	—	358.60	4'	5	365	1.80	2'	6	365	—	— .784	
941	—	—	—	356.41	5	6	277	1.78	3'	8	277	—	1854.106	
942	λ Cygni	AB	20 42	356.70	5	6	—	1.83	2'	6	—	—	.117	
943	—	—	—	99.10	2	3	365	*0.7	—	—	—	5'—6	1853.882	
944	—	AC	—	99.10	1	3	—	—	—	—	—	—	— .891	
945	—	—	—	104.36	2	2	—	—	—	—	—	5'—10	— .882	
946	ε Equulei	AB	52	104.85	3'	3	—	85.95	1	2	365	—	— .891	
947	—	—	—	287.50	3	5	277	*0.8	—	—	—	6—7	1853.880	In contact.
948	—	—	—	285.98	2'	4	365	—	—	—	—	—	— .882	Barely divided.
949	—	AC	—	74.90	3'	4	277	*10.	—	—	—	6—7	1853.880	
950	12 Aquarii	56	96 25	75.78	3	3	365	—	—	—	—	—	— .882	
951	—	—	—	191.87	5	5	277	2.77	3	6	277	6'—8'	1852.814	
952	—	—	—	191.92	4'	5	365	2.94	3	6	365	—	— .817	
953	—	—	—	192.40	4'	5	—	2.67	4	6	—	—	— .820	
954	61 Cygni	21 0	52 0	190.40	4	5	277	2.87	2'	6	277	—	— .852	
955	—	—	—	104.02	6	5	277	17.40	3'	6	277	6—6	1852.752	
956	—	—	—	104.54	7	5	—	17.41	3'	6	—	—	— .760	
957	—	—	—	105.04	5'	5	365	17.65	3'	6	365	—	1853.890	
958	θ Indi	9	144 4	104.48	7	5	—	17.71	3'	6	—	—	— .893	
959	—	—	—	299.26	3'	5	277	3.67	3	6	277	6—8	1852.733	
960	—	—	—	298.53	4	5	—	3.23	2	6	—	—	— .740	
961	—	—	—	297.71	5	5	—	3.11	3	6	—	—	— .749	
962	B.A.C. 7578	38	138 0	298.58	3	5	—	3.14	2'	6	—	—	— .762	
963	—	—	—	8.89	7	5	277	32.86	3'	6	277	6'—9	1852.752	
964	—	—	—	9.20	5'	5	174	32.93	3	6	174	—	— .776	
965	—	—	—	8.59	6	5	277	33.02	4	6	277	6'—9'	1853.893	
				8.49	5'	5	—	33.25	4	6	—	—	— .896	

926 Wires fliddle slightly

932 Flying clouds; stars moulding.

934 Just after sunrise; rather faint; heavy dew.

935 Just before sunrise, wind S. sky hazy; no dew.

940 Just before sunrise, the Northern star is now the brighter if any thing.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
966	h 5819	h. m.	o ' "	o				"						
967	—	22 3	129 2	114.99	4'	5	277	1.34	2	6	277	8—8	1852.738	Nearly equal.
968	—	—	—	112.24	5	5	—	1.55	3'	6	—	—	— .747	
968	ξ Aquarii	21	90 49	846.74	4'	5	277	3.65	3'	6	277	4—4	1852.725	
969	—	—	—	846.92	5'	5	—	3.89	4	6	—	—	— .733	
970	γ Pisc. Aust.	44	123 40	274.08	5	6	277	4.16	3	6	277	4'—9'	1852.776	A yellow, B reddish.
971	—	—	—	274.40	4'	5	365	4.17	3	6	365	—	— .784	
972	—	—	—	273.48	4'	5	277	4.16	3	6	277	—	— .814	
973	—	—	—	273.75	5'	5	365	4.20	3	6	365	—	— .817	
974	—	—	—	273.92	4	5	277	4.22	2'	6	277	—	1853.901	
975	—	—	—	275.83	5'	6	—	4.20	3'	6	—	—	— .910	
976	—	AB	—	11.77	4'	5	277	3.03	3'	6	277	5'—9	1852.733	
977	—	—	—	11.28	4'	5	—	2.48	4	6	—	—	— .747	
978	—	—	—	10.60	3	5	—	2.55	2'	6	—	5'—8'	— .937	
979	—	—	—	12.64	4'	5	—	2.50	3'	6	—	—	— .943	
980	θ Gruis	58	134 21	13.61	3	4	327	2.61	2'	6	327	—	— .995	
981	—	—	—	13.85	4'	5	277	2.36	3'	6	277	—	1853.000	
982	—	AC	—	292.60	1'	1	277	—	—	—	—	5'—8'	1852.733	
983	—	—	—	292.90	4	2	—	159.33	1	2	277	—	— .747	
984	—	—	—	292.80	3	2	—	—	—	—	—	—	— .943	
985	94 Aquarii	23 10	104 18	845.22	7	6	282	13.29	4	6	282	5'—9	1852.896	
986	—	—	—	845.60	5'	5	277	13.67	3'	6	277	—	— .943	
987	—	—	—	845.64	5	5	—	13.88	3'	6	—	—	— .970	
988	—	—	—	845.82	5'	5	—	13.68	3'	6	—	—	1853.011	
989	φ Phœnicis	31	137 30	270.77	4	5	277	3.87	4	6	277	6—6	1852.776	
990	—	—	—	271.03	3'	5	365	4.04	3	6	365	—	— .784	
991	—	—	—	269.41	4	5	277	4.05	3	6	277	—	— .814	
992	—	—	—	268.97	5'	5	365	4.15	1'	4	365	—	— .817	
993	h 5437	53	143 56	290.48	3	5	277	2.86	1'	4	277	5'—10'	1852.825	
994	—	—	—	294.75	2	5	—	—	—	—	—	7—12	— .943	
995	—	—	—	293.07	2'	5	—	2.94	1	4	277	6'—12	1853.011	
996	α Scorpii	16 20	116 6	272.46	3'	5	365	3.37	2	6	365	1—9'	1852.606	
997	—	—	—	272.16	3	5	—	2.74	2'	6	—	—	— .647	
998	—	—	—	273.67	4	5	277	2.81	3	6	277	1—8'	— .649	

966 Sky hazy, definition good.

970 Hazy and flying clouds; definition fair.

972 Sky hazy, definition good.

980 Taken with Troughton's Micrometer and Barlow lens.

985 Troughton's Micrometer.

991 Sky hazy, and flying clouds.

993 Rather difficult.

994 Very difficult; the sky is hazy, yet the former estimate of the magnitudes must surely be too high.

996 Omitted in its proper place through inadvertence.

N. B.—All the Observations given in this Appendix were taken with Dollond's Micrometer, unless otherwise noted.

MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
389	{ h 1007 AB } AC	<i>h. m.</i> 0 6	<i>° '</i> 63 51	<i>°</i> { 53.07 224.40	4 4	8 6	<i>yr.</i> 4.000 4.000	<i>"</i> *0.7 *18.	— —	— —	<i>yr.</i> — —	7—8 7—12
390	h 3375	26	125 48	164.99	11	10	2.750	6.61	6	12	2.750	7—7
391	γ Cassiopeæ	40	32 59	{ 107.97 109.00 109.77	12 10' 27	10 10 22	2.756 3.135 3.986	7.985 7.910 8.007	8 7 15	12 12 26	2.756 3.135 3.991	4—8' 4—9 3.8—9
392	36 Andromedæ	47	67 11	338.06	11	15	3.962	1.26	4'	12	3.971	6'—7
393	S 392	57	96 16	166.21	8'	10	2.815	12.55	4'	12	2.815	8.7—9
394	ζ Phœnicis	1 2	146 4	244.12	8'	10	2.768	5.995	5	12	2.764	6—8'
395	{ Cyc LX AB } AC	29	83 7	{ 27.24 68.70	8 2	10 2	2.942 2.825	1.68 *80.0	5' —	12 —	2.931 —	7—7 7—11'
396	h 3447	29	120 42	82.46	8'	10	2.903	2.50	7'	18	2.901	6—8
397	p Eridani	34	142 56	{ 264.84 263.24	19 14	20 15	2.758 3.990	4.14 4.36	12' 7	24 12	2.758 4.001	6'—6' 6—6
398	{ BAC 547 AB } AC AD	40	42 51	{ 44.54 359.73 275.73	7' 4' 1	9 5 2	3.158 3.157 3.151	1.90 19.87 164.10	6' 2 1	12 4 1	3.158 3.158 3.151	6'—7 6'—12 6'—12
399	α Piscium	55	87 57	{ 328.44 328.49 327.86	16 9 16	15 10 15	2.683 3.127 3.957	3.48 3.33 3.22	11 6' 11	20 12 18	2.689 3.128 3.957	5'—5' — —
400	{ γ Androm. } AC AB	55	48 24	{ 111.31 106.83 61.46	2' 12 5	6 18 5	2.784 3.940 3.919	*0.5 *0.4 10.38	— — 5	— — 10	— — 3.919	6'—7 — 2'—6'
401	h 3485	2 6	140 2	139.30	10	14	2.995	4.51	3'	12	2.998	10.3—10.8
402	h 3494	14	126 8	110.05	6'	9	2.822	1.96	1'	4	2.825	9—9
403	γ Ceti	36	87 26	290.97	9	10	3.061	2.70	5'	12	3.060	3'—7
404	ϵ Arietis	50	69 16	196.15	17	22	3.497	1.08	6	20	3.678	5'—6
405	θ Eridani	52	130 49	{ 83.25 82.88	24 10'	20 10	2.784 3.158	8.025 7.83	14 7	26 12	2.780 3.158	3.5—4.2 —
406	BAC 936	52	58 11	187.77	10	10	3.122	8.54	6	12	3.122	7—8'
407	12 Eridani	3 6	119 34	309.82	20	20	2.983	3.29	10	18	2.989	4—7
408	h 3565	12	109 4	110.43	11	11	3.079	5.56	7'	12	3.079	6—9
409	S 431	29	89 54	238.21	12	11	3.983	6.33	7'	12	3.983	7—9
410	f Eridani	43	128 5	202.61	34	31	3.075	7.07	17	30	3.058	5.3—5.7
411	39 —	4 7	100 38	151.23	18	16	3.082	6.50	9	18	3.084	5'—9
412	h 3632	9	120 28	164.63	9	9	3.985	10.91	6	12	3.985	8—11

394 Little or no change.

395 The angle progresses 0.3 per annum; distance apparently on the increase.

396 Still no apparent change since 1846.

400 The angle continues to recede, and the decrease in distance is accelerating—the star should be closely watched.

401 Probably unchanged.

402 The angle appears to have receded.

410 The angle seems slowly advancing; distance steady.

* Estimated.

MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

(15)

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
		<i>h. m.</i>	<i>° ' "</i>	<i>°</i>			<i>yr.</i>	<i>"</i>			<i>yr.</i>	
413	{ Σ 544 AB } BC	4 18	99 5	{ 266.61 353.45	7 6	6	3.090	126.95	2	2	3.090	8' — 9
					8'	14	3.090	2.33	6'	12	3.091	9 — 10
414	80 Tauri	22	74 44	10.20	6'	10	3.139	1.50	5	12	3.138	6 — 9.2
415	Σ 566	28	36 50	303.70	6'	10	3.194	1.94	5'	12	3.194	6' — 8'
416	B.A.C. 1573	59	125 41	315.73	18'	25	3.497	2.835	13	30	3.474	5.6 — 9.9
417	h 3728	5 4	131 25	260.58	6'	10	3.080	9.76	4'	12	3.082	7 — 11'
418	{ *Leporis AB } AC	6	103 7	{ 359.56 58.85	9 1	10 1	3.106 3.090	2.565 *210.	8	12	3.106	4' — 8'
					1	1			—	—		4' — 8
419	{ h 3752 AB } AC	16	114 55	{ 107.46 105.87	10' 11	10 7	3.075 3.073	2.865 58.77	7 4	12 10	3.074 3.070	6 — 7 6 — 9'
420	γ Orionis	17	92 32	{ 87.04 83.76	10 6'	14 10	3.123 3.993	1.07 *0.75	7'	20	3.123	4 — 6' 3' — 5
421	32 —	23	84 10	201.97	5'	9	3.084	1.11	2	6	3.036	5 — 7'
422	33 —	23	86 50	25.88	8	10	2.945	1.87	5'	12	2.953	6 — 8
423	B.A.C. 1728	24	73 3	141.32	11	10	3.086	9.48	7'	12	3.082	6' — 6'
424	θ Orionis { AB } AC AD A α BE	28	95 30	{ 311.21 60.88 343.33 123.40 352.05	5 5 3 4'	4 5 4 6 7	3.024 3.024 3.022 3.021 3.020	12.92 13.59 16.80 3.26 3.98	4 4 3 1 3	8 8 8 4 8	3.022 3.022 3.022 3.014 3.019	4.7 — 7 4.7 — 7 4.7 — 7.7 4.7 — 14.5 7 — 11.5
425	42 —	28	94 54	219.10	6'	11	3.151	1.65	1'	4	3.145	5 — 10'
426	26 Aurigæ	29	59 56	267.48	9'	10	3.195	12.42	3'	10	3.195	5 — 10
427	ζ Orionis	33	92 2	{ 149.94 151.56 148.89	20 20 11'	22 20 13	3.185 3.770 4.064	2.29 2.32 2.32	15 13 6'	26 24 12	3.185 3.771 4.064	2 — 5' — —
428	h 3830	59	118 40	2.03	8	10	4.053	6.45	6'	12	4.052	9' — 9'
429	h 3831	59	131 9	136.16	6	10	4.052	2.70	4	12	4.053	10 — 10
430	{ h 3834 A α } AB	6 0	135 5	{ 237.31 320.19	6' 4'	9 3	4.050 4.054	2.58 173.76	2' 1	6 1	4.042 4.042	6 — 11 6 — 6'
431	\angle 23	1	138 28	{ 350.69 351.47	13 8'	15 10	2.734 3.993	2.81 2.57	8 5'	18 12	2.733 3.991	7.2 — 7.2 7' — 7'
432	B.A.C. 2048	14	149 7	225.28	3	3	3.148	†40.55	2'	4	3.148	7 — 8'
433	B.A.C. 2080	19	69 7	205.34	13	10	3.135	31.44	7	12	3.136	6 — 7'
434	{ Σ 910 AB } BC	19	89 28	{ 151.28 165.74	5 8'	5 13	3.168 3.162	66.72 *0.67	2	2	3.172	6.8 — 9.2 9.2 — 9.3
435	38 Gemin.	46	76 38	169.55	9'	10	2.779	5.98	7	12	2.780	5' — 8
436	μ Can. Maj.	49	103 51	337.65	10'	11	3.065	2.89	7	12	3.065	5' — 9
437	δ Gemin.	7 11	67 45	202.23	10'	10	2.783	7.06	7	12	2.783	8' — 9

414 The suspected orbital movement of this star is not confirmed, but it should be carefully watched, as the changes noticed in the angle may perhaps prove to be parallactic.
415 The angle appears receding, and the distance increasing.

427 These Observations were taken as trials of parallax, and the differences are in the right direction.
431 The differences are distressingly irregular.
436 The angle appears slowly receding, and the distance decreasing.
437 A probable advance of about 0.2 per annum.

* Estimated.

† Diff. declination.

MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
438	π Argus	<i>h.</i> 7	<i>m.</i> 12	<i>°</i> 126	<i>'</i> 50	<i>°</i> 212.17	13'	10	<i>yr.</i> 3.031	<i>"</i> 68.70	4'	8	<i>yr.</i> 3.031	5 — 9'
439	Castor { AB AC }		25		57 47	{ 247.32 247.31 163.38	20 11 4	15 11 3	3.045 4.037 4.067	5.083 5.24 72.92	9' 6' 1'	18 12 2	3.061 4.044 4.067	2 — 2' — 2 — 11
440	S 552		28		113 9	287.97	10	10	3.218	8.68	7	12	3.218	6' — 6'
441	Cyc. 299		32		84 26	138.83	8'	11	3.218	1.475	7	12	3.218	6.7 — 6.7
442	Cyc. 301		33		116 28	319.08	13	10	3.218	9.71	7'	12	3.218	5' — 5'
443	ζ Canori { AB AC }	8	4		71 54	{ 322.04 317.24 142.09 139.99	12 8 15 8'	15 10 15 8	3.196 3.947 3.196 3.956	1.22 1.15 4.89 4.94	8 4' 6 5'	18 12 12 12	3.196 3.944 3.196 3.950	6 — 7 — 6 — 7 —
444	h 4128		36		149 47	220.92	11	14	4.003	2.06	5	12	3.983	7.7 — 8.5
445	ϵ Hydræ		39		83 3	{ 209.12 209.63	8' 8'	9 10	3.241 3.994	3.33 3.265	8' 7	12 14	3.241 4.000	4' — 7 —
446	B.A.C. 3118	9	0		27 42	25.43	10	10	3.133	24.82	6	12	3.133	7' — 7'
447	ω Leonis		20		80 18	{ 343.34 356.08	5 8	11 6	3.183 3.962	*0.45 *0.4	— —	— —	— —	6' — 7 —
448	γ —	10	12		69 24	{ 107.37 108.34	11' 9'	10 10	3.221 3.965	2.91 3.07	7' 5'	12 12	3.221 3.965	2 — 3' —
449	Σ 1517	11	6		69 57	286.27	7'	10	3.220	*0.75	—	—	—	8 — 8
450	h 4423		10		135 2	274.06	12	15	3.931	1.97	7'	16	3.932	7 — 7'
451	ξ Urs. Maj.		10		57 38	{ 119.47 117.07	11' 8'	10 10	3.198 3.931	3.01 3.11	7 5	12 12	3.197 3.931	4' — 5' —
452	ι Leonis		16		78 39	{ 79.68 78.78	9 10	10 11	3.208 3.961	2.44 2.63	6' 6	12 12	3.210 3.959	4' — 8 —
453	B. 3574		18		150 48	303.71	7'	10	3.956	4.47	3'	10	3.953	7' — 9
454	δ Urs. Maj.		21		49 49	6.81	8'	10	3.239	5.26	6'	12	3.238	6' — 9.7
455	γ Virginis	12	34		90 38	{ 173.28 173.00	9' 10	10 10	3.235 3.906	3.12 3.06	8' 6'	12 12	3.238 3.905	4 — 4 —
456	h 4556		46		117 9	83.44	8	9	4.006	5.78	5	12	4.006	7' — 10'
457	Σ 1757	13	27		89 38	48.01	12	15	3.732	2.14	8	18	3.700	8 — 9.2
458	Σ 1837	14	17		100 59	318.41	19	24	3.670	1.56	11	30	3.620	7 — 9.2
459	α Centauri	30	150	13		{ 264.88 266.49 267.04 267.84 268.82 275.23 277.46	28 15 47 38 25 39 33	40 21 54 41 30 44 16	2.678 2.873 2.987 3.075 3.231 3.940 4.070	4.795 4.520 4.495 4.627 4.560 4.333 4.083	18 9 35 27 17 22 21	48 24 68 52 30 48 42	2.683 2.872 2.985 3.071 3.230 3.933 4.070	1 — 2 — — — 1 — 1' — 1 — 1.7

449 There appears little or no change in this star.

454 The angle appears to recede nearly 0.2 per annum, while the distance is slowly decreasing.

457 It may be doubted if this is a binary system, for the relative motion does not differ sensibly from a straight line, a proper motion of 0.04 would account for the changes.

458 There appears a small change, of about—0.3 per annum, in the angle, but little or none in the distance.

* Estimated.

MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

(17)

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
		<i>h.</i>	<i>m.</i>	<i>o</i>	<i>'</i>	<i>o</i>			<i>yr.</i>	<i>"</i>			<i>yr.</i>	
460	ζ Bootis	14	34	75	38	126.21	19	24	3.422	1.24	9	22	3.551	4 — 4
461	—		38	62	18	323.08	10	10	3.199	2.635	7	12	3.199	3 — 6'
462	h 4715		46	137	16	273.45	9	10	4.041	2.54	8	6	4.040	7 — 7'
463	π Lupi		55	136	28	283.02	14	21	3.576	1.24	6	18	3.551	5.3 — 5.5
464	44 Bootis		59	41	46	238.52	9'	9	3.270	4.47	7	12	3.270	5 — 6
465	η Cor. Bor.	15	17	59	10	{ 257.86 285.31	{ 2' 4'	{ 7 13	{ 3.198 4.043	{ *0.4 *0.5	—	—	—	{ 6 — ? 6 — 6'
466	μ ² Bootis		19	52	8	{ 265.14 255.74	{ 4' 4'	{ 9 9	{ 3.230 4.050	{ *0.45 *0.5	—	—	—	{ 8' — 8' 8 — 8
467	γ Lupi		25	130	39	273.43	6'	10	3.128	1.03	4	12	3.128	3.8 — 4.1
468	γ Cor. Bor.		36	68	14	294.29	4	10	3.197	*0.5	—	—	—	5 — 7
469	51 Libræ AB AC		56	100	57	{ 46.52 48.35 68.18 69.28	{ 10 5 5 6'	{ 15 10 5 9	{ 2.985 4.061 3.127 4.061	{ 0.93 *0.9 7.51 7.73	{ 4' — 2 2'	{ 12 — 4 6	{ 3.128 — 3.125 4.059	{ 4' — 5 5 — 5' 4' — 7' 5 — 8
470	β Scorpii		57	109	23	25.43	16	15	2.688	13.70	5	12	2.706	2' — 5
471	σ Cor. Bor.	16	9	55	46	{ 177.90 177.87	{ 9 16	{ 10 15	{ 3.142 4.048	{ 2.18 2.25	{ 8 9	{ 14 16	{ 3.142 4.048	{ 6 — 6' —
472	α Scorpii		20	116	6	272.83	10'	15	2.684	2.94	7'	18	2.687	1 — 9
473	λ Ophiuchi		23	87	41	{ 12.60 15.25	{ 10 9	{ 15 15	{ 2.672 4.064	{ 1.21 1.84	{ 6 5	{ 18 16	{ 2.674 4.064	{ 4' — 6 4' — 6'
474	ζ Herculis		36	58	8	{ 81.16 78.05	{ 6' 8	{ 10 14	{ 3.148 4.063	{ 1.58 1.52	{ 5 4	{ 12 14	{ 3.148 4.062	{ 4 — 8 4 — 8'
475	36 Ophiuchi AB AC BC	17	6	116	22	{ 34.37 298.34 296.85	{ 10 6 3	{ 10 4 2	{ 4.072 4.072 4.073	{ 4.13 *180 —	{ 10' — —	{ 16 — —	{ 4.071 — —	{ 5 — 5 5 — 8' 5 — 8'
476	α Herculis		8	75	26	{ 117.44 45 80 118.02 175 515 117.39 75 118.04	{ 24 20 14 24 22 27 24 19 21	{ 25 20 16 22 23 27 20 20 18	{ 2.736 2.788 2.820 3.039 3.127 3.268 3.776 4.042 4.094	{ 4.39 4.616 4.58 4.58 4.62 4.46 4.53 4.375 4.45	{ 12 13 7' 10 12 15 12' 14 11	{ 24 24 18 18 24 26 24 28 22	{ 2.730 2.788 2.820 3.042 3.127 3.268 3.776 4.044 4.094	{ 3 — 5' — — — — — — — —
477	δ —		9	64	59	{ 177.07 65 19	{ 12 11 20	{ 11 10 18	{ 2.732 3.155 4.079	{ 22.31 21.99 21.86	{ 9 7 11	{ 14 12 18	{ 2.733 3.155 4.079	{ 4 — 9' — 4 — 10
478	ρ —		18.5	52	43	809.04	21	20	2.784	3.723	14	24	2.784	4' — 6

460 Perhaps a change of about —0.1 per annum in the angle; distance nearly constant.

461 The progression is still doubtful.

463 The angle seems to have decreased and the distance increased since Herschel's Cape measures, but the star is difficult and the change is therefore doubtful.

464 The slow progression of the angle continues, and the distance appears to be coming to a maximum.

465 These places agree very nearly with M. Yvon Villarceau's last orbit.

467 Apparently unchanged.

475 The components must certainly be variable.

476 For a discussion of the parallax of this star, see p. (19).

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
479	τ Ophiuchi	<i>h. m.</i> 17 55	<i>° ' "</i> 98 10	<i>°</i> 239°51	7'	11	<i>yr.</i> 2·649	<i>"</i> 1·10	4'	12	<i>yr.</i> 2·649	5 — 6
480	70 —	58	87 27	{ 114·05 113·65	17 21	15 21	2·745 4·081	6·73 6·865	10 14	18 26	2·745 4·081	6 — 7 —
481	59 Serpentis	18 20	89 53	314·35	26	25	2·764	3·657	15	30	2·766	6' — 8'
482	γ Cor. Aust.	56	127 16	{ 0·97 359·58 358·51 356·55	15' 11' 13 10	21 15 15 12	2·719 3·246 3·779 4·111	1·905 1·827 1·817 1·800	11' 12' 8' 6	24 20 18 14	2·725 3·252 3·779 4·110	5·2 — 5·2 5·5 — 5·5 5 — 5 —
483	λ Cygni { AB AC }	20 42	54 4	{ 99·10 104·67	3 5'	6 5	3·885 3·888	*0·7 85·95	— 1	— 2	— 3·891	5' — 6 5' — 10
484	ϵ Equulei { AB AC }	52	86 16	{ 286·81 75·31	5' 6'	9 7	3·881 3·881	*0·8 *10·0	— —	— —	— —	6 — 7 6 — 7
485	12 Aquarii	56	96 25	191·69	18	20	2·825	2·80	12'	24	2·824	6' — 8'
486	61 Cygni	21 0	52 0	{ 104·30 104·73	13 12'	10 10	2·756 3·892	17·405 17·68	7 7	12 12	2·756 3·892	6 — 6 —
487	θ Indi	9	144 4	298·44	15'	20	2·746	3·30	10'	24	2·746	6 — 8·2
488	B.A.C. 7578	38	138 0	{ 9·03 8·54	12' 11'	10 10	2·763 3·894	32·89 33·14	6' 8	12 12	2·763 3·894	6' — 9 6' — 9'
489	h 5319	22 3	129 2	113·54	9'	10	2·740	1·47	5'	12	2·742	8 — 8
490	ζ Aquarii	21	90 49	346·84	10	10	2·729	3·78	7'	12	2·729	4 — 4
491	γ Pis. Aust.	44	123 40	{ 273·92 275·03	19' 9'	21 11	2·798 3·906	4·173 4·21	12 6	24 12	2·798 3·907	4' — 9' —
492	θ Gruis { AB AC }	58	134 21	{ 11·53 12·78 292·81	9 15 8'	10 19 5	2·740 2·960 2·814	2·74 2·49 159·33	7' 12 1	12 24 2	2·740 2·969 2·747	5' — 9 5' — 8' 5' — 8'
493	94 Aquarii	23 10	104 18	345·55	23	21	2·955	13·62	14	24	2·953	5' — 9
494	θ Phœnicis	31	137 30	269·96	17	20	2·800	4·00	11'	22	2·795	6 — 6
495	h 5437	53	143 56	292·48	7'	15	2·918	2·89	2'	8	2·872	6·3 — 11·5

480 The distance is perceptibly decreasing.

482 There will probably be an appulse of this pair about 1863; and the period seems somewhere about 100 years.

486 The relative motion of these stars appears to differ little from a straight line, so that there may still be some doubt of their physical connection.

488 The changes of this pair are probably due to the proper motion of A.

492 Little or no change.

* Estimated.

PARALLAX OF α HERCULIS.*

In the notes to the 1st Series of Observations of Double Stars, made with the Lerebours' Equatorial, it was pointed out that the Observations of α Herculis gave indications of parallax. In consequence of these indications, the pair was sedulously observed during the years 1852-3, not only at the times when the effect of parallax on the position-angle was near a maximum, but also at intermediate points, with a view to ascertain if the curve of parallax could be traced out with any degree of precision.

The result has been most satisfactory, as will be apparent from an inspection of Fig. 5, where the observed positions are compared with the curve corresponding to a constant of parallax of 0.06 , which would cause an extreme variation in the angle of about 1.0 . The dotted curve line shows the position angle at any given time as affected by a parallax of the above amount, and the mark \odot indicates the several observed positions, which will be seen to agree with the curve within a very moderate amount of error.

The effect of parallax on the position-angle is shown in Fig. 6, where AB is the meridian, C the position of the larger Star unaffected by parallax, or as it would appear from the Sun's Centre, DGEF the path described in consequence of parallax, DE the circle of latitude, and consequently D & E the points where the Star will be found when the earth's longitude is equal to, or differs by 180° from, that of the Star, S the place of the smaller Star supposed unaffected by parallax. Then, if x be the constant of parallax for the earth's mean distance from the Sun R the earth's radius vector for the time being, & λ the Star's latitude; $\therefore CG = Rx$ & $CD = Rx \sin \lambda$; and the equation of condition for any observed angle of position will be

$$Z = Z + \frac{57.3}{d} \frac{q x \sin X}{\sin X} + (t - 1853.0) m$$

Where	Z	is	the	apparent	position-angle in degrees.
	Z	-	the	mean	position-angle for 1853.0.
	d	-	the	apparent	distance of the Stars.
	x	-	the	constant of	parallax.
	qx	-	the	elliptic	radius CI for the given time.
	X	-	the	angle	SCI reckoned from SC in the order FDGE.
	t	-	the	time of	observation.
	m	-	the	annual change in the	position angle—arising from proper motion.

The co-efficient q of the elliptic radius, and its inclination to the meridian from which to deduce X , can be computed in the following manner. Let L be the earth's longitude at the given time, l that of the Star, I the angle DCI, and A the angle ACD; and make $p = R. \cos (L - l)$.

$$q = R. \sin (L - l).$$

$$\begin{aligned} \text{then Cot. } I &= \frac{p \sin \lambda}{q} \\ q &= q \operatorname{cosec} I \\ \& \quad X &= Z + I - A \end{aligned}$$

The angle A being the angle of situation of the Star is $= 6^\circ 28\frac{1}{2}' = 6.48$.

* For the Observations here discussed see pp. 56, 76, and (11), (17) of this Appendix.

PARALLAX OF α HERCULIS.

The several equations of condition are then as follow:—

Z	—	1.247	m	—	$\frac{57.8 \times .571 \times x}{4.57}$	=	117.73	Weight. 16
Z	—	.748	m	+	$\frac{57.8 \times .603 \times x}{4.45}$	=	118.48	27
Z	—	.264	m	—	$\frac{57.8 \times .530 \times x}{4.39}$	=	117.44	24
Z	—	.212	m	—	$\frac{57.8 \times .626 \times x}{4.610}$	=	117.46	20
Z	—	.180	m	—	$\frac{57.8 \times .662 \times x}{4.53}$	=	117.80	14
Z	+	.089	m	—	$\frac{57.8 \times .175 \times x}{4.54}$	=	118.02	24
Z	+	.127	m	+	$\frac{57.8 \times .181 \times x}{4.627}$	=	118.175	22.5
Z	+	.268	m	+	$\frac{57.8 \times .629 \times x}{4.46}$	=	118.515	27
Z	+	.776	m	—	$\frac{57.8 \times .609 \times x}{4.53}$	=	117.89	24
Z	+	1.042	m	—	$\frac{57.8 \times .165 \times x}{4.375}$	=	117.75	19
Z	+	1.094	m	+	$\frac{57.8 \times .054 \times x}{4.45}$	=	118.04	21

or subtracting 117 from each side, and calling $Z - 117 = z$.

1	z	—	1.247	m	—	7.16	x	=	.73
2	z	—	.748	m	+	7.76	x	=	1.48
3	z	—	.264	m	—	6.92	x	=	.44
4	z	—	.212	m	—	7.77	x	=	.45
5	z	—	.180	m	—	8.28	x	=	.80
6	z	+	.089	m	—	2.21	x	=	1.02
7	z	+	.127	m	+	2.24	x	=	1.75
8	z	+	.268	m	+	8.08	x	=	1.515
9	z	+	.776	m	—	7.70	x	=	.39
10	z	+	1.042	m	—	2.16	x	=	.75
11	z	+	1.094	m	+	.69	x	=	1.04

Multiplying these by their respective weights they become

16	z	—	19.95	m	—	114.6	x	=	11.68
27	z	—	20.20	m	+	209.6	x	=	38.61
24	z	—	6.34	m	—	166.1	x	=	10.56
20	z	—	4.24	m	—	155.4	x	=	9.00
14	z	—	2.52	m	—	115.9	x	=	11.20
24	z	+	.94	m	—	53.0	x	=	24.48
22.5	z	+	2.86	m	+	50.4	x	=	26.44
22.5	z	+	7.24	m	+	218.2	x	=	40.09
24	z	+	18.62	m	—	184.8	x	=	9.86
19	z	+	19.80	m	—	41.8	x	=	14.25
21	z	+	22.97	m	+	14.5	x	=	21.84

Resolving these by the method of least squares we find

$$z = .9846 - .0756 m$$

$$x = + .06033 + .0091 m$$

m , being a very small quantity, will not materially affect the result; its value derived from these observations is $= -0.045^*$ which agrees pretty well with that derived from a comparison of the observations for the last 30 years; assuming this value we get,

$$Z = 117.988 \pm .023$$

$$x = 0.05993 \pm .00410$$

The probable error of x being only $\frac{1}{24}$ of itself, the value may be considered as pretty near the truth; this of course is only the difference of parallax of the two stars, it is therefore possible that that of A may be somewhat greater.

It will be satisfactory to have the above result confirmed by the measures of distance, though the quantity is almost too small to be so dealt with, being less than the probable error of observation under the most favorable circumstances; and, an inspection of the column of distances, though detecting here and there slight traces of parallax, certainly does not show any thing like the regular series observable in the positions.

* The value is, $m = -0.045 \pm .043$, or the probable error is nearly equal to the whole quantity; i. e. m is probably between 0 and $-.09$; but it is evident that an alteration between these limits will scarcely affect the value of x .

The equation of condition for any observed distance will be, $d' = d - p \alpha \cos X + (t - 1853.0) n$, where d is the mean distance for epoch 1853-0, & n the annual change in distance from proper motion.

The several equations are as follow:—

					Weight.
(1)	$d + .747 x - 1.247 n = 4.657$				2
(2)	$d - .686 x - .748 n = 4.498$				2
(3)	$d + .823 x - .270 n = 4.39$				1.5
(4)	$d + .596 x - .212 n = 4.616$				2
(5)	$d + .421 x - .180 n = 4.58$				1
(6)	$d - .781 x + .039 n = 4.53$				1.5
(7)	$d - .945 x + .127 n = 4.62$				1.5
(8)	$d - .623 x + .268 n = 4.46$				2
(9)	$d + .645 x + .776 n = 4.53$				2
(10)	$d - .786 x + 1.042 n = 4.375$				2
(11)	$d - .912 x + 1.094 n = 4.45$				1.5

The weights assigned are derived from those given in the register by dividing by 7, and taking the nearest integer or half-integer; this was to save the trouble of dealing with large quantities, and the effect on the result will be scarcely sensible.

The solution of the above by least squares gives,

$$\begin{aligned} x &= + 0.06125 & + .399 n \\ d &= + 4.525 & + .0015 n \end{aligned}$$

The value of n must be very small, not exceeding at most 0.08; x & d will be therefore but little affected by it; the observations are insufficient to give this value even approximately,* but a comparison with the measures of Herschell and South in 1821 gives — 0.024; with those of Struve in 1829, — 0.06; and with those of Dawes in 1880, — 0.18; assuming it at — 0.16 the above results become

$$\begin{aligned} x &= + 0.0549 & \pm .0227 \\ d &= 4.525 & \pm .0165 \end{aligned}$$

This value of x agrees sufficiently well with that derived from the positions, the probable error, as might be expected being much larger. The residual errors of each set after correcting for x , m , & n , are exhibited below.

	1	2	3	4	5	6	7	8	9	10	11
Position.	in angle — .104	— .058	— .146	— .082	+ .299	+ .176	+ .058	+ .024	— .102	— .059	+ .060
	in arc .009	.005	.012	.006	.024	.014	.004	.002	.008	.005	.005
Distance.	+ .072	— .002	— .184	+ .056	+ .029	+ .048	+ .149	— .027	— .018	— .090	— .008


The errors in distance look probable enough, while those in the positions will doubtless appear *improbably* small; the average error of a good night's observation being somewhere about 0.04, so that the mean of 4 sets might be expected to shew an average of about 0.02, instead of 0.008 as above; but it must be borne in mind that these observations were taken with unusual care, and under highly favorable circumstances; none being taken unless the definition was unexceptionable, and nearly the whole observed by daylight, a circumstance, according to my experience, remarkably favorable to accuracy.

As it has occurred to me, that the variations in the angles of position might perhaps be attributed to a bias in the Observer's eye, from observing on different sides of the meridian, it may be well to state, that all the observations, excepting those entering into equations 6, 7, 10 & 11 were taken about 1 or 2 W. of the meridian; those in the excepted equations were from necessity taken E of the meridian, but they are just the ones which produce the least effect on the result, on account of the co-efficient of x being small; moreover they do not indicate any sensible bias of the kind alluded to. In like manner a periodical change of the distance might be attributed to temperature; but the range of temperature throughout the observations was small, scarcely exceeding 10°, and would also have had an *opposing* effect, from the minimum temperature occurring about the time of least apparent distance; i. e. it would *diminish* the apparent parallax; and in fact we find the parallax derived from the distances somewhat less than that from the positions.

It is, however, to be hoped that the subject will be taken in hand at some other Observatory, so that the above results may be confirmed.

* The value derived from the above equations is, $n = -0.01 \pm .009$; from which it can only be inferred that n is probably between .002 and .060.


Fig. 1.



Section on A.B.



Fig. 3.



Scale 3/8

Fig. 2




Fig. 4.




Fig. 5.

